



MoGua

智慧工大 1.1.3.APK 分析报告



APP名称:	智慧工大
包名:	com.supwisdom.hut
域名线索:	144条
URL线索:	129条
邮箱线索:	2条
分析日期:	2024年9月8日

分析平台:

[摸瓜APK反编译平台](#)

文件信息

文件名: 智慧工大_1.1.3.apk

文件大小: 104.47MB

MD5值: 0331f0f86f77456479580d4fd8701f95

SHA1值: 1973544a67f5aea4393bd73c6f0828f875b5e954

SHA256值: cfa757eabb20d8f99b9d6a7a90fd3e32cbb41d14fa1768e74bfce0d38f1fdb

APP 信息

App名称: 智慧工大

包名: com.supwisdom.hut

主活动Activity: com.supwisdom.superapp.ui.activity.MainActivity

安卓版本名称: 1.1.3

安卓版本: 20221135

域名线索

域名	服务器信息
c-gy.getui.nethttps	没有服务器地理信息.
schemas.android.com	没有服务器地理信息.
	IP: 111.202.16.252 所属国家: China

metrics1.data.hicloud.com	地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
formflow.hut.edu.cn	IP: 218.75.197.119 所属国家: China 地区: Hunan 城市: Zhuzhou 纬度: 27.833330 经度: 113.150002
e.189.cn	IP: 42.123.76.65 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
lbs.amap.com	IP: 110.253.189.212 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
developer.umeng.com	IP: 59.82.29.162 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
store1.hispace.hicloud.com	IP: 123.249.62.130 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
huatuocode.huatuo.qq.com	没有服务器地理信息.
open.e.189.cn	IP: 42.123.76.87 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
httpdns.qnydns.net	没有服务器地理信息.
d-gt.getui.com	没有服务器地理信息.
	IP: 27.195.127.62 所属国家: China 地区: Shandong

login.imgcache.qq.com	城市: Zibo 纬度: 36.790775 经度: 118.063354
mobilegw.alipay.com	IP: 203.209.250.2 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
b-gy.getui.nethttps	没有服务器地理信息.
long.open.weixin.qq.com	IP: 112.65.193.170 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
gtc.getui.nethttps	没有服务器地理信息.
livepull.myqcloud.com	IP: 116.130.223.85 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
data-dra.push.dbankcloud.com	IP: 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
mta.oa.com	IP: 141.144.196.217 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.378502 经度: 4.899980
ouplog.umeng.com	IP: 47.246.110.93 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987

	经度: 103.850281
grs.dbankcloud.cn	IP: 49.4.40.185 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
api-e189.21cn.com	IP: 222.93.106.185 所属国家: China 地区: Jiangsu 城市: Suzhou 纬度: 31.311365 经度: 120.617691
dotwe.org	IP: 139.129.85.178 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
vse.baidu.com	IP: 110.242.68.241 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
render.alipay.com	IP: 182.40.59.241 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
errlogos.umeng.com	IP: 47.246.110.18 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
cn.register.xmpush.xiaomi.com	IP: 221.194.179.52 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
my-service.sias.edu.cn	IP: 218.198.176.51 所属国家: China 地区: Hubei 城市: Wuhan 纬度: 30.583330

	经度: 114.266853
data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
store.hispac.hicloud.com	IP: 123.249.62.130 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
api.weixin.qq.com	IP: 116.128.170.42 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
a1.easemob.com	IP: 39.97.9.52 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
grs.dbankcloud.eu	没有服务器地理信息.
nisportal.10010.com	IP: 124.64.196.20 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
alogus.umeng.com	IP: 223.109.148.177 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
www.jivesoftware.com	IP: 23.235.209.143 所属国家: United States of America 地区: Virginia 城市: Virginia Beach 纬度: 36.837925 经度: -76.093918
	IP: 110.76.3.1 所属国家: China 地区: Zhejiang

loggw-exsdk.alipay.com	城市: Hangzhou 纬度: 30.293650 经度: 120.161583
playvideo.qcloud.com	IP: 221.204.43.242 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
superapp.hut.edu.cn	IP: 218.75.197.119 所属国家: China 地区: Hunan 城市: Zhuzhou 纬度: 27.833330 经度: 113.150002
gw.alicdn.com	IP: 221.194.139.233 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
mobilegw.aaa.alipay.net	没有服务器地理信息.
upl.baidu.com	IP: 110.242.68.242 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
appgallery.cloud.huawei.com	IP: 121.36.118.136 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mobilegw.alipaydev.com	IP: 110.75.132.131 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281

yuyin.baidu.com	IP: 153.3.237.166 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
yktapp.nwpu.edu.cn	IP: 202.117.240.4 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
ulogs.umengcloud.com	IP: 223.109.148.176 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
www.sangfor.com.cn	IP: 61.182.143.21 所属国家: China 地区: Hebei 城市: Hengshui 纬度: 37.732220 经度: 115.701157
app.html5.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
sdk.open.phone.igexin.com	IP: 101.68.218.163 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000
wap.cmpassport.com	IP: 112.33.111.233 所属国家: China 地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830
mta.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000

96f0e031-f37a-48ef-84c7-2023f6360c0a.bspapp.com	没有服务器地理信息.
openmobile.qq.com	IP: 60.28.215.27 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
stream.mobihtml5.com	没有服务器地理信息.
errlog.umeng.com	IP: 223.109.148.142 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
1255566655.vod2.myqcloud.com	IP: 42.236.6.122 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
data-drcn.push.dbankcloud.com	IP: 49.4.40.58 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
metrics2.data.hicloud.com	IP: 80.158.2.190 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
xmlpull.org	IP: 185.199.109.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
metrics-dra.dt.hicloud.com	IP: 94.74.88.100 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
	IP: 111.206.209.68 所属国家: China 地区: Beijing

vop.baidu.com	城市: Beijing 纬度: 39.907501 经度: 116.397102
www.baidu.com	IP: 110.242.68.4 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
resolver.msg.global.xiaomi.net	IP: 8.219.250.120 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
flv2.bn.netease.com	IP: 125.39.135.218 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
store-at-dre.hispace.dbankcloud.com	没有服务器地理信息.
vuejs.org	IP: 54.67.4.46 所属国家: United States of America 地区: California 城市: San Jose 纬度: 37.339390 经度: -121.894958
tcdns.myqcloud.com	IP: 109.244.168.67 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
h5.m.taobao.com	IP: 140.249.226.214 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
px.ucweb.com	IP: 116.132.217.40 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041599 经度: 114.478081

gy.getui.nethttps	没有服务器地理信息.
opencloud.wostore.cn	IP: 116.128.209.136 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
appsupport.qq.com	IP: 60.28.215.27 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
message-service.hut.edu.cn	IP: 218.75.197.119 所属国家: China 地区: Hunan 城市: Zhuzhou 纬度: 27.833330 经度: 113.150002
cn.vuejs.org	IP: 104.21.55.229 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
mobilegw-1-64.test.alipay.net	没有服务器地理信息.
abroad.apilocate.amap.com	IP: 59.82.44.11 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
resolver.msg.xiaomi.net	IP: 123.125.102.48 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mycas.hut.edu.cn	IP: 218.75.197.119 所属国家: China 地区: Hunan 城市: Zhuzhou 纬度: 27.833330 经度: 113.150002
	IP: 180.130.97.159 所属国家: China 地区: Yunnan

download.sangfor.com.cn	城市: Zhaotong 纬度: 27.316669 经度: 103.716667
data-drru.push.dbankcloud.com	IP: 159.138.202.31 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
open.weixin.qq.com	IP: 220.196.154.28 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349 经度: 120.288788
www.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
mobilegw.stable.alipay.net	没有服务器地理信息.
c-hzgt2.getui.com	IP: 124.160.155.55 所属国家: China 地区: Zhejiang 城市: Jiaxiang 纬度: 30.752199 经度: 120.750000
b-gtc.getui.nethttps	没有服务器地理信息.
service.dcloud.net.cn	IP: 115.159.204.155 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
aip.baidubce.com	IP: 111.206.210.12 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
developer.baidu.com	IP: 153.3.237.63 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668

	经度: 118.777992
plbslog.umeng.com	IP: 36.156.202.68 所属国家: China 地区: Jiangsu 城市: Yangzhou 纬度: 32.397221 经度: 119.435600
api.weibo.com	IP: 123.126.45.166 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
aaid.umeng.com	IP: 223.109.148.171 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
ulogs.umeng.com	IP: 223.109.148.130 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
m3w.cn	IP: 119.188.86.133 所属国家: China 地区: Shandong 城市: Jinan 纬度: 36.668331 经度: 116.997223
c-gtc.getui.nethttps	没有服务器地理信息.
www.getui.com	IP: 124.160.116.170 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
address-book.paas.newcapec.cn	IP: 218.28.133.179 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
	IP: 20.219.205.9 所属国家: India 地区: Maharashtra

idmb.register.xmpush.global.xiaomi.com	城市: Pune 纬度: 18.519663 经度: 73.854507
mcgw.alipay.com	IP: 183.204.244.199 所属国家: China 地区: Henan 城市: Nanyang 纬度: 32.994720 经度: 112.532784
store3.hispace.hicloud.com	IP: 23.59.252.106 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
cgi.qplus.com	没有服务器地理信息.
wappaygw.alipay.com	IP: 183.204.244.199 所属国家: China 地区: Henan 城市: Nanyang 纬度: 32.994720 经度: 112.532784
grs.dbankcloud.com	IP: 60.28.193.195 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
store2.hispace.hicloud.com	IP: 18.155.68.105 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
pingma.qq.com	IP: 116.147.19.64 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
brain.baidu.com	IP: 110.242.69.34 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280

ask.dcloud.net.cn	IP: 101.72.254.86 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
face.baidu.com	IP: 112.34.111.253 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cgicol.amap.com	IP: 218.11.15.213 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041599 经度: 114.478081
grs.dbankcloud.asia	IP: 121.36.117.149 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
play.google.com	IP: 172.217.163.46 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
authx-service.hut.edu.cn	IP: 218.75.197.119 所属国家: China 地区: Hunan 城市: Zhuzhou 纬度: 27.833330 经度: 113.150002
pslog.umeng.com	IP: 59.82.31.154 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
apilocate.amap.com	IP: 106.11.43.81 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

dualstack-restsdk.amap.com	IP: 39.98.22.142 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
dldir1.qq.com	IP: 39.91.164.197 所属国家: China 地区: Shandong 城市: Linyi 纬度: 35.063061 经度: 118.342781
alogsus.umeng.com	IP: 223.109.148.141 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
ru.register.xmpush.global.xiaomi.com	IP: 107.155.52.56 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752258 经度: 37.615471
zxid-m.mobileservice.cn	IP: 101.69.207.69 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
mclient.alipay.com	IP: 125.39.135.57 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
mp.weixin.qq.com	IP: 220.196.139.154 所属国家: China 地区: Jiangsu 城市: Yangzhou 纬度: 32.397221 经度: 119.435600
px-intl.ucweb.com	IP: 157.185.188.1 所属国家: Canada 地区: Ontario 城市: North York 纬度: 43.771862 经度: -79.331528

openapi.baidu.com	IP: 110.242.69.36 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
register.xmpush.global.xiaomi.com	IP: 47.88.199.5 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
restsdk.amap.com	IP: 59.82.132.217 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
s.file.myqcloud.com	IP: 123.6.40.242 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
avc.qcloud.com	IP: 157.148.32.34 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
m.alipay.com	IP: 203.209.245.120 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
kfpt.hut.edu.cn	IP: 218.75.197.117 所属国家: China 地区: Hunan 城市: Zhuzhou 纬度: 27.833330 经度: 113.150002
code.google.com	IP: 172.217.163.46 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514

stream.dcloud.net.cn	IP: 115.159.41.92 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
weex-project.io	IP: 104.21.10.170 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
wspeed.qq.com	没有服务器地理信息.
store-drru.hispace.hicloud.com	IP: 159.138.201.153 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
developer.mozilla.org	IP: 34.111.97.67 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
dualstack.apilocate.amap.com	IP: 106.11.40.50 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
xml.org	IP: 104.239.240.11 所属国家: United States of America 地区: Texas 城市: Windcrest 纬度: 29.499678 经度: -98.399246
fr.register.xmpush.global.xiaomi.com	IP: 98.64.182.160 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.378502 经度: 4.899980
portal.hut.edu.cn	IP: 218.75.197.119 所属国家: China 地区: Hunan 城市: Zhuzhou 纬度: 27.833330

	经度: 113.150002
cgi.connect.qq.com	IP: 60.28.215.27 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
aid.mobileservice.cn	IP: 101.69.207.68 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

URL线索

URL信息	Url所在文件
https://open.e.189.cn/openapi/special/getTimeStamp.do	cn/com/chinatelecom/account/api/e/g.java
https://api-e189.21cn.com/gw/client/accountMsg.do	cn/com/chinatelecom/account/api/e/g.java
https://mobilegw.alipay.com/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw.aaa.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw-1-64.test.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw.stable.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
https://render.alipay.com/p/s/i?scheme=%s	com/alipay/sdk/app/OpenAuthTask.java
https://wappaygw.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
http://wappaygw.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/home/exterfaceAssign.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/home/exterfaceAssign.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/cashier/mobilepay.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/cashier/mobilepay.htm	com/alipay/sdk/app/PayTask.java

https://mobilegw.alipay.com/mgw.htm	com/alipay/sdk/cons/a.java
https://mobilegw.alipaydev.com/mgw.htm	com/alipay/sdk/cons/a.java
https://mcgw.alipay.com/sdklog.do	com/alipay/sdk/cons/a.java
https://loggw-exsdk.alipay.com/loggw/logUpload.do	com/alipay/sdk/cons/a.java
http://m.alipay.com/?action=h5quit	com/alipay/sdk/cons/a.java
https://wappaygw.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/cons/a.java
https://mclient.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/cons/a.java
https://h5.m.taobao.com/mlapp/olist.html	com/alipay/sdk/data/a.java
http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/	com/amap/api/location/AMapLocation.java
http://face.baidu.com/openapi/v2/stat/sdkdata	com/baidu/idl/face/platform/network/LogRequest.java
http://face.baidu.com/gate/api/userverifydemo	com/baidu/idl/face/platform/network/NoMotionRequest.java
https://aip.baidubce.com/public/2.0/license/face-api/app/querydevicelicense	com/baidu/idl/license/LicenseReader.java
https://yuyin.baidu.com/voice?osname=voiceopen&action=usereventflow&	com/baidu/speech/utis/analysis/Analysis.java
https://vse.baidu.com/v2	com/baidu/speech/asr/SpeechConstant.java
https://vse.baidu.com/echo.fcgi	com/baidu/speech/asr/SpeechConstant.java
https://upl.baidu.com//words/add	com/baidu/speech/asr/SlotControl.java
https://vop.baidu.com/v2	com/baidu/speech/core/ASREngine.java
http://openapi.baidu.com/oauth/2.0/token?grant_type=client_credentials&client_id=	com/baidu/aip/core/mini/AutoCheck.java
http://brain.baidu.com/record/api	com/baidu/aip/face/stat/Ast.java
https://wap.cmpassport.com/resources/html/contract.html	com/cmhc/gen/sdk/view/GenLoginAuthActivity.java
https://e.189.cn/sdk/agreement/detail.do?hidetop=true	com/cmhc/gen/sdk/view/GenLoginAuthActivity.java
https://opencloud.wostore.cn/authz/resource/html/disclaimer.html?fromsdk=true	com/cmhc/gen/sdk/view/GenLoginAuthActivity.java
https://errlog.umeng.com/api/crashsdk/logcollect	com/efs/sdk/base/core/f/c.java
https://errlogos.umeng.com/api/crashsdk/logcollect	com/efs/sdk/base/core/controller/ControllerCenter.java

https://errlog.umeng.com/api/crashsdk/logcollect	com/efs/sdk/base/core/controller/ControllerCenter.java
https://c-gtc.getui.net,https://c-gtc.gepush.com	com/getui/gtc/c/b.java
https://gtc.getui.net,https://gtc.gepush.com	com/getui/gtc/c/b.java
https://b-gtc.getui.net,https://b-gtc.gepush.com	com/getui/gtc/c/b.java
https://c-gy.getui.net,https://c-gy.gepush.com	com/g/gysdk/a/ae.java
https://b-gy.getui.net,https://b-gy.gepush.com	com/g/gysdk/a/ae.java
https://gy.getui.net,https://gy.gepush.com	com/g/gysdk/a/ae.java
https://www.getui.com/verification	com/g/gysdk/a/s.java
https://e.189.cn/sdk/agreement/detail.do?hidetop=true	com/g/gysdk/a/s.java
https://wap.cmpassport.com/resources/html/contract.html	com/g/gysdk/a/s.java
https://unknown	com/g/gysdk/a/s.java
https://opencloud.wostore.cn/authz/resource/html/disclaimer.html?fromsdk=true	com/g/gysdk/a/s.java
http://xml.org/sax/features/namespaces	com/huawei/secure/android/common/xml/DocumentBuilderFactorySecurity.java
http://xml.org/sax/features/validation	com/huawei/secure/android/common/xml/DocumentBuilderFactorySecurity.java
http://xml.org/sax/features/namespaces	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/namespace-prefixes	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/validation	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/external-general-entities	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/external-parameter-entities	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/string-interning	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xmllpull.org/v1/doc/features.html	com/huawei/secure/android/common/xml/XmlPullParserFactorySecurity.java
https://sdk.open.phone.igexin.com/api.php	com/igexin/push/a.java
https://c-hzgt2.getui.com/api.php	com/igexin/push/a.java
https://d-gt.getui.com/api.htm	com/igexin/push/a.java
http://bi.	com/igexin/push/config/g.java

http://config.	com/igexin/push/config/g.java
http://bi.	com/igexin/push/config/b.java
http://config.	com/igexin/push/config/b.java
http://apilocate.amap.com/mobile/binary	com/loc/ej.java
http://dualstack.apilocate.amap.com/mobile/binary	com/loc/ej.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/ej.java
http://cgicol.amap.com/collection/collectData?src=baseCol&ver=v74&	com/loc/cb.java
http://restsdk.amap.com	com/loc/s.java
https://restsdk.amap.com/v3/iasdkauth	com/loc/l.java
http://restsdk.amap.com/v3/iasdkauth	com/loc/l.java
http://restsdk.amap.com/v3/place/text?	com/loc/a.java
http://restsdk.amap.com/v3/config/district?	com/loc/a.java
http://restsdk.amap.com/v3/place/around?	com/loc/a.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/en.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/ec.java
http://dualstack-restsdk.amap.com/v3/geocode/regeo	com/loc/ee.java
http://restsdk.amap.com/v3/geocode/regeo	com/loc/ee.java
http://download.sangfor.com.cn/download/product/sslvpn/emm/pkg/EmmPluggingList.xml	com/sangfor/sdk/utis/EMMConst.java
http://www.sangfor.com.cn	com/sangfor/sdk/appstore/AppStore.java
http://httpdns.qnydns.net:18302/	com/qiniu/android/dns/http/QiniuDns.java
https://httpdns.qnydns.net:18443/	com/qiniu/android/dns/http/QiniuDns.java
https://mycas.hut.edu.cn/token\	com/supwisdom/superapp/BuildConfig.java
https://portal.hut.edu.cn/portal-api\	com/supwisdom/superapp/BuildConfig.java
https://authx-service.hut.edu.cn/personal/\	com/supwisdom/superapp/BuildConfig.java
https://superapp.hut.edu.cn\	com/supwisdom/superapp/BuildConfig.java

https://message-service.hut.edu.cn/center\	com/supwisdom/superapp/BuildConfig.java
https://formflow.hut.edu.cn/ttc\	com/supwisdom/superapp/BuildConfig.java
https://message-service.hut.edu.cn/manager	com/supwisdom/superapp/BuildConfig.java
https://kfpt.hut.edu.cn:1243	com/supwisdom/superapp/BuildConfig.java
http://app.html5.qq.com/navi/index	com/supwisdom/superapp/ui/activity/BrowserActivity.java
https://yktapp.nwpu.edu.cn	com/supwisdom/superapp/ui/activity/PayCodeAty.java
https://message-service.hut.edu.cn/manager/api/v1/cid/cidCover	com/supwisdom/superapp/service/SuperAppService.java
https://message-service.hut.edu.cn/manager/api/v1/cid/cidUnBind	com/supwisdom/superapp/service/SuperAppService.java
https://aip.baidubce.com/oauth/2.0/token	com/supwisdom/superapp/service/SuperAppService.java
https://address-book.paas.newcapec.cn/mobile/api/v1/letter/getAccountSync	com/supwisdom/superapp/service/SuperAppService.java
https://message-service.hut.edu.cn/manager/api/v1/cid/getCid	com/supwisdom/superapp/service/SuperAppService.java
http://a1.easemob.com/singing/superapp/token	com/supwisdom/superapp/service/SuperAppService.java
https://aip.baidubce.com/rpc/2.0/nlp/v1/lexer_custom	com/supwisdom/superapp/service/SuperAppService.java
https://my-service.sias.edu.cn/v1/search/globalSearch	com/supwisdom/superapp/service/SuperAppService.java
https://my-service.sias.edu.cn/v1/service/getService	com/supwisdom/superapp/service/SuperAppService.java
http://a1.easemob.com/singing/superapp/users/xuxiaoyan111	com/supwisdom/superapp/service/SuperAppService.java
https://www.baidu.com	com/supwisdom/superapp/util/CommonWebView.java
http://developer.baidu.com/static/community/servers/voice/sdk.html	com/supwisdom/superapp/speech/BaiduASRDigitalDialog.java
http://h5.m.taobao.com?_wx_tpl=http://g.tbcdn.cn/weex/weex-tc/0.1.2/build/TC__Home.js	com/supwisdom/superapp/constants/Constants.java
http://dotwe.org/release/latest?v=	com/supwisdom/superapp/update/CheckForUpdateUtil.java
http://xmlpull.org/v1/doc/features.html	com/ta/utdid2/core/persistent/FastXmlSerializer.java
http://xmlpull.org/v1/doc/features.html	com/ta/utdid2/core/persistent/XmlUtils.java
http://%/s/%s/%s/timeshift.m3u8?starttime=%s&appid=%s&txKbps=0	com/tencent/liteav/i.java
http://%/s/%s/%s/timeshift.m3u8?delay=0&appid=%s&txKbps=0	com/tencent/liteav/i.java
http://dldir1.qq.com/hudongzhibo/liteavsvrcfg/serverconfig_en.zip	com/tencent/liteav/basic/e/b.java

https://avc.qcloud.com/log/appsign.php	com.tencent/liteav/basic/log/a.java
https://avc.qcloud.com/log/report.php	com.tencent/liteav/basic/log/a.java
http://playvideo.qcloud.com/getplayinfo/v2	com.tencent/liteav/network/f.java
https://playvideo.qcloud.com/getplayinfo/v2	com.tencent/liteav/network/f.java
http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/coverBySnapshot/1513156403_1311093072.100_0.jpg?t=5c08d9fa&us=someus&sign=95f34beb353fe32cfe7f8b5e79cc28b1\	com.tencent/liteav/network/f.java
http://1255566655.vod2.myqcloud.com/ca754badvodgzp1255566655/8f5fbff14564972818519602447/imageSprite/1513156058_533711271_00001.jpg?t=5c08d9fa&us=someus&sign=79449db4e1fb05a3becfa096613659c3\	com.tencent/liteav/network/f.java
http://1255566655.vod2.myqcloud.com/ca754badvodgzp1255566655/8f5fbff14564972818519602447/imageSprite/1513156058_533711271.vtt?t=5c08d9fa&us=someus&sign=79449db4e1fb05a3becfa096613659c3\	com.tencent/liteav/network/f.java
http://1255566655.vod2.myqcloud.com/ca754badvodgzp1255566655/8f5fbff14564972818519602447/uAnXX00MLSA.wmv?t=5c08d9fa&us=someus&sign=659af5dd3f27eb92dc4ed74eb561daa4\	com.tencent/liteav/network/f.java
http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/master_playlist.m3u8?t=5c08d9fa&us=someus&sign=66290475b7182c89193f03b8f74a979d\	com.tencent/liteav/network/f.java
http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/v.f220.m3u8?t=5c08d9fa&us=someus&sign=66290475b7182c89193f03b8f74a979d\	com.tencent/liteav/network/f.java
http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/v.f230.m3u8?t=5c08d9fa&us=someus&sign=66290475b7182c89193f03b8f74a979d\	com.tencent/liteav/network/f.java
http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/v.f240.m3u8?t=5c08d9fa&us=someus&sign=66290475b7182c89193f03b8f74a979d\	com.tencent/liteav/network/f.java
http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/v.f210.m3u8?t=5c08d9fa&us=someus&sign=66290475b7182c89193f03b8f74a979d\	com.tencent/liteav/network/f.java
http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/v.f10.mp4?t=5c08d9fa&us=someus&sign=66290475b7182c89193f03b8f74a979d\	com.tencent/liteav/network/f.java
http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/v.f20.mp4?t=5c08d9fa&us=someus&sign=66290475b7182c89193f03b8f74a979d\	com.tencent/liteav/network/f.java
https://livepull.myqcloud.com/getpulladdr	com.tencent/liteav/network/k.java
http://tcdns.myqcloud.com/queryip	com.tencent/liteav/network/c.java
https://openmobile.qq.com/oauth2.0/me	com.tencent/connect/UnionInfo.java
https://openmobile.qq.com/oauth2.0/m_jump_by_version?	com.tencent/connect/common/BaseApi.java
https://login.imgcache.qq.com/ptlogin/static/qzsjump.html?	com.tencent/connect/common/BaseApi.java

https://login.imgcache.qq.com/ptlogin/static/qzsjump.html?	com/tencent/connect/auth/a.java
https://openmobile.qq.com/v3/user/get_info	com/tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/oauth2.0/m_authorize?	com/tencent/connect/auth/AuthAgent.java
https://appsupport.qq.com/cgi-bin/qzapps/mapp_addapp.cgi	com/tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/user/user_login_statis	com/tencent/connect/auth/AuthAgent.java
https://mp.weixin.qq.com/publicpoc/opensdkconf?action=GetShareConf&appid=%s&sdkVersion=%s&buffer=%s	com/tencent/mm/opensdk/openapi/WXAPISecurityHelper.java
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuiid=%s	com/tencent/mm/opensdk/diffdev/a/c.java
https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s×tamp=%s&scope=%s&signature=%s	com/tencent/mm/opensdk/diffdev/a/b.java
https://login.imgcache.qq.com/open/mobile/invite/sdk_invite.html?	com/tencent/open/SocialApiml.java
https://login.imgcache.qq.com/open/mobile/sendstory/sdk_sendstory_v1_3.html?	com/tencent/open/SocialApiml.java
https://login.imgcache.qq.com	com/tencent/open/SocialApiml.java
https://login.imgcache.qq.com/open/mobile/request/sdk_request.html?	com/tencent/open/SocialApiml.java
https://openmobile.qq.com/cgi-bin/qunopensdk/check_group	com/tencent/open/SocialOperation.java
https://openmobile.qq.com/cgi-bin/qunopensdk/unbind	com/tencent/open/SocialOperation.java
https://wspeed.qq.com/w.cgi	com/tencent/open/a/g.java
https://appsupport.qq.com/cgi-bin/appstage/mstats_batch_report	com/tencent/open/a/g.java
https://huatuocode.huatuo.qq.com	com/tencent/open/a/d.java
https://cgi.connect.qq.com/qqconnectopen/openapi/policy_conf	com/tencent/open/utills/g.java
https://cgi.qplus.com/report/report	com/tencent/open/utills/l.java
http://pingma.qq.com:80/mstat/report	com/tencent/stat/StatConfig.java
http://mta.qq.com/	com/tencent/stat/StatService.java
http://mta.oa.com/	com/tencent/stat/StatService.java
http://developer.umeng.com/docs/66650/cate/66650	com/umeng/analytics/pro/j.java
https://ulogs.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java

https://alogsus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://ulogs.umengcloud.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://plbslog.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ulogs.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ouplog.umeng.com	com/umeng/commonsdk/stateless/a.java
https://pslog.umeng.com	com/umeng/commonsdk/vchannel/a.java
https://pslog.umeng.com/	com/umeng/commonsdk/vchannel/a.java
https://developer.umeng.com/docs/66632/detail/	com/umeng/commonsdk/debug/UMLogUtils.java
https://developer.umeng.com/docs/119267/detail/182050	com/umeng/commonsdk/debug/UMLogCommon.java
https://aaid.umeng.com/api/updateZdata	com/umeng/umzid/ZIDManager.java
https://aaid.umeng.com/api/postZdata	com/umeng/umzid/ZIDManager.java
https://opencloud.wostore.cn/openapi/netauth/precheck/wp?	com/unicom/xiaowo/account/shield/d/b.java
https://opencloud.wostore.cn/openapi/netauth/precheck/wp?	com/unicom/xiaowo/account/shield/c/a.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fr.java
http://www.jivesoftware.com/xmlns/xmpp/properties\	com/xiaomi/push/gc.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gj.java
https://%1\$s/gslb/?ver=4.0	com/xiaomi/push/cs.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gk.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/ff.java
https://resolver.msg.global.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bj.java
https://resolver.msg.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bj.java
https://cn.register.xmpush.xiaomi.com	com/xiaomi/push/service/m.java
https://register.xmpush.global.xiaomi.com	com/xiaomi/push/service/m.java
https://fr.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/m.java
https://ru.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/m.java

https://idmb.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/m.java
https://errlogos.umeng.com/upload	com/uc/crashsdk/e.java
https://errlog.umeng.com/upload	com/uc/crashsdk/e.java
https://errlogos.umeng.com/api/crashsdk/logcollect	com/uc/crashsdk/a/h.java
https://errlog.umeng.com/api/crashsdk/logcollect	com/uc/crashsdk/a/h.java
https://px-intl.ucweb.com	com/uc/crashsdk/a/h.java
https://px.ucweb.com	com/uc/crashsdk/a/h.java
https://errlogos.umeng.com	com/uc/crashsdk/a/d.java
https://errlog.umeng.com	com/uc/crashsdk/a/d.java
https://aid.mobileservice.cn/	com/zx/a/l8b7/g2.java
https://zxid-m.mobileservice.cn/sdk/config/init	com/zx/a/l8b7/g.java
https://zxid-m.mobileservice.cn/sdk/channel/report	com/zx/a/l8b7/o2.java
https://zxid-m.mobileservice.cn/sdk/uid/get	com/zx/a/l8b7/c1.java
https://nisportal.10010.com:9001	com/zx/a/l8b7/g1.java
https://zxid-m.mobileservice.cn/sdk/module/getCoreModule	com/zx/a/l8b7/x.java
http://m3w.cn/s/	io/dcloud/common/util/ShortCutUtil.java
https://stream.mobih5.com/	io/dcloud/common/constant/StringConst.java
https://stream.dcloud.net.cn/	io/dcloud/common/constant/StringConst.java
http://ask.dcloud.net.cn/article/282	io/dcloud/common/constant/DOMException.java
https://ask.dcloud.net.cn/article/35627	io/dcloud/f/a/a.java
https://ask.dcloud.net.cn/article/35877	io/dcloud/f/a/a.java
https://service.dcloud.net.cn/sta/so?p=a&pn=%s&ver=%s&appid=%s	io/dcloud/f/b/c.java
https://96f0e031-f37a-48ef-84c7-2023f6360c0a.bspapp.com/http/rewarded-video/report?p=a&t=	io/dcloud/f/b/h/a.java
http://ask.dcloud.net.cn/article/35058	io/dcloud/feature/audio/AudioRecorderMgr.java

https://api.weibo.com/2/account/get_uid.json?access_token=%s	io/dcloud/feature/oauth/sina/SinaOAuthService.java
https://api.weibo.com/2/users/show.json?access_token=%s&uid=%s	io/dcloud/feature/oauth/sina/SinaOAuthService.java
https://api.weibo.com/oauth2/revokeoauth2	io/dcloud/feature/oauth/sina/SinaOAuthService.java
https://api.weixin.qq.com/sns/auth?access_token=%s&openid=%s	io/dcloud/feature/oauth/weixin/WeiXinOAuthService.java
https://api.weixin.qq.com/sns/oauth2/access_token?appid=%s&secret=%s&code=%s&grant_type=authorization_code	io/dcloud/feature/oauth/weixin/WeiXinOAuthService.java
https://api.weixin.qq.com/sns/userinfo?access_token=%s&openid=%s&lang=zh_CN	io/dcloud/feature/oauth/weixin/WeiXinOAuthService.java
https://api.weixin.qq.com/sns/oauth2/refresh_token?appid=%s&grant_type=refresh_token&refresh_token=%s	io/dcloud/feature/oauth/weixin/WeiXinOAuthService.java
http://lbs.amap.com/api/android-sdk/guide/error/	io/dcloud/js/map/amap/adapters/AMapLink.java
http://ask.dcloud.net.cn/article/283	io/dcloud/h/b.java
http://ask.dcloud.net.cn/article/287	io/dcloud/share/IFShareApi.java
https://api.weibo.com/oauth2/revokeoauth2	io/dcloud/share/sina/SinaWeiboApiManager.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifViewUtils.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifTextureView.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifTextView.java
https://github.com/grandcentrix/tray/wiki/Custom-Authority	supwisdom/kj.java
https://github.com/grandcentrix/tray/issues	supwisdom/kj.java
https://ask.dcloud.net.cn/article/36199	摸瓜V1引擎
https://play.google.com/store/apps/details?id=	摸瓜V1引擎
https://appgallery.cloud.huawei.com	摸瓜V1引擎
https://kfpt.hut.edu.cn:1243	摸瓜V1引擎
https://store.hispac.hicloud.com/hwmarket/api/	摸瓜V1引擎
https://github.com/zloirock/core-js/issues/86	摸瓜V2引擎
http://dotwe.org/raw/htmlVue/	摸瓜V2引擎
http://dotwe.org/raw/dist/	摸瓜V2引擎
http://dotwe.org/query/weex-playground-app	摸瓜V2引擎

https://github.com/zloirock/core-js/issues/173	摸瓜V2引擎
https://code.google.com/p/v8/issues/detail?id=687	摸瓜V2引擎
http://weex-project.io/ ,	摸瓜V2引擎
http://weex-project.io/cn/ '	摸瓜V2引擎
http://www.apache.org/ '	摸瓜V2引擎
http://weex-project.io/who-is-using-weex.html '	摸瓜V2引擎
http://weex-project.io/cn/who-is-using-weex.html '	摸瓜V2引擎
http://weex-project.io/guide/contributing.html '	摸瓜V2引擎
http://weex-project.io/cn/guide/contributing.html '	摸瓜V2引擎
http://weex-project.io/releasenote.html '	摸瓜V2引擎
http://weex-project.io/cn/releasenote.html '	摸瓜V2引擎
http://weex-project.io/faq.html '	摸瓜V2引擎
http://weex-project.io/cn/faq.html '	摸瓜V2引擎
https://gw.alicdn.com/tfs/TB1.8Vdl9_I8KJy0FoXXaFnVXa-3799-1615.png ,	摸瓜V2引擎
http://weex-project.io/cn/ ,	摸瓜V2引擎
http://weex-project.io/	摸瓜V2引擎
http://weex-project.io/cn/guide/index.html '	摸瓜V2引擎
http://weex-project.io/guide/index.html '	摸瓜V2引擎
http://weex-project.io/cn/wiki/index.html '	摸瓜V2引擎
http://weex-project.io/wiki/index.html '	摸瓜V2引擎
http://weex-project.io/cn/guide/front-end-frameworks.html '	摸瓜V2引擎
http://weex-project.io/guide/front-end-frameworks.html '	摸瓜V2引擎
http://weex-project.io/cn/guide/use-vue.html '	摸瓜V2引擎
http://weex-project.io/guide/use-vue.html '	摸瓜V2引擎
http://weex-project.io/cn/wiki/platform-difference.html '	摸瓜V2引擎

http://weex-project.io/wiki/platform-difference.html	摸瓜V2引擎
http://weex-project.io/cn/guide/integrate-to-your-app.html ,	摸瓜V2引擎
http://weex-project.io/guide/integrate-to-your-app.html	摸瓜V2引擎
http://weex-project.io/cn/guide/set-up-env.html ,	摸瓜V2引擎
http://weex-project.io/guide/set-up-env.html	摸瓜V2引擎
http://weex-project.io/cn/wiki/common-styles.html ,	摸瓜V2引擎
http://weex-project.io/wiki/common-styles.html	摸瓜V2引擎
http://weex-project.io/cn/wiki/common-events.html ,	摸瓜V2引擎
http://weex-project.io/wiki/common-events.html	摸瓜V2引擎
http://weex-project.io/cn/references/weex-variable.html ,	摸瓜V2引擎
http://weex-project.io/references/weex-variable.html	摸瓜V2引擎
http://weex-project.io/cn/references/components/index.html ,	摸瓜V2引擎
http://weex-project.io/references/components/index.html	摸瓜V2引擎
http://weex-project.io/cn/references/modules/index.html ,	摸瓜V2引擎
http://weex-project.io/references/modules/index.html	摸瓜V2引擎
http://weex-project.io/cn/guide/extend-android.html ,	摸瓜V2引擎
http://weex-project.io/guide/extend-android.html	摸瓜V2引擎
http://weex-project.io/cn/guide/extend-ios.html ,	摸瓜V2引擎
http://weex-project.io/guide/extend-ios.html	摸瓜V2引擎
http://weex-project.io/cn/tools/toolkit.html ,	摸瓜V2引擎
http://weex-project.io/tools/toolkit.html	摸瓜V2引擎
http://weex-project.io/cn/contributing.html ,	摸瓜V2引擎
http://weex-project.io/contributing.html	摸瓜V2引擎
https://gw.alicdn.com/tfs/TB1J_uKcMMPMejy1XdXXasrXXa-400-400.png ,	摸瓜V2引擎
https://cn.vuejs.org/ ,	摸瓜V2引擎

https://vuejs.org/	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/index.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/index.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/single-file-components.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/single-file-components.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/syntax.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/syntax.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/class-and-style.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/class-and-style.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/conditional.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/conditional.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/list.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/list.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/events.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/events.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/forms.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/forms.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/instance.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/instance.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/mixins.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/mixins.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/filters.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/filters.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/plugins.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/plugins.html	摸瓜V2引擎

https://cn.vuejs.org/v2/guide/custom-directive.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/custom-directive.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/state-management.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/state-management.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/reactivity.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/reactivity.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/render-function.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/render-function.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/typescript.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/typescript.html	摸瓜V2引擎
https://cn.vuejs.org/v2/api/ ,	摸瓜V2引擎
https://vuejs.org/v2/api/	摸瓜V2引擎
https://gw.alicdn.com/tfs/TB1bT98hMoQMeJy0FpXXcTxpXa-1500-700.png ,	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/JavaScript/First_steps/What_is_JavaScript ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/JavaScript/First_steps/What_is_JavaScript	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/Getting_started_with_the_web/JavaScript_basics ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/Getting_started_with_the_web/JavaScript_basics	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/A_re-introduction_to_JavaScript ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/A_re-introduction_to_JavaScript	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/Guide/Grammar_and_types	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Guide/Grammar_and_types	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/Data_structures ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Data_structures	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/JavaScript/First_steps/Variables ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/JavaScript/First_steps/Variables	摸瓜V2引擎

https://developer.mozilla.org/zh-CN/docs/Learn/JavaScript/First_steps/Math ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/JavaScript/First_steps/Math	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/JavaScript/First_steps/Strings ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/JavaScript/First_steps/Strings	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/JavaScript/First_steps/Useful_string_methods ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/JavaScript/First_steps/Useful_string_methods	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/JavaScript/First_steps/Arrays ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/JavaScript/First_steps/Arrays	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/Guide/Functions ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Guide/Functions	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/JavaScript/Objects/Basics ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/JavaScript/Objects/Basics	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/Guide/Working_with_Objects ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Guide/Working_with_Objects	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/JavaScript/Objects/JSON ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/JavaScript/Objects/JSON	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/Guide/Details_of_the_Object_Model ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Guide/Details_of_the_Object_Model	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/JavaScript/Objects/Object_prototypes ,	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/JavaScript/Objects/Object_prototypes	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/JavaScript/Objects/Inheritance ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/JavaScript/Objects/Inheritance	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/Inheritance_and_the_prototype_chain ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Inheritance_and_the_prototype_chain	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/Reference/Strict_mode ,	摸瓜V2引擎

https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Strict_mode'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/Memory_Management' ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Memory_Management'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/EventLoop' ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/EventLoop'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/Guide/Indexed_collections' ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Guide/Indexed_collections'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/Guide/Keyed_collections' ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Guide/Keyed_collections'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/Reference/Global_Objects' ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects'	摸瓜V2引擎
https://gw.alicdn.com/tfs/TB1k6anhMMPMejy1XdXXasrXXa-427-190.jpg' ,	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/Guide/CSS/Getting_started/What_is_CSS' ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/Guide/CSS/Getting_started/What_is_CSS'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/CSS/Introduction_to_CSS/Syntax' ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/CSS/Introduction_to_CSS/Syntax'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/CSS/Introduction_to_CSS/Values_and_units' ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/CSS/Introduction_to_CSS/Values_and_units'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/CSS/Introduction_to_CSS/Box_model' ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/CSS/Introduction_to_CSS/Box_model'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/CSS/CSS_Box_Model' ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/CSS/CSS_Box_Model'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/CSS/CSS_layout/%E5%AE%9A%E4%BD%8D' ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/CSS/CSS_layout/positioning'	摸瓜V2引擎

https://developer.mozilla.org/zh-CN/docs/Web/CSS/CSS_Positioning'	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/CSS/CSS_Positioning'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/CSS/CSS_layout/Flexbox'	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/CSS/CSS_layout/Flexbox'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/CSS/CSS_Flexible_Box_Layout'	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/CSS/CSS_Flexible_Box_Layout'	摸瓜V2引擎
http://weex-project.io/cn/references/common-style.html'	摸瓜V2引擎
http://weex-project.io/references/common-style.html'	摸瓜V2引擎
http://weex-project.io/cn/references/text-style.html'	摸瓜V2引擎
http://weex-project.io/references/text-style.html'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/Guide/CSS/Block_formatting_context'	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/Guide/CSS/Block_formatting_context'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/Guide/CSS/Visual_formatting_model'	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/Guide/CSS/Visual_formatting_model'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/CSS/Reference'	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/CSS/Reference'	摸瓜V2引擎
https://gw.alicdn.com/tfs/TB1iL2fkLDH8Kjy1XcXXcpdXXa-32-49.png	摸瓜V2引擎
https://github.com/zloirock/core-js/issues/86	摸瓜V2引擎
http://dotwe.org/raw/htmlVue/	摸瓜V2引擎
http://dotwe.org/raw/dist/	摸瓜V2引擎
http://dotwe.org/query/weex-playground-app'	摸瓜V2引擎
https://github.com/zloirock/core-js/issues/173	摸瓜V2引擎
https://code.google.com/p/v8/issues/detail?id=687	摸瓜V2引擎
https://store-at-dre.hispace.dbankcloud.com/hwmarket/api/	摸瓜V2引擎
https://data-drcn.push.dbankcloud.com	摸瓜V2引擎

https://data-dra.push.dbankcloud.com	摸瓜V2引擎
https://data-dre.push.dbankcloud.com	摸瓜V2引擎
https://data-drru.push.dbankcloud.com	摸瓜V2引擎
https://metrics1.data.hicloud.com:6447	摸瓜V2引擎
https://metrics-dra.dt.hicloud.com:6447	摸瓜V2引擎
https://metrics2.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.data.hicloud.com:6447	摸瓜V2引擎
https://store1.hispace.hicloud.com/hwmarket/api/	摸瓜V2引擎
https://store2.hispace.hicloud.com/hwmarket/api/	摸瓜V2引擎
https://store3.hispace.hicloud.com/hwmarket/api/	摸瓜V2引擎
https://store-drru.hispace.hicloud.com/hwmarket/api/	摸瓜V2引擎
https://grs.dbankcloud.com	摸瓜V2引擎
https://grs.dbankcloud.cn	摸瓜V2引擎
https://grs.dbankcloud.eu	摸瓜V2引擎
https://grs.dbankcloud.asia	摸瓜V2引擎
https://github.com/zloirock/core-js/issues/86	摸瓜V2引擎
http://dotwe.org/raw/htmlVue/	摸瓜V2引擎
http://dotwe.org/raw/dist/	摸瓜V2引擎
http://dotwe.org/query/weex-playground-app	摸瓜V2引擎
https://github.com/zloirock/core-js/issues/173	摸瓜V2引擎
https://code.google.com/p/v8/issues/detail?id=687	摸瓜V2引擎
http://weex-project.io/	摸瓜V2引擎
http://weex-project.io/cn/	摸瓜V2引擎
http://www.apache.org/	摸瓜V2引擎
http://weex-project.io/who-is-using-weex.html	摸瓜V2引擎

http://weex-project.io/cn/who-is-using-weex.html	摸瓜V2引擎
http://weex-project.io/guide/contributing.html ,	摸瓜V2引擎
http://weex-project.io/cn/guide/contributing.html	摸瓜V2引擎
http://weex-project.io/releasenote.html ,	摸瓜V2引擎
http://weex-project.io/cn/releasenote.html	摸瓜V2引擎
http://weex-project.io/faq.html ,	摸瓜V2引擎
http://weex-project.io/cn/faq.html	摸瓜V2引擎
https://gw.alicdn.com/tfs/TB1.8Vdl9_I8KJjy0FoXXaFnVXa-3799-1615.png ,	摸瓜V2引擎
http://weex-project.io/cn/ ,	摸瓜V2引擎
http://weex-project.io/	摸瓜V2引擎
http://weex-project.io/cn/guide/index.html ,	摸瓜V2引擎
http://weex-project.io/guide/index.html	摸瓜V2引擎
http://weex-project.io/cn/wiki/index.html ,	摸瓜V2引擎
http://weex-project.io/wiki/index.html	摸瓜V2引擎
http://weex-project.io/cn/guide/front-end-frameworks.html ,	摸瓜V2引擎
http://weex-project.io/guide/front-end-frameworks.html	摸瓜V2引擎
http://weex-project.io/cn/guide/use-vue.html ,	摸瓜V2引擎
http://weex-project.io/guide/use-vue.html	摸瓜V2引擎
http://weex-project.io/cn/wiki/platform-difference.html ,	摸瓜V2引擎
http://weex-project.io/wiki/platform-difference.html	摸瓜V2引擎
http://weex-project.io/cn/guide/integrate-to-your-app.html ,	摸瓜V2引擎
http://weex-project.io/guide/integrate-to-your-app.html	摸瓜V2引擎
http://weex-project.io/cn/guide/set-up-env.html ,	摸瓜V2引擎
http://weex-project.io/guide/set-up-env.html	摸瓜V2引擎
http://weex-project.io/cn/wiki/common-styles.html ,	摸瓜V2引擎

http://weex-project.io/wiki/common-styles.html	摸瓜V2引擎
http://weex-project.io/cn/wiki/common-events.html ,	摸瓜V2引擎
http://weex-project.io/wiki/common-events.html	摸瓜V2引擎
http://weex-project.io/cn/references/weex-variable.html ,	摸瓜V2引擎
http://weex-project.io/references/weex-variable.html	摸瓜V2引擎
http://weex-project.io/cn/references/components/index.html ,	摸瓜V2引擎
http://weex-project.io/references/components/index.html	摸瓜V2引擎
http://weex-project.io/cn/references/modules/index.html ,	摸瓜V2引擎
http://weex-project.io/references/modules/index.html	摸瓜V2引擎
http://weex-project.io/cn/guide/extend-android.html ,	摸瓜V2引擎
http://weex-project.io/guide/extend-android.html	摸瓜V2引擎
http://weex-project.io/cn/guide/extend-ios.html ,	摸瓜V2引擎
http://weex-project.io/guide/extend-ios.html	摸瓜V2引擎
http://weex-project.io/cn/tools/toolkit.html ,	摸瓜V2引擎
http://weex-project.io/tools/toolkit.html	摸瓜V2引擎
http://weex-project.io/cn/contributing.html ,	摸瓜V2引擎
http://weex-project.io/contributing.html	摸瓜V2引擎
https://gw.alicdn.com/tfs/TB1J_uKcMMPMeJjy1XdXXasrXXa-400-400.png ,	摸瓜V2引擎
https://cn.vuejs.org/ ,	摸瓜V2引擎
https://vuejs.org/	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/index.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/index.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/single-file-components.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/single-file-components.html	摸瓜V2引擎

https://cn.vuejs.org/v2/guide/syntax.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/syntax.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/class-and-style.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/class-and-style.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/conditional.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/conditional.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/list.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/list.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/events.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/events.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/forms.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/forms.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/instance.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/instance.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/mixins.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/mixins.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/filters.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/filters.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/plugins.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/plugins.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/custom-directive.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/custom-directive.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/state-management.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/state-management.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/reactivity.html ,	摸瓜V2引擎

https://vuejs.org/v2/guide/reactivity.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/render-function.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/render-function.html	摸瓜V2引擎
https://cn.vuejs.org/v2/guide/typescript.html ,	摸瓜V2引擎
https://vuejs.org/v2/guide/typescript.html	摸瓜V2引擎
https://cn.vuejs.org/v2/api/ ,	摸瓜V2引擎
https://vuejs.org/v2/api/	摸瓜V2引擎
https://gw.alicdn.com/tfs/TB1bT98hMoQMejy0FpXXcTpxXa-1500-700.png ,	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/JavaScript/First_steps/What_is_JavaScript ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/JavaScript/First_steps/What_is_JavaScript	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/Getting_started_with_the_web/JavaScript_basics ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/Getting_started_with_the_web/JavaScript_basics	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/A_re-introduction_to_JavaScript ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/A_re-introduction_to_JavaScript	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/Guide/Grammar_and_types	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Guide/Grammar_and_types	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/Data_structures ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Data_structures	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/JavaScript/First_steps/Variables ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/JavaScript/First_steps/Variables	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/JavaScript/First_steps/Math ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/JavaScript/First_steps/Math	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/JavaScript/First_steps/Strings ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/JavaScript/First_steps/Strings	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/JavaScript/First_steps/Useful_string_methods ,	摸瓜V2引擎

https://developer.mozilla.org/en-US/docs/Learn/JavaScript/First_steps/Useful_string_methods'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/JavaScript/First_steps/Arrays',	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/JavaScript/First_steps/Arrays'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/Guide/Functions',	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Guide/Functions'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/JavaScript/Objects/Basics',	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/JavaScript/Objects/Basics'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/Guide/Working_with_Objects',	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Guide/Working_with_Objects'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/JavaScript/Objects/JSON',	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/JavaScript/Objects/JSON'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/Guide/Details_of_the_Object_Model',	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Guide/Details_of_the_Object_Model'	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/JavaScript/Objects/Object_prototypes',	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/JavaScript/Objects/Object_prototypes'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/JavaScript/Objects/Inheritance',	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/JavaScript/Objects/Inheritance'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/Inheritance_and_the_prototype_chain',	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Inheritance_and_the_prototype_chain'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/Reference/Strict_mode',	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Strict_mode'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/Memory_Management',	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Memory_Management'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/EventLoop',	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/EventLoop'	摸瓜V2引擎

https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/Guide/Indexed_collections'	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Guide/Indexed_collections'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/Guide/Keyed_collections'	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Guide/Keyed_collections'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/JavaScript/Reference/Global_Objects'	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects'	摸瓜V2引擎
https://gw.alicdn.com/tfs/TB1k6anhMMPMejy1XdXXasrXXa-427-190.jpg'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/Guide/CSS/Getting_started/What_is_CSS'	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/Guide/CSS/Getting_started/What_is_CSS'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/CSS/Introduction_to_CSS/Syntax'	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/CSS/Introduction_to_CSS/Syntax'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/CSS/Introduction_to_CSS/Values_and_units'	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/CSS/Introduction_to_CSS/Values_and_units'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/CSS/Introduction_to_CSS/Box_model'	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/CSS/Introduction_to_CSS/Box_model'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/CSS/CSS_Box_Model'	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/CSS/CSS_Box_Model'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/CSS/CSS_layout/%E5%AE%9A%E4%BD%8D'	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/CSS/CSS_layout/positioning'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/CSS/CSS_Positioning'	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/CSS/CSS_Positioning'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Learn/CSS/CSS_layout/Flexbox'	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Learn/CSS/CSS_layout/Flexbox'	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/CSS/CSS_Flexible_Box_Layout'	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/CSS/CSS_Flexible_Box_Layout'	摸瓜V2引擎

http://weex-project.io/cn/references/common-style.html ,	摸瓜V2引擎
http://weex-project.io/references/common-style.html	摸瓜V2引擎
http://weex-project.io/cn/references/text-style.html ,	摸瓜V2引擎
http://weex-project.io/references/text-style.html	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/Guide/CSS/Block_formatting_context ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/Guide/CSS/Block_formatting_context	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/Guide/CSS/Visual_formatting_model ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/Guide/CSS/Visual_formatting_model	摸瓜V2引擎
https://developer.mozilla.org/zh-CN/docs/Web/CSS/Reference ,	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/CSS/Reference	摸瓜V2引擎
https://github.com/zloirock/core-js/issues/86	摸瓜V2引擎
http://dotwe.org/raw/htmlVue/	摸瓜V2引擎
http://dotwe.org/raw/dist/	摸瓜V2引擎
http://dotwe.org/query/weex-playground-app ,	摸瓜V2引擎
https://github.com/zloirock/core-js/issues/173	摸瓜V2引擎
https://code.google.com/p/v8/issues/detail?id=687	摸瓜V2引擎
https://gw.alicdn.com/tfs/TB1Q9VBkRfH8Kjy1XbXXbLdXXa-3799-1615.png	摸瓜V2引擎
https://gw.alicdn.com/tfs/TB1qnO0kLDH8Kjy1XcXXcpdXXa-900-320.png	摸瓜V2引擎
https://github.com/zloirock/core-js/issues/86	摸瓜V2引擎
http://dotwe.org/raw/htmlVue/	摸瓜V2引擎
http://dotwe.org/raw/dist/	摸瓜V2引擎
http://dotwe.org/query/weex-playground-app ,	摸瓜V2引擎
https://github.com/zloirock/core-js/issues/173	摸瓜V2引擎
https://code.google.com/p/v8/issues/detail?id=687	摸瓜V2引擎

✉ 邮箱线索

邮箱地址	所在文件
nic@zzu.edu	com/supwisdom/superapp/ui/activity/PrivacyActivity.java
boohee@boohee.com	com/supwisdom/superapp/util/CalendarReminderUtils.java

☰ 手机线索

手机号	所在文件
17222222222	com/loc/l.java
17179869184	com/tencent/ijk/media/player/IjkMediaMeta.java
17179869184	tv/danmaku/ijk/media/player/IjkMediaMeta.java

☀ 签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: False
找到 1 个唯一证书
主题: C=Unknown, ST=Unknown, L=Chengdu, O=LT, OU=LantuNetTech, CN=Unknown
签名算法: rsassa_pkcs1v15
有效期自: 2015-08-01 07:35:09+00:00
有效期至: 2035-07-27 07:35:09+00:00
发行人: C=Unknown, ST=Unknown, L=Chengdu, O=LT, OU=LantuNetTech, CN=Unknown
序列号: 0x5cc10c0d
哈希算法: sha256
md5值: f6c9e2f43237509b4d3d8e74e674bfe9
sha1值: 15380bc8b0d07e6936d2b3c236e3049a3c35175f
sha256值: 214c986e59ea021eb2ce8332ce1872e308d94969376d23396a99575e5cd7d69a
sha512值: 11001710af3eb613e7f0543b1ad7f8d0445508f5426c4c4cb815bef2d9392fdbf9bfeb4f414d8ba5bc14599f516e4d2de832ca410f000936c5837abd7b5fd32d
公钥算法: rsa
密钥长度: 2048
指纹: 3a084a2d671d7ae0862978f124838a513327600ba6102ea9e5badadd451e4cfa

🔑 硬编码敏感信息

可能的敏感信息

"account_password": "账号密码"

"app_priKey": "f07b83dd91e8d1c68027da2d29d472e78a84a75be2d588eda0ec7d41d4ebc1ee"

"cancel_authorize": "取消授权"

"cancel_fingerprint_authenticate": "取消"

"dcloud_common_user_refuse_api": "the user denies access to the API"

"dcloud_feature_oauth_sina_plugin_description": "sina weibo"

"dcloud_feature_oauth_weixin_plugin_description": "wechat"

"dcloud_io_without_authorization": "not authorized"

"dcloud_oauth_authentication_failed": "failed to obtain authorization to log in to the authentication service"

"dcloud_oauth_empower_failed": "the Authentication Service operation to obtain authorized logon failed"

"dcloud_oauth_logout_tips": "not logged in or logged out"

"dcloud_oauth_oauth_not_empower": "oAuth authorization has not been obtained"

"dcloud_oauth_token_failed": "failed to get token"

"dcloud_permissions_reauthorization": "reauthorize"

"des_key": "leXhoVNI3BACWDArlyyztjXmy5Sgylz"

"fingerprint_auth_success": "指纹验证成功"

"pattern_lock_auth_failed": "密码错误, 还可以再输入%1\$d次"

"platform_pubKey": "0358174266950161df0e024f721f38487264998d2ff9698e40323603911e7cdec"

"please_input_password": "请输入密码"

"pwd_enter": "密码登录"

"reset_password": "此次修改密码会同步修改数字化校园、上网认证和VPN的密码, 请知悉! "

"sdk_des_key": "leXhoVNI3BACWDArlyyztjXmy5Sgylz"

"set_password": "此次设置密码会同步修改数字化校园、上网认证和VPN的密码, 请知悉! "

"sm4_key": "NEWCAPECNEWCAPEC"

"str_next_auth": "下一次认证为:"
"str_tab_password": "账号登录"
"string_authorize_info": "信息授权"
"string_face_key": "《人脸识别隐私协议》"
"ticket_auth_fail_need_logout": "自动认证失败, 需要重新验证身份信息"
"to_certificate": "去认证"
"tray_authority": "legacyTrayAuthority"
"umcsdk_oauth_version_name": "v1.4.1"
"use_gesture_authenticate": "使用手势"
"dcloud_common_user_refuse_api": "用户拒绝该API访问"
"dcloud_feature_oauth_sina_plugin_description": "新浪微博"
"dcloud_feature_oauth_weixin_plugin_description": "微信"
"dcloud_io_without_authorization": "没有获得授权"
"dcloud_oauth_authentication_failed": "获取授权登录认证服务操作失败"
"dcloud_oauth_empower_failed": "获取授权登录认证服务操作失败"
"dcloud_oauth_logout_tips": "未登录或登录已注销"
"dcloud_oauth_oauth_not_empower": "尚未获取oauth授权"
"dcloud_oauth_token_failed": "获取token失败"
"dcloud_permissions_reauthorization": "重新授权"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
com.android.launcher.permission.INSTALL_SHORTCUT	未知	Unknown permission	Unknown permission from android reference
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令，恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_FINE_LOCATION	危险	精细定位（GPS）	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量

android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.READ_CONTACTS	危险	读取联系人数据	允许应用程序读取您手机上存储的所有联系人（地址）数据。恶意应用程序可以借此将您的数据发送给其他人
android.permission.WRITE_CONTACTS	危险	写入联系人数据	允许应用程序修改您手机上存储的联系人（地址）数据。恶意应用程序可以使用它来删除或修改您的联系人数据
android.permission.GET_ACCOUNTS	危险	列出帐户	允许访问账户服务中的账户列表
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.CALL_PHONE	危险	直接拨打电话号码	允许应用程序在没有您干预的情况下拨打电话号码。恶意应用程序可能会导致您的电话账单出现意外呼叫。请注意,这不允许应用程序拨打紧急电话号码
android.permission.READ_CALENDAR	危险	读取日历事件	允许应用程序读取您手机上存储的所有日历事件。恶意应用程序可以借此将您的日历事件发送给其他人
android.permission.WRITE_CALENDAR	危险	添加或修改日历事件并向客人发送电子邮件	允许应用程序添加或更改日历上的事件,这可能会向客人发送电子邮件。恶意应用程序可以使用它来删除或修改您的日历活动或向客人发送电子邮件
android.permission.POST_NOTIFICATIONS	未知	Unknown permission	Unknown permission from android reference
com.android.launcher.permission.UNINSTALL_SHORTCUT	未知	Unknown permission	Unknown permission from android reference
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
com.android.launcher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.android.launcher2.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.android.launcher3.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_LOGS	危险	读取敏感日志数据	允许应用程序从系统读小号各种日志文件。这使它能够发现有关您使用手机做什么的一般信息,可能包括个人或私人信息
android.permission.QUERY_ALL_PACKAGES	正常		允许查询设备上的任何普通应用程序,无论清单声明如何
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference
freemme.permission.msa	未知	Unknown permission	Unknown permission from android reference
android.permission.SCHEDULE_EXACT_ALARM	正常		允许应用程序使用精确的警报调度 API 来执行对时间敏感的后台工作

getui.permission.GetuiService.com.supwisdom.hut	未知	Unknown permission	Unknown permission from android reference
com.vivo.notification.permission.BADGE_ICON	未知	Unknown permission	Unknown permission from android reference
com.supwisdom.hut.permission.GYRECEIVER	未知	Unknown permission	Unknown permission from android reference
com.supwisdom.hut.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
com.supwisdom.hut.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
com.supwisdom.hut.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.heytap.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
com.sec.android.provider.badge.permission.READ	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.sec.android.provider.badge.permission.WRITE	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.UPDATE_SHORTCUT	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.sonyericsson.home.permission.BROADCAST_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.anddoes.launcher.permission.UPDATE_COUNT	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或徽章
com.majeur.launcher.permission.UPDATE_BADGE	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或标记为固体。
com.huawei.android.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
com.huawei.android.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
android.permission.READ_APP_BADGE	正常	显示应用程序通知	允许应用程序显示应用程序图标徽章
com.oppo.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
com.oppo.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
me.everything.badger.permission.BADGE_COUNT_READ	未知	Unknown permission	Unknown permission from android reference
me.everything.badger.permission.BADGE_COUNT_WRITE	未知	Unknown permission	Unknown permission from android reference

com.huawei.appmarket.service.commondata.permission.GET_COMMON_DATA

未知

Unknown permission

Unknown permission from android reference

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.supwisdom.superapp.ui.activity.MainActivity	Schemes: com.supwisdom.hut://,
com.google.zxing.client.android.CaptureActivity	Schemes: http://, Hosts: zxing.appspot.com, Paths: /scan,
com.tencent.tauth.AuthActivity	Schemes: tencentnull://,
com.alipay.sdk.app.AlipayResultActivity	Schemes: __alipaysdkdemo__://,

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。