



MoGua

Creality Cloud 5.5.0.APK 分析报告



APP名称:

Creality Cloud

包名: app_v5.5.0_2023-08-15_release_zh.apk

域名线索: 47条

URL线索: 32条

邮箱线索: 1条

分析日期: 2025年5月26日

分析平台: [摸瓜APK反编译平台](#)

文件信息

文件名: app_v5.5.0_2023-08-15_release_zh.apk
文件大小: 155.92MB

MD5值: 0c810113e5adc21cd1c1a98298b5fe9c

SHA1值: daa838afdd5edaddb451c1400517c3c30194dd61

SHA256值: 6fd937069f6502b85cbf7711e77cf36949c1c3c2adc3f424e811b5ccfe18d6b4

i APP 信息

App名称: Creality Cloud

包名: app_v5.5.0_2023-08-15_release_zh.apk

主活动Activity: []

安卓版本名称: 5.5.0

安卓版本: 251

🔍 域名线索

域名	服务器信息
grs.dbankcloud.asia	没有服务器地理信息.
oss-cn-hangzhou.aliyuncs.com	IP: 118.31.219.248 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
metrics-dra.dt.hicloud.com	IP: 94.74.88.100 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
apilocate.amap.com	IP: 59.82.31.183 所属国家: China 地区: Zhejiang

	<p>城市: Hangzhou 纬度: 30.293650 经度: 120.161583</p>
logback.qos.ch	<p>IP: 83.173.251.158 所属国家: Switzerland 地区: Zurich 城市: Zurich 纬度: 47.366825 经度: 8.549790</p>
api-push.in.meizu.com	<p>IP: 206.161.233.191 所属国家: United States of America 地区: Virginia 城市: Herndon 纬度: 38.978210 经度: -77.386993</p>
data-dra.push.dbankcloud.com	<p>IP: 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281</p>
metrics1.data.hicloud.com	<p>IP: 114.115.188.112 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102</p>
data-drru.push.dbankcloud.com	<p>IP: 159.138.202.31 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499</p>
	<p>IP: 49.4.40.185</p>

grs.dbankcloud.cn	所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
lbs-qiyu.netease.im	IP: 59.111.211.9 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
imtest.netease.im	IP: 59.111.209.232 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
imtest6.netease.im	没有服务器地理信息.
plbslog.umeng.com	IP: 36.156.202.78 所属国家: China 地区: Jiangsu 城市: Yangzhou 纬度: 32.397221 经度: 119.435600
data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
webcast-open.douyin.com	IP: 220.181.135.134 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397102
i.snssdk.com	IP: 124.238.242.122 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
mobilegw.alipay.com	IP: 203.209.250.8 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
wb.amap.com	IP: 59.82.60.60 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
grs.platform.dbankcloud.ru	没有服务器地理信息.
data-drcn.push.dbankcloud.com	IP: 121.36.117.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
errnewlog.umeng.com	IP: 223.109.148.142 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992

xmlpull.org	IP: 185.199.110.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
ulogs.umeng.com	IP: 223.109.148.176 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
webcast.amemv.com	IP: 150.139.156.175 所属国家: China 地区: Shandong 城市: Jinan 纬度: 36.668331 经度: 116.997223
pslog.umeng.com	IP: 59.82.60.44 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
grs.dbankcloud.com	IP: 121.36.116.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
norma-external-collect.meizu.com	IP: 113.106.27.98 所属国家: China 地区: Guangdong 城市: Zhongshan 纬度: 22.520580 经度: 113.382317

imtest4.netease.im	IP: 59.111.241.163 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
developer.umeng.com	IP: 59.82.31.160 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
dualstack.apilocate.amap.com	IP: 106.11.40.50 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
errnewlogos.umeng.com	IP: 47.246.110.18 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
apiinit.amap.com	IP: 203.119.169.174 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
	IP: 80.158.38.48 所属国家: Germany 地区: Schleswig-Holstein

metrics2.data.hicloud.com	城市: Kiel 纬度: 54.321358 经度: 10.134532
www.w3.org	IP: 104.18.22.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
lbs.netease.im	IP: 59.111.211.9 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
ulogs.umengcloud.com	IP: 223.109.148.141 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
creativecommons.org	IP: 104.20.151.16 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
metrics5.dt.dbankcloud.ru	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499

alogsus.umeng.com	IP: 223.109.148.130 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
imtest-jd.netease.im	IP: 59.111.241.213 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
alogus.umeng.com	IP: 223.109.148.177 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
api-push.meizu.com	IP: 125.94.213.129 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
dr.netease.im	IP: 183.131.177.88 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

www.slf4j.org	IP: 159.100.250.151 所属国家: Switzerland 地区: Zurich 城市: Zurich 纬度: 47.366825 经度: 8.549790
grs.dbankcloud.eu	没有服务器地理信息.

URL线索

URL信息	Url所在文件
http://www.w3.org/2000/xmlns/	org/mozilla/javascript/xmlimpl/XmlNode.java
http://www.slf4j.org/codes.html	org/slf4j/LoggerFactory.java
http://www.slf4j.org/codes.html	org/slf4j/MDC.java
http://logback.qos.ch/codes.html	org/slf4j/impl/StaticLoggerBinder.java
https://mobilegw.alipay.com/mgw.htm	defpackage/gu7.java
http://apilocate.amap.com/mobile/binary	defpackage/ei8.java
http://logback.qos.ch/codes.html	defpackage/di6.java
http://logback.qos.ch/codes.html	defpackage/wa7.java
http://logback.qos.ch/codes.html	defpackage/bf6.java
http://logback.qos.ch/codes.html	defpackage/vx1.java

http://wb.amap.com/? r=%f,%f,%s,%f,%f,%s,%d,%d,%d,%s,%s,%s&sourceapplication=openapi/0	com/amap/api/services/a/bb.java
http://wb.amap.com/?q=%f,%f,%s&sourceapplication=openapi/0	com/amap/api/services/a/bb.java
http://wb.amap.com/?n=%f,%f,%f,%f,%d&sourceapplication=openapi/0	com/amap/api/services/a/bb.java
http://wb.amap.com/?p=%s,%f,%f,%s,%s&sourceapplication=openapi/0	com/amap/api/services/a/bb.java
http://apiinit.amap.com/v3/log/init	com/amap/api/services/a/bi.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/ga.java
https://creativecommons.org/licenses/by/4.0/	com/cxsw/modulemodel/model/bean/CopyrightLicense.java
https://creativecommons.org/licenses/by-sa/4.0/	com/cxsw/modulemodel/model/bean/CopyrightLicense.java
https://creativecommons.org/licenses/by-nc/4.0/	com/cxsw/modulemodel/model/bean/CopyrightLicense.java
https://creativecommons.org/licenses/by-nc-sa/4.0/	com/cxsw/modulemodel/model/bean/CopyrightLicense.java
https://creativecommons.org/licenses/by-nd/4.0/	com/cxsw/modulemodel/model/bean/CopyrightLicense.java
https://creativecommons.org/licenses/by-nc-nd/4.0/	com/cxsw/modulemodel/model/bean/CopyrightLicense.java
https://creativecommons.org/publicdomain/zero/1.0/	com/cxsw/modulemodel/model/bean/CopyrightLicense.java
http://apilocate.amap.com/mobile/binary	com/loc/ei.java
http://dualstack.apilocate.amap.com/mobile/binary	com/loc/ei.java
https://imtest-jd.netease.im/lbs/conf.jsp	com/qiyukf/nimlib/f/e.java
https://imtest.netease.im/1.gif	com/qiyukf/nimlib/f/e.java

https://imtest4.netease.im/test/	com/qiyukf/nimlib/f/e.java
https://imtest6.netease.im:8012/	com/qiyukf/nimlib/f/e.java
https://lbs.netease.im/lbs/conf.jsp	com/qiyukf/nimlib/f/e.java
https://lbs-qiyu.netease.im/lbs/conf.jsp?devflag=qyonline	com/qiyukf/nimlib/f/e.java
https://dr.netease.im/1.gif	com/qiyukf/nimlib/f/e.java
http://oss-cn-hangzhou.aliyuncs.com	com/alibaba/sdk/android/oss/common/OSSConstants.java
https://api-push.meizu.com/garcia/api/server/getPublicKey	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://api-push.in.meizu.com	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://api-push.meizu.com	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://norma-external-collect.meizu.com/android/exchange/getpublickey.do	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://norma-external-collect.meizu.com/push/android/external/add.do	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://webcast-open.douyin.com	com/bytedance/android/openliveplugin/material/LiveInitMaterialManager.java
https://webcast.amemv.com/falcon/webcast_douyin/page/anchor_task_v2/panel/index.html?web_bg_color=%23ff161823	com/bytedance/android/live/base/api/BuildConfig.java
https://webcast.amemv.com/falcon/webcast_douyin/page/recharge_v1/index.html	com/bytedance/android/live/base/api/BuildConfig.java
https://plbslog.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ulogs.umeng.com	com/umeng/commonsdk/stateless/a.java
https://alogus.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ulogs.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java

https://alogus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogsus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://ulogs.umengcloud.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://pslog.umeng.com	com/umeng/commonsdk/vchannel/a.java
https://pslog.umeng.com/	com/umeng/commonsdk/vchannel/a.java
https://developer.umeng.com/docs/119267/detail/182050	com/umeng/commonsdk/debug/UMLogCommon.java
http://developer.umeng.com/docs/66650/cate/66650	com/umeng/analytics/pro/j.java
https://errnewlog.umeng.com	com/umeng/umcrash/UMCrashContent.java
https://errnewlogos.umeng.com	com/umeng/umcrash/UMCrashContent.java
https://i.snssdk.com/	com/ss/android/downloadad/api/constant/AdBaseConstants.java
https://data-drcn.push.dbankcloud.com	Mogua Engine V2
https://data-dra.push.dbankcloud.com	Mogua Engine V2
https://data-dre.push.dbankcloud.com	Mogua Engine V2
https://data-drru.push.dbankcloud.com	Mogua Engine V2
http://www.w3.org/1999/xlink	Mogua Engine V2
http://www.w3.org/2000/svg	Mogua Engine V2
http://www.w3.org/1998/Math/MathML	Mogua Engine V2

http://'	Mogua Engine V2
https://grs.dbankcloud.com	Mogua Engine V2
https://grs.dbankcloud.cn	Mogua Engine V2
https://grs.dbankcloud.asia	Mogua Engine V2
https://grs.platform.dbankcloud.ru	Mogua Engine V2
https://grs.dbankcloud.eu	Mogua Engine V2
https://metrics1.data.hicloud.com:6447	Mogua Engine V2
https://metrics-dra.dt.hicloud.com:6447	Mogua Engine V2
https://metrics2.data.hicloud.com:6447	Mogua Engine V2
https://metrics5.data.hicloud.com:6447	Mogua Engine V2
https://metrics5.dt.dbankcloud.ru:6447	Mogua Engine V2

邮箱线索

邮箱地址	所在文件
teamcloud@creality.com 请发送邮件至teamcloud@creality.com向创想云工作人	Mogua Engine V1

手机线索

手机号	所在文件
13516237631	defpackage/a17.java
17882652114	defpackage/a17.java
18914945834	defpackage/a17.java
16832995016	defpackage/a17.java
13846158196	defpackage/a17.java
17471680261	defpackage/a17.java
18826691036	defpackage/a17.java
14159265359	defpackage/a17.java
13446589358	defpackage/a17.java
19870156017	defpackage/a17.java
19846674381	defpackage/a17.java
17387749012	defpackage/a17.java
17179869184	tv/danmaku/ijk/media/player/IjkMediaMeta.java

签名证书

APK已签名

v1 签名: True

v2 签名: True

v3 签名: False

找到 1 个唯一证书

主题: C=86, ST=hubei, L=wuhan, O=cxsw shenzhen, OU=cxsw wuhan, CN=cxsw

签名算法: rsassa_pkcs1v15

有效期自: 2019-07-02 07:36:44+00:00

有效期至: 2119-06-08 07:36:44+00:00

发行人: C=86, ST=hubei, L=wuhan, O=cxsw shenzhen, OU=cxsw wuhan, CN=cxsw

序列号: 0x5cd da75f

哈希算法: sha256

md5值: 071d72bc7fc275f1fb539fac313d9a54

sha1值: 8bbf248b11a2e152e0233fb5499914965e0582ee

sha256值: b738dd23a1982bfb04a3bfca51505182b8fafba5e51ad5b0e3b7f2b2d338520a

sha512值: 8fbcfd0d0683188b191f948db1b8e6922467067e5b77f555c2eb2d1a31a693ebd16673fb8c066e6551afbeb712fdd580da800184cc9f51163459cb873ecf1440

公钥算法: rsa

密钥长度: 2048

指纹: 34dc98535270d9736d79956b548e566aeaa8f878bc22a487d6407be494723b95

硬编码敏感信息

可能的敏感信息
"aweme_open_auth_title" : "抖音登录授权"
"aweme_open_web_auth_cancel" : "返回"
"m_account_inconsistent_password" : "Inconsistent password"
"m_account_pwd_ruler_1" : "Aa-Zz"
"m_account_pwd_ruler_2" : "0-9"
"m_account_pwd_ruler_3" : "6-18 Characters"
"m_comment_author" : "Author"
"m_cs_author_slice" : "Author slice"

"m_devices_box_ai_tip_key" : "click to see examples"
"m_devices_pie_credential_download_file" : "Download Key File"
"m_devices_pie_credential_redown_file" : "Download Again"
"m_devices_pie_credential_step_1" : "Click the Create Raspberry Pi button to create a Raspberry Pi device on Creality Cloud. A key file will be automatically generated as a unique certificate for your Raspberry Pi after creation."
"m_devices_pie_credential_step_2" : "Follow the tutorials below to download the Key file to the Raspberry Pi."
"m_devices_toast_pie_credential_limit" : "You can only add %d Raspberry Pi devices."
"m_group_at_user" : "@user"
"m_group_author" : "Author"
"m_group_compilation_author" : "Author"
"m_model_filter_secret" : "Privacy"
"m_model_filter_secret_2" : "Private"
"ysf_already_quit_session" : "You have quit conversation"
"ysf_back_close_session" : "Quit Session"
"ysf_close_session_fail" : "Failed to quit conversation"
"ysf_dialog_close_session" : "Sure to quit the conversation?"
"ysf_menu_close_session" : "Exit"
"ysf_session_already_end" : "Conversation is over"
"ysf_session_already_quit" : "Conversation quit"

"ysf_session_close_cannot_evaluation" : "Conversation is over. Cannot rate"

"ysf_session_ing_and_end_again_request" : "There is an ongoing conversation. Sure to end it and initiate a new consultation"

"ysf_work_sheet_auth" : "Fill in the information"

"ysf_work_sheet_session_change" : "Work order expired"

"m_account_inconsistent_password" : "Inkonsistentes Passwort"

"m_account_pwd_ruler_1" : "Aa-Zz"

"m_account_pwd_ruler_2" : "0-9"

"m_account_pwd_ruler_3" : "6-18 Zeichen"

"m_comment_author" : "Autor"

"m_devices_pie_credential_download_file" : "Schlüsseldatei herunterladen"

"m_devices_pie_credential_redown_file" : "Lade es erneut runter"

"m_devices_pie_credential_step_1" : "Click the Create Raspberry Pi button to create a Raspberry Pi device on Creality Cloud. A key file will be automatically generated as a unique certificate for your Raspberry Pi after creation."

"m_devices_pie_credential_step_2" : "Follow the tutorials below to download the Key file to the Raspberry Pi."

"m_devices_toast_pie_credential_limit" : "You can only add %d Raspberry Pi devices."

"m_group_author" : "Autor"

"ysf_already_quit_session" : "Sie sind nicht mehr in der Sitzung"

"ysf_back_close_session" : "Sitzung beenden"

"ysf_close_session_fail" : "Sitzung konnte nicht beendet werden"
"ysf_dialog_close_session" : "Bestätigung der Beendigung des Gesprächs?"
"ysf_menu_close_session" : "Verlassen"
"ysf_session_already_end" : "Die Sitzung ist beendet"
"ysf_session_already_quit" : "Die Sitzung wurde beendet"
"ysf_session_close_cannot_evaluation" : "Sitzung beendet, kein Kommentar möglich"
"ysf_session_ing_and_end_again_request" : "Sie haben eine laufende Sitzung, wollen Sie diese beenden und eine neue Anfrage starten?"
"ysf_work_sheet_auth" : "Füllen Sie die Informationen aus"
"ysf_work_sheet_session_change" : "Der Arbeitsauftrag ist abgelaufen"
"m_account_inconsistent_password" : "密码不一致"
"m_account_pwd_ruler_1" : "Aa-Zz"
"m_account_pwd_ruler_2" : "0-9"
"m_account_pwd_ruler_3" : "6-18个字符"
"m_comment_author" : "作者"
"m_cs_author_slice" : "作者切片"
"m_devices_box_ai_tip_key" : "点击查看示例"
"m_devices_pie_credential_download_file" : "下载key文件"
"m_devices_pie_credential_redown_file" : "重新下载Key文件"

"m_devices_pie_credential_step_1": "点击下方的【创建树莓派设备】按钮将为你在创想云上创建一个树莓派设备，我们会为你的树莓派生成一个唯一凭证。"
"m_devices_pie_credential_step_2": "按照以下的教程将Key文件下载到树莓派中。"
"m_devices_toast_pie_credential_limit": "你添加的树莓派设备已达%d个上限"
"m_group_at_user": "@用户"
"m_group_author": "作者"
"m_group_compilation_author": "合辑作者"
"m_model_filter_secret": "隐私"
"m_model_filter_secret_2": "私有"
"m_account_inconsistent_password": "Parolă inconsecventă"
"m_account_pwd_ruler_1": "Aa-Zz"
"m_account_pwd_ruler_2": "0-9"
"m_account_pwd_ruler_3": "6-18 caractere"
"m_comment_author": "Autor"
"m_devices_pie_credential_download_file": "Descărcați fișierul cheie"
"m_devices_pie_credential_redown_file": "Descărcați din nou"
"m_devices_pie_credential_step_1": "Click the Create Raspberry Pi button to create a Raspberry Pi device on Creality Cloud. A key file will be automatically generated as a unique certificate for your Raspberry Pi after creation."
"m_devices_pie_credential_step_2": "Follow the tutorials below to download the Key file to the Raspberry Pi."

"m_devices_toast_pie_credential_limit" : "You can only add %d Raspberry Pi devices."
"m_group_author" : "Autor"
"m_account_inconsistent_password" : "كلمة المرور غير متطابقة"
"m_account_pwd_ruler_1" : "aa-zz"
"m_account_pwd_ruler_2" : "0-9"
"m_account_pwd_ruler_3" : "6-18 رمزا"
"m_comment_author" : "المؤلف"
"m_devices_pie_credential_download_file" : "قم بتنزيل ملف المفتاح"
"m_devices_pie_credential_redown_file" : "قم بتحميلها مرة أخرى"
"m_devices_pie_credential_step_1" : "Click the Create Raspberry Pi button to create a Raspberry Pi device on Creality Cloud. A key file will be automatically generated as a unique certificate for your Raspberry Pi after creation."
"m_devices_pie_credential_step_2" : "Follow the tutorials below to download the Key file to the Raspberry Pi."
"m_devices_toast_pie_credential_limit" : "You can only add %d Raspberry Pi devices."
"m_group_author" : "المؤلف"
"ysf_already_quit_session" : "تم خروجك من المحادثة"
"ysf_back_close_session" : "إنهاء الجلسة"
"ysf_close_session_fail" : "فشل الخروج من المحادثة"
"ysf_dialog_close_session" : "هل أنت متأكد من الخروج من المحادثة؟"
"ysf_menu_close_session" : "خروج"

"ysf_session_already_end" : "قد انتهت المحادثة"
"ysf_session_already_quit" : "تم الخروج من المحادثة"
"ysf_session_close_cannot_evaluation" : "قد انتهت المحادثة فلا يمكنك تقييمها"
"ysf_session_ing_and_end_again_request" : "لديك محادثة قيد التقدم، هل تريد انهاءها لبدء استشارة جديدة؟"
"ysf_work_sheet_auth" : "املأ المعلومات"
"ysf_work_sheet_session_change" : "انتهت صلاحية أمر العمل"
"m_account_inconsistent_password" : "Les mots de passe ne correspondent pas"
"m_account_pwd_ruler_1" : "Aa-Zz"
"m_account_pwd_ruler_2" : "0-9"
"m_account_pwd_ruler_3" : "6-18 Caractères"
"m_comment_author" : "Auteur"
"m_cs_author_slice" : "Author slice"
"m_devices_pie_credential_download_file" : "Télécharger le fichier clé"
"m_devices_pie_credential_redown_file" : "Re-télécharger le fichier clé"
"m_devices_pie_credential_step_1" : "Cliquez sur le bouton "Ajouter un Raspberry Pi" ci-dessous pour ajouter un Raspberry Pi sur Creality Cloud. Nous générerons un fichier clé comme un identifiant unique pour votre Raspberry Pi."
"m_devices_pie_credential_step_2" : "Suivez les instructions ci-dessous pour télécharger le fichier clé vers votre Raspberry Pi."
"m_devices_toast_pie_credential_limit" : "Vous avez atteint la limite de %d Raspberry Pi que vous pouvez ajouter."

"m_group_author" : "Auteur"
"m_group_compilation_author" : "Auteur"
"ysf_already_quit_session" : "Vous êtes déconnecté de la conversation"
"ysf_back_close_session" : "Quitter la session"
"ysf_close_session_fail" : "Échec de la sortie de la conversation"
"ysf_dialog_close_session" : "Confirmez-vous pour quitter la conversation ?"
"ysf_menu_close_session" : "Se déconnecter"
"ysf_session_already_end" : "Conversation déjà terminée"
"ysf_session_already_quit" : "Conversation déjà déconnectée"
"ysf_session_close_cannot_evaluation" : "Conversation terminée, évaluation impossible"
"ysf_session_ing_and_end_again_request" : "Vous avez une conversation en cours, voulez-vous la terminer pour démarrer une nouvelle consultation ?"
"ysf_work_sheet_auth" : "Remplir les informations"
"ysf_work_sheet_session_change" : "Le bon de travail a expiré"
"m_account_inconsistent_password" : "Tutarsız şifre"
"m_account_pwd_ruler_1" : "Aa-Zz"
"m_account_pwd_ruler_2" : "0-9"
"m_account_pwd_ruler_3" : "6-18 Karakter"
"m_comment_author" : "Yazar"

"m_devices_pie_credential_download_file" : "Anahtar Dosyasını İndir"
"m_devices_pie_credential_redown_file" : "Tekrar yükle"
"m_devices_pie_credential_step_1" : "Click the Create Raspberry Pi button to create a Raspberry Pi device on Creality Cloud. A key file will be automatically generated as a unique certificate for your Raspberry Pi after creation."
"m_devices_pie_credential_step_2" : "Follow the tutorials below to download the Key file to the Raspberry Pi."
"m_devices_toast_pie_credential_limit" : "You can only add %d Raspberry Pi devices."
"m_group_author" : "Yazar"
"m_account_inconsistent_password" : "Contraseña inconsistente"
"m_account_pwd_ruler_1" : "A-zor"
"m_account_pwd_ruler_2" : "0-9"
"m_account_pwd_ruler_3" : "6-18 caracteres"
"m_comment_author" : "Autor"
"m_devices_pie_credential_download_file" : "Descargar archivo de clave"
"m_devices_pie_credential_redown_file" : "Descargar de nuevo"
"m_devices_pie_credential_step_1" : "Click the Create Raspberry Pi button to create a Raspberry Pi device on Creality Cloud. A key file will be automatically generated as a unique certificate for your Raspberry Pi after creation."
"m_devices_pie_credential_step_2" : "Follow the tutorials below to download the Key file to the Raspberry Pi."
"m_devices_toast_pie_credential_limit" : "You can only add %d Raspberry Pi devices."
"m_group_at_user" : "@user"

"m_group_author" : "Autor"

"m_group_compilation_author" : "Autor"

"ysf_already_quit_session" : "Has abandonado la conversación"

"ysf_back_close_session" : "Abandonar sesión"

"ysf_close_session_fail" : "Error al abandonar conversación"

"ysf_dialog_close_session" : "¿Abandonar la conversación?"

"ysf_menu_close_session" : "Salir"

"ysf_session_already_end" : "Conversación finalizada"

"ysf_session_already_quit" : "Conversación finalizada"

"ysf_session_close_cannot_evaluation" : "Conversación finalizada. No se puede valorar"

"ysf_session_ing_and_end_again_request" : "Hay una conversación en curso. ¿Terminarla e iniciar una nueva consulta?"

"ysf_work_sheet_auth" : "Rellena la información"

"ysf_work_sheet_session_change" : "Tique caducado"

"m_account_inconsistent_password" : "Palavra-passe inconsistente"

"m_account_pwd_ruler_1" : "Aa-Zz"

"m_account_pwd_ruler_2" : "0-9"

"m_account_pwd_ruler_3" : "6-18 Caracteres"

"m_comment_author" : "Autor"
"m_devices_pie_credential_download_file" : "Descarregar Ficheiro Chave"
"m_devices_pie_credential_redown_file" : "Descarregar novamente"
"m_devices_pie_credential_step_1" : "Click the Create Raspberry Pi button to create a Raspberry Pi device on Creality Cloud. A key file will be automatically generated as a unique certificate for your Raspberry Pi after creation."
"m_devices_pie_credential_step_2" : "Follow the tutorials below to download the Key file to the Raspberry Pi."
"m_devices_toast_pie_credential_limit" : "You can only add %d Raspberry Pi devices."
"m_group_author" : "Autor"
"ysf_already_quit_session" : "Você saiu da conversa"
"ysf_back_close_session" : "Sair da sessão"
"ysf_close_session_fail" : "Falha ao sair da conversa"
"ysf_dialog_close_session" : "Certo de sair da conversa?"
"ysf_menu_close_session" : "Sair"
"ysf_session_already_end" : "A conversa é encerrada"
"ysf_session_already_quit" : "Encerramento da conversa"
"ysf_session_close_cannot_evaluation" : "A conversa é encerrada. Não é possível classificar"
"ysf_session_ing_and_end_again_request" : "Há uma conversa em andamento. Certo de encerrá-la e iniciar uma nova consulta?"
"ysf_work_sheet_auth" : "Preencher as informações"
"ysf_work_sheet_session_change" : "O bilhete expirou"

"m_account_inconsistent_password" : "Пароли не совпадают"
"m_account_pwd_ruler_1" : "Aa-Zz"
"m_account_pwd_ruler_2" : "0-10"
"m_account_pwd_ruler_3" : "6-18 символов"
"m_comment_author" : "Автор"
"m_devices_pie_credential_download_file" : "Скачать ключевой файл"
"m_devices_pie_credential_redown_file" : "Скачать снова"
"m_devices_pie_credential_step_1" : "Click the Create Raspberry Pi button to create a Raspberry Pi device on Creality Cloud. A key file will be automatically generated as a unique certificate for your Raspberry Pi after creation."
"m_devices_pie_credential_step_2" : "Follow the tutorials below to download the Key file to the Raspberry Pi."
"m_devices_toast_pie_credential_limit" : "You can only add %d Raspberry Pi devices."
"m_group_author" : "Автор"
"m_account_inconsistent_password" : "סיסמה לא עקבית"
"m_account_pwd_ruler_1" : "א-זזז"
"m_account_pwd_ruler_2" : "0-9"
"m_account_pwd_ruler_3" : "6-18 תווים"
"m_comment_author" : "מחבר"
"m_devices_pie_credential_download_file" : "הורד קובץ מפתח"

"m_devices_pie_credential_redown_file" : "הורד שוב"
"m_devices_pie_credential_step_1" : "Click the Create Raspberry Pi button to create a Raspberry Pi device on Creality Cloud. A key file will be automatically generated as a unique certificate for your Raspberry Pi after creation."
"m_devices_pie_credential_step_2" : "Follow the tutorials below to download the Key file to the Raspberry Pi."
"m_devices_toast_pie_credential_limit" : "You can only add %d Raspberry Pi devices."
"m_group_author" : "מחבר"
"m_account_inconsistent_password" : "密碼不一致"
"m_account_pwd_ruler_1" : "Aa-Zz"
"m_account_pwd_ruler_2" : "0-9"
"m_account_pwd_ruler_3" : "6-18個字符"
"m_comment_author" : "作者"
"m_cs_author_slice" : "作者切片"
"m_devices_box_ai_tip_key" : "點擊查看示例"
"m_devices_pie_credential_download_file" : "下載key檔案"
"m_devices_pie_credential_redown_file" : "重新下载Key文件"
"m_devices_pie_credential_step_1" : "點擊下方的【創建樹莓派設備】按鈕將為你在創想雲上創建一個樹莓派設備，我們會為你的樹莓派生成一個唯一憑證。"
"m_devices_pie_credential_step_2" : "按照以下的教程將Key文件下载到樹莓派中。"
"m_devices_toast_pie_credential_limit" : "你添加的樹莓派設備已達%d個上限"

"m_group_at_user" : "@用戶"
"m_group_author" : "作者"
"m_group_compilation_author" : "合輯作者"
"m_model_filter_secret" : "隱私"
"m_model_filter_secret_2" : "私有"
"m_account_inconsistent_password" : "Senha inconsistente"
"m_account_pwd_ruler_1" : "Aa-Zz"
"m_account_pwd_ruler_2" : "0-9"
"m_account_pwd_ruler_3" : "6-18 Caracteres"
"m_comment_author" : "Autor"
"m_devices_pie_credential_download_file" : "Download do arquivo de chave"
"m_devices_pie_credential_redown_file" : "Download novamente"
"m_devices_pie_credential_step_1" : "Click the Create Raspberry Pi button to create a Raspberry Pi device on Creality Cloud. A key file will be automatically generated as a unique certificate for your Raspberry Pi after creation."
"m_devices_pie_credential_step_2" : "Follow the tutorials below to download the Key file to the Raspberry Pi."
"m_devices_toast_pie_credential_limit" : "You can only add %d Raspberry Pi devices."
"m_group_author" : "Autor"
"m_account_inconsistent_password" : "密碼不一致"
"m_account_pwd_ruler_1" : "Aa-Zz"

"m_account_pwd_ruler_2" : "0-9"
"m_account_pwd_ruler_3" : "6-18個字符"
"m_comment_author" : "作者"
"m_cs_author_slice" : "作者切片"
"m_devices_box_ai_tip_key" : "點擊查看示例"
"m_devices_pie_credential_download_file" : "下載key檔案"
"m_devices_pie_credential_redown_file" : "重新下载Key文件"
"m_devices_pie_credential_step_1" : "點擊下方的【創建樹莓派設備】按鈕將為你在創想雲上創建一個樹莓派設備，我們會為你的樹莓派生成一個唯一憑證。"
"m_devices_pie_credential_step_2" : "按照以下的教程將Key文件下載到樹莓派中。"
"m_devices_toast_pie_credential_limit" : "你添加的樹莓派設備已達%d個上限"
"m_group_at_user" : "@utilisateur"
"m_group_author" : "作者"
"m_group_compilation_author" : "合輯作者"
"m_model_filter_secret" : "隱私"
"m_model_filter_secret_2" : "私有"
"ysf_already_quit_session" : "您已退出會話"
"ysf_back_close_session" : "關閉會話"

"ysf_close_session_fail" : "退出會話失敗"
"ysf_dialog_close_session" : "確認退出對話? "
"ysf_menu_close_session" : "退出"
"ysf_session_already_end" : "會話已結束"
"ysf_session_already_quit" : "會話已退出"
"ysf_session_close_cannot_evaluation" : "會話已結束，無法評價"
"ysf_session_ing_and_end_again_request" : "您有會話正在進行中，是否結束會話發起新的諮詢"
"ysf_work_sheet_auth" : "填寫信息"
"ysf_work_sheet_session_change" : "工單已過期"
"ysf_already_quit_session" : "Umalis ka sa sesyon"
"ysf_back_close_session" : "Tumigil sa Sesyon"
"ysf_close_session_fail" : "Nabigong umalis sa sesyon"
"ysf_dialog_close_session" : "Kumpirmahing umalis sa pakikipag-usap?"
"ysf_menu_close_session" : "Umalis"
"ysf_session_already_end" : "Natapos na ang sesyon"
"ysf_session_already_quit" : "Inalis ang sesyon"
"ysf_session_close_cannot_evaluation" : "Natapos ang session at hindi na masuri"
"ysf_session_ing_and_end_again_request" : "May umuusad kang sesyon. Gusto mo bang tapusin ang sesyon at magsimula ng bagong konsultasyon"

"ysf_work_sheet_auth" : "Punan ang impormasyon"
"ysf_work_sheet_session_change" : "Nag-expire ang order ng trabaho"
"ysf_already_quit_session" : "既に会話から離れました"
"ysf_back_close_session" : "セッションを閉じる"
"ysf_close_session_fail" : "会話の終了に失敗しました"
"ysf_dialog_close_session" : "会話を終了しますか。"
"ysf_menu_close_session" : "閉じる"
"ysf_session_already_end" : "会話は終了しました"
"ysf_session_already_quit" : "会話から離れました"
"ysf_session_close_cannot_evaluation" : "会話は終了したため、評価できません"
"ysf_session_ing_and_end_again_request" : "現在会話中ですが、それを終了して新しい問い合わせを送信しますか。"
"ysf_work_sheet_auth" : "情報を記入"
"ysf_work_sheet_session_change" : "課題は既に無効になりました"
"ysf_already_quit_session" : "คุณออกจากเซสชันแล้ว"
"ysf_back_close_session" : "ออกจากเซสชัน"
"ysf_close_session_fail" : "ออกจากเซสชันล้มเหลว"
"ysf_dialog_close_session" : "ยืนยันที่จะออกจากการสนทนา?"
"ysf_menu_close_session" : "ออกจาก"

"ysf_session_already_end" : "เซสชันสิ้นสุดแล้ว"
"ysf_session_already_quit" : "ออกจากเซสชันแล้ว"
"ysf_session_close_cannot_evaluation" : "เซสชันสิ้นสุดลงไม่สามารถประเมินได้"
"ysf_session_ing_and_end_again_request" : "คุณมีเซสชันอยู่ระหว่างดำเนินการ คุณต้องการยุติเซสชันและเริ่มต้นการให้คำปรึกษาใหม่หรือไม่"
"ysf_work_sheet_auth" : "กรอกข้อมูล"
"ysf_work_sheet_session_change" : "ใบสั่งงานหมดอายุ"
"ysf_already_quit_session" : "Hiện tại đã rời khỏi cuộc hội thoại"
"ysf_back_close_session" : "Thoát phiên"
"ysf_close_session_fail" : "Chưa thoát được cuộc trò chuyện"
"ysf_dialog_close_session" : "Có chắc chắn muốn thoát khỏi cuộc trò chuyện?"
"ysf_menu_close_session" : "Thoát"
"ysf_session_already_end" : "Cuộc trò chuyện đã kết thúc"
"ysf_session_already_quit" : "Đã thoát cuộc trò chuyện"
"ysf_session_close_cannot_evaluation" : "Cuộc trò chuyện đã kết thúc, không thể đánh giá"
"ysf_session_ing_and_end_again_request" : "Bạn có cuộc trò chuyện đang được tiến hành, bạn có muốn kết thúc cuộc trò chuyện để bắt đầu một cuộc tư vấn mới không"
"ysf_work_sheet_auth" : "Điền thông tin"
"ysf_work_sheet_session_change" : "Phiếu yêu cầu đã quá hạn"

"ysf_already_quit_session" : "대화에서 나가셨습니다"
"ysf_back_close_session" : "세션 닫기"
"ysf_close_session_fail" : "대화에서 나가기 실패"
"ysf_dialog_close_session" : "대화에서 나가시겠습니까?"
"ysf_menu_close_session" : "나가기"
"ysf_session_already_end" : "대화가 끝났습니다."
"ysf_session_already_quit" : "대화에서 나가셨습니다"
"ysf_session_close_cannot_evaluation" : "대화가 끝났습니다. 평가할 수 없습니다."
"ysf_session_ing_and_end_again_request" : "진행 중인 대화가 있습니다. 기존 대화를 종료하고 새로운 상담을 시작하시겠습니까?"
"ysf_work_sheet_auth" : "정보 내용 입력"
"ysf_work_sheet_session_change" : "오더가 만료되었습니다"
"ysf_already_quit_session" : "Anda telah keluar dari sesi percakapan"
"ysf_back_close_session" : "Keluar dari Sesi"
"ysf_close_session_fail" : "Gagal keluar dari sesi percakapan"
"ysf_dialog_close_session" : "Yakin keluar dari percakapan ini?"
"ysf_menu_close_session" : "Keluar"
"ysf_session_already_end" : "Sesi percakapan berakhir"
"ysf_session_already_quit" : "Telah keluar dari sesi percakapan"

"ysf_session_close_cannot_evaluation" : "Sesi percakapan berakhir, tidak dapat melakukan penilaian"
"ysf_session_ing_and_end_again_request" : "Anda sedang dalam sesi percakapan, apakah yakin untuk menyelesaikan percakapan untuk memulai konsultasi baru?"
"ysf_work_sheet_auth" : "Mengisi informasi"
"ysf_work_sheet_session_change" : "Perintah kerja telah kedaluwarsa"
"ysf_already_quit_session" : "您已退出会话"
"ysf_back_close_session" : "关闭会话"
"ysf_close_session_fail" : "退出会话失败"
"ysf_dialog_close_session" : "确认退出对话? "
"ysf_menu_close_session" : "退出"
"ysf_session_already_end" : "会话已结束"
"ysf_session_already_quit" : "会话已退出"
"ysf_session_close_cannot_evaluation" : "会话已结束, 无法评价"
"ysf_session_ing_and_end_again_request" : "您有会话正在进行中, 是否结束会话发起新的咨询"
"ysf_work_sheet_auth" : "填写信息"
"ysf_work_sheet_session_change" : "工单已过期"
"ysf_already_quit_session" : "Oturumdan ayrıldınız"
"ysf_back_close_session" : "Oturumdan Çık"
"ysf_close_session_fail" : "Oturumdan ayrılma başarısız"

"ysf_dialog_close_session" : "Oturumdan ayrılmak istediğimize emin misiniz?"

"ysf_menu_close_session" : "Ayrıl"

"ysf_session_already_end" : "Oturum sona erdi"

"ysf_session_already_quit" : "Oturumdan ayrıldınız"

"ysf_session_close_cannot_evaluation" : "Oturum sona erdi, değerlendirilemez"

"ysf_session_ing_and_end_again_request" : "Devam eden bir oturumunuz var, oturumu sonlandırmak ve yeniden danışma başlatmak istiyor musunuz"

"ysf_work_sheet_auth" : "Bilgileri doldur"

"ysf_work_sheet_session_change" : "İş emrinin süresi doldu"

"ysf_already_quit_session" : "Вы уже вышли из чата"

"ysf_back_close_session" : "Выйти из сеанса"

"ysf_close_session_fail" : "Не удастся выйти из чата"

"ysf_dialog_close_session" : "Вы хотите выйти из чата?"

"ysf_menu_close_session" : "Выйти"

"ysf_session_already_end" : "Чат уже закончен"

"ysf_session_already_quit" : "Чат уже отключен"

"ysf_session_close_cannot_evaluation" : "Чат закончен, вы не можете оценить"

"ysf_session_ing_and_end_again_request" : "Сейчас вы находитесь в чате, будете ли заканчивать чат и открывать новую консультацию"

"ysf_work_sheet_auth" : "Введите информацию"

"ysf_work_sheet_session_change" : "Срок действия тикета уже истек"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
com.android.vending.BILLING	未知	Unknown permission	Unknown permission from android reference
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字

android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
android.permission.BLUETOOTH_SCAN	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH_CONNECT	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置(如果可用)。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_FINE_LOCATION	危险	精细定位(GPS)	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令,恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作

android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
com.cxsw.sdprinter.openadsdk.permission.TT_PANGOLIN	未知	Unknown permission	Unknown permission from android reference
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.READ_LOGS	危险	读取敏感日志数据	允许应用程序从系统读小号各种日志文件。这使它发现有关您使用手机做什么的一般信息,可能包括个人或私人信息
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.READ_MEDIA_AUDIO	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_IMAGES	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_VIDEO	未知	Unknown permission	Unknown permission from android reference
		Unknown	

android.permission.POST_NOTIFICATIONS	未知	permission	Unknown permission from android reference
com.sec.android.provider.badge.permission.READ	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.sec.android.provider.badge.permission.WRITE	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.UPDATE_SHORTCUT	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.sonyericsson.home.permission.BROADCAST_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.anddoes.launcher.permission.UPDATE_COUNT	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或徽章
com.majeur.launcher.permission.UPDATE_BADGE	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或标记为固体。
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
com.huawei.android.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
com.huawei.android.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
android.permission.READ_APP_BADGE	正常	显示应用程序通知	允许应用程序显示应用程序图标徽章

com.oppo.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
com.oppo.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
me.everything.badger.permission.BADGE_COUNT_READ	未知	Unknown permission	Unknown permission from android reference
me.everything.badger.permission.BADGE_COUNT_WRITE	未知	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference
android.permission.QUERY_ALL_PACKAGES	正常		允许查询设备上的任何普通应用程序,无论清单声明如何
android.permission.REORDER_TASKS	正常	重新排序正在运行的应用程序	允许应用程序将任务移动到前台和后台。恶意应用程序可以在不受您控制的情况下将自己强加于前
com.vivo.notification.permission.BADGE_ICON	未知	Unknown permission	Unknown permission from android reference
com.cxsw.sdprinter.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.cxsw.sdprinter.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
com.cxsw.sdprinter.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference

