



MoGua

老司机 1.1.77.APK 分析报告



APP名称:

老司机

包名: com.videoplayer111.android

域名线索: 20条

URL线索: 20条

邮箱线索: 2条

分析日期: 2025年9月28日

分析平台: [摸瓜APK反编译平台](#)

文件名: lsj_0-26567290.apk
文件大小: 26.7MB
MD5值: 0cc392d74f59f9ad145713303d20ecc3
SHA1值: f77c6fb69a5d3630940ddc5287edd06401952cff
SHA256值: 9dac89c1fc333e9612c93f27db353442572ce024e907386f45e3c70016c6f356

i APP 信息

App名称: 老司机
包名: com.videoplayer111.android
主活动Activity: com.videoplayer111.android.MainActivity
安卓版本名称: 1.1.77
安卓版本: 1

🔍 域名线索

域名	服务器信息
schemas.microsoft.com	IP: 13.107.246.49 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.374031 经度: 4.889690
aomedia.org	IP: 185.199.109.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065632 经度: -79.891708
exoplayer.dev	IP: 185.199.108.153 所属国家: United States of America 地区: Pennsylvania

	城市: California 纬度: 40.065632 经度: -79.891708
flutter.dev	IP: 151.101.1.195 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
223.6.6.6	IP: 223.6.6.6 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
dashif.org	IP: 185.199.110.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065632 经度: -79.891708
huya.com	IP: 106.15.39.150 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
github.com	IP: 20.205.243.166 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903

dns.alidns.com	IP: 223.6.6.6 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
schemas.android.com	没有服务器地理信息.
developer.android.com	IP: 172.217.160.78 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
www.w3.org	IP: 128.30.52.100 所属国家: United States of America 地区: Massachusetts 城市: Cambridge 纬度: 42.365078 经度: -71.104523
223.5.5.5	IP: 223.5.5.5 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
developer.apple.com	IP: 17.253.83.201 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
	IP: 112.83.37.115 所属国家: China

st-cn.meishij.net	地区: Jiangsu 城市: Zhenjiang 纬度: 32.209171 经度: 119.434174
ns.adobe.com	没有服务器地理信息.
doh.360.cn	IP: 101.198.191.4 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
www.ibm.com	IP: 23.73.241.97 所属国家: United States of America 地区: New Jersey 城市: Edison 纬度: 40.518719 经度: -74.412102
api.flutter.dev	IP: 199.36.158.100 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
journeyapps.com	IP: 13.33.174.56 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689507 经度: 139.691696

URL信息	Url所在文件
https://()	com/huawei/hms/scankit/p/C0230bd.java
http://ns.adobe.com/xap/1.0/	e/h/a/a.java
http://schemas.android.com/apk/res/android	e/e/k/e/i.java
https://exoplayer.dev/issues/player-accessed-on-wrong-thread	f/g/a/a/h2.java
http://www.w3.org/ns/ttml#parameter	f/g/a/a/i4/t/c.java
https://aomedia.org/emsg/ID3	f/g/a/a/f4/j/a.java
https://developer.apple.com/streaming/emsg-id3	f/g/a/a/f4/j/a.java
http://schemas.microsoft.com/DRM/2007/03/protocols/AcquireLicense	f/g/a/a/b4/l0.java
https://x	f/g/a/a/b4/k0.java
http://ns.adobe.com/xap/1.0/	f/g/a/a/d4/i0/a.java
https://exoplayer.dev/issues/cleartext-not-permitted	f/g/a/a/l4/g0.java
http://dashif.org/guidelines/trickmode	f/g/a/a/h4/a1/g.java
http://dashif.org/guidelines/last-segment-number	f/g/a/a/h4/a1/n/d.java
http://dashif.org/guidelines/trickmode	f/g/a/a/h4/a1/n/d.java
https://developer.android.com/reference/javax/net/ssl/SSLSocket	j/a/e/i/t.java
https://developer.android.com/guide/topics/permissions/overview	j/a/d/e/e.java

https://journeyapps.com/	Android String Resource
https://github.com/journeyapps/zxing-android-embedded	Android String Resource
http://www.w3.org/XML/1998/namespace	lib/armeabi-v7a/libflutter.so
http://www.w3.org/2000/xmlns/	lib/armeabi-v7a/libflutter.so
<a)."="" href="https://www.w3.org/Style/CSS/Test/Fonts/Ahem/">https://www.w3.org/Style/CSS/Test/Fonts/Ahem/).	lib/armeabi-v7a/libflutter.so
https://github.com/flutter/flutter/issues .	lib/armeabi-v7a/libflutter.so
https://st-cn.meishij.net/r/121/39/13134871/a13134871_163551834271708.jpg	lib/armeabi-v7a/libapp.so
https://st-cn.meishij.net/r/121/39/13134871/a13134871_161426873042834.jpg	lib/armeabi-v7a/libapp.so
https://st-cn.meishij.net/r/121/39/13134871/a13134871_163266475645639.jpg	lib/armeabi-v7a/libapp.so
https://st-cn.meishij.net/r/121/39/13134871/a13134871_161971349744163.jpg	lib/armeabi-v7a/libapp.so
https://st-cn.meishij.net/r/121/39/13134871/a13134871_163266451291711.jpg	lib/armeabi-v7a/libapp.so
https://st-cn.meishij.net/r/63/134/96063/a96063_155901860982411.jpg	lib/armeabi-v7a/libapp.so
https://st-cn.meishij.net/r/121/39/13134871/a13134871_163275316397171.jpg	lib/armeabi-v7a/libapp.so
https://api.flutter.dev/flutter/dart-ui/ChannelBuffers-class.html	lib/armeabi-v7a/libapp.so
https://st-cn.meishij.net/r/121/39/13134871/a13134871_162756761394366.jpg	lib/armeabi-v7a/libapp.so
https://st-cn.meishij.net/r/121/39/13134871/a13134871_163568955592325.jpg	lib/armeabi-v7a/libapp.so
http://www.ibm.com/data/dtd/v11/ibmxhtml1-transitional.dtd	lib/armeabi-v7a/libapp.so
https://st-cn.meishij.net/r/121/39/13134871/a13134871_163551675112790.jpg	lib/armeabi-v7a/libapp.so

https://st-cn.meishij.net/r/41/203/113291/a113291_154087920885454.jpg	lib/armeabi-v7a/libapp.so
https://st-cn.meishij.net/r/121/39/13134871/a13134871_162221705053825.jpg	lib/armeabi-v7a/libapp.so
http://www.w3.org/1998/Math/MathML	lib/armeabi-v7a/libapp.so
https://st-cn.meishij.net/r/121/39/13134871/a13134871_163290654872134.jpg	lib/armeabi-v7a/libapp.so
https://huya.com	lib/armeabi-v7a/libapp.so
http://www.w3.org/2000/svg	lib/armeabi-v7a/libapp.so
http://www.w3.org/2000/xmlns/	lib/armeabi-v7a/libapp.so
https://st-cn.meishij.net/r/121/39/13134871/a13134871_163266209190325.jpg	lib/armeabi-v7a/libapp.so
https://st-cn.meishij.net/r/121/39/13134871/a13134871_162955682097096.jpg	lib/armeabi-v7a/libapp.so
https://api.flutter.dev/flutter/material/Scaffold/of.html	lib/armeabi-v7a/libapp.so
https://st-cn.meishij.net/r/121/39/13134871/a13134871_161893035270930.jpg	lib/armeabi-v7a/libapp.so
https://st-cn.meishij.net/r/121/39/13134871/a13134871_161935825831668.jpg	lib/armeabi-v7a/libapp.so
https://doh.360.cn/query	lib/armeabi-v7a/libapp.so
http://223.5.5.5/resolve	lib/armeabi-v7a/libapp.so
http://223.6.6.6/resolve	lib/armeabi-v7a/libapp.so
https://flutter.dev/docs/release/breaking-changes/network-policy-ios-android	lib/armeabi-v7a/libapp.so
https://dns.alidns.com/resolve	lib/armeabi-v7a/libapp.so

_casterror@0150898._create
l_invocationmirror@0150898._withtype
_colorfilter@16065589.mode
_colorfilter@16065589.srgbtoline
i_rawsocket@14069316._writepipe
erflowindicatormixin@356204652.mixin
_growablelist@0150898._literal1
4_uri@0150898.file
q_imagefilter@16065589.blur
storationinformation@879124995.fromserial
_growablelist@0150898._literal4
bb_growablelist@0150898._ofgrowabl
x_growablelist@0150898.of
lectiontoolbarbutton@501392285.text
i_listconfig@1080282418.frombuildm
k_colorfilter@16065589.lineartosr
_nativesocket@14069316.pipe
_cookie@13463476.fromsetcoo
authenticationscheme@13463476.fromstring
_list@0150898.of
_list@0150898.generate
n_typeerror@0150898._create
_list@0150898._ofgrowabl
_list@0150898._ofefficie
_growablelist@0150898._ofarray
_growablelist@0150898._literal3
u_growablelist@0150898._ofother
_timer@1026248._internal
_growablelist@0150898._literal5
_rawsocket@14069316._readpipe
_socket@14069316._readpipe
_list@0150898._ofother
eo_bytebuffer@7027147._new
ngstreamsubscription@4048458.zoned
_assertionerror@0150898._create
av_nativesocket@14069316.normal
j_filestream@14069316.forstdin
_uri@0150898.directory

qd_growablelist@0150898._literal8
v_file@14069316.fromrawpat
gh_growablelist@0150898.generate
_uri@0150898.notsimple

lib/armeabi-v7a/libapp.so

7u_growablelist@0150898._literal7 _future@4048458.zonevalue __growablelist@0150898._ofefficie _future@4048458.immediatee	
appro@openssl.org	lib/arm64-v8a/libflutter.so

☰ 手机线索

手机号	所在文件
17512775099	f/g/b/c/a.java

✿ 签名证书

APK is signed
v1 signature: True
v2 signature: True
v3 signature: True
Found 1 unique certificates
Subject: C=123456, ST=123456, L=123456, O=123456, OU=123456, CN=123456
Signature Algorithm: rsassa_pkcs1v15
Valid From: 2021-09-02 07:05:37+00:00
Valid To: 2071-08-21 07:05:37+00:00
Issuer: C=123456, ST=123456, L=123456, O=123456, OU=123456, CN=123456
Serial Number: 0x7aaccffe
Hash Algorithm: sha256
md5: feac5181aa20b91ad003d739e28f4e81
sha1: b5f9531488ff1922c0702ec430bd88e8b737c34d
sha256: 52c867d91daf19b813e2f44e3c7854f67316aee69469a8cf93f5ca8ea19790fb
sha512: 9ed2f0e0049e26f6d3aea0fb1898115bb70f19c088809c9f94be38d1239cbf3efd044cdc2a112b9f69e11e8269e4e0979e8cf3ad3dc7d27eae6ba90f3ac81555
PublicKey Algorithm: rsa
Bit Size: 2048
Fingerprint: 0abebc3d3e91f26d8f2ac4be1ecc98af8ab895a9dfd9f3dee1726fc9f7b6a69b

硬编码敏感信息

可能的敏感信息
"library_zxingandroidembedded_author": "JourneyApps"
"library_zxingandroidembedded_authorWebsite": "https://journeyapps.com/"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况

android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.USE_FULL_SCREEN_INTENT	正常		针对想要使用通知全屏意图的 Build.VERSION_CODES.Q 的应用程序是必需的
android.permission.SCHEDULE_EXACT_ALARM	正常		允许应用程序使用精确的警报调度 API 来执行对时间敏感的后台工作
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。

应用内通信