



MoGua

爱爱网 3.5.1.APK 分析报告



APP名称:	爱爱网
包名:	cn.qrqr.www
域名线索:	94条

URL线索:	57条
邮箱线索:	1条
分析日期:	2025年9月27日
分析平台:	摸瓜APK反编译平台

文件信息

文件名: app-release-08-29.apk
文件大小: 200.81MB
MD5值: 0f7230e9872478837040b4c4d8b514d4
SHA1值: 2ad7a8998da75327b74619ff765cd9cc6a2b0008
SHA256值: ebde9a0a457b4bf4a698867f6204e2272204f3b34a88ad83168e4e1c9d6cd78d

APP 信息

App名称: 爱爱网

包名: cn.qrqr.www
主活动Activity: cn.qrqr.www.MainActivity
安卓版本名称: 3.5.1
安卓版本: 2

🔍 域名线索

域名	服务器信息
aa5.com	IP: 172.247.18.202 所属国家: United States of America 地区: California 城市: Los Angeles 纬度: 34.052570 经度: -118.243904
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
www.example.com	IP: 23.217.139.135 所属国家: Australia 地区: New South Wales 城市: Sydney 纬度: -33.867779 经度: 151.207047
norma-external-collect.meizu.com	IP: 183.60.176.112 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
osmand.net	IP: 66.220.146.94 所属国家: United States of America 地区: California 城市: Menlo Park 纬度: 37.436935 经度: -122.193604

metrics2.data.hicloud.com	IP: 80.158.38.48 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
aaw-2024-04-12.oss-cn-shanghai.aliyuncs.com	IP: 139.227.228.227 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
grs.dbankcloud.eu	没有服务器地理信息.
store2.hispace.hicloud.com	IP: 3.166.228.94 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.627499 经度: -122.346199
cn.register.xmpush.xiaomi.com	IP: 221.194.179.52 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
lqstorage-1318180133.cos.ap-shanghai.myqcloud.com	IP: 61.241.129.102 所属国家: China 地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830
ins-9fciednc.ias.tencent-cloud.net	IP: 124.95.225.169 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877

gtc.getui.nethttps	没有服务器地理信息.
gtc.getui.net	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
www.w3.org	IP: 104.18.23.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
aspect-upush.umeng.com	IP: 223.109.148.179 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
default.url	没有服务器地理信息.
astat.bugly.qcloud.com	IP: 119.28.121.133 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
pslog.umeng.com	IP: 59.82.29.162 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
ucc.umeng.com	IP: 203.119.145.45 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

xmlpull.org	IP: 185.199.111.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
store3.hispace.hicloud.com	IP: 23.217.205.207 所属国家: United States of America 地区: Colorado 城市: Denver 纬度: 39.739361 经度: -104.983597
aomediadecodec.github.io	IP: 185.199.109.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
alogus.umeng.com	IP: 223.109.148.179 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
flutter.dev	IP: 199.36.158.100 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
ulogs.umengcloud.com	IP: 223.109.148.179 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
	IP: 119.8.163.189

data-dra.push.dbankcloud.com	所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
b-gtc.getui.net	IP: 101.68.218.163 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000
docs.flutter.dev	IP: 199.36.158.100 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
c-hzgt2.getui.com	IP: 124.160.155.55 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000
metrics1.data.hicloud.com	IP: 111.202.16.252 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
sc-2wln.cn-shanghai.oss-adns.aliyuncs.com	IP: 139.227.228.227 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
b-gtc.gepush.com	IP: 101.68.218.161 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199

	经度: 120.750000
resource02.ulifestyle.com.hk	IP: 162.125.83.1 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
utoken.umeng.com	IP: 223.109.148.139 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
grs.dbankcloud.cn	IP: 121.36.117.149 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
c-gtc.gepush.com	IP: 124.160.155.57 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000
resolver.msg.xiaomi.net	IP: 111.206.174.194 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
	IP: 159.138.202.31

data-drru.push.dbankcloud.com	所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
www.brynosaurus.com	IP: 185.199.108.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
sdk.open.phone.igexin.com	IP: 101.68.218.161 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000
youtrack.jetbrains.com	IP: 63.35.30.167 所属国家: Ireland 地区: Dublin 城市: Dublin 纬度: 53.344151 经度: -6.267249
store-at-dre.hispace.dbankcloud.com	没有服务器地理信息.
api.flutter.dev	IP: 199.36.158.100 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
store-drru.hispace.hicloud.com	IP: 159.138.201.153 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
	IP: 49.4.35.16 所属国家: China

appgallery.cloud.huawei.com	地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
aawapi-v3.trh999.com.w.cdngslb.com	IP: 61.48.83.230 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
dashif.org	IP: 185.199.108.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
play.google.com	IP: 93.46.8.90 所属国家: Italy 地区: Lombardia 城市: Milan 纬度: 45.464336 经度: 9.188547
aawapi-v3.lvshi68.com	IP: 163.181.78.184 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
developer.umeng.com	IP: 59.82.31.210 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532

grs.dbankcloud.asia	IP: 121.36.116.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
android.googleusercontent.com	IP: 142.250.99.82 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
journeyapps.com	IP: 3.165.75.51 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.627499 经度: -122.346199
c-gtc.getui.net	IP: 124.160.155.57 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000
metrics-dra.dt.hicloud.com	IP: 94.74.88.100 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
ask.dcloud.net.cn	IP: 116.131.57.100 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
b-gtc.getui.nethttps	没有服务器地理信息.

crl.securetrust.com	IP: 23.200.86.82 所属国家: France 地区: Ile-de-France 城市: Paris 纬度: 48.859077 经度: 2.293486
api-push.meizu.com	IP: 221.5.93.66 所属国家: China 地区: Guangdong 城市: Foshan 纬度: 23.026770 经度: 113.131477
gcc.gnu.org	IP: 8.43.85.97 所属国家: United States of America 地区: North Carolina 城市: Raleigh 纬度: 35.773994 经度: -78.632759
api-push.in.meizu.com	IP: 206.161.233.191 所属国家: United States of America 地区: Virginia 城市: Herndon 纬度: 38.978210 经度: -77.386993
developer.android.com	IP: 142.250.69.206 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
webrd01.is.autonavi.com	IP: 60.222.200.221 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
cos-v3.024kh.com	IP: 43.248.103.26 所属国家: China 地区: Jiangsu 城市: Zhenjiang

	纬度: 32.209366 经度: 119.434372
store.hispace.hicloud.com	IP: 49.4.47.241 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
10.2.31.245	IP: 10.2.31.245 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
aawapi-v3.lvshi68.com.w.cdngslb.com	IP: 155.102.4.6 所属国家: United States of America 地区: California 城市: San Mateo 纬度: 37.547424 经度: -122.330589
sc-2wln.cn-shanghai.oss-adns.aliyuncs.com.gds.alibabadns.com	IP: 139.227.228.227 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
sh.file.myqcloud.com	IP: 61.241.129.104 所属国家: China 地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830
schemas.android.com	没有服务器地理信息.
gtc.gepush.com	IP: 43.231.145.97 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361

	经度: 113.264572
alogsus.umeng.com	IP: 223.109.148.178 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
aawapi-v3.trh999.com	IP: 61.48.83.230 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
astat.bugly.cros.wr.pvp.net	IP: 170.106.118.26 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
fontawesome.comversion	没有服务器地理信息.
developers.google.com	IP: 172.217.14.238 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
aomedia.org	IP: 208.101.21.43 所属国家: United States of America 地区: Texas 城市: Dallas 纬度: 32.939491 经度: -96.838730
aaw-2024-04-12-1318180133.cos.ap-shanghai.myqcloud.com	IP: 61.241.129.103 所属国家: China 地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830

ulogs.umeng.com	IP: 223.109.148.179 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
data-drcn.push.dbankcloud.com	IP: 118.194.33.160 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
ns.adobe.com	没有服务器地理信息.
share.here.com	IP: 108.156.144.114 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.604309 经度: -122.329842
store1.hispace.hicloud.com	IP: 123.249.62.130 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
g.co	IP: 142.251.215.238 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514

c-gtc.getui.nethttps	没有服务器地理信息.
plbslog.umeng.com	IP: 36.156.202.75 所属国家: China 地区: Jiangsu 城市: Yangzhou 纬度: 32.397221 经度: 119.435600
d-gt.getui.com	没有服务器地理信息.
developer.mozilla.org	IP: 34.111.97.67 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
android.bugly.qq.com	IP: 124.95.225.169 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
grs.dbankcloud.com	IP: 60.28.193.195 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102

URL线索

URL信息	Url所在文件
https://c-gtc.getui.net,https://c-gtc.gepush.com	com/getui/gtc/c/b.java
https://gtc.getui.net,https://gtc.gepush.com	com/getui/gtc/c/b.java
https://b-gtc.getui.net,https://b-gtc.gepush.com	com/getui/gtc/c/b.java

https://sdk.open.phone.igexin.com/api.php	com/igexin/push/a.java
http://c-hzgt2.getui.com/api.php	com/igexin/push/a.java
https://d-gt.getui.com/api.htm	com/igexin/push/a.java
http://bi.	com/igexin/push/config/g.java
http://config.	com/igexin/push/config/g.java
http://bi.	com/igexin/push/config/b.java
http://config.	com/igexin/push/config/b.java
https://api-push.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.in.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.meizu.com/garcia/api/client/log/upload	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.meizu.com/garcia/api/server/getPublicKey	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://api-push.in.meizu.com	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://api-push.meizu.com	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://norma-external-collect.meizu.com/android/exchange/getpublickey.do	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://norma-external-collect.meizu.com/push/android/external/add.do	com/meizu/cloud/pushsdk/constants/PushConstants.java
http://www.example.com	com/pichillilorenzo/flutter_inappwebview/chrome_custom_tabs/CustomTabsHelper.java
https://android.bugly.qq.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/StrategyBean.java
https://astat.bugly.qcloud.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/c.java
https://astat.bugly.cros.wr.pvp.net/:8180/rqd/async	com/tencent/bugly/crashreport/common/strategy/c.java
http://developer.umeng.com/docs/66650/cate/66650	com/umeng/analytics/pro/l.java

https://aspect-upush.umeng.com/occa/v1/event/report	com/umeng/analytics/pro/ap.java
https://ucc.umeng.com/v2/inn/fetch	com/umeng/analytics/pro/aq.java
https://ulogs.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogsus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://ulogs.umengcloud.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://developer.umeng.com/docs/66632/detail/	com/umeng/commonsdk/debug/UMLogUtils.java
https://developer.umeng.com/docs/119267/detail/182050	com/umeng/commonsdk/debug/UMLogCommon.java
https://developer.umeng.com/docs/119267/detail/118637	com/umeng/commonsdk/debug/UMLogCommon.java
https://pslog.umeng.com	com/umeng/commonsdk/vchannel/a.java
https://pslog.umeng.com/	com/umeng/commonsdk/vchannel/a.java
https://plbslog.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ulogs.umeng.com	com/umeng/commonsdk/stateless/a.java
https://alogus.umeng.com	com/umeng/commonsdk/stateless/a.java
https://utoken.umeng.com	com/umeng/umzid/ZIDManager.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fa.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fs.java
https://%1\$s/gslb/?ver=5.0	com/xiaomi/push/bt.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/ft.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/en.java

https://resolver.msg.xiaomi.net/psc/?t=a	com/xiaomi/push/service/az.java
https://cn.register.xmpush.xiaomi.com	com/xiaomi/push/service/cp.java
http://schemas.android.com/apk/res/android	defpackage/yg4.java
http://ns.adobe.com/xap/1.0/\u0000	defpackage/r41.java
http://ns.adobe.com/xap/1.0/\u0000	defpackage/s41.java
https://developers.google.com/tink/design/access_control	defpackage/l5.java
https://developers.google.com/tink/design/access_control	defpackage/b15.java
https://developers.google.com/tink/design/access_control	defpackage/rs1.java
https://developers.google.com/tink/design/access_control	defpackage/d6.java
https://developers.google.com/tink/design/access_control	defpackage/iy.java
https://developers.google.com/tink/design/access_control	defpackage/q6.java
https://developers.google.com/tink/design/access_control	defpackage/y6.java
http://ns.adobe.com/xap/1.0/	defpackage/t82.java
http://ns.adobe.com/xap/1.0/	defpackage/r82.java
http://dashif.org/guidelines/last-segment-number	defpackage/td0.java
http://dashif.org/guidelines/trickmode	defpackage/td0.java
http://dashif.org/thumbnail_tile	defpackage/td0.java
http://dashif.org/guidelines/thumbnail_tile	defpackage/td0.java
http://dashif.org/guidelines/last-segment-number	defpackage/sd0.java
http://dashif.org/guidelines/trickmode	defpackage/sd0.java

http://dashif.org/thumbnail_tile	defpackage/sd0.java
http://dashif.org/guidelines/thumbnail_tile	defpackage/sd0.java
https://ask.dcloud.net.cn/article/35627	defpackage/s25.java
https://ask.dcloud.net.cn/article/35877	defpackage/s25.java
https://ask.dcloud.net.cn/article/283	defpackage/s45.java
https://developer.android.com/guide/topics/media/issues/player-accessed-on-wrong-thread	defpackage/l71.java
https://docs.flutter.dev/deployment/android	io/flutter/embedding/engine/loader/FlutterLoader.java
https://developer.android.com/guide/topics/permissions/overview	io/flutter/plugin/platform/PlatformPlugin.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/b.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifTextureView.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifTextView.java
https://ask.dcloud.net.cn/article/36199	摸瓜V1引擎
https://play.google.com/store/apps/details?id=	摸瓜V1引擎
https://appgallery.cloud.huawei.com	摸瓜V1引擎
https://journeyapps.com/	摸瓜V1引擎
https://github.com/journeyapps/zxing-android-embedded	摸瓜V1引擎
https://store.hispace.hicloud.com/hwmarket/api/	摸瓜V1引擎
https://store-at-dre.hispace.dbankcloud.com/hwmarket/api/	摸瓜V2引擎
https://data-drcn.push.dbankcloud.com	摸瓜V2引擎
https://data-dra.push.dbankcloud.com	摸瓜V2引擎

https://data-dre.push.dbankcloud.com	摸瓜V2引擎
https://data-drru.push.dbankcloud.com	摸瓜V2引擎
https://metrics1.data.hicloud.com:6447	摸瓜V2引擎
https://metrics-dra.dt.hicloud.com:6447	摸瓜V2引擎
https://metrics2.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.data.hicloud.com:6447	摸瓜V2引擎
https://store1.hispace.hicloud.com/hwmarket/api/	摸瓜V2引擎
https://store2.hispace.hicloud.com/hwmarket/api/	摸瓜V2引擎
https://store3.hispace.hicloud.com/hwmarket/api/	摸瓜V2引擎
https://store-drru.hispace.hicloud.com/hwmarket/api/	摸瓜V2引擎
https://grs.dbankcloud.com	摸瓜V2引擎
https://grs.dbankcloud.cn	摸瓜V2引擎
https://grs.dbankcloud.eu	摸瓜V2引擎
https://grs.dbankcloud.asia	摸瓜V2引擎
https://github.com/richttr/NoSleep.js/issues/15	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/API/WakeLockSentinel/released	摸瓜V2引擎
http://crl.securetrust.com/STCA.crl0	摸瓜V3引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V3引擎
https://developer.umeng.com/docs/119267/detail/182050	摸瓜V3引擎
https://developer.android.com/guide/topics/permissions/overview	摸瓜V3引擎

https://fontawesome.comVersion	摸瓜V3引擎
https://api-push.in.meizu.com/garcia/api/client/	摸瓜V3引擎
aaw-2024-04-12.oss-cn-shanghai.aliyuncs.com	摸瓜V3引擎
https://aomediacodec.github.io/av1-rtp-spec/#dependency-descriptor-rtp-header-extension	摸瓜V3引擎
https://github.com/journeyapps/zxing-android-embedded	摸瓜V3引擎
http://www.brynosaurus.com/cachedir/	摸瓜V3引擎
https://aomedia.org/emsg/ID3	摸瓜V3引擎
https://developer.android.com/guide/topics/media/issues/player-accessed-on-wrong-thread	摸瓜V3引擎
https://aawapi-v3.trh999.com/msg_api	摸瓜V3引擎
ins-9fciednc.ias.tencent-cloud.net	摸瓜V3引擎
https://webrd01.is.autonavi.com/appmaptile?lang=zh_cn&size=1&scale=1&style=8&x=	摸瓜V3引擎
ucc.umeng.com	摸瓜V3引擎
https://aaw-2024-04-12-1318180133.cos.ap-shanghai.myqcloud.com/api.json	摸瓜V3引擎
play.googleapis.com	摸瓜V3引擎
https://b-gtc.gepush.com	摸瓜V3引擎
https://api.flutter.dev/flutter/material/Scaffold/of.html	摸瓜V3引擎
https://api.flutter.dev/flutter/dart-ui/ChannelBuffers-class.html	摸瓜V3引擎
https://%1\$s/gslb/?ver=5.0	摸瓜V3引擎
https://d-gt.getui.com/api.htm	摸瓜V3引擎
https://developer.android.com/guide/topics/media/issues/cleartext-not-permitted	摸瓜V3引擎

https://docs.flutter.dev/deployment/android#what-are-the-supported-target-architectures	摸瓜V3引擎
http://aa5.com/?invite=	摸瓜V3引擎
http://schemas.android.com/apk/res-auto	摸瓜V3引擎
sc-2wln.cn-shanghai.oss-adns.aliyuncs.com	摸瓜V3引擎
https://flutter.dev/docs/release/breaking-changes/network-policy-ios-android.	摸瓜V3引擎
https://api-push.meizu.com/garcia/api/server/getPublicKey	摸瓜V3引擎
https://share.here.com//	摸瓜V3引擎
http://www.apache.org/licenses/	摸瓜V3引擎
utoken.umeng.com	摸瓜V3引擎
https://ucc.umeng.com/v2/inn/fetch	摸瓜V3引擎
http://10.2.31.245:9033/uploads/d280c171-2e50-4a91-bfd2-a52c43708f9d.wgt	摸瓜V3引擎
http://aawapi-v3.lvshi68.com:100082	摸瓜V3引擎
https://aaw-2024-04-12.oss-cn-shanghai.aliyuncs.com/api.json2	摸瓜V3引擎
https://android.googlesource.com/toolchain/llvm-project	摸瓜V3引擎
https://flutter.dev/docs/release/breaking-changes/network-policy-ios-android.2	摸瓜V3引擎
http://developer.umeng.com/docs/66650/cate/66650	摸瓜V3引擎
https://gtc.gepush.com	摸瓜V3引擎
http://aawapi-v3.lvshi68.com:100022	摸瓜V3引擎
https://lqstorage-1318180133.cos.ap-shanghai.myqcloud.com/app/learn.mp42	摸瓜V3引擎
https://aspect-upush.umeng.com/occa/v1/event/report	摸瓜V3引擎

https://gtc.getui.net	摸瓜V3引擎
https://aawapi-v3.lvshi68.com/msg_demo	摸瓜V3引擎
aawapi-v3.trh999.com.w.cdngslb.com	摸瓜V3引擎
https://lqstorage-1318180133.cos.ap-shanghai.myqcloud.com/app/learn.mp4	摸瓜V3引擎
aawapi-v3.lvshi68.com	摸瓜V3引擎
https://c-gtc.getui.net	摸瓜V3引擎
https://aawapi-v3.lvshi68.com/msg_api	摸瓜V3引擎
https://api.flutter.dev/flutter/material/Scaffold/of.html2	摸瓜V3引擎
https://resource02.ulifestyle.com.hk/ulcms/content/article/thumbnail/1280x720/ub/20190909190445_8ac	摸瓜V3引擎
https://norma-external-collect.meizu.com/android/exchange/getpublickey.do	摸瓜V3引擎
https://developer.umeng.com/docs/119267/detail/118637#3091c7c11fx3q	摸瓜V3引擎
https://youtrack.jetbrains.com/issue/KT-55980	摸瓜V3引擎
https://store.hispace.hicloud.com/hwmarket/api/	摸瓜V3引擎
http://osmand.net/go2	摸瓜V3引擎
http://g.co/dev/packagevisibility	摸瓜V3引擎
https://developer.umeng.com/docs/66632/detail/	摸瓜V3引擎
https://norma-external-collect.meizu.com/push/android/external/add.do	摸瓜V3引擎
https://journeyapps.com/	摸瓜V3引擎
http://aa5.com/?invite=2	摸瓜V3引擎
https://aaw-2024-04-12-1318180133.cos.ap-shanghai.myqcloud.com/api.json2	摸瓜V3引擎

https://developer.mozilla.org/en-US/docs/Web/HTTP/Status	摸瓜V3引擎
cos-v3.024kh.com	摸瓜V3引擎
https://api-push.meizu.com/garcia/api/client/	摸瓜V3引擎
www.googleapis.com	摸瓜V3引擎
aawapi-v3.lvshi68.com.w.cdngslb.com	摸瓜V3引擎
https://api-push.meizu.com/garcia/api/client/log/upload	摸瓜V3引擎
sc-2wln.cn-shanghai.oss-adns.aliyuncs.com.gds.alibabadns.com	摸瓜V3引擎
https://aomediacodec.github.io/av1-rtp-spec/#dependency-descriptor-rtp-header-extension2	摸瓜V3引擎
sh.file.myqcloud.com	摸瓜V3引擎
http://10.2.31.245:9033/uploads/5ebca27b-10db-4a9f-b1cc-22e089903192.wgt	摸瓜V3引擎
http://aawapi-v3.lvshi68.com:10008	摸瓜V3引擎
https://developer.mozilla.org/en-US/docs/Web/HTTP/Status2	摸瓜V3引擎
http://schemas.android.com/apk/res/android	摸瓜V3引擎
http://dashif.org/guidelines/trickmode	摸瓜V3引擎
aawapi-v3.trh999.com	摸瓜V3引擎
https://sdk.open.phone.igexin.com/api.php	摸瓜V3引擎
https://cn.register.xmpush.xiaomi.com	摸瓜V3引擎
https://b-gtc.getui.net	摸瓜V3引擎
https://github.com/dart-lang/language/issues/3488	摸瓜V3引擎
https://default.url	摸瓜V3引擎

http://aawapi-v3.lvshi68.com:10002	摸瓜V3引擎
aaw-2024-04-12-1318180133.cos.ap-shanghai.myqcloud.com	摸瓜V3引擎
https://c-gtc.gepush.com	摸瓜V3引擎
ulogs.umeng.com	摸瓜V3引擎
http://c-hzgt2.getui.com/api.php	摸瓜V3引擎
https://resolver.msg.xiaomi.net/psc/?t=a	摸瓜V3引擎
http://xmlpull.org/v1/doc/features.html#process-namespaces	摸瓜V3引擎
http://10.2.31.245:9033/uploads/d280c171-2e50-4a91-bfd2-a52c43708f9d.wgt2	摸瓜V3引擎
http://10.2.31.245:9033/uploads/5ebca27b-10db-4a9f-b1cc-22e089903192.wgt2	摸瓜V3引擎
https://aawapi-v3.lvshi68.com/msg_api2	摸瓜V3引擎
http://gcc.gnu.org/bugs.html):	摸瓜V3引擎
https://aawapi-v3.lvshi68.com/msg_demo2	摸瓜V3引擎
android.bugly.qq.com	摸瓜V3引擎
https://share.here.com//2	摸瓜V3引擎

✉ 邮箱线索

邮箱地址	所在文件
u0013android@android.com0 u0013android@android.com	defpackage/og5.java

📱 手机线索

手机号	所在文件
15724800000	cn/jiguang/am/a.java
17512775099	defpackage/kn.java

🌸 签名证书

APK已签名

v1 签名: False

v2 签名: True

v3 签名: False

找到 1 个唯一证书

主题: C=000000, ST=openim, L=openim, O=openim, OU=openim, CN=openim

签名算法: rsassa_pkcs1v15

有效期自: 2021-10-26 08:47:56+00:00

有效期至: 2046-10-20 08:47:56+00:00

发行人: C=000000, ST=openim, L=openim, O=openim, OU=openim, CN=openim

序列号: 0x19e05291

哈希算法: sha256

md5值: 05d03bd8459d4a87134eb128e3dab5fd

sha1值: 57ce8b8feb004052692f721f7ffa52be51def128

sha256值: 1f38a82fb3c33be7951fb5d964ef5bd9c6c9bfc084ae1e2a8a40a0d1f44ae1fe

sha512值: 797e3ccaf31be41cfce915486e9027118413d22103ba02737cf0ae37904874a7791ab675fb4508cf7b9edfa6044393cb1e282f99eb133f515fe1afdc2447cc0d

公钥算法: rsa

密钥长度: 2048

指纹: 0b749ba3321060732b29f063fbabeb507e14e7e949653bdabdbd3bd3139c14e2

🔑 硬编码敏感信息

可能的敏感信息

"dcloud_common_user_refuse_api" : "the user denies access to the API"

"dcloud_io_without_authorization" : "not authorized"

"dcloud_oauth_authentication_failed" : "failed to obtain authorization to log in to the authentication service"

"dcloud_oauth_empower_failed" : "the Authentication Service operation to obtain authorized logon failed"
"dcloud_oauth_logout_tips" : "not logged in or logged out"
"dcloud_oauth_oauth_not_empower" : "oAuth authorization has not been obtained"
"dcloud_oauth_token_failed" : "failed to get token"
"dcloud_permissions_reauthorization" : "reauthorize"
"library_zxingandroidembedded_author" : "JourneyApps"
"library_zxingandroidembedded_authorWebsite" : "https://journeyapps.com/"
"dcloud_common_user_refuse_api" : "用户拒绝该API访问"
"dcloud_io_without_authorization" : "没有获得授权"
"dcloud_oauth_authentication_failed" : "获取授权登录认证服务操作失败"
"dcloud_oauth_empower_failed" : "获取授权登录认证服务操作失败"
"dcloud_oauth_logout_tips" : "未登录或登录已注销"
"dcloud_oauth_oauth_not_empower" : "尚未获取oauth授权"
"dcloud_oauth_token_failed" : "获取token失败"
"dcloud_permissions_reauthorization" : "重新授权"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登录摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.MANAGE_EXTERNAL_STORAGE	危险	允许应用程序广泛访问范围存储中的外部存储	允许应用程序广泛访问范围存储中的外部存储。旨在供少数需要代表用户管理文件的应用程序使用
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_INTERNAL_STORAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.CHANGE_WIFI_MULTICAST_STATE	正常	允许Wi-Fi多播接收	允许应用程序接收不是直接发送到您设备的数据包。这在发现附近提供的服务时很有用。它比非多播模式使用更多的功率
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕

android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.REQUEST_IGNORE_BATTERY_OPTIMIZATIONS	正常		应用程序必须持有的权限才能使用 Settings.ACTION_REQUEST_IGNORE_BATTERY_OPTIMIZATIONS。
android.permission.CALL_PHONE	危险	直接拨打电话号码	允许应用程序在没有您干预的情况下拨打电话号码。恶意应用程序可能会导致您的电话账单出现意外呼叫。请注意,这不允许应用程序拨打紧急电话号码
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置(如果可用)。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_FINE_LOCATION	危险	精细定位(GPS)	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令,恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度
android.permission.ACCESS_BACKGROUND_LOCATION	危险	后台访问位置	允许应用程序在后台访问位置
android.permission.ACCESS_NOTIFICATION_POLICY	正常		希望访问通知策略的应用程序的标记权限。
android.permission.QUERY_ALL_PACKAGES	正常		允许查询设备上的任何普通应用程序,无论清单声明如何

android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
android.permission.BLUETOOTH_SCAN	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH_CONNECT	未知	Unknown permission	Unknown permission from android reference
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
android.permission.REORDER_TASKS	正常	重新排序正在运行的应用程序	允许应用程序将任务移动到前台和后台。恶意应用程序可以在不受您控制的情况下将自己强加于前
android.permission.USE_FULL_SCREEN_INTENT	正常		针对想要使用通知全屏意图的 Build.VERSION_CODES.Q 的应用程序是必需的
android.permission.USE_BIOMETRIC	正常		允许应用使用设备支持的生物识别模式。
android.permission.INSTALL_PACKAGES	系统需要	直接安装应用程序	允许应用程序安装新的或更新的 Android 包。恶意应用程序可以使用它来添加具有任意强大权限的新应用程序
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
com.android.launcher.permission.INSTALL_SHORTCUT	未知	Unknown permission	Unknown permission from android reference
com.android.launcher.permission.UNINSTALL_SHORTCUT	未知	Unknown permission	Unknown permission from android reference
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference
freemme.permission.msa	未知	Unknown permission	Unknown permission from android reference
android.permission.POST_NOTIFICATIONS	未知	Unknown permission	Unknown permission from android reference
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
android.permission.READ_MEDIA_IMAGES	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_VIDEO	未知	Unknown permission	Unknown permission from android reference

android.permission.READ_MEDIA_AUDIO	未知	Unknown permission	Unknown permission from android reference
android.permission.USE_FINGERPRINT	正常	allow use of 指纹	该常量在 API 级别 28 中已被弃用。应用程序应改为请求 USE_BIOMETRIC
cn.qrqr.www.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	未知	Unknown permission	Unknown permission from android reference
com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.heytap.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.meizu.flyme.push.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.meizu.c2dm.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
cn.qrqr.www.push.permission.MESSAGE	未知	Unknown permission	Unknown permission from android reference
cn.qrqr.www.permission.C2D_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.meizu.flyme.permission.PUSH	未知	Unknown permission	Unknown permission from android reference
cn.qrqr.www.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
cn.qrqr.www.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
cn.qrqr.www.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.hihonor.push.permission.READ_PUSH_NOTIFICATION_INFO	未知	Unknown permission	Unknown permission from android reference
com.google.android.gms.permission.AD_ID	未知	Unknown permission	Unknown permission from android reference
com.sec.android.provider.badge.permission.READ	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.sec.android.provider.badge.permission.WRITE	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.UPDATE_SHORTCUT	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。

com.sonyericsson.home.permission.BROADCAST_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.anddoes.launcher.permission.UPDATE_COUNT	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或徽章
com.majeur.launcher.permission.UPDATE_BADGE	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或标记为固体。
com.huawei.android.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
com.huawei.android.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
android.permission.READ_APP_BADGE	正常	显示应用程序通知	允许应用程序显示应用程序图标徽章
com.oppo.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
com.oppo.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
me.everything.badger.permission.BADGE_COUNT_READ	未知	Unknown permission	Unknown permission from android reference
me.everything.badger.permission.BADGE_COUNT_WRITE	未知	Unknown permission	Unknown permission from android reference
cn.qrqr.www.permission.JPUSH_MESSAGE	未知	Unknown permission	Unknown permission from android reference
getui.permission.GetuiService.cn.qrqr.www	未知	Unknown permission	Unknown permission from android reference
com.huawei.appmarket.service.commondata.permission.GET_COMMON_DATA	未知	Unknown permission	Unknown permission from android reference

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。