



中国移动云盘 mCloud11.3.0.APK 分析报告



APP名称:

中国移动云盘

包名: com.chinamobile.mcloud

域名线索: 24条

URL线索: 8条

邮箱线索: 5条

分析日期: 2025年6月9日

分析平台: [摸瓜APK反编译平台](#)

文件名: mCloud_11.3.0_24113019_000.apk
文件大小: 192.8MB
MD5值: 10fb2fde387693ed3555da000753a9b5
SHA1值: e7a88345181be74994bc5bd31bd2dd70860ccc02
SHA256值: 073c007c3892277232a6ba4826cb7007f6be7d3cafd36cfc87d0272f2bfdc455

i APP 信息

App名称: 中国移动云盘
包名: com.chinamobile.mcloud
主活动Activity: com.chinamobile.mcloud.client.ui.logo.LogoActivity
安卓版本名称: mCloud11.3.0
安卓版本: 24113019

🔍 域名线索

域名	服务器信息
cdn.cmread.com	IP: 163.177.221.12 所属国家: China 地区: Guangdong 城市: Dongguan 纬度: 23.048780 经度: 113.745003
miniprogram.mail.10086.cn	没有服务器地理信息.
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499

mail.qq.com	IP: 157.148.58.29 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
www.iec.ch	IP: 143.204.126.52 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
grs.dbankcloud.asia	IP: 121.36.116.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
grs.dbankcloud.com	IP: 60.28.193.195 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
open.yun.139.com	IP: 120.232.188.81 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel

	纬度: 54.321358 经度: 10.134532
www.videolan.org	IP: 213.36.253.2 所属国家: France 地区: Ile-de-France 城市: Paris 纬度: 48.859077 经度: 2.293486
ns.adobe.com	没有服务器地理信息.
metrics1.data.hicloud.com	IP: 111.202.16.252 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
metrics5.dt.dbankcloud.ru	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
grs.platform.dbankcloud.ru	没有服务器地理信息.
data-drcn.push.dbankcloud.com	IP: 49.4.40.58 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
data-dra.push.dbankcloud.com	IP: 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore

	纬度: 1.289987 经度: 103.850281
metrics2.data.hicloud.com	IP: 80.158.38.48 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
www.w3.org	IP: 104.18.23.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
grs.dbankcloud.cn	IP: 121.36.116.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
yun.139.com	IP: 112.33.111.187 所属国家: China 地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830
data-drru.push.dbankcloud.com	IP: 159.138.202.31 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
	IP: 94.74.88.100

metrics-dra.dt.hicloud.com	所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
grs.dbankcloud.eu	没有服务器地理信息.
lame.sf.net	IP: 104.18.34.154 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203

 URL线索

URL信息	Url所在文件
http://mail.qq.com/zh_CN/htmledition/images/icon_dropbox.png	摸瓜V1引擎
https://yun.139.com	摸瓜V1引擎
https://yun.139.com)	摸瓜V1引擎
https://data-drcn.push.dbankcloud.com	摸瓜V2引擎
https://data-dra.push.dbankcloud.com	摸瓜V2引擎
https://data-dre.push.dbankcloud.com	摸瓜V2引擎
https://data-drru.push.dbankcloud.com	摸瓜V2引擎
https://metrics1.data.hicloud.com:6447	摸瓜V2引擎

https://metrics-dra.dt.hicloud.com:6447	摸瓜V2引擎
https://metrics2.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.dt.dbankcloud.ru:6447	摸瓜V2引擎
https://grs.dbankcloud.com	摸瓜V2引擎
https://grs.dbankcloud.cn	摸瓜V2引擎
https://grs.dbankcloud.asia	摸瓜V2引擎
https://grs.platform.dbankcloud.ru	摸瓜V2引擎
https://grs.dbankcloud.eu	摸瓜V2引擎
https://cdn.cmread.com/coverFile/494892156/5527c1c8ab93e08405538b49d29c9105d3aab1c11631/cover180240.jpg	摸瓜V2引擎
https://cdn.cmread.com/coverFile/494806483/5527c1c8aae2eb92056a5f4098012a05d37cd8cf26da/cover180240.jpg	摸瓜V2引擎
https://cdn.cmread.com/coverFile/461615482/5527c1c8aa93e58805538b46a455d605f51b5738b7fa/cover180240.jpg	摸瓜V2引擎
https://cdn.cmread.com/coverFile/487948664/5527c1c8a493c38405538b4ca91e8405cadab0c86e3d/cover180240.png	摸瓜V2引擎
https://cdn.cmread.com/coverFile/485981515/5527c1c8afe2ee56056a5f4099209305df1fb197f6e8/cover180240.jpg	摸瓜V2引擎
https://cdn.cmread.com/coverFile/465973990/5527c1c8a393e08405538b499853a505db14af1f4127/cover180240.jpg	摸瓜V2引擎
https://miniprogram.mail.10086.cn/support/pzzx-test/res/config/icons/toolbox/943d4725b4c64c739f21db14f486591d.png	摸瓜V2引擎
https://miniprogram.mail.10086.cn/support/pzzx-test/res/config/icons/toolbox/13a5383d70cf4147881be9df7d304b3a.png	摸瓜V2引擎

https://miniprogram.mail.10086.cn/support/pzzx-test/res/config/icons/toolbox/fdaa83a1528a43619e2bb89d855c73a1.png	摸瓜V2引擎
https://miniprogram.mail.10086.cn/viewtest/aiTools/	摸瓜V2引擎
https://miniprogram.mail.10086.cn/support/pzzx-test/res/config/icons/toolbox/6283773599cb4184ad51ddf46807f013.jpg	摸瓜V2引擎
https://miniprogram.mail.10086.cn/support/pzzx-test/res/config/icons/toolbox/f183000882624545948cf5bb4fe104f0.png	摸瓜V2引擎
https://miniprogram.mail.10086.cn/support/pzzx-test/res/config/icons/toolbox/805c12894a2a413f852d48fc60a6e24d.png	摸瓜V2引擎
https://miniprogram.mail.10086.cn/support/pzzx-test/res/config/icons/toolbox/3db28d125570432aadac05d037a29a82.png	摸瓜V2引擎
https://miniprogram.mail.10086.cn/support/pzzx-test/res/config/icons/toolbox/a354b48f2e144a398054ab90ee60d6fb.jpg	摸瓜V2引擎
https://miniprogram.mail.10086.cn/support/pzzx-test/res/config/icons/toolbox/df3f57e508934ce0b97391eb410238a5.png	摸瓜V2引擎
https://miniprogram.mail.10086.cn/support/pzzx-test/res/config/icons/toolbox/9a2e9b7e7b4f4930a2184bb6e95419d0.png	摸瓜V2引擎
https://miniprogram.mail.10086.cn/support/pzzx-test/res/config/icons/toolbox/a86c1e5bf7dc4e3d81beccabcb3c742c.png	摸瓜V2引擎
https://miniprogram.mail.10086.cn/support/pzzx-test/res/config/icons/toolbox/d6930d2fdcb248709dba5d3b7a137e2c.gif_wh860	摸瓜V2引擎
https://miniprogram.mail.10086.cn/support/pzzx-test/res/config/icons/toolbox/8da61fe47f794d94bd616225a69a5715.png	摸瓜V2引擎
https://miniprogram.mail.10086.cn/support/pzzx-test/res/config/icons/toolbox/1c227d15d7464dc8bc308e2ab269db23.png	摸瓜V2引擎
https://miniprogram.mail.10086.cn/support/pzzx-test/res/config/icons/toolbox/fd3834e9825b45269edb97349d0f7522.png	摸瓜V2引擎
https://open.yun.139.com/r/cya44752d7287a434ce51d7974d6763a8fc2a977ec/index.html	摸瓜V2引擎
https://miniprogram.mail.10086.cn/support/pzzx-test/res/config/icons/toolbox/546584326a5d420380b2e958bb2f7557.png	摸瓜V2引擎
https://miniprogram.mail.10086.cn/support/pzzx-test/res/config/icons/toolbox/41d2c36f296c420294c184d01eed2b96.png	摸瓜V2引擎

https://miniprogram.mail.10086.cn/support/pzzx-test/res/config/icons/toolbox/ff59f345ae0a4df9a807095b9cd2af0f.png	摸瓜V2引擎
https://miniprogram.mail.10086.cn/support/pzzx-test/res/config/icons/toolbox/04ccafe3d69340b2ac443b24fab88df.png	摸瓜V2引擎
https://miniprogram.mail.10086.cn/support/pzzx-test/res/config/icons/toolbox/f414c74085384f14a8b18705fb620efd.gif	摸瓜V2引擎
https://miniprogram.mail.10086.cn/support/pzzx-test/res/config/icons/toolbox/a5496f544c87421fa913d2541542afc0.jpg	摸瓜V2引擎
http://lame.sf.net	lib/arm64-v8a/libMP3Encoder.so
http://www.videolan.org/x264.html	lib/arm64-v8a/libNvStreamingSdkCore.so
http://ns.adobe.com/xap/1.0/	lib/arm64-v8a/libNvStreamingSdkCore.so
http://www.iec.ch	lib/arm64-v8a/libNvStreamingSdkCore.so

 邮箱线索

邮箱地址	所在文件
13000000000@139.com	摸瓜V1引擎
右手@3x.png 左手@3x.png 阴影@3x.png 身体-蓝@3.png	摸瓜V2引擎
右手@3x.png 左手@3x.png 阴影@3x.png 身体-蓝@3.png	摸瓜V2引擎

身体-监@3.png	
刷新@3x.png	摸瓜V2引擎
刷新备份@3x.png	摸瓜V2引擎

☰ 手机线索

手机号	所在文件
13000000000	摸瓜V1引擎
13622241996	摸瓜V1引擎

☀ 签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: True
找到 1 个唯一证书
主题: C=cn, ST=gd, L=gz, O=com.huawei, OU=huawei, CN=gz huawei
签名算法: rsassa_pkcs1v15
有效期自: 2011-07-20 01:16:09+00:00
有效期至: 2230-08-01 01:16:09+00:00
发行人: C=cn, ST=gd, L=gz, O=com.huawei, OU=huawei, CN=gz huawei
序列号: 0x4e262c59
哈希算法: sha1
md5值: c2a2599e388f9d9a4a2973fd12c08ccb
sha1值: ad8d9ba838b33246903af25e6e0f73acc794b2cd
sha256值: 0bf2cee40cc4be390992c92d0b97447184e54f910f8d78f7fb79172b82160345
sha512值: 16655baf9346ee0a2367f84794636222af21a4e2f355543aeb1daf3848253417c54403b9f58a733e6c8fdbe7b680923abf9d9f150052cf3077c8b79dc0a9b438
公钥算法: rsa
密钥长度: 2048

硬编码敏感信息

可能的敏感信息
"agree_and_authorize" : "同意并授权"
"aialbum_privacy_content_key" : "《中国移动云盘智能服务隐私政策》"
"album_go_to_authorization" : "前往授权"
"album_guide_authorization_smart_album" : "您也可前往【我的-设置】 手动管理智能相册授权开关。"
"album_search_key" : "搜索关键词"
"api_get_token" : "yun/user/token/auth"
"api_kick_user" : "yun/mix/inner/room/visitor/exit"
"api_queue_token_check" : "yun/mix/inner/queue/token/valid"
"authorization_is_expired" : "授权已失效，您可重新发起登录验证"
"authorization_manage" : "授权管理"
"authorization_product_info" : "你的中国移动云盘账号授权了以下产品"
"backuping_free_flow_highlight_key" : "免流"
"base_note_use_tools_privacy_content_key" : "欢迎使用云笔记功能。根据《常见类型移动互联网应用程序必要个人信息范围规定》，本功能属于“实用工具类”，基本业务功能为“笔记编辑和管理、语音转文字和文字识别”。为了更好地提供服务，请您仔细阅读并同意《云笔记隐私政策》。"

"calendar_auth_fail" : "打开失败，请稍后重试"
"circle_agree_and_authorize" : "同意并授权"
"circle_authorization_prompt" : "授权提示"
"circle_privacy_content_key" : "《圈子服务隐私政策》"
"circle_share_link_pwd_auto_fill" : "分享链接自动填充提取码"
"close_password" : "关闭密码锁"
"commom_consent_authorization" : "同意授权"
"commom_consent_authorization2" : "同意授权"
"common_last_modify_user" : "最后编辑者"
"cps_forget_password" : "忘记密码"
"cps_input_4_number_password" : "输入4位数字密码"
"cps_input_number_password" : "设置云机锁屏密码"
"cps_log_about_click_private" : "点击隐私政策"
"cps_log_device_manager_click_forget_pwd" : "点击忘记密码"
"cps_log_device_manager_enter_pwd_finish" : "设备密码完成"
"cps_log_device_manager_private_space_status" : "开关隐私空间"
"cps_log_device_manager_set_pwd_commit" : "提交设备管理密码"
"cps_log_device_manager_set_pwd_next" : "设备管理设置密码"

"cps_login_token_overtime": "用户登录信息已过期，请重新登录！ "
"cps_pls_input_device_admin_password": "输入云机锁屏密码"
"cx_content_authority": "cn.richinfo.calendar.account"
"devices_auth_title": "待处理申请信息"
"dialog_auth": "授权"
"dialog_un_auth": "授权收回"
"duplicated_user": "用户重复登录!"
"et_login_user_password": "请输入密码"
"fasdk_authority_open_vip": "马上开通会员"
"fasdk_private_cloud_album_name": "相册备份"
"fasdk_private_cloud_name": "我的备份"
"fasdk_sync_pwd_err": "请输入六位数字的验证码"
"fasdk_sync_pwd_input_err": "验证码错误，请重新输入"
"fasdk_test_get_dync_pwd_success": "验证码发送成功"
"fat_auth_desc_pre": "为了"
"fat_phonenumber_usage_authdeny": "用户未授予相册权限"
"file_download_task_fail_no_operation_authority": "下载失败，没有操作权限"

"filemanager_copy_share_no_authority_fail": "无操作权限，转存失败"
"filemanager_delete_no_authority_fail": "无操作权限，删除失败"
"filemanager_mkdir_no_authority_fail": "无操作权限，新建文件夹失败"
"fin_applet_admin_auth_err_title": "没有审核权限"
"fin_applet_authorization_setting": "小程序授权管理"
"fin_applet_default_userinfo_auth_notice": "您授权后，小程序开发者（包括小程序代开发服务商的开发者及小程序中使用插件的开发者）将%1\$s，为您提供相关服务。开发者收集、存储、处理或使用用户隐私及数据，应当遵守网络安全法与个人信息保护规范等相关法律法规。若您认为开发者未遵守上述规定或存在其他侵害用户隐私或数据的情况，可进行%2\$s。
"fin_applet_third_userinfo_auth": "第三方用户信息授权说明"
"fin_applet_third_userinfo_auth_notice": "您授权后，小程序开发者（包括小程序代开发服务商的开发者及小程序中使用插件的开发者）将%1\$s，为您提供相关服务。开发者严格按照%2\$s处理您的个人信息，如您发现开发者不当处理您的个人信息，可进行%3\$s。
"fin_caixun_certificate_auth_dialog_allow": "同意授权"
"fin_caixun_certificate_auth_dialog_content": "「%1\$s」正在申请访问您的「%2\$s」，读取您的云盘照片，是否同意？"
"fin_caixun_certificate_auth_dialog_deny": "拒绝"
"fin_caixun_certificate_auth_dialog_title": "授权申请"
"get_authentication_code_fail": "获取短信验证码失败"
"group_file_get_list_auth_fail": "鉴权错误"
"group_privacy_content_key": "《群组服务隐私政策》"
"guide_authorization": "后续可前往“我的-设置-账户与安全-权限管理”开启授权"
"group_privacy_content_key": "《群组服务隐私政策》"

"link_password": "提取码:"
"login_authenticating": "正在验证身份信息, 请稍候..."
"login_password": "账号密码登录"
"login_username": "用户名"
"mcloud_close_refresh_token": "中国移动云盘业务已关闭, 请开启后重新登录"
"mg_read_sdk_web_search_type_author": "[作者]"
"note_privacy_content_key": "《云笔记隐私政策》"
"notesdk_5g_authorize_tip": "会议快签能力由5G快签提供"
"notesdk_account_auth_fail": "用户身份信息认证不通过"
"notesdk_auth_fail": "实名认证失败"
"notesdk_auth_much_fail_tip": "认证操作频繁, 请稍后重试"
"notesdk_camera_authority": "我们需要申请摄像头权限, 用于获取拍照信息, 以使用扫一扫、写信上传拍照附件、笔记上传拍照附件、OCR上传拍照、云盘上传拍照图片、头像上传功能, 拒绝后将无法使用对应的功能"
"notesdk_export_audio_authority": "我们需要申请存储权限, 用于笔记导出音频功能, 拒绝后将无法使用此功能。"
"notesdk_generate_long_capture_authority": "我们需要申请存储权限, 用于笔记生成长图功能, 拒绝后将无法使用此功能。"
"notesdk_generate_pdf_authority": "我们需要申请存储权限, 用于笔记生成PDF功能, 拒绝后将无法使用此功能。"
"notesdk_import_audio_authority": "我们需要申请存储权限, 用于笔记保存至本地功能, 拒绝后将无法使用此功能。"
"notesdk_lockfast_password_find_password": "找回密码"
"notesdk_lockfast_setting_find_password": "可通过邮箱找回密码"

"notesdk_lockfast_setting_set_password" : "设置密码"
"notesdk_my_setting_sms_mobile_user" : "（仅移动用户）"
"notesdk_photo_authority" : "我们需要访问相册内容，取消后将无法使用上传图片附件、上传头像、相册备份、OCR读取相片服务，是否继续？"
"notesdk_radio_authority" : "我们需要申请麦克风权限，获取录音信息，拒绝后将无法使用语音附件、笔记语音功能"
"notesdk_read_sign_progress_no_real_auth_tip" : "您尚未发起过会议快签， 请先在笔记详情页-分享-会议快签处发起快签后再查看进度"
"open_storage_auth" : "开启存储权限"
"out_time_auth_fail" : "您的授权请求超时没有响应，请重新登录"
"pe_sdk_camera_authority" : "我们需要申请摄像头权限，获取拍照信息，拒绝后无法使用扫码、拍照等需要使用摄像头的服务"
"pe_sdk_guangdong_camera_authority" : "我们需要访问您的相机权限，用于拍照和录制视频、排查宽带故障、人证验证、客服通话、扫描二维码和条形码信息"
"pe_sdk_photo_authority" : "我们需要访问相册内容，取消后将无法使用上传图片附件、上传头像、相册备份等服务，是否继续？"
"peset_pwd_dlg_tip" : "检测到您未设置登录密码，点击 【确认】 去设置密码"
"private_link_title" : "加密外链分享"
"private_share" : "加密分享"
"private_share_tip" : "使用提取码可查看分享"
"private_share_title" : "加密外链分享"
"pwdlock_tips" : "1、开启密码锁后，每次打开中国移动云盘都需要输入密码 2、如果忘记密码，可重新登录中国移动云盘进行设置"
"real_name_auth_success_tip" : "账号%s已完成实名认证"

"real_name_auth_desc1": "按照相关法律法规要求，中国移动云盘部分功能需用户完成实名认证后开放使用。"
"real_name_auth_desc2": ".获得您的中国移动云盘账号（手机号）·验证手机号码机主身份信息（姓名、身份证）"
"real_name_auth_tip2": "您的账号可能存在异常，请您完成实名认证后再登录。"
"real_name_auth_tip3": "您的号码为物联网卡号，不在中国移动云盘业务范围"
"real_name_auth_tip4": "您的账号可能存在异常，为了保障您能正常使用中国移动云盘业务，请您在%s前完成实名认证操作"
"reject_auth_fail": "您的授权请求未通过，请重新登录"
"remove_authorization_tip": "解除授权将删除您的中国移动云盘账号在%s的绑定关系，是否确认解除授权？"
"remove_authorization_tip_title": "解除授权提示"
"safe_box_account_appeal_agree_to_auth": "知悉并同意授权"
"safe_box_authentication_title": "身份验证"
"safe_box_enter_real_name_auth_info": "请输入中国移动云盘账号实名认证信息"
"safe_box_privacy_content_key": ".《中国移动云盘保险箱服务隐私政策》"
"safe_box_real_name_auth_fail": "实名验证失败"
"safe_box_real_name_auth_fail_tips": "实名验证失败，%s，有任何疑问请拨打客服热线10086"
"safe_box_real_name_auth_success": "认证成功"
"safe_box_real_name_auth_success_tips": "重置后的保险箱密码已下发至您的手机，请及时登录保险箱修改您的密码。切勿向他人泄露密码。"
"safe_box_set_pwd_finish": "保险箱设置完成"
"safe_box_set_pwd_finish_title": "设置完成"

"safe_box_user_info_for_auth" : "以上个人信息仅用于验证用户身份"
"safety_center_login_protection_pwd" : "账密登录保护"
"safety_center_login_protection_pwd_sub" : "所有账密登录方式都需要再进行短信验证"
"search_img_relate_key" : "与%s相关的图片"
"set_password" : "设置密码"
"set_safe_box_password" : "设置保险箱密码"
"setting_real_name_auth" : "实名认证"
"setting_real_name_auth_remove" : "解除实名认证"
"share_friends_add_login_user" : "不能共享给自己"
"share_friends_fail_file_not_operation_authority" : "分享失败，文件没有操作权限"
"sim_auth_countdown" : "等待SIM认证中（%1\$s） "
"sms_backup_akey" : "手动备份"
"subscribe_Content_booktoken_not_enough_immediately_to_pay" : "确定"
"transfer_upload_task_fail_no_authority" : "无权限操作该文件，上传失败"
"un_auth_label" : "确定收回您的好友%1\$s的操控权限吗，收回后他将只能观看您当前应用的屏幕，您可再次授权给他进行同屏互动"
"wps_privacy_content_key" : " 《WPS隐私政策》 "
"wrong_password" : "你输入的密码错误，请重试"

"agree_and_authorize" : "Agree and authorize"
"aialbum_privacy_content_key" : "China Mobile Cloud Disk Intelligent Service Privacy Policy"
"album_go_to_authorization" : "Go to Authorize"
"album_guide_authorization_smart_album" : "You can also go to [My - Settings] to manually manage the smart album authorization switch."
"album_search_key" : "Search Keywords"
"authorization_is_expired" : "Authorization has expired, you can restart login verification"
"authorization_manage" : "Authorization Management"
"authorization_product_info" : "Your China Mobile Cloud Drive account is authorized for the following products"
"backuping_free_flow_highlight_key" : "Data-usage-free"
"base_note_use_tools_privacy_content_key" : "Welcome to the cloud notes feature. According to the "Regulations on the Scope of Necessary Personal Information for Common Types of Mobile Internet Applications," this function belongs to the "Utility" category, with the primary business function being "note editing and management, voice-to-text, and text recognition." Please read and agree to the "Cloud Notes Privacy Policy" to enhance our service."
"calendar_auth_fail" : "Failed to open, please try again later"
"circle_agree_and_authorize" : "Agree and authorize"
"circle_authorization_prompt" : "Authorization Tips"
"circle_privacy_content_key" : "Circle Service Privacy Policy"
"circle_share_link_pwd_auto_fill" : "Shared link automatically fills the extraction code"
"close_password" : "Turn off password"
"commom_consent_authorization" : "Agree"

"commom_consent_authorization2" : "Allow"
"common_last_modify_user" : "Last Editor"
"devices_auth_title" : "Pending application information"
"et_login_user_password" : "Please enter the password"
"fasdk_authority_open_vip" : "Upgrade to a membership now."
"fasdk_private_cloud_album_name" : "Album backup"
"fasdk_private_cloud_name" : "My backup"
"fasdk_sync_pwd_err" : "Please enter a six-digit verification code"
"fasdk_sync_pwd_input_err" : "Verification code incorrect, please re-enter"
"fasdk_test_get_dync_pwd_success" : "Verification code sent successfully"
"fat_auth_desc_pre" : "in order to"
"fat_phonenumber_usage_authdeny" : "user has not granted camera permission"
"file_download_task_fail_no_operation_authority" : "Download failed, no operation permission"
"filemanager_copy_share_no_authority_fail" : "No operation authority, failed to export."
"filemanager_delete_no_authority_fail" : "No operation permission, deletion failed."
"filemanager_mkdir_no_authority_fail" : "Failed to create new folder without operation permission."
"fin_applet_admin_auth_err_title" : "No examine access"

"fin_applet_authorization_setting" : "Authorization setting"
"fin_applet_default_userinfo_auth_notice" : "Upon your authorization, the mini-app developers (including mini-app developers on behalf of development services and developers of embedded plugins in mini-app) will %1\$s to provide services for you. The developer shall process your personal information in strict accordance with network security law and personal information protection norms and other relevant laws and regulations when collecting, storing, processing or using user privacy and data. In the event of the developer's improper use of your personal information, please %2\$s to us."
"fin_applet_third_userinfo_auth" : "Third-party user information authorization description"
"fin_applet_third_userinfo_auth_notice" : "Upon your authorization, the mini-app developers (including mini-app developers on behalf of development services and developers of embedded plugins in mini-app) will %1\$s to provide services for you. The developer shall process your personal information in strict accordance with %2\$s. In the event of the developer's improper use of your personal information, please %3\$s to us."
"get_authentication_code_fail" : "Failed to obtain SMS verification code"
"group_file_get_list_auth_fail" : "Authentication Error"
"group_privacy_content_key" : "Group Service Privacy Policy"
"guide_authorization" : "Authorization can be enabled later at My-Settings-Account & Security-Permission Management"
"link_password" : "Extraction code:"
"login_password" : "Account Password Login"
"mcloud_close_refresh_token" : "China Mobile Cloud Disk service has been turned off, please enable it and log in again"
"note_privacy_content_key" : "Cloud Note Privacy Policy"
"notesdk_my_setting_sms_mobile_user" : "(Only for mobile users)"
"out_time_auth_fail" : "Your authorization request has timed out without response, please log in again"
"peset_pwd_dlg_tip" : "Detected that you have not set a login password; click [Confirm] to set the password"

"private_link_title" : "Encrypt share link"
"private_share" : "Encrypted Sharing"
"private_share_tip" : "Use the extraction code to view the sharing."
"private_share_title" : "Encrypted sharing"
"pwdlock_tips" : "1. After enabling the password lock, you need to enter password when opening mCloud. 2. If you forget your password, you can reset it by relogging into m Cloud."
"real_name_auth__success_tip" : "Account %s has completed real-name verification."
"real_name_auth_desc1" : "According to relevant legal requirements, some functions of China Mobile Cloud Disk require users to complete real-name authentication before they can be used"
"real_name_auth_desc2" : "Obtain your China Mobile Cloud Disk account (mobile phone number) Verify the identity information of the phone owner (name, ID card)"
"real_name_auth_tip2" : "Your account may have anomalies; please complete real-name authentication before logging in"
"real_name_auth_tip3" : "Your number is an IoT card number; it is not within the scope of China Mobile Cloud Disk business"
"real_name_auth_tip4" : "Your account may have anomalies. To ensure your normal use of China Mobile Cloud Disk services, please complete real-name verification before %s."
"reject_auth_fail" : "Your authorization request was not approved, please log in again"
"remove_authorization_tip" : "De-authorization will remove your China Mobile Cloud Drive account from %s, do you want to confirm the de-authorization?"
"remove_authorization_tip_title" : "Unauthorization prompt"
"safe_box_account_appeal_agree_to_auth" : "Know and agree to authorize"
"safe_box_authentication_title" : "Identity verification"
"safe_box_enter_real_name_auth_info" : "Please enter the real-name authentication information for your China Mobile Cloud Drive account"

"safe_box_privacy_content_key" : " 《Privacy Policy of China Mobile Cloud Disk Safe Box》 "
"safe_box_real_name_auth_fail" : "Real-name verification failed"
"safe_box_real_name_auth_fail_tips" : "Real-name verification failed, %s, if you have any questions, please call the customer service hotline 10086 "
"safe_box_real_name_auth_success" : "Authentication successful"
"safe_box_real_name_auth_success_tips" : "The vault password after reset has been sent to your mobile phone, please log into the vault and change your password promptly. Do not disclose your password to others. "
"safe_box_set_pwd_finish" : "Vault settings completed"
"safe_box_set_pwd_finish_title" : "Settings completed"
"safe_box_user_info_for_auth" : "The above personal information is only used to verify user identity"
"safety_center_login_protection_pwd" : "Account Password Login Protection"
"safety_center_login_protection_pwd_sub" : "All account password login methods require additional SMS verification"
"search_img_relate_key" : "Images related to %s"
"set_password" : "Set Password"
"set_safe_box_password" : "Set safe box password"
"setting_real_name_auth" : "Real-name Verification"
"setting_real_name_auth_remove" : "Cancel Real-name Verification"
"share_friends_add_login_user" : "Cannot share with yourself"
"share_friends_fail_file_not_operation_authority" : "Sharing failed, no permission to operate the file"

"sim_auth_countdown" : "Waiting for SIM authentication (%1\$ds)"
"sms_backup_akey" : "Manual Backup"
"transfer_upload_task_fail_no_authority" : "No permission to operate the file, upload failed"
"wps_privacy_content_key" : "WPS Privacy Policy"
"wrong_password" : "The password you entered is incorrect, please try again"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

	是		
--	---	--	--

向手机申请的权限	否 危 险	类型	详细情况
android.permission.SYSTEM_ALERT_WINDOW	危 险	显示系统级 警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.REQUEST_IGNORE_BATTERY_OPTIMIZATIONS	正 常		应用程序必须持有的权限才能使用 Settings.ACTION_REQUEST_IGNORE_BATTERY_OPTIMIZATIONS。
android.permission.REQUEST_INSTALL_PACKAGES	危 险	允许应用程 序请求安装 包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
com.chinamobile.mcloud.permission.MMOAUTH_CALLBACK	未 知	Unknown permission	Unknown permission from android reference
com.chinamobile.mcloud.permission.MM_MESSAGE	未 知	Unknown permission	Unknown permission from android reference
android.permission.INTERNET	正 常	互联网接入	允许应用程序创建网络套接字
android.permission.READ_CONTACTS	危 险	读取联系人 数据	允许应用程序读取您手机上存储的所有联系人（地址）数据。恶意应用程序可以借此将您的数据发送给其他人
android.permission.WRITE_CONTACTS	危 险	写入联系人 数据	允许应用程序修改您手机上存储的联系人（地址）数据。恶意应用程序可以使用它来删除或修改您的联系人数据
android.permission.READ_SMS	危 险	阅读短信或 彩信	允许应用程序读取存储在您的手机或 SIM 卡上的 SMS 消息。恶意应用程序可能会读取您的机密信息
android.permission.WRITE_SMS	危 险	编辑短信或 彩信	允许应用程序写入存储在您的手机或 SIM 卡上的 SMS 消息。恶意应用程序可能会删除您的消息
android.permission.RECEIVE_SMS	危 险	接收短信	允许应用程序接收和处理 SMS 消息。恶意应用程序可能会监视您的消息或将其删除而不向您显示

android.permission.READ_CALENDAR	危险	读取日历事件	允许应用程序读取您手机上存储的所有日历事件。恶意应用程序可以借此将您的日历事件发送给其他人
android.permission.WRITE_CALENDAR	危险	添加或修改日历事件并向客人发送电子邮件	允许应用程序添加或更改日历上的事件,这可能会向客人发送电子邮件。恶意应用程序可以使用它来删除或修改您的日历活动或向客人发送电子邮件
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.RECEIVE_USER_PRESENT	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_SYNC_STATS	正常	读取同步统计信息	允许应用程序读取同步统计信息；例如已经发生的同步历史
android.permission.READ_SYNC_SETTINGS	正常	读取同步设置	允许应用程序读取同步设置,例如是否为联系人启用同步
android.permission.WRITE_SYNC_SETTINGS	正常	写入同步设置	允许应用程序修改同步设置,例如是否为联系人启用同步
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
com.android.launcher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.huawei.android.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
		在应用程序	

com.htc.launcher.permission.READ_SETTINGS	正常	上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒
cn.cj.pe.permission.INVOKE_PE_AUTO_LOGIN	未知	Unknown permission	Unknown permission from android reference
com.sec.android.provider.badge.permission.READ	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.sec.android.provider.badge.permission.WRITE	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.UPDATE_SHORTCUT	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.sonyericsson.home.permission.BROADCAST_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.anddoes.launcher.permission.UPDATE_COUNT	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或徽章
	正	在应用程序	

com.majeur.launcher.permission.UPDATE_BADGE	正常	上显示通知计数	在应用程序启动图标上显示通知计数或标记为固体。
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
com.hihonor.android.launcher.permission.CHANGE_BADGE	未知	Unknown permission	Unknown permission from android reference
com.huawei.android.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
android.permission.READ_APP_BADGE	正常	显示应用程序通知	允许应用程序显示应用程序图标徽章
com.oppo.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
com.oppo.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
me.everything.badger.permission.BADGE_COUNT_READ	未知	Unknown permission	Unknown permission from android reference
me.everything.badger.permission.BADGE_COUNT_WRITE	未知	Unknown permission	Unknown permission from android reference
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态

android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.USE_FINGERPRINT	正常	allow use of 指纹	该常量在 API 级别 28 中已被弃用。应用程序应改为请求 USE_BIOMETRIC
android.permission.OVERRIDE_WIFI_CONFIG	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_LOGS	危险	读取敏感日志数据	允许应用程序从系统读小号各种日志文件。这使它能够发现有关您使用手机做什么的一般信息,可能包括个人或私人信息
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.USE_BIOMETRIC	正常		允许应用使用设备支持的生物识别模式。
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
MediaStore.Images.Media.INTERNAL_CONTENT_URI	未知	Unknown permission	Unknown permission from android reference
MediaStore.Images.Media.EXTERNAL_CONTENT_URI	未知	Unknown permission	Unknown permission from android reference
MediaStore.Video.Media.INTERNAL_CONTENT_URI	未知	Unknown permission	Unknown permission from android reference
MediaStore.Video.Media.EXTERNAL_CONTENT_URI	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_MEDIA_LOCATION	危险	访问的任何	允许应用程序访问的任何地理位置持久,但不在用户的共享集合

android.permission.ACCESS_MEDIA_LOCATION	危险	地理位置	允许应用程序访问的任何地理位置持久保存在用户的共享集合
android.permission.READ_CALL_LOG	危险		允许应用程序读取用户的通话日志
android.permission.WRITE_CALL_LOG	危险		允许应用程序写入（但不读取）用户号召日志数据。
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.PACKAGE_USAGE_STATS	合法	更新组件使用统计	允许修改收集的组件使用统计。不供普通应用程序使用
android.permission.QUERY_ALL_PACKAGES	正常		允许查询设备上的任何普通应用程序,无论清单声明如何
android.permission.BLUETOOTH_CONNECT	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH_ADVERTISE	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH_SCAN	未知	Unknown permission	Unknown permission from android reference
com.huawei.appmarket.service.commondata.permission.GET_COMMON_DATA	未知	Unknown permission	Unknown permission from android reference
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由

	类	类父类	
android.permission.CHANGE_WIFI_MULTICAST_STATE	正常	允许Wi-Fi多播接收	允许应用程序接收不是直接发送到您设备的数据包。这在发现附近提供的服务时很有用。它比非多播模式使用更多的功率
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.MEDIA_MOUNTED	未知	Unknown permission	Unknown permission from android reference
android.permission.REORDER_TASKS	正常	重新排序正在运行的应用程序	允许应用程序将任务移动到前台和后台。恶意应用程序可以在不受您控制的情况下将自己强加于前
android.permission.READ_MEDIA_AUDIO	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_IMAGES	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_VIDEO	未知	Unknown permission	Unknown permission from android reference
android.permission.POST_NOTIFICATIONS	未知	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE_MEDIA_PLAYBACK	未知	Unknown permission	Unknown permission from android reference
com.android.launcher.permission.INSTALL_SHORTCUT	未知	Unknown permission	Unknown permission from android reference
com.android.launcher.permission.UNINSTALL_SHORTCUT	未知	Unknown permission	Unknown permission from android reference

android.permission.NFC	正常	控制近场通信	允许应用程序与近场通信 (NFC) 标签,卡和读卡器进行通信
com.chinamobile.mcloud.permission.FIN_APPLET_RECEIVER	未知	Unknown permission	Unknown permission from android reference
android.permission.MANAGE_EXTERNAL_STORAGE	危险	允许应用程序广泛访问范围存储中的外部存储	允许应用程序广泛访问范围存储中的外部存储。旨在供少数需要代表用户管理文件的应用程序使用
com.huawei.android.launcher.permission.CHANGE_BADGE	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_DOWNLOAD_MANAGER	未知	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE_MICROPHONE	未知	Unknown permission	Unknown permission from android reference
android.permission.SEND_RESPOND_VIA_MESSAGE	系统需要		允许应用程序（电话）向其他应用程序发送请求以在来电期间处理通过消息响应的操作
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference
freemme.permission.msa	未知	Unknown permission	Unknown permission from android reference
freemme.permission.msa.SECURITY_ACCESS	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。

com.chinamobile.mcloud.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
com.chinamobile.mcloud.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
com.hihonor.push.permission.READ_PUSH_NOTIFICATION_INFO	未知	Unknown permission	Unknown permission from android reference
com.chinamobile.mcloud.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.chinamobile.mcloud.client.ui.logo.SchemeTransferActivity	Schemes: hecaiyun://, mcloud://, mcloudqddl://, https://, yaxininstall://, Hosts: launch, caiyun.feixin.10086.cn, c.139.com, yun.139.com, dx.10086.cn, caiyun.139.com, channelstatistics, Path Prefixes: /mcloud/app, /m/a/s, /m, /X/, /front, /channeldata,
com.chinamobile.mcloud.client.ui.MenuActivity	Schemes: yaxininstall://, Hosts: channelstatistics, Path Prefixes: /channeldata,
com.chinamobile.mcloud.client.ui.hk.HKMenuActivity	Schemes: yaxininstall://, Hosts: channelstatistics, Path Prefixes: /channeldata,
com.chinamobile.mcloud.client.ui.backup.sms.MainSMSActivity	Schemes: sms://, smsto://, mms://, mmsto://,
	Schemes: file://, content://, Mime Types: */*, text/plain, image/*, video/*, audio/*, application/vnd.ms-powerpoint,

com.chinamobile.mcloud.client.business.plugin.FileSharePluginActivity	application/vnd.openxmlformats-officedocument.presentationml.presentation, application/msword, application/vnd.openxmlformats-officedocument.wordprocessingml.document, application/vnd.ms-excel, application/vnd.openxmlformats-officedocument.spreadsheetml.sheet, application/pdf, application/zip, application/rar, application/7z,
com.tencent.tauth.AuthActivity	Schemes: tencent1101043552://,
com.mcloud.backup.ui.sms.SMSBackupActivity	Schemes: sms://, smsto://, mms://, mmsto://,
com.finogeeks.lib.applet.modules.urlrouter.UrlRouterActivity	Schemes: @string/fin_applet_router_url_scheme://,
cn.richinfo.pns.activity.PushActivity	Schemes: mcloud_pns://, Hosts: push.mcloud.chinamobile.com, Paths: /push,
com.hytx.hysdk.page.JxCheckHomeActivity	Schemes: sms://, smsto://, mms://, mmsto://,