



MoGua

京东到家 8.25.0.APK 分析报告



APP名称:

京东到家

包名:

com.jingdong.pdj

域名线索:

143条

URL线索:	164条
邮箱线索:	1条
分析日期:	2025年7月8日
分析平台:	摸瓜APK反编译平台

文件信息

文件名: com.jingdong.pdj.apk

文件大小: 51.9MB

MD5值: 1454863849bfca8e636d31b65c589a8f

SHA1值: 97e92ab902f82a57e918bd9c71330787c70b0ca0

SHA256值: e47ad5d99909dfdb736fc634aaccbaf6023d56a3f0c48395abcd0f77d94aa36b

APP 信息

App名称: 京东到家

包名: com.jingdong.pdj

主活动Activity: pdj.start.NewStartActivity

安卓版本名称: 8.25.0

域名线索

域名	服务器信息
beta-api.m.jd.com	IP: 172.28.50.39 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
grs.dbankcloud.com	IP: 49.4.41.160 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
e.189.cn	IP: 42.123.76.65 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
jdpaycert.jd.com	IP: 106.39.169.146 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
apis.map.qq.com	IP: 109.244.244.223 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
	IP: 116.198.22.1 所属国家: China 地区: Beijing

mllog.jd.com	城市: Beijing 纬度: 39.907501 经度: 116.397232
ue.indoorloc.map.qq.com	IP: 109.244.173.174 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
hostname.com	IP: 194.42.98.134 所属国家: Luxembourg 地区: Luxembourg 城市: Luxembourg 纬度: 49.611671 经度: 6.130000
testpdjm.jd.com	IP: 36.110.180.143 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
appcashier.95516.com	IP: 222.79.76.149 所属国家: China 地区: Fujian 城市: Xiamen 纬度: 24.479790 经度: 118.081871
pre-eidv2.ochama.com	IP: 1.118.32.58 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
img30.360buyimg.com	IP: 42.81.118.106 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
grs.dbankcloud.asia	没有服务器地理信息.

schemas.android.com	没有服务器地理信息.
sdkfp.jd.com	IP: 192.144.251.108 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
img13.360buyimg.com	IP: 106.38.242.116 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
h5.360buyimg.com	IP: 42.81.249.131 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
metrics1.data.hicloud.com	IP: 114.115.188.159 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
c-hzgt2.getui.com	IP: 183.131.7.107 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
imonlinetest.corp.imdada.cn	IP: 116.196.95.96 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
	IP: 106.39.169.150

passport.m.jd.com	所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
beta-wlogin.jd.co.th	IP: 202.77.132.231 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
eid-ida.jd.com	IP: 103.208.163.150 所属国家: Indonesia 地区: Jakarta Raya 城市: Jakarta 纬度: -6.214620 经度: 106.845131
debugtbs.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
astat.bugly.qcloud.com	IP: 150.109.27.253 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
imgcache.qq.com	IP: 61.49.23.151 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
openmobile.qq.com	IP: 175.27.9.43 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

maplbs-40171.sh.gfp.tencent-cloud.com	IP: 43.137.156.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
identify-pre.jd.com	IP: 124.250.16.71 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
data-dra.push.dbankcloud.com	IP: 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
jrtcert.jd.com	IP: 124.250.18.193 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
cltm.jd.com	IP: 111.13.28.110 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
wqs.jd.com	IP: 116.177.242.227 所属国家: China 地区: Qinghai 城市: Xining 纬度: 36.616669 经度: 101.766670
wlmonitor.jd.co.th	IP: 202.77.132.231 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521

	经度: 114.157692
cgi.qplus.com	没有服务器地理信息.
cc.map.qq.com	IP: 175.27.9.21 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
data-drru.push.dbankcloud.com	IP: 159.138.202.31 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559
appgallery.cloud.huawei.com	IP: 49.4.35.16 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
cn.register.xmpush.xiaomi.com	IP: 118.26.252.220 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
facegw-pre.jd.com	IP: 106.38.239.252 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
api-push.meizu.com	IP: 125.94.213.129 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
	IP: 175.27.9.21

confinfo.map.qq.com	所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
h.trace.qq.com	IP: 109.244.244.61 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
bata-hybrid.jd.care	没有服务器地理信息。
data-drcn.push.dbankcloud.com	IP: 121.36.117.8 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
beta-jcap.m.jd.com	IP: 172.28.50.39 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
tbsrecovery.imtt.qq.com	IP: 109.244.244.237 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
mdc.html5.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
plogin.m.jd.com	IP: 36.110.181.150 所属国家: China 地区: Zhejiang 城市: Hangzhou

	纬度: 30.293650 经度: 120.161423
norma-external-collect.meizu.com	IP: 113.106.27.98 所属国家: China 地区: Guangdong 城市: Zhongshan 纬度: 22.520580 经度: 113.382317
xml.org	IP: 104.239.240.11 所属国家: United States of America 地区: Texas 城市: Windcrest 纬度: 29.499678 经度: -98.399246
grs.platform.dbankcloud.ru	没有服务器地理信息.
cs.map.qq.com	IP: 175.27.8.51 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
appsupport.qq.com	IP: 175.27.9.43 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
mgate.jd.com	IP: 106.39.169.32 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
aks.jdpay.com	IP: 211.151.11.41 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

storage.360buyimg.com	IP: 36.156.39.100 所属国家: China 地区: Jiangsu 城市: Yangzhou 纬度: 32.397221 经度: 119.435829
cgi.connect.qq.com	IP: 175.27.9.43 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
metrics5.dt.dbankcloud.ru	IP: 159.138.203.215 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559
storage.jd.com	IP: 42.81.249.133 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
grs.dbankcloud.eu	没有服务器地理信息.
beta-wlmonitr.m.jd.com	IP: 172.28.50.39 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
open.e.189.cn	IP: 42.123.76.52 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
	IP: 104.18.22.19

www.w3.org	所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
ltest.map.qq.com	IP: 109.244.173.174 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
astat.bugly.cros.wr.pvp.net	IP: 170.106.135.32 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
perf.m.jd.com	IP: 36.110.181.226 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
s.jddj.com	IP: 106.39.170.162 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
log-o2o.jd.com	IP: 106.39.164.185 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
identify.jd.com	IP: 192.144.251.100 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

mqqad.html5.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
othstr.beacon.qq.com	IP: 109.244.218.249 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321331 经度: 10.134890
ds.jddj.com	IP: 36.110.181.234 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
idauth.jd.com	IP: 49.7.27.241 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
daojia.jd.com	IP: 36.110.180.129 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
debugx5.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

	经度: 116.397232
oriondm.jd.com	IP: 106.39.169.59 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
jdfile.open.jd.com	IP: 111.13.28.191 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
service.vapp.jd.com	IP: 111.13.28.191 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
api.m.jd.com	IP: 106.39.164.61 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
mp.vapp.jd.com	IP: 111.13.28.191 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
sobot-test.oss-cn-beijing.aliyuncs.com	IP: 49.7.22.23 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
	IP: 109.244.244.119 所属国家: China

nlp.map.qq.com	地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
developer.android.com	IP: 142.251.43.14 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
jcapijd.co.th	IP: 202.77.132.231 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
eid.jd.com	IP: 36.110.180.129 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
beta-wlogin.m.jd.com	IP: 172.28.50.39 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
facegw.jd.com	IP: 211.151.14.190 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
grs.dbankcloud.cn	IP: 121.36.119.243 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000

metrics2.data.hicloud.com	IP: 80.158.2.190 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321331 经度: 10.134890
zxid-m.mobileservice.cn	IP: 115.231.163.66 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000
aid.mobileservice.cn	IP: 114.115.139.228 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
eid-th.jd.com	IP: 202.77.132.231 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
hybrid.m.jd.com	IP: 172.20.230.25 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
127.0.0.1	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
eidv2.jd.com	IP: 106.39.171.70 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501

	经度: 116.397232
log-o2o.jddj.com	IP: 36.110.180.172 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559
pre-ds.jddj.com	IP: 36.110.181.185 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
android.bugly.qq.com	IP: 109.244.244.137 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
aks-mini.jdpay.com	IP: 124.250.16.50 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
pre-eidserver.ochama.com	IP: 1.118.32.58 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
	IP: 106.39.169.150 所属国家: China 地区: Beijing

in.m.jd.com	城市: Beijing 纬度: 39.907501 经度: 116.397232
imonline.corp.imdada.cn	IP: 116.196.95.96 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
wlmonitor.m.jd.com	IP: 106.39.169.150 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
sdk-open-phone.getui.com	IP: 183.131.7.103 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
github.com	IP: 20.205.243.166 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
wap.cmpassport.com	IP: 120.197.235.27 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
wlmonitorint.m.jd.care	没有服务器地理信息.
play.google.com	IP: 142.251.43.14 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514

cfg.imtt.qq.com	IP: 109.244.173.227 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
log-o2op.jddj.com	IP: 111.202.8.45 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
qiye.jd.com	IP: 211.151.19.109 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
img12.360buyimg.com	IP: 117.92.44.45 所属国家: China 地区: Jiangsu 城市: Lianyungang 纬度: 34.599998 经度: 119.166664
img.sobot.com	IP: 42.81.22.242 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
api-push.in.meizu.com	IP: 206.161.233.191 所属国家: United States of America 地区: Virginia 城市: Herndon 纬度: 38.978210 经度: -77.386993
d-gt.getui.com	没有服务器地理信息.
	IP: 94.74.80.173 所属国家: Singapore

metrics-dra.dt.hicloud.com	地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
issuetracker.google.com	IP: 172.217.160.78 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
long.open.weixin.qq.com	IP: 109.244.216.15 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
opencloud.wostore.cn	IP: 210.22.123.92 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.222219 经度: 121.458061
resolver.msg.xiaomi.net	IP: 120.92.96.13 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
testdatalbs.sparta.html5.qq.com	IP: 175.27.37.184 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
eidv2.ochama.com	IP: 1.118.32.25 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

open.weixin.qq.com	IP: 175.24.219.72 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
mini-app-static.jd.com	IP: 106.39.169.191 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
jdfile.open.vapp.jd.com	IP: 111.13.28.191 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
analytics.map.qq.com	IP: 175.27.9.21 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
wlogin.jd.co.th	IP: 202.77.132.231 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
tbs.imtt.qq.com	IP: 182.254.48.74 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545540 经度: 114.068298
static-o2o.360buyimg.com	IP: 42.81.249.131 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220

	经度: 117.176666
map.jd.com	IP: 111.13.29.149 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
ccf.m.jd.care	没有服务器地理信息.
msjdpay.jd.com	IP: 106.39.169.146 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
wlogin.m.jd.com	IP: 106.39.169.150 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
log.tbs.qq.com	IP: 109.244.244.37 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
xmlpull.org	IP: 74.50.61.58 所属国家: United States of America 地区: Texas 城市: Dallas 纬度: 32.814899 经度: -96.879204
ccf.m.jd.com	IP: 106.39.169.150 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

rttgpsreport.map.qq.com	IP: 109.244.244.109 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
pms.mb.qq.com	IP: 175.27.12.246 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
eidserver.ochama.com	IP: 1.118.32.25 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
otheve.beacon.qq.com	IP: 109.244.244.53 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

 URL线索

URL信息	Url所在文件
https://daojia.jd.com/html/agreementApp.html?type=95	pdj/agree/ConcealDialog.java
https://daojia.jd.com/html/agreementApp.html?type=11	pdj/agree/ConcealDialog.java
https://daojia.jd.com/html/agreementApp.html?type=87	pdj/agree/ConcealDialog.java
https://daojia.jd.com/html/agreementApp.html?type=88	pdj/agree/ConcealDialog.java
https://daojia.jd.com/html/agreementApp.html?type=96	pdj/agree/ConcealDialog.java

https://daojia.jd.com/html/agreementApp.html?type=97	pdj/agree/ConcealDialog.java
https://daojia.jd.com/html/agreementApp.html?type=98	pdj/agree/ConcealDialog.java
https://imonlinetest.corp.imdada.cn/	pdj/main/MainActivity.java
https://imonline.corp.imdada.cn/	pdj/main/MainActivity.java
http://127.0.0.1	org/mozilla/javascript/tools/debugger/Dim.java
http://www.w3.org/2000/xmlns/	org/mozilla/javascript/xmlimpl/XmlNode.java
https://log-o2o.jd.com/v1/logging	base/net/c.java
https://log-o2o.jddj.com/v1/logging	base/net/DaojiaNetUtils.java
https://eid-ida.jd.com	logo/d.java
https://eid-th.jd.com	logo/d.java
https://pre-eidserver.ochama.com	logo/d.java
https://eidserver.ochama.com	logo/d.java
https://pre-eidv2.ochama.com	logo/d.java
https://eidv2.ochama.com	logo/d.java
https://eid.jd.com	logo/d.java
https://eidv2.jd.com	logo/d.java
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	io/reactivex/rxjava3/exceptions/UndeliverableException.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	io/reactivex/rxjava3/exceptions/OnErrorNotImplementedException.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/Observable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/Single.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/Completable.java

https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/Maybe.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/Flowable.java
https://developer.android.com/guide/topics/permissions/overview	io/flutter/plugin/platform/PlatformPlugin.java
https://github.com/flutter/flutter/issues/2897).It	io/flutter/plugin/platform/PlatformViewsController.java
https://github.com/flutter/flutter/wiki/Upgrading-pre-1.12-Android-projects	io/flutter/view/FlutterView.java
https://testdatalbs.sparta.html5.qq.com/tr?wf4	c/t/m/g/h.java
https://analytics.map.qq.com/?wf4	c/t/m/g/h.java
https://ue.indoorloc.map.qq.com/?wl	c/t/m/g/da.java
https://cc.map.qq.com?desc_c	c/t/m/g/eq.java
https://maplbs-40171.sh.gfp.tencent-cloud.com/modules/	c/t/m/g/ev.java
https://testdatalbs.sparta.html5.qq.com/tr?utr	c/t/m/g/g.java
https://analytics.map.qq.com/tr?utr	c/t/m/g/g.java
https://cs.map.qq.com/atta?type=1&multi=0	c/t/m/g/ce.java
https://analytics.map.qq.com/tr?mltc	c/t/m/g/ce.java
https://ltest.map.qq.com/nlpdr?sf	c/t/m/g/lj.java
https://nlp.map.qq.com/?sf	c/t/m/g/lj.java
https://testdatalbs.sparta.html5.qq.com/tr?sf	c/t/m/g/lj.java
https://analytics.map.qq.com/?sf	c/t/m/g/lj.java
https://cc.map.qq.com/?get_c3	c/t/m/g/p.java
https://cs.map.qq.com/key	c/t/m/g/t.java
https://analytics.map.qq.com/tr?mltc	c/t/m/g/es.java

https://rttgsreport.map.qq.com/report?type=sdk&key=5e1fe70424035ee83066ac22b24f31dc	c/t/m/g/f.java
https://img30.360buyimg.com/n6/jfs/t1/67363/33/12551/24401/5d9fd508E5157e49d/255d71c708ce3d1e.jpg	main/homeold/delegates/HomeOldBallAdapterDelegate.java
https://img30.360buyimg.com/mobilecms/jfs/t1/77725/29/1071/2166/5cf50ddeEe70234ca/c502906f301e6454.png	main/dialog/adapter/MoziSkyAdapter.java
https://api.m.jd.com/client.action?appid=jddaojia&uuid=	main/net/MainServiceProtocol.java
https://cltm.jd.com/event/write	jpbury/i.java
https://cltm.jd.com/event/config	jpbury/k.java
https://testpdjm.jd.com/html/agreementApp.html?type=	core/myinfo/view/PrivacySettingItemView.java
https://daojia.jd.com/html/agreementApp.html?type=	core/myinfo/view/PrivacySettingItemView.java
https://testpdjm.jd.com/html/agreementApp.html?type=11	core/myinfo/activity/MyInfoAboutActivity.java
https://daojia.jd.com/html/agreementApp.html?type=11	core/myinfo/activity/MyInfoAboutActivity.java
https://testpdjm.jd.com/html/agreementApp.html?type=60	core/myinfo/activity/MyInfoAboutActivity.java
https://daojia.jd.com/html/agreementApp.html?type=60	core/myinfo/activity/MyInfoAboutActivity.java
https://daojia.jd.com/html/agreement2.html	core/myinfo/activity/MyInfoAboutActivity.java
https://testpdjm.jd.com/activity/new/activityHtml/quality/index.html	core/myinfo/activity/MyInfoAboutActivity.java
https://daojia.jd.com/activity/new/activityHtml/quality/index.html	core/myinfo/activity/MyInfoAboutActivity.java
https://img30.360buyimg.com/mobilecms/jfs/t1/33393/21/2092/264/5cac2ebaEc03d2113/77b84458af1db2e6.png\	core/myinfo/activity/MyInfoFontSettingActivity.java
https://img30.360buyimg.com/mobilecms/jfs/t1/26113/39/4862/2887/5c35c50dEddcb4f3f/6a7629c7752f9995.png\	core/myinfo/activity/MyInfoFontSettingActivity.java
https://img30.360buyimg.com/n6/jfs/t1/67363/33/12551/24401/5d9fd508E5157e49d/255d71c708ce3d1e.jpg\	core/myinfo/activity/MyInfoFontSettingActivity.java
https://img30.360buyimg.com/vendersettle/jfs/t1/166100/39/16632/193741/606d6d89Edf497d06/44b733cd71f4f9d7.jpg\	core/myinfo/activity/MyInfoFontSettingActivity.java
https://testpdjm.jd.com/activity/market/accountCancel/index.html	core/myinfo/activity/MyInfoSettingActivity.java
https://daojia.jd.com/activity/market/accountCancel/index.html	core/myinfo/activity/MyInfoSettingActivity.java

https://perf.m.jd.com/app_monitor/v2/getRule	performance/jd/jdreportperformance/a/b/a.java
https://perf.m.jd.com/app_monitor/v2/report	performance/jd/jdreportperformance/a/b/a.java
https://in.m.jd.com/help/app/private_policy.html	com/pdj/lib/login/data/LoginConstData.java
https://in.m.jd.com/help/app/register_info.html	com/pdj/lib/login/data/LoginConstData.java
https://daojia.jd.com/html/agreement.html	com/pdj/lib/login/data/LoginConstData.java
http://wap.cmpassport.com/resources/html/contract.html	com/pdj/lib/login/view/fragment/LoginOneKeyFragment.java
https://opencloud.wostore.cn/authz/resource/html/disclaimer.html?fromsdk=true	com/pdj/lib/login/view/fragment/LoginOneKeyFragment.java
https://e.189.cn/sdk/agreement/detail.do?hidetop=true	com/pdj/lib/login/view/fragment/LoginOneKeyFragment.java
https://plogin.m.jd.com/cgi-bin/m/mfindpwd?appid=121&returnurl=http://jddjwritelogin	com/pdj/lib/login/view/fragment/html/LoginHtmlResetPasswordFragment.java
http://jddjwritelogin	com/pdj/lib/login/view/fragment/html/LoginHtmlResetPasswordFragment.java
https://passport.m.jd.com/findloginpassword/fillAccountName.action?sid=3c4f735bc6774a078d7b3e3d352e02a9	com/pdj/lib/login/view/fragment/html/LoginHtmlResetPasswordFragment.java
https://daojia.jd.com/html/agreement.html">	com/pdj/lib/login/customview/LoginUserAgreementView.java
https://in.m.jd.com/help/app/register_info.html">	com/pdj/lib/login/customview/LoginUserAgreementView.java
https://in.m.jd.com/help/app/private_policy.html">	com/pdj/lib/login/customview/LoginUserAgreementView.java
https://aks.jdpay.com/timeMillis	com/jdjr/generalKeyboard/views/GeneralKeyboard.java
https://aks.jdpay.com/up/datacollect	com/jdjr/tools/CommonTools.java
https://aks.jdpay.com/certa2	com/jdjr/tools/CommonTools.java
https://aks.jdpay.com/down/func	com/jdjr/tools/CommonTools.java
https://aks.jdpay.com/app/verify	com/jdjr/tools/CommonTools.java
https://aks.jdpay.com/down/cert	com/jdjr/tools/CommonTools.java
https://aks-mini.jdpay.com/up/sdk	com/jdjr/tools/CommonTools.java

https://jrtdcert.jd.com/	com/jdjr/risk/util/httputil/a.java
https://identify.jd.com/f/securityQueryConfig	com/jdjr/risk/identity/verify/BuildConfig.java
https://qiye.jd.com/contractCenter2_noHead.html?	com/jdjr/risk/identity/verify/activity/IdentityPrivacyAgrDialogActivity.java
https://facegw.jd.com/api/v1/config/queryConfig	com/jdjr/risk/identity/verify/protocol/ApiConstants.java
https://identify.jd.com	com/jdjr/risk/identity/verify/protocol/ApiConstants.java
https://facegw.jd.com/api/v1/config/queryConfigPre	com/jdjr/risk/identity/verify/protocol/ApiConstants.java
https://identify.jd.com	com/jdjr/risk/identity/face/BuildConfig.java
https://identify.jd.com	com/jdjr/risk/identity/face/constants/ApiConstants.java
https://identify-pre.jd.com	com/jdjr/risk/identity/face/constants/ApiConstants.java
https://facegw.jd.com	com/jdjr/risk/identity/face/constants/ApiConstants.java
https://identify.jd.com/f/securityAutoldauth	com/jdjr/risk/identity/face/protocol/RequestIdentityVerityProtocol.java
https://facegw.jd.com/record/uploadVerifyRecord	com/jdjr/risk/identity/face/protocol/ThumbnailUpReportProtocol.java
https://identify.jd.com/f/securityAutoldauth	com/jdjr/risk/identity/face/protocol/RequestVerityProtocol.java
https://facegw.jd.com/record/uploadVerifyRecord	com/jdjr/risk/identity/face/protocol/UploadVerifyRecordProtocol.java
https://mllog.jd.com/mlog/unite/v.do	com/jdjr/risk/tracker/a.java
https://mllog.jd.com/mlog/batch/unite/v.do	com/jdjr/risk/tracker/b.java
https://img.sobot.com/console/common/face/user.png	com/sobot/chat/utils/ChatUtils.java
https://imonlinetest.corp.imdada.cn/	com/sobot/chat/api/apiUtils/SobotBaseUrl.java
https://imonlinetest.corp.imdada.cn/sobotapi/	com/sobot/chat/api/apiUtils/SobotBaseUrl.java
http://debugx5.qq.com	com/jingdong/sdk/jweb/x5/DebugX5Activity.java

https://service.vapp.jd.com/preload/js-engine	com/jingdong/manto/g.java
https://service.vapp.jd.com/%s/js-engine	com/jingdong/manto/g.java
https://service.vapp.jd.com/js-engine	com/jingdong/manto/jsengine/d.java
https://mini-app-static.jd.com/apps/domain-limit/index.html	com/jingdong/manto/jsapi/webview/b.java
https://storage.360buyimg.com/jd-manto/arm64-v8a/j2v8-64-064b8fd0f03b05d88cfa6cdbc091ab66.zip	com/jingdong/manto/k/b.java
https://storage.360buyimg.com/jd-manto/armeabi-v7a/j2v8-32-3f421b4143076d6668532b7c7e180ee0.zip	com/jingdong/manto/k/b.java
https://service.vapp.jd.com/	com/jingdong/manto/g/q.java
https://service.vapp.jd.com/	com/jingdong/manto/network/common/c.java
https://beta-api.m.jd.com	com/jingdong/manto/network/mantorequests/MantoJDApiRequest.java
https://api.m.jd.com	com/jingdong/manto/network/mantorequests/MantoJDApiRequest.java
https://wqs.jd.com/downloadApp/download.html?channel=jd-m	com/jingdong/common/unification/dialog/UnInterceptDialog.java
http://schemas.android.com/apk/res/android	com/flyco/tablayout/SlidingTabLayout.java
http://schemas.android.com/apk/res/android	com/flyco/tablayout/CommonTabLayout.java
http://schemas.android.com/apk/res/android	com/flyco/tablayout/SegmentTabLayout.java
http://schemas.android.com/apk/res/android	com/flyco/tablayout/SlidingCommonTabLayout.java
https://github.com/Tencent/weaver/issues	com/jddj/weaver/lib/reporter/DefaultLoadReporter.java
https://github.com/Tencent/weaver/issues	com/jddj/weaver/lib/reporter/DefaultPatchReporter.java
https://issuetracker.google.com/issues/185693011	com/jddj/jddjhybirdrouter/containers/FlutterBoostActivity.java
https://issuetracker.google.com/issues/185693011	com/jddj/jddjhybirdrouter/containers/FlutterBoostFragment.java
https://hostname.com/text/	com/jddj/httpx/HttpManager.java
https://log-o2o.jddj.com/v1/logging	com/jddj/dp/DpUtil.java

https://log-o2op.jddj.com/v1/logging	com/jddj/dp/DpUtil.java
https://aid.mobileservice.cn/	com/zx/a/l8b7/g2.java
https://zxid-m.mobileservice.cn/sdk/config/init	com/zx/a/l8b7/h.java
https://zxid-m.mobileservice.cn/sdk/channel/report	com/zx/a/l8b7/v0.java
https://zxid-m.mobileservice.cn/sdk/uaid/get	com/zx/a/l8b7/e1.java
https://zxid-m.mobileservice.cn/sdk/extend/tag	com/zx/a/l8b7/d1.java
https://zxid-m.mobileservice.cn/sdk/module/getCoreModule	com/zx/a/l8b7/y.java
https://%1\$s/gslb/?ver=5.0	com/xiaomi/push/bt.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fs.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/en.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/ft.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fa.java
https://resolver.msg.xiaomi.net/psc?t=a	com/xiaomi/push/service/az.java
https://cn.register.xmpush.xiaomi.com	com/xiaomi/push/service/cp.java
https://opencloud.wostore.cn/client/sdk/receive	com/unicom/xiaowo/login/d/d.java
https://opencloud.wostore.cn/openapi/netauth/precheck/wp?	com/unicom/xiaowo/login/c/b.java
https://opencloud.wostore.cn/openapi/netauth/precheck/wp?	com/unicom/xiaowo/login/b/a.java
http://aks.jdpay.com/	com/wangyin/platform/CryptoUtils.java
https://msjdpay.jd.com/service/access	com/wangyin/payment/jdpaysdk/netnew/NetApi.java
https://msjdpay.jd.com/service/external/preparePay	com/wangyin/payment/jdpaysdk/netnew/NetApi.java
https://msjdpay.jd.com/service/preparePay	com/wangyin/payment/jdpaysdk/netnew/NetApi.java

https://msjdpay.jd.com/service/showPayWayList	com/wangyin/payment/jdpaysdk/netnew/NetApi.java
https://msjdpay.jd.com/service/queryPayWayStatus	com/wangyin/payment/jdpaysdk/netnew/NetApi.java
https://msjdpay.jd.com/service/query/bindCardCheckType	com/wangyin/payment/jdpaysdk/netnew/NetApi.java
https://msjdpay.jd.com/service/query/checkBindCard	com/wangyin/payment/jdpaysdk/netnew/NetApi.java
https://msjdpay.jd.com/service/unifiedSwitch	com/wangyin/payment/jdpaysdk/netnew/NetApi.java
https://msjdpay.jd.com/service/switch/configParam	com/wangyin/payment/jdpaysdk/netnew/NetApi.java
https://msjdpay.jd.com/service/btNineElementSave	com/wangyin/payment/jdpaysdk/netnew/api/BtNineElementSaveApi.java
https://jdpaycert.jd.com/service/	com/wangyin/payment/jdpaysdk/util/Constants.java
https://msjdpay.jd.com/service/	com/wangyin/payment/jdpaysdk/util/Constants.java
https://msjdpay.jd.com/service/external/	com/wangyin/payment/jdpaysdk/util/Constants.java
https://mgate.jd.com/	com/wangyin/payment/jdpaysdk/util/Constants.java
https://mgate.jd.com/realName/	com/wangyin/payment/jdpaysdk/util/Constants.java
https://mgate.jd.com/	com/wangyin/payment/jdpaysdk/net/UrlCenterSDK.java
https://idauth.jd.com	com/jdcn/fido/http/HttpUrlUtil.java
https://facegw.jd.com/api/v2/config/queryConfig	com/jdcn/biz/server/NetworkConstants.java
https://facegw-pre.jd.com/api/v2/config/queryConfig	com/jdcn/biz/server/NetworkConstants.java
https://facegw.jd.com/api/v2/sdkocr/bankcard	com/jdcn/biz/server/NetworkConstants.java
https://facegw.jd.com/api/v2/sdkocr/bankcard	com/jdcn/biz/server/ServerHelper.java
https://sdkfp.jd.com/ds2.json	com/jdcn/risk/cpp/BiometricHelper.java
http://xml.org/sax/features/namespaces	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/namespace-prefixes	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java

http://xml.org/sax/features/validation	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/external-general-entities	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/external-parameter-entities	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/string-interning	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/namespace	com/huawei/secure/android/common/xml/DocumentBuilderFactorySecurity.java
http://xml.org/sax/features/validation	com/huawei/secure/android/common/xml/DocumentBuilderFactorySecurity.java
http://xmlpull.org/v1/doc/features.html	com/huawei/secure/android/common/xml/XmlPullParserFactorySecurity.java
http://open.e.189.cn/openapi/networkauth/preGetMobile.do	com/wjlogin/onekey/sdk/common/a/b/d.java
https://api-push.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.in.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.meizu.com/garcia/api/client/log/upload	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.meizu.com/garcia/api/server/getPublicKey	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://api-push.in.meizu.com	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://api-push.meizu.com	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://norma-external-collect.meizu.com/android/exchange/getpublickey.do	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://norma-external-collect.meizu.com/push/android/external/add.do	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://sdk-open-phone.getui.com/api.php	com/igexin/push/a.java
https://c-hzgt2.getui.com/api.php	com/igexin/push/a.java
https://d-gt.getui.com/api.htm	com/igexin/push/a.java
http://bi.	com/igexin/push/config/g.java

http://config.	com/igexin/push/config/g.java
http://bi.	com/igexin/push/config/b.java
http://config.	com/igexin/push/config/b.java
https://api.m.jd.com/api	com/jd/amon/sdk/JdBaseReporter/utis/a.java
https://beta-api.m.jd.com/api	com/jd/amon/sdk/JdBaseReporter/utis/a.java
https://hybrid.m.jd.com/v1/channel	com/jd/libs/hybrid/base/HybridConstants.java
http://bata-hybrid.jd.care/v1/channel	com/jd/libs/hybrid/base/HybridConstants.java
https://h5.360buyimg.com/jcap/html/app-captcha-v2.html	com/jd/verify/a/c.java
http://beta-jcap.m.jd.com/dist/app-captcha-v2.html	com/jd/verify/a/c.java
https://jcap.jd.co.th/jcap/html/app-captcha.html	com/jd/verify/a/c.java
https://mgate.jd.com/	com/jd/lib/jdpayverify/BuildConfig.java
https://android.bugly.qq.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/StrategyBean.java
https://astat.bugly.qcloud.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/a.java
https://astat.bugly.cros.wr.pvp.net/:8180/rqd/async	com/tencent/bugly/crashreport/common/strategy/a.java
https://h.trace.qq.com/kv	com/tencent/bugly/proguard/r.java
https://otheve.beacon.qq.com/analytics/v2_upload	com/tencent/tmsbeacon/base/net/b/b.java
https://othstr.beacon.qq.com/analytics/v2_upload	com/tencent/tmsbeacon/base/net/b/b.java
https://h.trace.qq.com/kv	com/tencent/tmsbeacon/a/b/d.java
https://log.tbs.qq.com/ajax?c=pu&v=2&k=	com/tencent/smtt/utis/o.java
https://log.tbs.qq.com/ajax?c=pu&tk=	com/tencent/smtt/utis/o.java
https://log.tbs.qq.com/ajax?c=dl&k=	com/tencent/smtt/utis/o.java

https://cfg.imtt.qq.com/tbs?v=2&mk=	com/tencent/smtt/utls/o.java
https://log.tbs.qq.com/ajax?c=ul&v=2&k=	com/tencent/smtt/utls/o.java
https://mqqqad.html5.qq.com/adjs	com/tencent/smtt/utls/o.java
https://log.tbs.qq.com/ajax?c=ucfu&k=	com/tencent/smtt/utls/o.java
https://tbsrecovery.imtt.qq.com/getconfig	com/tencent/smtt/utls/o.java
https://tbs.imtt.qq.com/plugin/DebugPlugin_v2.tbs	com/tencent/smtt/utls/d.java
https://pms.mb.qq.com/rsp204	com/tencent/smtt/sdk/m.java
https://debugtbs.qq.com	com/tencent/smtt/sdk/WebView.java
https://debugx5.qq.com	com/tencent/smtt/sdk/WebView.java
https://debugtbs.qq.com?10000\	com/tencent/smtt/sdk/WebView.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=50079	com/tencent/smtt/sdk/stat/MttLoader.java
https://mdc.html5.qq.com/mh?channel_id=50079&u=	com/tencent/smtt/sdk/stat/MttLoader.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=11041	com/tencent/smtt/sdk/ui/dialog/d.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=11047	com/tencent/smtt/sdk/ui/dialog/d.java
https://apis.map.qq.com/ws/	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/district/v1/getchildren	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/district/v1/list	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/district/v1/search	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/customapi/mobike/geocoder	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/geocoder/v1	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/streetview/v1/getpano	com/tencent/lbssearch/httpresponse/UrlConstant.java

https://apis.map.qq.com/ws/direction/v1/bicycling	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/direction/v1/driving	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/direction/v1/transit	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/direction/v1/walking	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/place/v1/search	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/place/v1/suggestion	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/coord/v1/translate	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://openmobile.qq.com/oauth2.0/me	com/tencent/connect/UnionInfo.java
https://openmobile.qq.com/oauth2.0/m_jump_by_version?	com/tencent/connect/common/BaseApi.java
https://imgcache.qq.com/ptlogin/static/qzsjump.html?	com/tencent/connect/common/BaseApi.java
https://openmobile.qq.com/oauth2.0/m_authorize?	com/tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/user/user_login_statis	com/tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/v3/user/get_info	com/tencent/connect/auth/AuthAgent.java
https://appsupport.qq.com/cgi-bin/qzapps/mapp_addapp.cgi	com/tencent/connect/auth/AuthAgent.java
https://imgcache.qq.com/ptlogin/static/qzsjump.html?	com/tencent/connect/auth/a.java
https://cgi.qplus.com/report/report	com/tencent/connect/avatar/ImageActivity.java
https://imgcache.qq.com/open/mobile/request/sdk_request.html?	com/tencent/open/SocialApiImpl.java
https://imgcache.qq.com/open/mobile/invite/sdk_invite.html?	com/tencent/open/SocialApiImpl.java
https://imgcache.qq.com/open/mobile/sendstory/sdk_sendstory_v1.3.html?	com/tencent/open/SocialApiImpl.java
https://imgcache.qq.com	com/tencent/open/SocialApiImpl.java
https://openmobile.qq.com/cgi-bin/qunopensdk/unbind	com/tencent/open/SocialOperation.java

https://openmobile.qq.com/cgi-bin/qunopensdk/check_group	com/tencent/open/SocialOperation.java
https://openmobile.qq.com/	com/tencent/open/utils/HttpUtils.java
https://cgi.connect.qq.com/qqconnectopen/openapi/policy_conf	com/tencent/open/utils/i.java
https://appsupport.qq.com/cgi-bin/appstage/mstats_batch_report	com/tencent/open/b/h.java
https://h.trace.qq.com/kv	com/tencent/open/b/b.java
https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s×tamp=%s&scope=%s&signature=%s	com/tencent/mm/opensdk/diffdev/a/b.java
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuid=%s	com/tencent/mm/opensdk/diffdev/a/c.java
https://confinfo.map.qq.com/confinfo?	com/tencent/mapsdk/internal/wg.java
https://mgate.jd.com/customer/visitAccess	com/jdpay/membercode/c.java
https://mgate.jd.com/customer/open	com/jdpay/membercode/c.java
https://mgate.jd.com/customer/queryPayResult	com/jdpay/membercode/c.java
https://mgate.jd.com/customer/queryVerifyPayWay	com/jdpay/membercode/c.java
https://mgate.jd.com/customer/refreshCode	com/jdpay/membercode/c.java
https://mgate.jd.com/customer/signAgreement	com/jdpay/membercode/c.java
https://mgate.jd.com/customer/stop	com/jdpay/membercode/c.java
https://mgate.jd.com/paycode/aks/signAgreement	com/jdpay/paymentcode/network/ServiceApi.java
https://mgate.jd.com/paycode/aks/close	com/jdpay/paymentcode/network/ServiceApi.java
https://mgate.jd.com/account/certificate/aks/confirmSms	com/jdpay/paymentcode/network/ServiceApi.java
https://mgate.jd.com/paycode/aks/entrance	com/jdpay/paymentcode/network/ServiceApi.java
https://jdpaycert.jd.com/service/aks/dealH5Url	com/jdpay/paymentcode/network/ServiceApi.java

https://mgate.jd.com/paycode/aks/bannerResource	com/jdpay/paymentcode/network/ServiceApi.java
https://mgate.jd.com/paycode/aks/getPayChannels	com/jdpay/paymentcode/network/ServiceApi.java
https://mgate.jd.com/paycode/aks/repeatSmsCode	com/jdpay/paymentcode/network/ServiceApi.java
https://mgate.jd.com/paycode/aks/open	com/jdpay/paymentcode/network/ServiceApi.java
https://mgate.jd.com/paycode/aks/queryPayResult	com/jdpay/paymentcode/network/ServiceApi.java
https://mgate.jd.com/paycode/aks/openAfterPause	com/jdpay/paymentcode/network/ServiceApi.java
https://mgate.jd.com/account/certificate/aks/sendSms	com/jdpay/paymentcode/network/ServiceApi.java
https://mgate.jd.com/paycode/aks/modifyPayWay	com/jdpay/paymentcode/network/ServiceApi.java
https://mgate.jd.com/password/aks/setPayPassword	com/jdpay/paymentcode/network/ServiceApi.java
https://mgate.jd.com/paycode/aks/getLatestCode	com/jdpay/paymentcode/network/ServiceApi.java
https://mgate.jd.com/verify/queryPayWay	com/jdpay/commonverify/VerifyServiceApi.java
https://mgate.jd.com/verify/checkPayWay	com/jdpay/commonverify/VerifyServiceApi.java
https://oriondm.jd.com/qp/ad	com/jdpay/common/bury/contants/BuryContant.java
https://appcashier.95516.com/app/api/redirectwapcashierdesk\	com/unionpay/UPPayAssistEx.java
http://storage.jd.com/img11/right_corner.png	jd/uicomponents/coupon/util/MockDataFactory.java
http://storage.jd.com/img11/circle.png	jd/uicomponents/coupon/util/MockDataFactory.java
http://storage.jd.com/img11/small_white_2.png	jd/uicomponents/coupon/util/MockDataFactory.java
https://static-o2o.360buyimg.com/activity/images/fe/couponBelt_bgImg.png	jd/view/couponCountdown/CouponCountdownView.java
https://static-o2o.360buyimg.com/activity/images/fe/couponBelt_leftImg.png	jd/view/couponCountdown/CouponCountdownView.java
https://beta-wlmonitr.m.jd.com/online_report	jd/wjlogin_sdk/util/e0/b.java
https://wlmonitor.m.jd.com/online_report	jd/wjlogin_sdk/util/e0/b.java

https://wlogin.m.jd.com/cgi-bin/wlogin/	jd/wjlogin_sdk/util/e0/b.java
https://wlmonitor.m.jd.com/login_report	jd/wjlogin_sdk/util/e0/b.java
https://wlmonitor.jd.co.th/login_report	jd/wjlogin_sdk/util/e0/b.java
http://beta-wlogin.m.jd.com/cgi-bin/wlogin/	jd/wjlogin_sdk/util/e0/c.java
https://wlogin.m.jd.com/	jd/wjlogin_sdk/util/e0/c.java
https://beta-wlogin.m.jd.com/	jd/wjlogin_sdk/util/e0/c.java
https://beta-wlmonitr.m.jd.com/	jd/wjlogin_sdk/util/e0/c.java
https://wlmonitor.m.jd.com/	jd/wjlogin_sdk/util/e0/c.java
https://ccf.m.jd.com/loginconfig	jd/wjlogin_sdk/util/e0/c.java
http://ccf.m.jd.care/loginconfig	jd/wjlogin_sdk/util/e0/c.java
https://wlogin.jd.co.th/	jd/wjlogin_sdk/util/e0/c.java
https://beta-wlogin.jd.co.th/	jd/wjlogin_sdk/util/e0/c.java
https://wlmonitor.jd.co.th/	jd/wjlogin_sdk/util/e0/c.java
http://wlmonitorint.m.jd.care/	jd/wjlogin_sdk/util/e0/c.java
https://wlogin.m.jd.com/cgi-bin/wlogin/	jd/wjlogin_sdk/util/e0/c.java
https://beta-wlogin.m.jd.com/cgi-bin/wlogin/	jd/wjlogin_sdk/util/e0/c.java
https://daojia.jd.com/html/index.html	jd/config/Constant.java
https://daojia.jd.com/activity/memberCard/orderSuccess.html?&businessId=	jd/config/Constant.java
https://daojia.jd.com/html/agreementApp.html?type=97	jd/config/PrivacyConfig.java
https://daojia.jd.com/html/agreementApp.html?type=100	jd/config/PrivacyConfig.java
https://daojia.jd.com/html/agreementApp.html?type=110	jd/config/PrivacyConfig.java

https://daojia.jd.com/activity/privacy/index.html	jd/config/PrivacyConfig.java
https://sobot-test.oss-cn-beijing.aliyuncs.com/console/66a522ea3ef944a98af45bac09220861/userImage/20191024164346682.PNG	jd/im/ImActivity.java
https://storage.jd.com/dj-app-config/	jd/net/ServiceProtocol.java
https://pre-ds.jddj.com/getds	jd/net/ServiceProtocol.java
https://ds.jddj.com/getds	jd/net/ServiceProtocol.java
https://api.m.jd.com/api?appid=	tv/danmaku/ijk/media/example/Utils/HttpsUtil.java
https://play.google.com/store/apps/details?id=	Mogua Engine V1
https://appgallery.cloud.huawei.com	Mogua Engine V1
https://s.jddj.com	Mogua Engine V1
https://data-drcn.push.dbankcloud.com	Mogua Engine V2
https://data-dra.push.dbankcloud.com	Mogua Engine V2
https://data-dre.push.dbankcloud.com	Mogua Engine V2
https://data-drru.push.dbankcloud.com	Mogua Engine V2
https://grs.dbankcloud.com	Mogua Engine V2
https://grs.dbankcloud.cn	Mogua Engine V2
https://grs.dbankcloud.asia	Mogua Engine V2
https://grs.platform.dbankcloud.ru	Mogua Engine V2
https://grs.dbankcloud.eu	Mogua Engine V2
https://metrics1.data.hicloud.com:6447	Mogua Engine V2
https://metrics-dra.dt.hicloud.com:6447	Mogua Engine V2

https://metrics2.data.hicloud.com:6447	Mogua Engine V2
https://metrics5.data.hicloud.com:6447	Mogua Engine V2
https://metrics5.dt.dbankcloud.ru:6447	Mogua Engine V2
https://github.com/Tencent/vConsole	Mogua Engine V2
https://github.com/Tencent/vConsole.git	Mogua Engine V2
http://www.w3.org/2000/svg'	Mogua Engine V2
https://img13.360buyimg.com/devfe/jfs/t1/40644/29/9303/719/5d2d8c65Eaecc6c84/fb146edc87ddd5d1.png	Mogua Engine V2
https://img12.360buyimg.com/devfe/jfs/t1/66088/6/4763/3964/5d2d8d54Ee8dd3dfa/e099d71619b53ba2.png	Mogua Engine V2
https://mp.vapp.jd.com'	Mogua Engine V2
http://jdfile.open.vapp.jd.com/	Mogua Engine V2
http://jdfile.open.jd.com/	Mogua Engine V2
https://map.jd.com/api/js?v=2.exp&callback=__map_jssdk_init	Mogua Engine V2
http://www.w3.org/2000/svg	Mogua Engine V2
https://service.vapp.jd.com/page-frame.html	Mogua Engine V2
https://service.vapp.jd.com	Mogua Engine V2

 邮箱线索

邮箱地址	所在文件
poi_icon@2x.png poi_icon_indoor_ex@2x.png icon_indoor_ex_night@2x.png	com/tencent/mapsdk/internal/k4.java

手机线索

手机号	所在文件
17179869184	tv/danmaku/ijk/media/player/IjkMediaMeta.java

🌸 签名证书

APK is signed
v1 signature: True
v2 signature: True
v3 signature: True
Found 1 unique certificates
Subject: C=cn, ST=beijing, L=china, O=jingdong, OU=jingdong, CN=jingdong
Signature Algorithm: rsassa_pkcs1v15
Valid From: 2011-03-01 02:45:02+00:00
Valid To: 2038-07-17 02:45:02+00:00
Issuer: C=cn, ST=beijing, L=china, O=jingdong, OU=jingdong, CN=jingdong
Serial Number: 0x4d6c5dae
Hash Algorithm: sha1
md5: e0d1a70367c58d5d41c4678dfd05f84f
sha1: b0b589453fd31bd697a0e99cf8e4c861ac44fb88
sha256: a5fdbfa8a769a9f2041c7f6706a52b8d981c0f12a6f10e989a9f583a43ed217d
sha512: 5efa9388c19d1be31e60ca54c3c937202e1aedc9533e19f2fb05e2020ceddfafd07457326dc4c3dbab3b01ed1d97b23f345f24b92be9b2fe1d153d7a21473684
PublicKey Algorithm: rsa
Bit Size: 1024
Fingerprint: 936f0c1667e3001e6239df8a9b893ba7dccd4f24d2d00c504d50368d29c6d4ee

🔑 硬编码敏感信息

可能的敏感信息
"common_pwd_format_tip" : "6-20位字符，须包含：大写字母、小写字母、数字、符号（除空格）至少两种"
"common_show_password" : "显示密码"
"counter_addcard_check_paypwd" : "为了账户安全，请先输入支付密码"

"counter_goto_set_mobile_paypwd_btn": "去设置"
"counter_mobile_paypwd_check": "输入6位数字密码"
"counter_mobile_paypwd_check_info": "输入卡验证码"
"counter_mobile_paypwd_check_title": "输入数字支付密码"
"counter_mobile_paypwd_verify": "身份验证"
"counter_paypwd_check": "支付密码"
"counter_pc_paypwd_check_title": "输入支付密码"
"counter_please_set_mobile_paypwd": "您还未设置数字支付密码"
"counter_please_set_paypwd": "请先设置支付密码"
"counter_to_set_mobile_paypwd_btn": "立即设置"
"counter_unset_paypwd": "未设置支付密码"
"filter_one_key_beauty": "一键美化"
"input_key_account": "钱包账户"
"input_key_amount": "金额"
"input_key_card_num": "卡号"
"input_key_cardnum": "银行卡"
"input_key_cv2": "卡验证码"
"input_key_id_card": "身份证号"
"input_key_idcard": "身份证"
"input_key_login_pwd": "登录密码"
"input_key_mobile": "预留手机号"

"input_key_pay_pwd" : "支付密码"
"input_key_pwd" : "密 码"
"input_key_remark" : "备注"
"input_key_sms" : "验证码"
"input_key_validate" : "有效期"
"jdpay_cancel_set_pwd" : "放弃"
"jdpay_cancel_set_pwd_continue" : "重新设置"
"jdpay_cancel_set_pwd_keep" : "继续设置"
"jdpay_cancel_set_pwd_midway" : "中途放弃"
"jdpay_cancel_set_pwd_title" : "您要放弃设置数字支付密码? "
"jdpay_check_jdLongpwd" : "为确保安全, 请您输入支付密码"
"jdpay_counter_card_num_key" : "卡号"
"jdpay_counter_pay_pwd" : "支付密码"
"jdpay_counter_set_mobile_pwd" : "开启6位数字密码"
"jdpay_counter_set_mobile_pwd_btn" : "立即开启"
"jdpay_counter_set_mobile_pwd_cancel" : "完成"
"jdpay_forget_password" : "忘记密码"
"jdpay_input_key_cardpromotion" : "优惠"
"jdpay_input_key_cardtype" : "卡类型"
"jdpay_input_key_cert" : "证件号"
"jdpay_input_key_certtype" : "证件类型"

"jdpay_pay_check_cvv_and_mobile_pwd" : "数字密码"
"jdpay_pay_combination_by_cancel_dialog_sure_password" : "输入密码支付"
"jdpay_pc_counter_card_num_key" : "卡号"
"jdpay_pc_counter_mobile_paypwd_check" : "输入6位数字密码"
"jdpay_pc_counter_mobile_paypwd_verify" : "身份验证"
"jdpay_pc_counter_paypwd_check" : "支付密码"
"jdpay_pc_err_pwd_too_simple" : "密码过于简单"
"jdpay_pc_input_key_cardpromotion" : "优惠"
"jdpay_pc_input_key_cardtype" : "卡类型"
"jdpay_pc_key_cvv2" : "卡验证码"
"jdpay_pc_key_idcard" : "身份证"
"jdpay_pc_key_validate" : "有效期"
"jdpay_pc_password" : "密码"
"jdpay_pc_set_6_pay_password" : "请设置6位数字密码，用于京东支付"
"jdpay_pc_set_pay_password" : "设置数字支付密码"
"jdpay_set_mobile_paypwd_desc" : "该密码将适用于京东旗下产品的支付验证"
"jdpay_set_mobile_paypwd_first" : "请输入6位数字"
"jdpay_set_mobile_paypwd_first_half_screen" : "设置6位数字密码用于京东支付验证"
"jdpay_set_mobile_paypwd_second" : "请再次填写以确认"
"jdpay_set_pwd_content" : "开启6位数字密码"
"jdpay_set_pwd_content_1" : "支付更便捷"

"jdpay_set_pwd_later" : "暂不开启"
"jdpay_set_pwd_success_content" : "此密码将适用于京东支付的支付验证"
"jdpay_set_pwd_success_title" : "数字支付密码设置成功"
"jdpay_set_pwd_sure" : "立即设置"
"jdpay_tip_face_pay_verify_timeout_tip_input_password" : "输入密码"
"jp_pay_one_key_set_exit_dialog_continue_btn" : "继续"
"jp_pay_one_key_set_finger_cancel_dialog_downgrading_pwd" : "输入密码"
"jp_pay_pre_authorization_title" : "输入信息"
"jp_pay_retrieve_pwd_guide_set_title" : "设置支付密码"
"jp_pay_retrieve_pwd_guide_temporarily_not_pay" : "暂不支付，去设置密码"
"jp_pay_retrieve_pwd_guide_temporarily_not_set" : "暂不设置"
"key_common_tag" : "tag_common"
"key_mini_cart_recommend" : "tag_mini_cart_recommend"
"manto_end_key" : "29ac20a4357ff12f85f572df"
"manto_kv_key_suffix" : "++@@@TOTAL@DATA@SIZE@@@"
"manto_start_key" : "8d1bc720"
"password" : "密码"
"privateKeyP2" : "#e\$r"
"security_desc_six_pwd" : "输入6位支付密码"
"security_desc_wallet_pwd" : "输入网银钱包支付密码"
"security_forget_pwd" : "忘记密码？ "

"security_input_long_pwd": "输入网银钱包支付密码"
"set_mobile_pay_pwd_success": "设置数字支付密码成功"
"set_mobile_pay_pwd_success_desc": "此数字密码适用于京东支付和白条支付。"
"sobot_appkey_custom_code_eques": "appkey或者customCode必须设置一项"
"sobot_appkey_is_null": "您的AppKey为空"
"sobot_close_session": "结束本次对话? "
"sobot_ding_cai_sessionoff": "会话结束，无法反馈"
"privateKeyP21": "d4404b45"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况

reportfinishbroadcastreceiver.permission	未知	Unknown permission	Unknown permission from android reference
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.ACCESS_FINE_LOCATION	危险	精细定位（GPS）	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
org.simalliance.openmobileapi.SMARTCARD	未知	Unknown permission	Unknown permission from android reference
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
getui.permission.GetuiService.com.jingdong.pdj	未知	Unknown permission	Unknown permission from android reference
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.USE_FINGERPRINT	正常	allow use of指纹	该常量在 API 级别 28 中已被弃用。应用程序应改为请求 USE_BIOMETRIC
com.android.launcher.permission.INSTALL_SHORTCUT	未知	Unknown permission	Unknown permission from android reference
com.android.launcher.permission.UNINSTALL_SHORTCUT	未知	Unknown permission	Unknown permission from android reference

com.android.launcher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
com.jingdong.pdj.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
android.permission.SCHEDULE_EXACT_ALARM	正常		允许应用程序使用精确的警报调度 API 来执行对时间敏感的后台工作
com.vivo.notification.permission.BADGE_ICON	未知	Unknown permission	Unknown permission from android reference
android.permission.QUERY_ALL_PACKAGES	正常		允许查询设备上的任何普通应用程序,无论清单声明如何
android.permission.ACCESS_BACKGROUND_LOCATION	危险	后台访问位置	允许应用程序在后台访问位置
com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.heytap.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.jingdong.pdj.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
com.jingdong.pdj.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
com.meizu.flyme.push.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.meizu.c2dm.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.jingdong.pdj.push.permission.MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.jingdong.pdj.permission.C2D_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.meizu.flyme.permission.PUSH	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.ACCESS_HW_KEYSTORE	未知	Unknown permission	Unknown permission from android reference
com.hihonor.permission.ACCESS_HW_KEYSTORE	未知	Unknown permission	Unknown permission from android reference

应用内通信

活动(ACTIVITY)	通信(INTENT)
--------------	------------

com.tencent.tauth.AuthActivity	Schemes: tencent1104357538://,
com.pdj.lib.login.thirdapi.InterfaceActivity	Schemes: jdLogin.openApp.jdMobile://, jdlogin.openapp.jdmobile://,
jd.push.OpenPushActivity	Schemes: opendaojiapush://, Hosts: daojia, Paths: /detail,
jd.open.OpenActivity	Schemes: openApp.jddj://, openapp.jddj://, opendaojia://, http://, https://, Hosts: daojia, s.jddj.com, Paths: /,
main.qts.QTSOpenActivity	Schemes: qts.jddj://, Hosts: com.tuisong, Paths: /daojia,