




kimi办公 1.0.APK 分析报告



APP名称:	kimi办公
包名:	
域名线索:	78条
URL线索:	77条
邮箱线索:	3条

分析日期:2025年6月26日

分析平台:[摸瓜APK反编译平台](#)

文件信息

文件名: kimi.apk
文件大小: 38.49MB
MD5值: 174a396b55180fe77debef01b98e4b59
SHA1值: 0cfc2fc73cb329be5bca2ec947cc23934e73fd41
SHA256值: 7f20c8c68e299cd3e6057f6d0f2ab69ed319bfc455573ef666fcd6bd5dd95754

APP 信息

App名称: kimi办公
包名:
主活动Activity: []
安卓版本名称: 1.0
安卓版本: []

域名线索

域名	服务器信息
	IP: 59.111.110.241 所属国家: China 地区: Zhejiang

59.111.110.241	城市: Hangzhou 纬度: 30.293650 经度: 120.161583
grs.dbankcloud.cn	IP: 124.70.116.153 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
debugtbs.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
open.weixin.qq.com	IP: 140.207.191.167 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
idmb.register.xmpush.global.xiaomi.com	IP: 20.219.205.9 所属国家: India 地区: Maharashtra 城市: Pune 纬度: 18.519663 经度: 73.854507
appgallery.cloud.huawei.com	IP: 121.36.118.136 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.ntsc.ac.cn	IP: 159.226.242.43 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
api-push.in.meizu.com	IP: 206.161.233.191 所属国家: United States of America 地区: Virginia 城市: Herndon 纬度: 38.978210 经度: -77.386993

register.xmpush.global.xiaomi.com	IP: 47.237.96.1 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
v0.api.upyun.com	IP: 218.28.104.157 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
resolver.msg.global.xiaomi.net	IP: 34.36.192.126 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
imtest6.netease.im	没有服务器地理信息.
www.bouncycastle.org	IP: 43.250.142.130 所属国家: Australia 地区: Queensland 城市: Warren 纬度: -23.500000 经度: 150.283325
soft.tbs.imtt.qq.com	IP: 119.167.147.86 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
imtest4.netease.im	IP: 59.111.241.163 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
android.bugly.qq.com	IP: 124.95.225.146 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
	IP: 60.28.193.195 所属国家: China 地区: Tianjin

grs.dbankcloud.com	城市: Tianjin 纬度: 39.142181 经度: 117.176102
ns.adobe.com	没有服务器地理信息.
roomserver.netease.im	IP: 220.197.34.72 所属国家: China 地区: Sichuan 城市: Leshan 纬度: 29.562281 经度: 103.763863
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
app.bmob.iwyttc.com	IP: 0.0.0.0 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
nrtc.netease.im	IP: 220.197.34.71 所属国家: China 地区: Sichuan 城市: Leshan 纬度: 29.562281 经度: 103.763863
m0.api.upyun.com	IP: 218.28.104.157 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
mdc.html5.qq.com	IP: 116.130.223.178 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
opentest.bmob.cn	没有服务器地理信息.
	IP: 107.155.52.56 所属国家: Russian Federation 地区: Moskva

ru.register.xmpush.global.xiaomi.com	城市: Moscow 纬度: 55.752258 经度: 37.615471
metrics1.data.hicloud.com	IP: 111.202.16.252 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
resolver.msg.xiaomi.net	IP: 110.43.0.169 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.jivesoftware.com	IP: 23.235.209.143 所属国家: United States of America 地区: Virginia 城市: Virginia Beach 纬度: 36.837925 经度: -76.093918
cfg.imtt.qq.com	IP: 60.29.240.17 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
io.codenow.cn	IP: 106.75.70.127 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
m.toutiao.com	IP: 116.196.134.217 所属国家: China 地区: Zhejiang 城市: Jinhua 纬度: 30.013470 经度: 120.288658
dr.netease.im	IP: 220.197.34.83 所属国家: China 地区: Sichuan 城市: Leshan 纬度: 29.562281 经度: 103.763863
	IP: 208.95.112.1

ip-api.com	所属国家: United States of America 地区: North Carolina 城市: Skyland 纬度: 35.483757 经度: -82.521996
norma-external-collect.meizu.com	没有服务器地理信息.
lbs.netease.im	IP: 220.197.34.90 所属国家: China 地区: Sichuan 城市: Leshan 纬度: 29.562281 经度: 103.763863
cn.register.xmpush.xiaomi.com	IP: 123.125.102.39 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.taobao.com	IP: 101.72.202.200 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
debugx5.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
long.open.weixin.qq.com	IP: 112.65.193.170 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
metrics2.data.hicloud.com	IP: 80.158.2.190 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
p.bmob.cn	没有服务器地理信息.
open3.bmob.cn	没有服务器地理信息.

imtest.netease.im	IP: 111.124.202.79 所属国家: China 地区: Guizhou 城市: Zunyi 纬度: 27.686441 经度: 106.907135
www.baidu.com	IP: 110.242.70.57 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
nosup-hz1.127.net	IP: 124.95.190.101 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
qyqa.netease.com	IP: 59.111.96.241 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
log.tbs.qq.com	IP: 124.95.231.218 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
www.qq.com	IP: 221.198.70.47 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
maps.google.cn	IP: 114.250.65.34 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
grs.dbankcloud.asia	IP: 121.36.117.149 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501

	经度: 116.397102
p0.api.upyun.com	IP: 101.251.144.15 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.jd.com	IP: 116.78.120.73 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
metrics-dra.dt.hicloud.com	IP: 94.74.88.100 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
astat.bugly.qcloud.com	IP: 119.28.121.133 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
www.openssl.org	IP: 34.49.79.89 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
grs.dbankcloud.eu	没有服务器地理信息.
file.bmob.cn	没有服务器地理信息.
h.trace.qq.com	IP: 113.56.189.162 所属国家: China 地区: Hubei 城市: Huangshi 纬度: 30.204170 经度: 115.077606
play.google.com	IP: 59.24.3.174 所属国家: Korea (Republic of) 地区: Gyeonggi-do 城市: Seongnam 纬度: 37.420624 经度: 127.126717

api.weixin.qq.com	IP: 112.65.193.153 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
pms.mb.qq.com	IP: 60.29.240.17 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
www.time.ac.cn	IP: 210.72.145.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
astat.bugly.cros.wr.pvp.net	IP: 170.106.118.26 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
mqqad.html5.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
wup.imtt.qq.com	IP: 125.39.104.63 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
statistic.live.126.net	IP: 220.197.34.75 所属国家: China 地区: Sichuan 城市: Leshan 纬度: 29.562281 经度: 103.763863
schemas.android.com	没有服务器地理信息.
	IP: 142.250.217.78 所属国家: United States of America

goo.gl	地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
127.0.0.1	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
www.bjtime.cn	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
api-push.meizu.com	IP: 221.5.93.66 所属国家: China 地区: Guangdong 城市: Foshan 纬度: 23.026770 经度: 113.131477
store.hispac.hicloud.com	IP: 49.4.47.241 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
xml.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
wannos.127.net	IP: 45.127.129.16 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572

xmlpull.org	IP: 185.199.108.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
fr.register.xmpush.global.xiaomi.com	IP: 98.64.182.160 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.378502 经度: 4.899980

 URL线索

URL信息	Url所在文件
http://m.toutiao.com	DTQPsLf9hqP6MiqNU9Ew/BJ178ZbxD1muDU3bQAKC/d45DCpgwaofR7QezFqRH/C0343.java
http://maps.google.cn/maps/api/staticmap?size=200x100&zoom=13&markers=color:red	DTQPsLf9hqP6MiqNU9Ew/BJ178ZbxD1muDU3bQAKC/d45DCpgwaofR7QezFqRH/CY9JBwqB26Z6TDKISP57/d45DCpgwaofR7QezFqRH/InterfaceC0042.java
http://xml.apache.org/xslt	DTQPsLf9hqP6MiqNU9Ew/MlqCWLKmxKfCljyR36Hv/d45DCpgwaofR7QezFqRH/C0826.java
http://www.bjtime.cn	DTQPsLf9hqP6MiqNU9Ew/XO39nz2leNuNtxRW4yVL/d45DCpgwaofR7QezFqRH/gLxwvMrf8uFsobNU8K8q/C1211.java
http://www.baidu.com	DTQPsLf9hqP6MiqNU9Ew/XO39nz2leNuNtxRW4yVL/d45DCpgwaofR7QezFqRH/gLxwvMrf8uFsobNU8K8q/C1211.java
http://www.taobao.com	DTQPsLf9hqP6MiqNU9Ew/XO39nz2leNuNtxRW4yVL/d45DCpgwaofR7QezFqRH/gLxwvMrf8uFsobNU8K8q/C1211.java
http://www.ntsc.ac.cn	DTQPsLf9hqP6MiqNU9Ew/XO39nz2leNuNtxRW4yVL/d45DCpgwaofR7QezFqRH/gLxwvMrf8uFsobNU8K8q/C1211.java
http://www.time.ac.cn/	DTQPsLf9hqP6MiqNU9Ew/XO39nz2leNuNtxRW4yVL/d45DCpgwaofR7QezFqRH/gLxwvMrf8uFsobNU8K8q/C1211.java
http://127.0.0.1	DTQPsLf9hqP6MiqNU9Ew/NqWAb3joSYHHdyErzuHu/d45DCpgwaofR7QezFqRH/d45DCpgwaofR7QezFqRH/DTQPsLf9hqP6MiqNU9Ew/AbstractC0889.java
https://h.trace.qq.com/kv	DTQPsLf9hqP6MiqNU9Ew/IEg7oZTK3IYZQIIXPOeg/d45DCpgwaofR7QezFqRH/DTQPsLf9hqP6MiqNU9Ew/C2020.java
https://astat.bugly.qcloud.com/rqd/async	DTQPsLf9hqP6MiqNU9Ew/IEg7oZTK3IYZQIIXPOeg/d45DCpgwaofR7QezFqRH/DTQPsLf9hqP6MiqNU9Ew/C2060.java
https://astat.bugly.cros.wr.pvp.net/:8180/rqd/async	DTQPsLf9hqP6MiqNU9Ew/IEg7oZTK3IYZQIIXPOeg/d45DCpgwaofR7QezFqRH/DTQPsLf9hqP6MiqNU9Ew/C2060.java
https://play.google.com/store/apps/details?id=	DTQPsLf9hqP6MiqNU9Ew/wbKECn3Ory3gNi4VfVar/d45DCpgwaofR7QezFqRH/BJ178ZbxD1muDU3bQAKC/C2436.java
http://xml.apache.org/xslt	DTQPsLf9hqP6MiqNU9Ew/nl1VbtEZG4do8DeBsIMG/d45DCpgwaofR7QezFqRH/C2140.java

http://ns.adobe.com/xap/1.0/u0000	XO39nz2leNuNtxRW4yVL/Bv4Xp3MI53YtCNL1ONOT/XO39nz2leNuNtxRW4yVL/C2629.java
http://schemas.android.com/apk/res/android	XO39nz2leNuNtxRW4yVL/JaplYherX419JY3wxQ76/DTQPslf9hqP6MiqNU9Ew/T5ydfL4lbsNb37oBbXST/C2806.java
http://m0.api.upyun.com	cn/bmob/v3/datatype/up/UpConfig.java
http://v0.api.upyun.com	cn/bmob/v3/datatype/up/UpConfig.java
http://v0.api.upyun.com/	cn/bmob/v3/datatype/up/FormUploader.java
http://m0.api.upyun.com/	cn/bmob/v3/datatype/up/BlockUploader.java
https://v0.api.upyun.com	cn/bmob/v3/datatype/up/ParallelUploader.java
http://p0.api.upyun.com/pretreatment/	cn/bmob/v3/datatype/up/ParallelUploader.java
http://p.bmob.cn/8/	cn/bmob/v3/http/BmobURL.java
https://opentest.bmob.cn/8/	cn/bmob/v3/http/BmobURL.java
https://open3.bmob.cn/8/	cn/bmob/v3/http/BmobURL.java
http://file.bmob.cn	cn/bmob/v3/http/BmobURL.java
http://io.codenow.cn:3010	cn/bmob/v3/http/BmobURL.java
http://io.codenow.cn:3010/socket.io/1/	cn/bmob/v3/realtime/Client.java
http://io.codenow.cn:3010/socket.io/1/websocket/	cn/bmob/v3/realtime/Client.java
http://io.codenow.cn	cn/bmob/v3/realtime/Client.java
http://app.bmob.iwyttc.com/8/	com/ddtx/dingdatacontact/Entity/AppData.java
http://qyqa.netease.com	com/ddtx/dingdatacontact/main/activity/PrivatizationConfigActivity.java
http://59.111.110.241:10081/lbs/demoConfig.jsp	com/ddtx/dingdatacontact/main/activity/PrivatizationConfigActivity.java
https://api.weixin.qq.com/sns/userinfo?access_token=	com/ddtx/dingdatacontact/login/LoginActivity.java
http://ip-api.com/json/?lang=zh-CN	com/ddtx/dingdatacontact/login/LoginActivity.java
http://schemas.android.com/apk/res/android	com/flyco/tablayout/SegmentTabLayout.java
http://schemas.android.com/apk/res/android	com/flyco/tablayout/CommonTabLayout.java
http://schemas.android.com/apk/res/android	com/flyco/tablayout/SlidingTabLayout.java

https://api-push.meizu.com	com/meizu/cloud/pushsdk/b/c/e.java
https://api-push.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.in.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
http://norma-external-collect.meizu.com/android/exchange/getpublickey.do	com/meizu/cloud/pushsdk/a/a/a.java
http://norma-external-collect.meizu.com/push/android/external/add.do	com/meizu/cloud/pushsdk/a/a/b.java
https://www.baidu.com/index.php?tn=25017023_10_pg&ssl_s=1&ssl_c=ssl1_171a56a2313&prec=1	com/netease/nim/uikit/business/session/activity/fragment/BaiFragment.java
https://www.jd.com/	com/netease/nim/uikit/business/session/activity/fragment/JingFragment.java
https://www.qq.com/	com/netease/nim/uikit/business/session/activity/fragment/TengFragment.java
https://api.weixin.qq.com/sns/oauth2/access_token	com/netease/nim/uikit/rest/Host.java
http://statistic.live.126.net/statics/report/common/form	com/netease/nimlib/c/ff/a.java
http://statistic.live.126.net/statics/report/im/sdk/msgreceived	com/netease/nimlib/session/h.java
https://imtest.netease.im/lbs/conf.jsp	com/netease/nimlib/e/e.java
https://imtest.netease.im/1.gif	com/netease/nimlib/e/e.java
https://imtest4.netease.im/test	com/netease/nimlib/e/e.java
https://imtest6.netease.im:8012/	com/netease/nimlib/e/e.java
https://imtest.netease.im/lbsrc/conf.jsp	com/netease/nimlib/e/e.java
https://lbs.netease.im/lbs/conf.jsp	com/netease/nimlib/e/e.java
https://dr.netease.im/1.gif	com/netease/nimlib/e/e.java
http://wannos.127.net/lbs;http://wannos-hz.127.net/lbs;http://wannos-bj.127.net/lbs;http://wannos-oversea.127.net/lbs;http://223.252.196.38/lbs	com/netease/nimlib/e/g.java
https://nrtc.netease.im/nrtc/detect.action	com/netease/nrtc/NetDetector.java
https://nrtc.netease.im/nrtc/rejoin.action	com/netease/nrtc/a.java
https://nrtc.netease.im/nrtc/getChannelInfos.action	com/netease/nrtc/b.java
https://roomserver.netease.im/v1/sdk/command/rooms	com/netease/nrtc/engine/impl/h.java

https://statistic.live.126.net/statistic/realtime/sdkinfo	com/netease/nrtc/engine/impl/e.java
https://lbs.netease.im/cc/nrtc/v2	com/netease/nrtc/engine/impl/e.java
https://lbs.netease.im/cc/nrtc/v2	com/netease/nrtc/engine/rawapi/IRtcEngine.java
https://statistic.live.126.net/statistic/realtime/sdkFunctioninfo	com/netease/nrtc/monitor/d.java
https://statistic.live.126.net/statistic/realtime/sdkinfo	com/netease/nrtc/monitor/j.java
https://goo.gl/FE5SeB	com/netease/nrtc/utility/l.java
https://nrtc.netease.im/nrtc/uploadSdkLog.action	com/netease/nrtc/utility/b/a.java
https://statistic.live.126.net/statics/report/common/form	com/netease/yunxin/report/sdk/ReportComponent.java
https://wannos.127.net/lbs	com/netease/yunxin/nos/sdk/NosComponent.java
https://statistic.live.126.net/sdklog/getToken	com/netease/yunxin/nos/sdk/NosComponent.java
https://nosup-hz1.127.net	com/netease/yunxin/nos/sdk/NosComponent.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fr.java
http://www.jivesoftware.com/xmlns/xmpp/properties\	com/xiaomi/push/gc.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gj.java
https://%1\$s/gslb/?ver=4.0	com/xiaomi/push/cs.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gk.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/ff.java
https://resolver.msg.global.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bj.java
https://resolver.msg.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bj.java
https://cn.register.xmpush.xiaomi.com	com/xiaomi/push/service/m.java
https://register.xmpush.global.xiaomi.com	com/xiaomi/push/service/m.java
https://fr.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/m.java
https://ru.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/m.java
https://idmb.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/m.java

https://android.bugly.qq.com/rqd/async	com.tencent/bugly/crashreport/common/strategy/StrategyBean.java
http://debugtbs.qq.com	com.tencent/smtt/sdk/WebView.java
http://debugx5.qq.com	com.tencent/smtt/sdk/WebView.java
http://debugtbs.qq.com?10000\	com.tencent/smtt/sdk/WebView.java
http://pms.mb.qq.com/rsp204	com.tencent/smtt/sdk/j.java
http://mdc.html5.qq.com/mh?channel_id=50079&u=	com.tencent/smtt/sdk/a/c.java
http://mdc.html5.qq.com/d/directdown.jsp?channel_id=11047	com.tencent/smtt/sdk/b/a/a.java
http://mdc.html5.qq.com/d/directdown.jsp?channel_id=11041	com.tencent/smtt/sdk/b/a/a.java
http://log.tbs.qq.com/ajax?c=pu&v=2&k=	com.tencent/smtt/utills/n.java
http://log.tbs.qq.com/ajax?c=pu&tk=	com.tencent/smtt/utills/n.java
http://wup.imtt.qq.com:8080	com.tencent/smtt/utills/n.java
http://log.tbs.qq.com/ajax?c=dl&k=	com.tencent/smtt/utills/n.java
http://cfg.imtt.qq.com/tbs?v=2&mk=	com.tencent/smtt/utills/n.java
http://log.tbs.qq.com/ajax?c=ul&v=2&k=	com.tencent/smtt/utills/n.java
http://mqqqad.html5.qq.com/adjs	com.tencent/smtt/utills/n.java
http://log.tbs.qq.com/ajax?c=ucfu&k=	com.tencent/smtt/utills/n.java
http://soft.tbs.imtt.qq.com/17421/tbs_res_imtt_tbs_DebugPlugin_DebugPlugin.tbs	com.tencent/smtt/utills/d.java
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuid=%s	com.tencent/mm/opensdk/diffdev/a/c.java
https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s×tamp=%s&scope=%s&signature=%s	com.tencent/mm/opensdk/diffdev/a/b.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	qvRU8iWJrD4MUgKYXaKJ/d45DCpgwaofR7QezFqRH/AbstractC8260.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	qvRU8iWJrD4MUgKYXaKJ/d45DCpgwaofR7QezFqRH/AbstractC8243.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	qvRU8iWJrD4MUgKYXaKJ/d45DCpgwaofR7QezFqRH/AbstractC8271.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	qvRU8iWJrD4MUgKYXaKJ/d45DCpgwaofR7QezFqRH/AbstractC8275.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	qvRU8iWJrD4MUgKYXaKJ/d45DCpgwaofR7QezFqRH/AbstractC8242.java

https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	qvRU8iWjrD4MUgKYXaKJ/d45DCpgwaofR7QezFqRH/mtGfsObhIMxbxp6pHEKF/C6748.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	qvRU8iWjrD4MUgKYXaKJ/d45DCpgwaofR7QezFqRH/mtGfsObhIMxbxp6pHEKF/C6750.java
http://www.bouncycastle.org)	r5cewk99WoAl2YqjpFZI/cncWcaoPDyYGrHQFi5gb/C9669.java
http://...	r5cewk99WoAl2YqjpFZI/qvRU8iWjrD4MUgKYXaKJ/d45DCpgwaofR7QezFqRH/d45DCpgwaofR7QezFqRH/C9738.java
https://play.google.com/store	摸瓜V1引擎
https://appgallery.cloud.huawei.com/app/	摸瓜V1引擎
https://play.google.com/store/apps/details?id=	摸瓜V1引擎
https://appgallery.cloud.huawei.com	摸瓜V1引擎
https://store.hispace.hicloud.com/hwmarket/api/	摸瓜V1引擎
https://grs.dbankcloud.com	摸瓜V2引擎
https://grs.dbankcloud.cn	摸瓜V2引擎
https://grs.dbankcloud.eu	摸瓜V2引擎
https://grs.dbankcloud.asia	摸瓜V2引擎
https://metrics1.data.hicloud.com:6447	摸瓜V2引擎
https://metrics-dra.dt.hicloud.com:6447	摸瓜V2引擎
https://metrics2.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.data.hicloud.com:6447	摸瓜V2引擎
http://www.openssl.org/support/faq.html	lib/arm64-v8a/librts_network.so

 邮箱线索

邮箱地址	所在文件
732662@sina.com hyy12@qq.com hyy@hotmail.com hyy@gmail.com	

hyy@sohu.com hyy@189.cn hyy-123@163.com hyy@139.com	DTQPslF9hqP6MiqNU9Ew/wbKECn3Ory3gNi4VfVar/d45DCpgwaofR7QezFqRH/nl1VbtEZG4do8DeBsIMG/C2474.java
rubin@rubindemacbook-pro.local	com/netease/yunxin/report/sdk/ReportManager.java
rubin@rubindemacbook-pro.local	com/netease/yunxin/nos/sdk/NosFacade.java

☎ 手机线索

手机号	所在文件
13000000000	com/ddtx/dingdatacontact/main/activity/FeedBackActivity.java
13000000000	com/netease/nim/uikit/complaint/ReportActivity.java
17179869184	r5cewk99WoAl2YqjpFZI/cncWcaoPDyYGrHQFi5gb/BJ178ZbxD1muDU3bQAKC/cncWcaoPDyYGrHQFi5gb/d45DCpgwaofR7QezFqRH/C8450.java
17179869183	r5cewk99WoAl2YqjpFZI/cncWcaoPDyYGrHQFi5gb/BJ178ZbxD1muDU3bQAKC/cncWcaoPDyYGrHQFi5gb/d45DCpgwaofR7QezFqRH/C8450.java
15095675534	r5cewk99WoAl2YqjpFZI/cncWcaoPDyYGrHQFi5gb/XO39nz2leNuNtxRW4yVL/QmpDjhklk9R73aaOrF78/C8585.java

☀ 签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: True
找到 1 个唯一证书
主题: C=CmeVTqVf, ST=DKFbZrUp, L=qmjtsRV, O=SfdHkyOJ, OU=tOZSKZSn, CN=jKlyKKvP
签名算法: rsassa_pkcs1v15
有效期自: 2025-06-24 07:31:48+00:00
有效期至: 2035-06-22 07:31:48+00:00
发行人: C=CmeVTqVf, ST=DKFbZrUp, L=qmjtsRV, O=SfdHkyOJ, OU=tOZSKZSn, CN=jKlyKKvP
序列号: 0x1a9fea31f8c38f9c
哈希算法: sha256
md5值: 1c2cd25daaf9e3542e8f22cf1778d4b8
sha1值: 27e86fa322e75856cfb91020ff8bc2fb120b5c76
sha256值: 89ba7a56c3733d546e455929a397ff880caf263296f85db45c4685131b712b2d
sha512值: ac934973ce732e7d8f7d4336eff46c59e091817d86749f40749b4af0476293f390dc7e9dead99201503d09f91d8c4da923b7027bc7e6c2518f3b1f357a7bb7b0
公钥算法: rsa
密钥长度: 2048
指纹: d488a84ec8c1e3a1efdf2307c3bac07a52c9954284830f50f55a8705b160dcf6

🔑 硬编码敏感信息

可能的敏感信息
"input_password" : "请输入密码，6~20位字母或者数字"
"main_tab_session" : "会话"
"nrtc_setting_other_device_default_rotation_key" : "nrtc_setting_other_device_default_rotation_key"
"nrtc_setting_other_device_rotation_fixed_offset_key" : "nrtc_setting_other_device_rotation_fixed_offset_key"
"nrtc_setting_other_server_record_audio_key" : "nrtc_setting_other_server_record_audio_key"
"nrtc_setting_other_server_record_video_key" : "nrtc_setting_other_server_record_video_key"
"nrtc_setting_vie_crop_ratio_key" : "nrtc_setting_vie_crop_ratio_key"
"nrtc_setting_vie_default_front_camera_key" : "nrtc_setting_vie_default_front_camera_key"
"nrtc_setting_vie_fps_reported_key" : "nrtc_setting_vie_fps_reported_key"
"nrtc_setting_vie_hw_decoder_key" : "nrtc_setting_vie_hw_decoder_key"
"nrtc_setting_vie_hw_encoder_key" : "nrtc_setting_vie_hw_encoder_key"
"nrtc_setting_vie_max_bitrate_key" : "nrtc_setting_vie_max_bitrate_key"
"nrtc_setting_vie_quality_key" : "nrtc_setting_vie_quality_key"
"nrtc_setting_vie_rotation_key" : "nrtc_setting_vie_rotation_key"
"nrtc_setting_voe_audio_aec_key" : "nrtc_setting_voe_audio_aec_key"
"nrtc_setting_voe_audio_ns_key" : "nrtc_setting_voe_audio_ns_key"
"nrtc_setting_voe_call_proximity_key" : "nrtc_setting_voe_call_proximity_key"
"nrtc_setting_voe_high_quality_key" : "nrtc_setting_voe_high_quality_key"
"please_input_confim_pwd" : "请确认密码"
"please_input_pwd" : "请设置密码"
"private_config_note" : " 1.私有化配置的将在app重启后生效，请注销登陆并杀掉进程。 2.如果要切换到环境，关闭或打开开关退出登陆杀掉进程即可。 "

"setting_private_config" : "私有化配置"
"team_authentication" : "身份验证"
"team_invitee_authentication" : "被邀请人身份验证"
"team_invitee_need_authen" : "需要验证"
"team_invitee_not_need_authen" : "不需要验证"
"team_need_authentication" : "需要身份验证"
"tui_user" : "推荐人员"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

应用内通信