



MoGua

StuLauncher5 5.1.0.9.harmony3.xkt.APK 分析报告



APP名称:

StuLauncher5

包名:	com.android.iflylauncher3
域名线索:	47条
URL线索:	60条
邮箱线索:	1条
分析日期:	2025年6月7日
分析平台:	摸瓜APK反编译平台

文件信息

文件名: 1534131679723_Launcher_IFlytek_AGS5ZW19.apk
文件大小: 39.19MB

MD5值: 1d34ff1a11d75404d6c92605e937a84a
SHA1值: a26491bb89c0c0f40a081efaaa162c898ed468f5
SHA256值: 7c5bbdca497f7c425b17cf767251cbb73f4d99bd7945640483d4d83d925b48c4

i APP 信息

App名称: StuLauncher5
包名: com.android.iflylauncher3
主活动Activity: com.android.launcher3.ui.MainActivity
安卓版本名称: 5.1.0.9.harmony3.xkt
安卓版本: 5100009

🔍 域名线索

域名	服务器信息
mehwapi.changyan.com	IP: 203.107.33.101 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
mpas-sentry.xfpaas.com	IP: 59.110.175.141 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
test.open.changyan.com	IP: 117.48.149.55 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

sizzlejs.com	IP: 104.17.99.190 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
byod.xunfeixxj.com	IP: 203.107.32.209 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
open.e.189.cn	IP: 42.123.76.75 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
d.gt.igexin.com	没有服务器地理信息.
www.zhixue.com	IP: 203.107.36.37 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
	IP: 121.52.255.89 所属国家: China

sdk.open.lbs.igexin.com	地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
172.31.223.17	IP: 172.31.223.17 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
coop.voiceloud.cn	IP: 114.118.64.118 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
config.cmpassport.com	IP: 112.33.111.251 所属国家: China 地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830
ms.zzx9.cn	IP: 123.125.99.31 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
172.31.7.248	IP: 172.31.7.248 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000

c-hzgt2.getui.com	IP: 124.160.155.55 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000
e.189.cn	IP: 42.123.76.65 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
jquery.com	IP: 104.18.155.119 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
pehwapi.changyan.com	IP: 203.107.33.101 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
sdk.open.phone.igexin.com	IP: 101.68.218.173 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000
ebglog.iflytek.com	IP: 203.107.33.101 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

byod-test.xunfeixxj.com	IP: 117.48.149.55 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
log.iflytek.com	IP: 103.8.33.178 所属国家: China 地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830
test.download.cycore.cn	IP: 117.48.149.55 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.openssl.org	IP: 34.49.79.89 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
www.w3.org	IP: 104.18.23.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
s-gt.getui.com	IP: 124.160.155.55 所属国家: China 地区: Zhejiang 城市: Jiaxing

	纬度: 30.752199 经度: 120.750000
onekey.cmpassport.com	IP: 112.33.110.15 所属国家: China 地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830
open.changyan.com	IP: 203.107.33.101 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
log1.cmpassport.com	IP: 36.138.255.61 所属国家: China 地区: Gansu 城市: Lanzhou 纬度: 36.056690 经度: 103.792221
test.pass.changyan.com	IP: 103.8.34.177 所属国家: China 地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830
hiteres.hitecloud.cn	IP: 124.163.195.72 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
	IP: 120.232.169.168 所属国家: China

wap.cmpassport.com	地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
onepass.geetest.com	IP: 103.143.17.142 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041599 经度: 114.478081
test-open.changyan.com	IP: 117.48.149.55 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
zhkt.changyan.com	IP: 203.107.32.209 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
xmlpull.org	IP: 185.199.108.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724

docs.sentry.io	IP: 66.33.60.194 所属国家: Canada 地区: Ontario 城市: Etobicoke 纬度: 43.623768 经度: -79.559723
test.zhixue.com	IP: 192.168.57.91 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
collect.ux.21cn.com	IP: 222.93.106.185 所属国家: China 地区: Jiangsu 城市: Suzhou 纬度: 31.311365 经度: 120.617691
auth.wosms.cn	IP: 124.64.196.28 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
logconf.iflytek.com	IP: 103.8.33.178 所属国家: China 地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830
rest-api.xfyun.cn	IP: 139.159.158.64 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572

opencloud.wostore.cn	IP: 116.128.209.136 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.slf4j.org	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
hwtest.zhixue.com	IP: 172.31.241.134 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000

 URL线索

URL信息	Url所在文件
https://docs.sentry.io/clients/java/config/	ad/c.java
https://open.e.189.cn/openapi/special/getTimeStamp.do	cn/com/chinatelecom/account/api/d/g.java
https://collect.ux.21cn.com/collect/custom/accountMsg	cn/com/chinatelecom/account/api/d/g.java
http://wap.cmpassport.com/resources/html/contract.html	com/cmhc/sso/sdk/activity/LoginAuthActivity.java
https://e.189.cn/sdk/agreement/detail.do	com/cmhc/sso/sdk/activity/LoginAuthActivity.java

https://opencloud.wostore.cn/authz/resource/html/disclaimer.html?fromsdk=true	com/cmicsso/sdk/activity/LoginAuthActivity.java
http://wap.cmpassport.com/resources/html/contract.html	com/geetest/onelogin/o/d.java
https://opencloud.wostore.cn/authz/resource/html/disclaimer.html?fromsdk=true	com/geetest/onelogin/o/d.java
https://e.189.cn/sdk/agreement/detail.do?hidetop=true	com/geetest/onelogin/o/d.java
https://wap.cmpassport.com/resources/html/contract.html	com/geetest/onelogin/o/a/jiyan/vm/fx.java
https://e.189.cn/sdk/agreement/detail.do	com/geetest/onelogin/o/a/jiyan/vm/fx.java
https://ms.zzx9.cn/html/oauth/protocol2.html	com/geetest/onelogin/o/a/jiyan/vm/fx.java
https://log1.cmpassport.com:9443/log/logReport	com/geetest/onelogin/o/a/jiyan/vm/es.java
https://onekey.cmpassport.com:443/unisdk/	com/geetest/onelogin/o/a/jiyan/vm/es.java
http://onekey.cmpassport.com/unisdk/	com/geetest/onelogin/o/a/jiyan/vm/ef.java
https://config.cmpassport.com/client/uniConfig	com/geetest/onelogin/o/a/jiyan/vm/ef.java
https://log1.cmpassport.com:9443/log/logReport	com/geetest/onelogin/o/a/jiyan/vm/eb.java
https://onekey.cmpassport.com:443/unisdk/api/getAuthToken	com/geetest/onelogin/o/a/jiyan/vm/di.java
http://onekey.cmpassport.com/unisdk/rs/getPrePhonescrip	com/geetest/onelogin/o/a/jiyan/vm/dg.java
https://config.cmpassport.com/client/uniConfig	com/geetest/onelogin/o/a/jiyan/vm/cz.java
http://onepass.geetest.com/cc/cache/api/usedMobile	com/geetest/onelogin/o/a/jiyan/vm/ct.java
https://auth.wosms.cn/dro/netm/v1.0/qc	com/geetest/onelogin/o/a/jiyan/vm/fk.java
https://onepass.geetest.com	com/geetest/onelogin/f/c.java

https://onepass.geetest.com	com/geetest/onepassv2/a.java
https://onepass.geetest.com	com/geetest/onepassv2/c/b.java
https://rest-api.xfyun.cn/v2/itr	com/iflytek/cbg/aistudy/biz/xfyun/RapidCalcCheckerConfig.java
https://byod-test.xunfeixj.com/	com/iflytek/aistudy/byod/l.java
https://byod.xunfeixj.com/byod/	com/iflytek/aistudy/byod/l.java
https://open.changyan.com/sso/v1/api	com/iflytek/lib/stulauncherui/StuLauncherUI.java
https://test-open.changyan.com/sso/v1/api	com/iflytek/lib/stulauncherui/StuLauncherUI.java
https://test.pass.changyan.com	com/iflytek/oauth/config/Constant.java
http://test.open.changyan.com/sso	com/iflytek/oauth/config/Constant.java
https://ebglog.iflytek.com/log	com/iflytek/loggerstatic/LoggerStatic.java
http://sdk.open.phone.igexin.com/api.php	com/igexin/push/config/SDKUrlConfig.java
http://c-hzgt2.getui.com/api.php	com/igexin/push/config/SDKUrlConfig.java
http://s-gt.getui.com/api.php	com/igexin/push/config/SDKUrlConfig.java
http://d.gt.igexin.com/api.htm	com/igexin/push/config/SDKUrlConfig.java
http://sdk.open.lbs.igexin.com/api.htm	com/igexin/push/config/SDKUrlConfig.java
http://bi.	com/igexin/push/config/p.java
http://config.	com/igexin/push/config/p.java
http://stat.	com/igexin/push/config/p.java

http://log.	com/igexin/push/config/p.java
http://lbs.	com/igexin/push/config/p.java
https://opencloud.wostore.cn/openapi/netauth/precheck/wp?	com/unigeetest/xiaowo/account/shield/d/b.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	ec/q.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	ec/g.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	ec/j.java
http://mehwapi.changyan.com	f0/a.java
https://zhkt.changyan.com/newFeedback/feedback.html	f0/a.java
http://%s/d?dn=%s&clientip=%s&ttl=%s&id=%s	hb/d.java
http://%s/d?dn=%s&clientip=%s&ttl=%s&id=%s&type=aaaa	hb/d.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	gc/c.java
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	gc/e.java
http://log.iflytek.com/log	q5/a.java
http://logconf.iflytek.com/logconfig	q5/a.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	pb/b.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	pb/i.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	tb/c.java
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	tb/e.java

http://xmlpull.org/v1/doc/features.html	s3/a.java
http://xmlpull.org/v1/doc/features.html	s3/b.java
https://docs.sentry.io/learn/quotas/	wc/h.java
http://www.slf4j.org/codes.html	xd/d.java
http://www.slf4j.org/codes.html	xd/c.java
https://docs.sentry.io/clients/java/	yc/a.java
https://open.changyan.com/sso/v1/api	z5/i.java
https://test-open.changyan.com/sso/v1/api	z5/i.java
http://coop.voicecloud.cn/activity/ms/uploadSnapshot	s8/b.java
https://pehwapi.changyan.com	i7/a.java
http://172.31.7.248:8088	i7/a.java
http://www.zhixue.com	i7/a.java
http://172.31.223.17:30334	i7/a.java
https://hwtest.zhixue.com	i7/a.java
http://test.zhixue.com	i7/a.java
http://mehwapi.changyan.com	i7/e.java
https://hiteres.hitecloud.cn	x5/b.java
https://docs.sentry.io/clients/java/config/	rc/a.java

https://docs.sentry.io/clients/java/modules/android/	sc/a.java
https://313c93e443cd45f7b0a3f3284ecc7b04@mpas-sentry.xfpaas.com/28	摸瓜V1引擎
https://open.changyan.com/sso/v1/api	摸瓜V1引擎
https://prod	摸瓜V1引擎
https://github.com/vinc3m1	摸瓜V1引擎
https://github.com/vinc3m1/RoundedImageView	摸瓜V1引擎
https://github.com/vinc3m1/RoundedImageView.git	摸瓜V1引擎
https://test.download.cycore.cn/aidp_store_07f7ef/2022/02/21/e4f47ae8f7364d9fa65ddbe76340d8ff.webp	摸瓜V2引擎
https://test.download.cycore.cn/aidp_store_07f7ef/2022/02/21/5bb7dbcba0b64caa9ce5e7b3c7003c4f.webp	摸瓜V2引擎
https://test.download.cycore.cn/aidp_store_07f7ef/2022/02/21/c6928d2984164dd1ae098bd076d38123.webp	摸瓜V2引擎
https://test.download.cycore.cn/aidp_store_07f7ef/2022/02/21/a0b8f4f555f24be498403921157ac423.webp	摸瓜V2引擎
https://test.download.cycore.cn/aidp_store_07f7ef/2022/02/21/1aa26261fd7247c0b202ea7d11b9165e.webp	摸瓜V2引擎
https://test.download.cycore.cn/aidp_store_07f7ef/2022/02/21/36a90f7a05d442ca866818c506b0225e.webp	摸瓜V2引擎
https://test.download.cycore.cn/aidp_store_07f7ef/2022/02/21/901330f98c75404294a906623a33716c.webp	摸瓜V2引擎
https://test.download.cycore.cn/aidp_store_07f7ef/2022/02/21/a8e3476a555f4336a5d76184ff36938c.webp	摸瓜V2引擎
https://test.download.cycore.cn/aidp_store_07f7ef/2022/02/18/e7f5b0cf7a6646dd8e067b31a2e4b045.png	摸瓜V2引擎
https://test.download.cycore.cn/aidp_store_07f7ef/2022/02/18/469848a03617473693c8f56a8c315b70.webp	摸瓜V2引擎
https://test.download.cycore.cn/aidp_store_07f7ef/2022/02/21/b497d8bfde3846228ca70ac0f5493697.webp	摸瓜V2引擎

https://test.download.cycore.cn/aidp_store_07f7ef/2022/02/21/07fe8fbb9c884e64b5103da51107f202.webp	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
http://jquery.com/	摸瓜V2引擎
http://sizzlejs.com/	摸瓜V2引擎
http://www.openssl.org/support/faq.html	lib/armeabi-v7a/libbiz_http.so
http://www.openssl.org/support/faq.html	lib/armeabi-v7a/libbiz_openssl.so

邮箱线索

邮箱地址	所在文件
45f7b0a3f3284ecc7b04@mpas-sentry.xfpaas	摸瓜V1引擎

手机线索

手机号	所在文件
13516237631	com/haibin/calendarview/SolarTermUtil.java
17882652114	com/haibin/calendarview/SolarTermUtil.java
18914945834	com/haibin/calendarview/SolarTermUtil.java
16832995016	com/haibin/calendarview/SolarTermUtil.java

13846158196	com/haibin/calendarview/SolarTermUtil.java
17471680261	com/haibin/calendarview/SolarTermUtil.java
18826691036	com/haibin/calendarview/SolarTermUtil.java
14159265359	com/haibin/calendarview/SolarTermUtil.java
13446589358	com/haibin/calendarview/SolarTermUtil.java
19870156017	com/haibin/calendarview/SolarTermUtil.java
19846674381	com/haibin/calendarview/SolarTermUtil.java
17387749012	com/haibin/calendarview/SolarTermUtil.java

✿ 签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: False
找到 1 个唯一证书
主题: C=86, ST=Anhui, L=Hefei, O=iFlytek, OU=Education Department, CN=iFlytek
签名算法: rsassa_pkcs1v15
有效期自: 2014-05-21 09:31:17+00:00
有效期至: 2039-05-15 09:31:17+00:00
发行人: C=86, ST=Anhui, L=Hefei, O=iFlytek, OU=Education Department, CN=iFlytek
序列号: 0x6fab8ab7
哈希算法: sha256
md5值: 2936678b384f6aafa6932fc5fa70a4fa
sha1值: b340bd6e74fe91244b6aa2ba6454c00b9d32bf5f
sha256值: 76a03f39cfabc0bfbdcd07bbaf4d4530af7bcbfa2a9086578f12a200674298508
sha512值: 96f7323da7ee276cfa906380253ddd7c3e44b85979def0a129ad18d2606f410d97718f20a5798ecbd46d9fb51a8c3dde972a8e468de9b72513b99ba8778cee46
公钥算法: rsa
密钥长度: 2048

硬编码敏感信息

可能的敏感信息
"base_appSecret" : "9mzUQjwEUeuUs6mVz6aegJRZHiFEDASs"
"base_publicKey" : "305C300D06092A864886F70D0101010500034B0030480241008C7DD2EC94FDD809616F9A6CF6690C1C1A02AA1FFC5FD2AA71B2945F65A2C442EDE3B62F997C1B2EBE2ECDF57B52EC369A5934D4951EDC70FEA11E977DABA3810203010001"
"library_roundedimageview_author" : "Vince Mi"
"library_roundedimageview_authorWebsite" : "https://github.com/vinc3m1"
"real_name_authentication" : "国家教育资源公共服务体系实名认证>"
"user_center_item_modify_password" : "修改密码"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接

☰ 此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.QUERY_ALL_PACKAGES	正常		允许查询设备上的任何普通应用程序,无论清单声明如何
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
com.iflytek.mdmservice.provider.readonly	未知	Unknown permission	Unknown permission from android reference
com.iflytek.mdmstore.provider.read	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
com.iflytek.mdm.permission.CALL_API	未知	Unknown permission	Unknown permission from android reference
com.iflytek.laboratory.open	未知	Unknown permission	Unknown permission from android reference
com.iflytek.translate.function	未知	Unknown permission	Unknown permission from android reference

android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.READ_LOGS	危险	读取敏感日志数据	允许应用程序从系统读小号各种日志文件。这使它能够发现有关您使用手机做什么的一般信息,可能包括个人或私人信息
android.permission.PACKAGE_USAGE_STATS	合法	更新组件使用统计	允许修改收集的组件使用统计。不供普通应用程序使用
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.MANAGE_EXTERNAL_STORAGE	危险	允许应用程序广泛访问范围存储中的外部存储	允许应用程序广泛访问范围存储中的外部存储。旨在供少数需要代表用户管理文件的应用程序使用
com.android.permission.GET_INSTALLED_APPS	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_FINE_LOCATION	危险	精细定位（GPS）	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
com.toycloud.permissions.BROADCAST_TOKEN_ERROR	未知	Unknown permission	Unknown permission from android reference
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置

android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
com.iflytek.aistudy.permission.UPDATE_TEXTBOOK_PERM	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.READ_PRIVILEGED_PHONE_STATE	未知	Unknown permission	Unknown permission from android reference
com.iflytek.lanucher.permission.READ_CONTENT	未知	Unknown permission	Unknown permission from android reference
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.android.moduleguide.UserGuideActivity	Schemes: com.android.iflylauncher3://, Hosts: guide, Paths: /middle,
com.android.moduleguide.PrimaryUserGuideActivity	Schemes: com.android.iflylauncher3://, Hosts: guide, Paths: /primary,
com.android.modulecommon.ui.UserFeedbackWebViewActivity	Schemes: com.android.iflylauncher3://, Hosts: feedback, Paths: /feedback,
com.android.modulecommon.ui.ScreenOffSetActivity	Schemes: com.android.iflylauncher3://, Hosts: screenoff,

Paths: /set,

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。