



MoGua

默往企业版 1.1.1.APK 分析报告



APP名称:

默往企业版

包名:	com.mostone.mixin
域名线索:	16条
URL线索:	4条
邮箱线索:	0条
分析日期:	2025年6月24日
分析平台:	摸瓜APK反编译平台

文件名: 默往企业版本.apk
文件大小: 120.45MB
MD5值: 1ddba0d191a00c880b765c1a2e72b15e
SHA1值: ad4f9db7a67c7e22b88d6aa3e230ac57344f00b2
SHA256值: 4da2b8f64a49b5946efc8dd9cdca14e65041eba606db7b70dfa9e769a748695f

i APP 信息

App名称: 默往企业版
包名: com.mostone.mixin
主活动Activity: com.mostone.life.ui.SplashActivity
安卓版本名称: 1.1.1
安卓版本: 10101

🔍 域名线索

域名	服务器信息
grs.dbankcloud.eu	没有服务器地理信息.
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
grs.dbankcloud.asia	IP: 49.4.35.251 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572

data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
metrics1-drcn.dt.dbankcloud.cn	IP: 111.202.16.252 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
data-drcn.push.dbankcloud.com	IP: 121.36.117.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
data-dra.push.dbankcloud.com	IP: 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
t.cn	IP: 123.56.139.83 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
data-drru.push.dbankcloud.com	IP: 159.138.202.31 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg

	纬度: 56.857498 经度: 60.612499
metrics-dra.dt.hicloud.com	IP: 94.74.88.100 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
grs.dbankcloud.com	IP: 60.28.193.195 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
metrics2.data.hicloud.com	IP: 80.158.2.190 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
grs.dbankcloud.cn	IP: 49.4.35.251 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
metrics5.dt.dbankcloud.ru	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
grs.platform.dbankcloud.ru	没有服务器地理信息.

web.mostonetech.com	IP: 8.218.208.240 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
---------------------	---

 URL线索

URL信息	Url所在文件
http://t.cn/RrYrVUx	摸瓜V1引擎
https://web.mostonetech.com	摸瓜V1引擎
https://data-drcn.push.dbankcloud.com	摸瓜V2引擎
https://data-dra.push.dbankcloud.com	摸瓜V2引擎
https://data-dre.push.dbankcloud.com	摸瓜V2引擎
https://data-drru.push.dbankcloud.com	摸瓜V2引擎
https://metrics1-drcn.dt.dbankcloud.cn:443	摸瓜V2引擎
https://metrics-dra.dt.hicloud.com:6447	摸瓜V2引擎
https://metrics2.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.dt.dbankcloud.ru:6447	摸瓜V2引擎

https://grs.dbankcloud.com	摸瓜V2引擎
https://grs.dbankcloud.cn	摸瓜V2引擎
https://grs.dbankcloud.asia	摸瓜V2引擎
https://grs.platform.dbankcloud.ru	摸瓜V2引擎
https://grs.dbankcloud.eu	摸瓜V2引擎

邮箱线索

手机线索

手机号	所在文件
13271275306	摸瓜V1引擎

签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: False
找到 1 个唯一证书
主题: CN=MO, OU=MO, O=MO, L=XiaMen, ST=Fujian, C=86
签名算法: rsassa_pkcs1v15
有效期自: 2024-04-28 02:12:37+00:00
有效期至: 2049-04-22 02:12:37+00:00
发行人: CN=MO, OU=MO, O=MO, L=XiaMen, ST=Fujian, C=86
序列号: 0x1

哈希算法: sha256
md5值: 1e59f5f9a1b0c1f5588c0efc9f2f2b7d
sha1值: 36c65be9e7eccbc4c90dc983b74bcc8b9c7c3d7c
sha256值: 0963f170a8b53b156174fc399b2006d0ef007e8fbfe4e946376d82888c293fc5
sha512值: 6a0853ad845a104eb640b50cab7cf4a57a03d35851e181d653941d151a667bcd1541011dde8e1a3adb6535460c3cdf9ccb1ee78638f886b4c090a95cee2f7a49
公钥算法: rsa
密钥长度: 2048
指纹: 92cb8e58fc9615972d8100c7832b70edad2a83996c23bffa3a6cbf061f6a772c

硬编码敏感信息

可能的敏感信息
"album_dialog_set_encrypted_pwd": "请设置加密相册独立密码，保护您的相册隐私？ "
"album_independent_pwd": "相册独立密码"
"album_independent_pwd_tip": "离开加密相册或锁定默往，再进入需要 使用密码解锁"
"album_num_pwd_input_original": "请输入原相册独立密码"
"album_pwd_atypism_reinput_please": "两次密码输入不一致，请重新输入"
"album_pwd_inconsistent_reinput_please": "新密码与旧密码不能一致，请重新输入"
"album_pwd_input": "请输入相册独立密码"
"album_pwd_invalid": "相册独立密码已失效 需要进行短信验证并重新设置 相册独立密码"
"album_pwd_reinput": "请再次输入相册独立密码"
"base_add_to_secret_album": "添加至私密相册"
"base_input_pay_pwd": "请输入支付密码"

"base_wechat_auth_fail": "微信授权失败"
"circle_post_read_auth": "您需要通过默往企业版零钱充值完成人脸识别认证，才可使用此功能"
"forget_pwd": "忘记密码"
"home_withdraw_auth_id": "已认证身份证号码"
"home_withdraw_auth_name": "已认证真实姓名"
"im_add_private_conversation": "添加秘密好友"
"im_condition_temp_group_auth_close": "群主已关闭群认证"
"im_condition_temp_group_auth_open": "群主开启群认证 需群主或管理员同意后才能加入群聊"
"im_dnt_use_pwd": "不使用口令"
"im_enter_private_conversation": "进入秘密好友"
"im_filter_no_real_name_user": "过滤用户"
"im_group_manager_authority_set": "管理员权限设置"
"im_invite_friend_dont_auth": "邀请好友进群无需验证"
"im_number_pwd_format": "数字口令用于进入秘密好友，由3-20数字组成"
"im_open_group_auth": "开启群认证"
"im_opened_dnt_pwd_can_secret": "开启后，不需要验证口令也可以进入秘密好友"
"im_private_conversation": "秘密好友"

"im_private_friend" : "秘密好友"
"im_remove_from_private_conversation" : "移出密友"
"im_set_as_private_conversation_desc" : "设置后，该联系人在通讯录、聊天对话隐藏。通过口令或设置里唤起或者点击右上角入口进入"
"im_set_number_pwd" : "设置数字口令"
"im_set_pwd_click_here" : "点此可设置口令"
"im_sg_close_manager_authority" : "暂无权限"
"im_user_cancel_auth" : "用户取消授权登陆"
"important_thing_status_private" : "密友消息"
"input_pwd_again" : "请再次输入密码"
"input_pwd_first_time" : "请输入密码"
"input_screen_pwd" : "请输入应用锁"
"item_real_name_auth" : "实名认证"
"login_dialog_forget_pwd" : "忘记密码"
"login_forget_pwd" : "忘记密码"
"login_forget_pwd_send_code" : "获取验证码"
"login_input_pwd" : "输入密码"
"login_pwd_login" : "密码登录"

"login_wrong_account_or_password": "账号或密码错误"
"red_agree_auth": "同意授权"
"red_already_auth_success": "已认证成功"
"red_auth_sub": "正在提交授权信息..."
"red_auth_suss": "实名认证成功"
"red_authed_dont_modify": "每个身份证号码最多支持认证5个默往企业版号 认证成功不得修改"
"red_no_realname_auth_tip": "未实名认证提示"
"red_plz_go_auth_in_me": "根据相关规定，请先进行实名认证。请点击我的页面的【默往企业版零钱】进行实名认证"
"red_you_need_real_name_auth": "根据相关规定，开通默往企业版零钱功能需要进行实名认证"
"safe_screen_pwd": "应用锁"
"safe_screen_pwd_change": "更改应用锁密码"
"safe_screen_pwd_close": "关闭密码"
"safe_set_pwd": "设置密码"
"safe_use_gesture_pwd": "使用手势密码方式"
"safe_use_number_pwd": "使用数字密码方式"
"screen_pwd_draw": "绘制图案"
"screen_pwd_draw_too_short": "至少连接4个点，请重新输入"
"screen_pwd_set_success": "设置成功"

"secret_become_his_friend" : "你已成为Ta的秘密好友"
"secret_invite_agree_suc" : "恭喜！你们已经成为默往企业版好友 同时，你也成为Ta的秘密好友"
"secret_invite_share_content" : "这是我们两个人的专属聊天空 间 又私密又安全，赶快加入吧！ "
"secret_invite_share_title" : "真诚邀请您成为秘密好友"
"secret_invite_wechat_friend" : "邀请微信好友"
"secret_invite_wx_friend" : "邀请微信好友成为您的秘密好友"
"secret_invite_you" : "邀请你成为秘密好友"
"secret_invite_you_agree" : "同意"
"secret_kouling_be_overdue" : "您复制的密友口令已过期， 请向好友重新索取密友口令"
"secret_kouling_has_become" : "你已经成为Ta的秘密好友"
"secret_kouling_it_was" : "你本来就是Ta的秘密好友"
"secret_kouling_verification" : "密友口令验证"
"secret_no_mw_friend" : "您暂时没有默往企业版好友"
"setting_forget_lock_pwd" : "忘记应用锁密码"
"setting_gesture_pwd_reset_tips" : "手势应用锁已失效 请重新登录， 并到安全中心 设置应用锁"
"setting_input_origin_pwd" : "输入原密码"
"setting_input_pwd_again" : "再次输入密码"

"setting_modify_login_pwd" : "修改登录密码"
"setting_next_login_plz_set_pwd" : "为了下次更便利登录，退出前请设置登录密码"
"setting_number_pwd_reset_tips" : "数字应用锁已失效 请重新登录，并到安全中心 设置应用锁"
"setting_open_set_screen_lock_pwd" : "点此开启并设置应用锁"
"setting_origin_pwd" : "原密码"
"setting_plz_put_login_pwd" : "请再次输入登录密码"
"setting_plz_set_login_pwd" : "请先设置登录密码"
"setting_private_conversation" : "秘密好友"
"setting_pwd_diff" : "密码不一致"
"setting_pwd_format" : "密码必须为8-16位的数字、字符组合（不能为纯数字） "
"setting_pwd_reset_plz_relogin" : "密码重置成功，您需要重新登录"
"setting_pwd_reset_success" : "密码重置成功"
"setting_pwd_same_plz_input" : "新密码与旧密码不能一致，请重新输入"
"setting_reset_login_pwd" : "重置登录密码"
"setting_reset_pwd" : "重置密码"
"setting_set_gesture_pwd" : "设置手势密码"
"setting_set_login_pwd" : "设置登录密码"
"setting_set_private_kouling" : "设置数字口令"

"share_request_auth" : "授权请求..."
"string_add_secret_conversation_result" : "从会话列表、通讯录隐藏 只能通过秘密好友进入聊天"
"string_move_him_to_private_conversation" : "把TA加到秘密好友"
"string_plz_input_private_kouling" : "请输入密友口令"
"string_plz_set_kouling_into_private_conversation" : "请先设置进入秘密好友的口令"
"string_private_conversation_add_success" : "添加秘密好友成功"
"string_private_conversation_already_set" : "密友口令已设置"
"string_remove_secret_conversation" : "移出秘密好友"
"string_removed_secret_conversation_result" : "恢复会话列表、通讯录显示"
"string_set_private_conversation" : "设置为秘密好友"
"toast_group_auth_close" : "群主已关闭群认证"
"toast_group_auth_open" : "群主开启群认证 需群主或管理员同意后才能加入群聊"
"umcsdk_oauth_version_name" : "v1.4.1"
"upload_token_request_failed" : "token请求失败"
"user_auth_tips" : "温馨提示： 1. 根据相关法律法规，在使用默往企业版服务之前，您需要填写身份信息实名认证； 2. 未满18周岁的用户无法实名； 3. 请您填写准确、真实的身份信息，实名信息将被作为身份识别、判定您的账号使用权归属依据； 4. 您所提交的身份信息将被严格保密，不会被用于其他用途； "
"user_cancel_alipay_authorization" : "取消支付宝授权"
"user_determine_authorization" : "确定授权"

"user_immediate_real_name_authentication" : "立即实名认证"
"user_real_name_authentication" : "实名认证"
"wbx_sdk_missing_token" : "缺少token"
"wbx_sdk_person_auth" : "人像认证"
"wbx_sdk_portrait_auth_passed" : "人像认证通过"
"wbx_sdk_tip1_paycode_auth" : "您已阅读并同意"
"wbx_sdk_tip_digital_certificate" : "数字证书"
"wbx_sdk_tip_failed_enable_free_password" : "开通免密失败"
"wbx_sdk_tip_retrieve_payment_password" : "找回支付密码"
"wbx_sdk_use_pwd" : "使用密码"
"wp_vip_invited_user" : "邀请的用户"
"wp_vip_no_invited_user" : "您还没有邀请过的用户"
"album_dialog_set_encrypted_pwd" : "請設定加密相簿獨立密碼，保護您的相簿私隱？ "
"album_independent_pwd" : "相簿獨立密碼"
"album_independent_pwd_tip" : "離開加密相簿或鎖定默往，再進入需要 使用密碼解鎖"
"album_num_pwd_input_original" : "請輸入原相簿獨立密碼"
"album_pwd_atypism_reinput_please" : "兩次密碼輸入不一致，請重新輸入"

"album_pwd_inconsistent_reinput_please": "新密碼與舊密碼不能一致，請重新輸入"
"album_pwd_input": "請輸入相簿獨立密碼"
"album_pwd_invalid": "相簿獨立密碼已失效 需要進行短訊驗證並重新設定 相簿獨立密碼"
"album_pwd_reinput": "請再次輸入相簿獨立密碼"
"base_add_to_secret_album": "添加到私密相簿"
"base_input_pay_pwd": "請輸入支付密碼"
"base_wechat_auth_fail": "微信授權失敗"
"circle_post_read_auth": "您需要通過默往企业版零錢充值完成人臉識別認證，才可使用此功能"
"forget_pwd": "忘記密碼"
"im_add_private_conversation": "添加秘密好友"
"im_dnt_use_pwd": "不使用口令"
"im_enter_private_conversation": "進入秘密好友"
"im_filter_no_real_name_user": "過濾未認證用戶"
"im_group_manager_authority_set": "管理員權限設定"
"im_invite_friend_dont_auth": "邀請好友進群無需驗證"
"im_number_pwd_format": "数字口令用于进入秘密好友，由3-20数字组成"
"im_open_group_auth": "開啟群認證"
"im_opened_dnt_pwd_can_secret": "开启后，不需要验证口令也可以进入秘密好友"

"im_private_conversation" : "秘密好友"
"im_private_friend" : "秘密好友"
"im_remove_from_private_conversation" : "移出密友"
"im_set_as_private_conversation_desc" : "設定後，該聯絡人在通訊錄、聊天對話隱藏。通過口令或設定裏喚起"
"im_set_number_pwd" : "设置数字口令"
"im_set_pwd_click_here" : "点此可设置口令"
"im_sg_close_manager_authority" : "暫無權限"
"im_user_cancel_auth" : "用戶取消授權登陸"
"important_thing_status_private" : "秘密訊息"
"input_pwd_again" : "請再次輸入密碼"
"input_pwd_first_time" : "請輸入密碼"
"input_screen_pwd" : "請輸入應用鎖"
"item_real_name_auth" : "實名認證"
"login_dialog_forget_pwd" : "忘記密碼"
"login_forget_pwd" : "忘記密碼"
"login_forget_pwd_send_code" : "獲取驗證碼"
"login_input_pwd" : "輸入密碼"

"login_pwd_login" : "密碼登入"
"login_wrong_account_or_password" : "帳戶或密碼錯誤"
"red_agree_auth" : "同意授權"
"red_already_auth_success" : "已認證成功"
"red_auth_sub" : "正在提交授權資訊..."
"red_auth_suss" : "實名認證成功"
"red_authed_dont_modify" : "每個身份證號碼最多支持認證5個默往企业版號 認證成功不得修改"
"red_no_realname_auth_tip" : "未實名認證提示"
"red_plz_go_auth_in_me" : "根據相關規定，請先進行實名認證。請點擊我的頁面的【默往企业版零錢】進行實名認證"
"red_you_need_real_name_auth" : "根據相關規定，開通默往企业版零錢功能需要進行實名認證"
"safe_screen_pwd" : "應用鎖"
"safe_screen_pwd_change" : "更改應用鎖密碼"
"safe_screen_pwd_close" : "關閉密碼"
"safe_set_pwd" : "設定密碼"
"safe_use_gesture_pwd" : "使用手勢密碼方式"
"safe_use_number_pwd" : "使用數字密碼方式"
"screen_pwd_draw" : "繪製圖案"
"screen_pwd_draw_too_short" : "至少連接4個點，請重新輸入"

"screen_pwd_set_success" : "設定成功"
"secret_become_his_friend" : "妳已經成為Ta的秘密好友"
"secret_invite_agree_suc" : "恭喜！妳們已經成為默往企业版好友 同時，妳也成為Ta的秘密好友"
"secret_invite_share_content" : "這是我們兩個人的專屬聊天空間 又私密又安全，趕快加入吧"
"secret_invite_share_title" : "真誠邀請您成為秘密好友"
"secret_invite_wechat_friend" : "邀請微信好友"
"secret_invite_wx_friend" : "邀請微信好友成為您的秘密好友"
"secret_invite_you" : "邀請妳成為秘密好友"
"secret_invite_you_agree" : "同意"
"secret_kouling_be_overdue" : "您復制的密友口令已過期，請向好友重新索取密友口令"
"secret_kouling_has_become" : "妳已經成為Ta的秘密好友"
"secret_kouling_it_was" : "妳本來就是Ta的秘密好友"
"secret_kouling_verification" : "密友口令驗證"
"secret_no_mw_friend" : "您暫時沒有默往企业版好友"
"setting_forget_lock_pwd" : "忘記應用鎖密碼"
"setting_gesture_pwd_reset_tips" : "手勢應用鎖已失效 請重新登入，並到安全中心 設定應用鎖"
"setting_input_origin_pwd" : "輸入原密碼"

"setting_input_pwd_again" : "再次輸入密碼"
"setting_modify_login_pwd" : "修改登入密碼"
"setting_next_login_plz_set_pwd" : "爲了下次更便利登入，退出前請設定登入密碼"
"setting_number_pwd_reset_tips" : "數字應用鎖已失效 請重新登入，並到安全中心 設定應用鎖"
"setting_open_set_screen_lock_pwd" : "點此開啟並設定應用鎖"
"setting_origin_pwd" : "原密碼"
"setting_plz_put_login_pwd" : "請再次輸入登入密碼"
"setting_plz_set_login_pwd" : "請先設定登入密碼"
"setting_private_conversation" : "秘密好友"
"setting_pwd_diff" : "密碼不一致"
"setting_pwd_format" : "密碼必須爲8-16位的數字、字元組合（不能爲純數字） "
"setting_pwd_reset_plz_relogin" : "密碼重置成功，您需要重新登入"
"setting_pwd_reset_success" : "密碼重置成功"
"setting_pwd_same_plz_input" : "新密碼與舊密碼不能一致，請重新輸入"
"setting_reset_login_pwd" : "重置登入密碼"
"setting_reset_pwd" : "重置密碼"
"setting_set_gesture_pwd" : "設定手勢密碼"
"setting_set_login_pwd" : "設定登入密碼"

"setting_set_private_kouling" : "設定密友口令"
"share_request_auth" : "授權請求..."
"string_add_secret_conversation_result" : "從會話列表、通訊錄隱藏 只能通過秘密好友進入聊天"
"string_move_him_to_private_conversation" : "把TA加到秘密好友"
"string_plz_input_private_kouling" : "請輸入密友口令"
"string_plz_set_kouling_into_private_conversation" : "請先設定進入秘密好友的口令"
"string_private_conversation_add_success" : "添加秘密好友成功"
"string_private_conversation_already_set" : "密友口令已設定"
"string_remove_secret_conversation" : "移出秘密好友"
"string_removed_secret_conversation_result" : "恢復會話列表、通訊錄顯示"
"string_set_private_conversation" : "設定為秘密好友"
"toast_group_auth_close" : "群主已關閉群認證"
"toast_group_auth_open" : "群主開啟群認證 需群主或管理員同意後才能加入群聊"
"user_cancel_alipay_authorization" : "取消支付寶授權"
"user_determine_authorization" : "確定授權"
"user_immediate_real_name_authentication" : "立即實名認證"
"user_real_name_authentication" : "實名認證"

"album_dialog_set_encrypted_pwd" : "Please set an independent password for encrypted albums to protect your album privacy?"
"album_independent_pwd" : "Album Password"
"album_independent_pwd_tip" : "Leave the encrypted album or lock it silently, and then enter the need to unlock with a password "
"album_num_pwd_input_original" : "Please enter the original album password"
"album_pwd_atypism_reinput_please" : "The two password entries are inconsistent, please re-enter"
"album_pwd_inconsistent_reinput_please" : "The new password is not the same as the old password, please re-enter"
"album_pwd_input" : "Please enter album password"
"album_pwd_invalid" : "The album independent password has expired SMS verification and reset are required the album independent password"
"album_pwd_reinput" : "Please enter the album password again"
"base_add_to_secret_album" : "Add to secret album"
"base_input_pay_pwd" : "Enter payment password"
"base_wechat_auth_fail" : "WeChat authorization failure"
"circle_post_read_auth" : "You should recharge first to complete face verification."
"forget_pwd" : "Forget password"
"im_add_private_conversation" : "Add Secret friend"
"im_dnt_use_pwd" : "不使用口令"
"im_enter_private_conversation" : "Enter a secret friend"
"im_filter_no_real_name_user" : "Filter unauthenticated users"

"im_group_manager_authority_set" : "Administrator privilege setting"
"im_invite_friend_dont_auth" : "Invite friends into the group without verification"
"im_number_pwd_format" : "数字口令用于进入秘密好友，由3-20数字组成"
"im_open_group_auth" : "Enable Invitation Approval"
"im_opened_dnt_pwd_can_secret" : "开启后，不需要验证口令也可以进入秘密好友"
"im_private_conversation" : "Secret friend"
"im_private_friend" : "Secret friend"
"im_remove_from_private_conversation" : "Remove Secret friends"
"im_set_as_private_conversation_desc" : "After setting, the contact will be hidden in the address book and chat conversations. Aroused by password or settings"
"im_set_number_pwd" : "设置数字口令"
"im_set_pwd_click_here" : "点此可设置口令"
"im_sg_close_manager_authority" : "No permissions"
"im_user_cancel_auth" : "User cancels authorization to log in"
"important_thing_status_private" : "Secret Friend Message"
"input_pwd_again" : "Enter New Password again"
"input_pwd_first_time" : "Enter password"
"input_screen_pwd" : "Please enter the application lock"

"item_real_name_auth" : "Real-name authentication"
"login_dialog_forget_pwd" : "Forget password"
"login_forget_pwd" : "Forget password"
"login_forget_pwd_send_code" : "Send"
"login_input_pwd" : "Enter password"
"login_pwd_login" : "Log in via password"
"login_wrong_account_or_password" : "Wrong phone number or password"
"red_agree_auth" : "Agree to authorize"
"red_already_auth_success" : "Successfully authenticated"
"red_auth_sub" : "Submitting authorization information..."
"red_auth_suss" : "Real-name authentication succeeded"
"red_authed_dont_modify" : "Each ID number supports authentication of up to 5 MO Messenger Numbers No modification is allowed after successful certification"
"red_no_realname_auth_tip" : "Not real-name authentication prompt"
"red_plz_go_auth_in_me" : "According to relevant regulations, please conduct real-name authentication first. Please click on [MO Messenger Money Change] on my page for real-name authentication"
"red_you_need_real_name_auth" : "According to relevant regulations, real-name authentication is required to activate the MO Messenger change function"
"safe_screen_pwd" : "Application lock"
"safe_screen_pwd_change" : "Change password"

"safe_screen_pwd_close" : "Close password"
"safe_set_pwd" : "Set password"
"safe_use_gesture_pwd" : "Use gesture password method"
"safe_use_number_pwd" : "Use digital password"
"screen_pwd_draw" : "Draw pattern"
"screen_pwd_draw_too_short" : "At least 4 points are connected, please re-enter"
"screen_pwd_set_success" : "Set successfully"
"secret_become_his_friend" : "You've become his secret friend"
"secret_invite_agree_suc" : "Congratulations! You have become friends and you have become their secret friends"
"secret_invite_share_content" : "This is our exclusive chat space It's private and safe. Join us now"
"secret_invite_share_title" : "Sincerely invite you to become a secret friend"
"secret_invite_wechat_friend" : "Invite WeChat Friends"
"secret_invite_wx_friend" : "Invite WeChat friends to be your secret friends"
"secret_invite_you" : "Invite you to be a secret friend"
"secret_invite_you_agree" : "Yes"
"secret_kouling_be_overdue" : "Your copied buddy password has expired. Please ask for a new password from your friend."
"secret_kouling_has_become" : "You've become his secret friend"
"secret_kouling_it_was" : "You're already his secret friend"

"secret_kouling_verification" : "Close friend password verification"
"secret_no_mw_friend" : "No friends for the time being"
"setting_forget_lock_pwd" : "Forget the applied lock password"
"setting_gesture_pwd_reset_tips" : "The gesture password has expired Please log in again and go to the Security Center Set a application lock"
"setting_input_origin_pwd" : "Enter original password"
"setting_input_pwd_again" : "Enter New Password again"
"setting_modify_login_pwd" : "Modify login password"
"setting_next_login_plz_set_pwd" : "In order to log in more conveniently next time, please set a login password before logging out"
"setting_number_pwd_reset_tips" : "The digital lock screen password has expired Please log in again and go to the Security Center Set the application lock"
"setting_open_set_screen_lock_pwd" : "Click here to open and set a application lock"
"setting_origin_pwd" : "Old password"
"setting_plz_put_login_pwd" : "Please enter the login password again"
"setting_plz_set_login_pwd" : "Please set login password first"
"setting_private_conversation" : "Secret friend"
"setting_pwd_diff" : "Inconsistent passwords"
"setting_pwd_format" : "Password must be 8-16 characters and contain both numbers and letters/special characters."
"setting_pwd_reset_plz_relogin" : "Password reset is successful, you need to log in again"

"setting_pwd_reset_success" : "Password reset successfully"
"setting_pwd_same_plz_input" : "The new password is not the same as the old password, please re-enter"
"setting_reset_login_pwd" : "Reset login password"
"setting_reset_pwd" : "Reset Password"
"setting_set_gesture_pwd" : "Set gesture password"
"setting_set_login_pwd" : "Setting login password"
"setting_set_private_kouling" : "Set secret friend password"
"share_request_auth" : "Authorization request..."
"string_add_secret_conversation_result" : "Hide from the conversation list and address book You can only enter the chat through a secret friend"
"string_move_him_to_private_conversation" : "Add TA to secret friend"
"string_plz_input_private_kouling" : "Please enter a secret friend password"
"string_plz_set_kouling_into_private_conversation" : "Please set the password to enter the secret friend first"
"string_private_conversation_add_success" : "Successfully added secret friend"
"string_private_conversation_already_set" : "Secret friend password has been set"
"string_remove_secret_conversation" : "Remove Secret friend"
"string_removed_secret_conversation_result" : "Restore the conversation list and address book display"
"string_set_private_conversation" : "Set as secret friend"
"toast_group_auth_close" : "Invitation approval disabled"

"toast_group_auth_open" : "Invitation Approval enabled Group members need group owner approval to join the group."
"user_cancel_alipay_authorization" : "Cancel Alipay authorization"
"user_determine_authorization" : "Confirm authorization"
"user_immediate_real_name_authentication" : "Real-name authentication now"
"user_real_name_authentication" : "Real-name authentication"
"album_dialog_set_encrypted_pwd" : "請設定加密相簿獨立密碼，保護您的相簿隱私？ "
"album_independent_pwd" : "相簿獨立密碼"
"album_independent_pwd_tip" : "離開加密相簿或鎖定默往，再進入需要 使用密碼解鎖"
"album_num_pwd_input_original" : "請輸入原相簿獨立密碼"
"album_pwd_atypism_reinput_please" : "兩次密碼輸入不一致，請重新輸入"
"album_pwd_inconsistent_reinput_please" : "新密碼與舊密碼不能一致，請重新輸入"
"album_pwd_input" : "請輸入相簿獨立密碼"
"album_pwd_invalid" : "相簿獨立密碼已失效 需要進行簡訊驗證並重新設定 相簿獨立密碼"
"album_pwd_reinput" : "請再次輸入相簿獨立密碼"
"base_add_to_secret_album" : "添加到私密相簿"
"base_input_pay_pwd" : "請輸入支付密碼"
"base_wechat_auth_fail" : "微信授權失敗"

"circle_post_read_auth" : "您需要通過默往企业版零錢充值完成人臉識別認證，才可使用此功能"
"forget_pwd" : "忘記密碼"
"im_add_private_conversation" : "添加秘密好友"
"im_dnt_use_pwd" : "不使用口令"
"im_enter_private_conversation" : "進入秘密好友"
"im_filter_no_real_name_user" : "過濾未認證用戶"
"im_group_manager_authority_set" : "管理員權限設定"
"im_invite_friend_dont_auth" : "邀請好友進群無需驗證"
"im_number_pwd_format" : "数字口令用于进入秘密好友，由3-20数字组成"
"im_open_group_auth" : "開啟群認證"
"im_opened_dnt_pwd_can_secret" : "开启后，不需要验证口令也可以进入秘密好友"
"im_private_conversation" : "秘密好友"
"im_private_friend" : "秘密好友"
"im_remove_from_private_conversation" : "移出密友"
"im_set_as_private_conversation_desc" : "設定後，該聯絡人在通訊錄、聊天對話隱藏。通過口令或設定裏喚起"
"im_set_number_pwd" : "设置数字口令"
"im_set_pwd_click_here" : "点此可设置口令"
"im_sg_close_manager_authority" : "暫無權限"

"im_user_cancel_auth" : "用戶取消授權登陸"
"important_thing_status_private" : "秘密訊息"
"input_pwd_again" : "請再次輸入密碼"
"input_pwd_first_time" : "請輸入密碼"
"input_screen_pwd" : "請輸入應用鎖"
"item_real_name_auth" : "實名認證"
"login_dialog_forget_pwd" : "忘記密碼"
"login_forget_pwd" : "忘記密碼"
"login_forget_pwd_send_code" : "獲取驗證碼"
"login_input_pwd" : "輸入密碼"
"login_pwd_login" : "密碼登入"
"login_wrong_account_or_password" : "賬號或密碼錯誤"
"red_agree_auth" : "同意授權"
"red_already_auth_success" : "已認證成功"
"red_auth_sub" : "正在提交授權資訊..."
"red_auth_suss" : "實名認證成功"
"red_authed_dont_modify" : "每個身份證號碼最多支持認證5個默往企业版號 認證成功不得修改"

"red_no_realname_auth_tip" : "未實名認證提示"
"red_plz_go_auth_in_me" : "根據相關規定，請先進行實名認證。請點擊我的頁面的【默往企业版零錢】進行實名認證"
"red_you_need_real_name_auth" : "根據相關規定，開通默往企业版零錢功能需要進行實名認證"
"safe_screen_pwd" : "應用鎖"
"safe_screen_pwd_change" : "更改應用鎖密碼"
"safe_screen_pwd_close" : "關閉密碼"
"safe_set_pwd" : "設定密碼"
"safe_use_gesture_pwd" : "使用手勢密碼方式"
"safe_use_number_pwd" : "使用數字密碼方式"
"screen_pwd_draw" : "繪製圖案"
"screen_pwd_draw_too_short" : "至少連接4個點，請重新輸入"
"screen_pwd_set_success" : "設定成功"
"secret_become_his_friend" : "妳已經成為Ta的秘密好友"
"secret_invite_agree_suc" : "恭喜！妳們已經成為默往企业版好友 同時，妳也成為Ta的秘密好友 "
"secret_invite_share_content" : "這是我們兩個人的專屬聊天空間 又私密又安全，趕快加入吧"
"secret_invite_share_title" : "真誠邀請您成為秘密好友"
"secret_invite_wechat_friend" : "邀請微信好友"
"secret_invite_wx_friend" : "邀請微信好友成為您的秘密好友"

"secret_invite_you" : "邀請妳成為秘密好友"
"secret_invite_you_agree" : "同意"
"secret_kouling_be_overdue" : "您復制的密友口令已過期，請向好友重新索取密友口令"
"secret_kouling_has_become" : "妳已經成為Ta的秘密好友"
"secret_kouling_it_was" : "妳本來就是Ta的秘密好友"
"secret_kouling_verification" : "密友口令驗證"
"secret_no_mw_friend" : "您暫時沒有默往企业版好友"
"setting_forget_lock_pwd" : "忘記應用鎖密碼"
"setting_gesture_pwd_reset_tips" : "手勢應用鎖已失效 請重新登入，並到安全中心 設定應用鎖"
"setting_input_origin_pwd" : "輸入原密碼"
"setting_input_pwd_again" : "再次輸入密碼"
"setting_modify_login_pwd" : "修改登入密碼"
"setting_next_login_plz_set_pwd" : "爲了下次更便利登入，退出前請設定登入密碼"
"setting_number_pwd_reset_tips" : "數字應用鎖已失效 請重新登入，並到安全中心 設定應用鎖"
"setting_open_set_screen_lock_pwd" : "點此開啟並設定應用鎖"
"setting_origin_pwd" : "原密碼"
"setting_plz_put_login_pwd" : "請再次輸入登入密碼"

"setting_plz_set_login_pwd": "請先設定登入密碼"
"setting_private_conversation": "秘密好友"
"setting_pwd_diff": "密碼不一致"
"setting_pwd_format": "密碼必須為8-16位的數字、字元組合（不能為純數字）"
"setting_pwd_reset_plz_relogin": "密碼重置成功，您需要重新登入"
"setting_pwd_reset_success": "密碼重置成功"
"setting_pwd_same_plz_input": "新密碼與舊密碼不能一致，請重新輸入"
"setting_reset_login_pwd": "重置登入密碼"
"setting_reset_pwd": "重置密碼"
"setting_set_gesture_pwd": "設定手勢密碼"
"setting_set_login_pwd": "設定登入密碼"
"setting_set_private_kouling": "設定密友口令"
"share_request_auth": "授權請求..."
"string_add_secret_conversation_result": "從會話列表、通訊錄隱藏 只能通過秘密好友進入聊天"
"string_move_him_to_private_conversation": "把TA加到秘密好友"
"string_plz_input_private_kouling": "請輸入密友口令"
"string_plz_set_kouling_into_private_conversation": "請先設定進入秘密好友的口令"
"string_private_conversation_add_success": "添加秘密好友成功"

"string_private_conversation_already_set" : "密友口令已設定"
"string_remove_secret_conversation" : "移出秘密好友"
"string_removed_secret_conversation_result" : "恢復會話列表、通訊錄顯示"
"string_set_private_conversation" : "設定為秘密好友"
"toast_group_auth_close" : "群主已關閉群認證"
"toast_group_auth_open" : "群主開啟群認證 需群主或管理員同意後才能加入群聊"
"user_cancel_alipay_authorization" : "取消支付寶授權"
"user_determine_authorization" : "確定授權"
"user_immediate_real_name_authentication" : "立即實名認證"
"user_real_name_authentication" : "實名認證"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

--	--	--

名称	分类	URL链接
登陆摸瓜网站后查看		

☰ 此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.READ_PRIVILEGED_PHONE_STATE	未知	Unknown permission	Unknown permission from android reference
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态

android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.MANAGE_EXTERNAL_STORAGE	危险	允许应用程序广泛访问范围存储中的外部存储	允许应用程序广泛访问范围存储中的外部存储。旨在供少数需要代表用户管理文件的应用程序使用
com.mostone.mixin.openadsdk.permission.TT_PANGOLIN	未知	Unknown permission	Unknown permission from android reference
android.permission.QUERY_ALL_PACKAGES	正常		允许查询设备上的任何普通应用程序,无论清单声明如何
android.permission.POST_NOTIFICATIONS	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.REORDER_TASKS	正常	重新排序正在运行的应用程序	允许应用程序将任务移动到前台和后台。恶意应用程序可以在不受您控制的情况下将自己强加于前
android.permission.DISABLE_KEYGUARD	正常		如果键盘不安全,允许应用程序禁用它。
android.permission.FOREGROUND_SERVICE_MEDIA_PLAYBACK	未知	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE_MICROPHONE	未知	Unknown permission	Unknown permission from android reference

android.permission.FOREGROUND_SERVICE_CAMERA	未知	Unknown permission	Unknown permission from android reference
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.BROADCAST_PACKAGE_REPLACED	未知	Unknown permission	Unknown permission from android reference
android.permission.BROADCAST_PACKAGE_INSTALL	未知	Unknown permission	Unknown permission from android reference
android.permission.BROADCAST_PACKAGE_CHANGED	未知	Unknown permission	Unknown permission from android reference
android.permission.BROADCAST_PACKAGE_ADDED	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
com.mostone.mixin.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.meizu.flyme.push.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.mostone.mixin.push.permission.MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.meizu.c2dm.permission.RECEIVE	未	Unknown permission	Unknown permission from android reference

	知		
com.mostone.mixin.permission.C2D_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.heytap.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
com.vivo.notification.permission.BADGE_ICON	未知	Unknown permission	Unknown permission from android reference
com.hihonor.android.launcher.permission.CHANGE_BADGE	未知	Unknown permission	Unknown permission from android reference
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.READ_MEDIA_IMAGES	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_AUDIO	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_VIDEO	未知	Unknown permission	Unknown permission from android reference
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统

android.permission.PM_WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.READ_LOGS	危险	读取敏感日志数据	允许应用程序从系统读小号各种日志文件。这使它能够发现有关您使用手机做什么的一般信息,可能包括个人或私人信息
com.sec.android.provider.badge.permission.READ	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.sec.android.provider.badge.permission.WRITE	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.UPDATE_SHORTCUT	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.sonyericsson.home.permission.BROADCAST_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.anddoes.launcher.permission.UPDATE_COUNT	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或徽章
com.majeur.launcher.permission.UPDATE_BADGE	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或标记为固体。

android.permission.READ_APP_BADGE	正常	显示应用程序通知	允许应用程序显示应用程序图标徽章
com.oppo.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
com.oppo.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
me.everything.badger.permission.BADGE_COUNT_READ	未知	Unknown permission	Unknown permission from android reference
me.everything.badger.permission.BADGE_COUNT_WRITE	未知	Unknown permission	Unknown permission from android reference
android.permission.USE_BIOMETRIC	正常		允许应用使用设备支持的生物识别模式。
android.permission.USE_FINGERPRINT	正常	allow use of指纹	该常量在 API 级别 28 中已被弃用。应用程序应改为请求 USE_BIOMETRIC
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒
com.huawei.android.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
com.huawei.android.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference
freemme.permission.msa	未	Unknown permission	Unknown permission from android reference

	知		
freemme.permission.msa.SECURITY_ACCESS	未知	Unknown permission	Unknown permission from android reference
com.google.android.gms.permission.AD_ID	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_FINE_LOCATION	危险	精细定位（GPS）	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.BLUETOOTH_CONNECT	未知	Unknown permission	Unknown permission from android reference
com.mostone.mixin.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
com.mostone.mixin.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.FOREGROUND_SERVICE_MEDIA_PROJECTION	未知	Unknown permission	Unknown permission from android reference

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.mostone.life.ui.SplashActivity	Schemes: mowang://, um.672449048f232a05f1a62283://, Hosts: mixin.com, Paths: /app,

com.mostone.life.ui.BlankActivity	Schemes: mowang://, Hosts: mixin.com, Paths: /blank,
com.mostone.module.share.ui.ShareActivity	Schemes: mowang://, Hosts: mixin.com, Paths: /share,
com.mostone.module.share.ui.AuthActivity	Schemes: mowang://, Hosts: mixin.com, Paths: /auth,
com.mostone.module.share.ui.NotifiEventActivity	Schemes: mowang://, Hosts: mixin.com, Paths: /notice,

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。