



MoGua

农业通讯 1.0.APK 分析报告



APP名称:

农业通讯

包名:	com.oliowp.ndtx.d1
域名线索:	52条
URL线索:	40条
邮箱线索:	1条
分析日期:	2024年11月7日
分析平台:	摸瓜APK反编译平台

文件名: ndtx1_0.apk

文件大小: 28.15MB

MD5值: 2308ef6b6112769f744d078bcaeed9ae

SHA1值: c868981c14b3db68831abcd10550bbf957e8ea12

SHA256值: dce4177fca26cfc0fc9b5d51b5298e4bc337ce262a3007581e90e3312121444b

i APP 信息

App名称: 农业通讯

包名: com.oliowp.ndtx.d1

主活动Activity: com.oliowp.ndtx.d1.MainActivity

安卓版本名称: 1.0

安卓版本: 1

🔍 域名线索

域名	服务器信息
api.xmpush.xiaomi.com	IP: 123.125.102.209 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
metrics-dra.dt.hicloud.com	IP: 94.74.88.100 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
www.jivesoftware.com	IP: 23.235.209.143 所属国家: United States of America 地区: Virginia

	城市: Virginia Beach 纬度: 36.837925 经度: -76.093918
fr.register.xmpush.global.xiaomi.com	IP: 98.64.182.160 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.378502 经度: 4.899980
pms.mb.qq.com	IP: 60.28.172.238 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
store3.hispace.hicloud.com	IP: 23.193.170.90 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
grs.dbankcloud.cn	IP: 49.4.40.185 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
metrics1.data.hicloud.com	IP: 111.202.16.252 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

grs.dbankcloud.asia	IP: 121.36.116.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cfg.imtt.qq.com	IP: 60.29.240.17 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
mqqad.html5.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
mdc.html5.qq.com	IP: 116.130.223.178 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
metrics2.data.hicloud.com	IP: 80.158.2.190 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
idmb.register.xmpush.global.xiaomi.com	IP: 20.219.205.9 所属国家: India 地区: Maharashtra 城市: Pune 纬度: 18.519663

	经度: 73.854507
tools.ietf.org	IP: 104.16.44.99 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
ru.register.xmpush.global.xiaomi.com	IP: 107.155.52.56 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752258 经度: 37.615471
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
grs.dbankcloud.eu	没有服务器地理信息.
tbsrecovery.imtt.qq.com	IP: 61.181.204.91 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
beian.miit.gov.cn	IP: 119.39.205.85 所属国家: China 地区: Hunan 城市: Zhuzhou 纬度: 27.833330 经度: 113.150002

xmlpull.org	IP: 185.199.110.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
grs.dbankcloud.com	IP: 60.28.193.195 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
play.google.com	IP: 93.46.8.90 所属国家: Italy 地区: Lombardia 城市: Milan 纬度: 45.464336 经度: 9.188547
store.hispace.hicloud.com	IP: 49.4.47.241 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
debugx5.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin

	纬度: 39.142181 经度: 117.176102
xml.org	IP: 104.239.240.11 所属国家: United States of America 地区: Texas 城市: Windcrest 纬度: 29.499678 经度: -98.399246
www.ietf.org	IP: 104.16.45.99 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
resolver.msg.xiaomi.net	IP: 111.206.174.248 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
store1.hispace.hicloud.com	IP: 49.4.47.241 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
debugtbs.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
	IP: 3.166.228.36

store2.hispace.hicloud.com	所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.627499 经度: -122.346199
soft.tbs.imtt.qq.com	IP: 119.167.147.86 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
data-dra.push.dbankcloud.com	IP: 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
crbug.com	IP: 216.239.32.29 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
www.webrtc.org	IP: 142.251.211.238 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
api.ndtx.xyz	IP: 154.39.66.9 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692

www.zetetic.net	IP: 99.84.133.125 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
new.api.ad.xiaomi.com	没有服务器地理信息.
data-drru.push.dbankcloud.com	IP: 159.138.202.31 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
store-drru.hispace.hicloud.com	IP: 159.138.201.153 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
log.tbs.qq.com	IP: 124.95.231.218 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877

appgallery.cloud.huawei.com	IP: 121.36.118.136 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cn.register.xmpush.xiaomi.com	IP: 123.125.102.39 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
api.botgate.cn	IP: 62.234.8.38 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
data-drcn.push.dbankcloud.com	IP: 118.194.33.160 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
www.githubim.com	IP: 62.234.8.38 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
register.xmpush.global.xiaomi.com	IP: 47.237.96.1 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong

	纬度: 22.285521 经度: 114.157692
aomediadecodec.github.io	IP: 185.199.109.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
store-at-dre.hispace.dbankcloud.com	没有服务器地理信息.
172.0.0.1	IP: 172.0.0.1 所属国家: United States of America 地区: Massachusetts 城市: Cambridge 纬度: 42.375111 经度: -71.105743

URL线索

URL信息	Url所在文件
http://www.githubim.com	com/chat/uikit/search/MailListActivity.java
https://beian.miit.gov.cn/	com/chat/uikit/setting/WKAboutActivity.java
http://xml.org/sax/features/namespaces	com/huawei/secure/android/common/xml/DocumentBuilderFactorySecurity.java
http://xml.org/sax/features/validation	com/huawei/secure/android/common/xml/DocumentBuilderFactorySecurity.java
http://xml.org/sax/features/namespaces	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/namespace-prefixes	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java

http://xml.org/sax/features/validation	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/external-general-entities	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/external-parameter-entities	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/string-interning	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xmlpull.org/v1/doc/features.html	com/huawei/secure/android/common/xml/XmlPullParserFactorySecurity.java
https://api.ndtx.xyz	com/oliowp/ndtx/d1/TSAApplication.java
https://debugtbs.qq.com	com/tencent/smtt/sdk/WebView.java
https://debugx5.qq.com	com/tencent/smtt/sdk/WebView.java
https://debugtbs.qq.com?10000\	com/tencent/smtt/sdk/WebView.java
https://pms.mb.qq.com/rsp204	com/tencent/smtt/sdk/m.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=50079	com/tencent/smtt/sdk/stat/MttLoader.java
https://mdc.html5.qq.com/mh?channel_id=50079&u=	com/tencent/smtt/sdk/stat/MttLoader.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=11047	com/tencent/smtt/sdk/ui/dialog/d.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=11041	com/tencent/smtt/sdk/ui/dialog/d.java
https://log.tbs.qq.com/ajax?c=pu&v=2&k=	com/tencent/smtt/utils/n.java
https://log.tbs.qq.com/ajax?c=pu&tk=	com/tencent/smtt/utils/n.java
https://log.tbs.qq.com/ajax?c=dl&k=	com/tencent/smtt/utils/n.java

https://cfg.imtt.qq.com/tbs?v=2&mk=	com/tencent/smtt/utils/n.java
https://log.tbs.qq.com/ajax?c=ul&v=2&k=	com/tencent/smtt/utils/n.java
https://mqqad.html5.qq.com/adjs	com/tencent/smtt/utils/n.java
https://log.tbs.qq.com/ajax?c=ucfu&k=	com/tencent/smtt/utils/n.java
https://tbsrecovery.imtt.qq.com/getconfig	com/tencent/smtt/utils/n.java
https://soft.tbs.imtt.qq.com/17421/tbs_res_imtt_tbs_DebugPlugin_DebugPlugin.tbs	com/tencent/smtt/utils/d.java
https://api.xmpush.xiaomi.com/upload/xmsf_log?file=	com/xiaomi/mipush/sdk/u.java
https://api.xmpush.xiaomi.com/upload/app_log?file=	com/xiaomi/mipush/sdk/u.java
https://api.xmpush.xiaomi.com/upload/crash_log?file=	com/xiaomi/mipush/sdk/w.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fy.java
http://new.api.ad.xiaomi.com/logNotificationAdActions	com/xiaomi/push/cq.java
http://www.jivesoftware.com/xmlns/xmpp/properties\	com/xiaomi/push/gj.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gq.java
http://%1\$s/gslb/?ver=4.0	com/xiaomi/push/cz.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gr.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fo.java
http://resolver.msg.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bf.java
https://cn.register.xmpush.xiaomi.com/pass/v2/register	com/xiaomi/push/service/l.java

https://register.xmpush.global.xiaomi.com/pass/v2/register	com/xiaomi/push/service/l.java
https://fr.register.xmpush.global.xiaomi.com/pass/v2/register	com/xiaomi/push/service/l.java
https://ru.register.xmpush.global.xiaomi.com/pass/v2/register	com/xiaomi/push/service/l.java
https://idmb.register.xmpush.global.xiaomi.com/pass/v2/register	com/xiaomi/push/service/l.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/Completable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/Single.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/Maybe.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/Flowable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/Observable.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	io/reactivex/rxjava3/exceptions/OnErrorNotImplementedException.java
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	io/reactivex/rxjava3/exceptions/UndeliverableException.java
http://undefined/	org/jsoup/helper/HttpConnection.java
https://play.google.com/store/apps/details?id=	摸瓜V1引擎
https://appgallery.cloud.huawei.com	摸瓜V1引擎
https://www.zetetic.net/sqlcipher/	摸瓜V1引擎
https://www.zetetic.net/sqlcipher/license/	摸瓜V1引擎
https://github.com/sqlcipher/android-database-sqlcipher	摸瓜V1引擎

https://api.botgate.cn	摸瓜V1引擎
https://172.0.0.1:8090	摸瓜V1引擎
http://172.0.0.1:8090)	摸瓜V1引擎
https://store.hispace.hicloud.com/hwmarket/api/	摸瓜V1引擎
http://172.0.0.1)	摸瓜V1引擎
https://grs.dbankcloud.com	摸瓜V2引擎
https://grs.dbankcloud.cn	摸瓜V2引擎
https://grs.dbankcloud.eu	摸瓜V2引擎
https://grs.dbankcloud.asia	摸瓜V2引擎
https://store-at-dre.hispace.dbankcloud.com/hwmarket/api/	摸瓜V2引擎
https://metrics1.data.hicloud.com:6447	摸瓜V2引擎
https://metrics-dra.dt.hicloud.com:6447	摸瓜V2引擎
https://metrics2.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.data.hicloud.com:6447	摸瓜V2引擎
https://data-drcn.push.dbankcloud.com	摸瓜V2引擎
https://data-dra.push.dbankcloud.com	摸瓜V2引擎
https://data-dre.push.dbankcloud.com	摸瓜V2引擎
https://data-drru.push.dbankcloud.com	摸瓜V2引擎

https://store1.hispace.hicloud.com/hwmarket/api/	摸瓜V2引擎
https://store2.hispace.hicloud.com/hwmarket/api/	摸瓜V2引擎
https://store3.hispace.hicloud.com/hwmarket/api/	摸瓜V2引擎
https://store-drru.hispace.hicloud.com/hwmarket/api/	摸瓜V2引擎
https://crbug.com/1053756	lib/armeabi-v7a/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrext/abs-send-time	lib/armeabi-v7a/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrext/abs-capture-time	lib/armeabi-v7a/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrext/video-content-type	lib/armeabi-v7a/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrext/video-timing	lib/armeabi-v7a/libjingle_peerconnection_so.so
http://tools.ietf.org/html/draft-ietf-avtext-frame-marking-07	lib/armeabi-v7a/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrext/generic-frame-descriptor-00	lib/armeabi-v7a/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrext/generic-frame-descriptor-01	lib/armeabi-v7a/libjingle_peerconnection_so.so
https://aomediacodec.github.io/av1-rtp-spec/	lib/armeabi-v7a/libjingle_peerconnection_so.so
http://www.ietf.org/id/draft-holmer-rmcat-transport-wide-cc-extensions-01	lib/armeabi-v7a/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrext/transport-wide-cc-02	lib/armeabi-v7a/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrext/playout-delay	lib/armeabi-v7a/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrext/color-space	lib/armeabi-v7a/libjingle_peerconnection_so.so

http://www.webrtc.org/experiments/rtp-hdrex/inband-cn	lib/armeabi-v7a/libjingle_peerconnection_so.so
https://crbug.com/1053756	lib/arm64-v8a/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrex/abs-send-time	lib/arm64-v8a/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrex/abs-capture-time	lib/arm64-v8a/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrex/video-content-type	lib/arm64-v8a/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrex/video-timing	lib/arm64-v8a/libjingle_peerconnection_so.so
http://tools.ietf.org/html/draft-ietf-avtext-framemarking-07	lib/arm64-v8a/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrex/generic-frame-descriptor-00	lib/arm64-v8a/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrex/generic-frame-descriptor-01	lib/arm64-v8a/libjingle_peerconnection_so.so
https://aomediacodec.github.io/av1-rtp-spec/	lib/arm64-v8a/libjingle_peerconnection_so.so
http://www.ietf.org/id/draft-holmer-rmcat-transport-wide-cc-extensions-01	lib/arm64-v8a/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrex/transport-wide-cc-02	lib/arm64-v8a/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrex/playout-delay	lib/arm64-v8a/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrex/color-space	lib/arm64-v8a/libjingle_peerconnection_so.so
http://www.webrtc.org/experiments/rtp-hdrex/inband-cn	lib/arm64-v8a/libjingle_peerconnection_so.so

邮箱线索

--	--

邮箱地址	所在文件
appro@openssl.org	lib/arm64-v8a/libjingle_peerconnection_so.so

手机线索

签名证书

APK已签名

v1 签名: True

v2 签名: True

v3 签名: True

找到 1 个唯一证书

主题: C=EHMmPAAg, ST=OzRMbmSC, L=FeJeHZSb, O=SGHxPieQ, OU=RZcTmWtu, CN=TQkSXjcZ

签名算法: rsassa_pkcs1v15

有效期自: 2024-11-05 09:56:49+00:00

有效期至: 2034-11-03 09:56:49+00:00

发行人: C=EHMmPAAg, ST=OzRMbmSC, L=FeJeHZSb, O=SGHxPieQ, OU=RZcTmWtu, CN=TQkSXjcZ

序列号: 0x398a7949bc893879

哈希算法: sha256

md5值: 9c70604e2d473a6ee887047006aea679

sha1值: d52111c3115a2731a825c44af6be5ce1567a32b2

sha256值: 168da707a0c005549f3b70731ede0ce034c0b316ca4898f20e66dc6d4e981824

sha512值: eb118cc9a11aa64df6fa738cdb186fcf89c9e4b569e2738d42525fc0d1794eaffa73ca5ed8b20bace18241b0012eda189cd409f1ea9692e12caa9296eace544b

公钥算法: rsa

密钥长度: 2048

指纹: 3731ecca1ee32c5b42a529497899232e0f1a8c74454aee26fa418ff776d1fb7b

硬编码敏感信息

可能的敏感信息

"agree_auth_tips": "请先阅读并同意《隐私政策》和《用户协议》"

"authorization_request" : "权限申请"
"blacklist_user" : "黑名单用户，消息发送失败，确定重发吗？"
"chat_pwd" : "聊天密码"
"chat_pwd_reset_pwd" : "重置密码"
"find_user" : "查找用户："
"forget_chat_pwd" : "聊天密码错误，您还有%d次机会。 %d次输错聊天密码后将清空该聊天消息。如果您忘记聊天密码可以重置聊天密码。"
"forget_pwd" : "忘记密码"
"input_chat_pwd" : "请输入聊天密码"
"library_android_database_sqlcipher_author" : "Zetetic, LLC"
"library_android_database_sqlcipher_authorWebsite" : "https://www.zetetic.net/sqlcipher/"
"login_auth" : "登录验证"
"login_auth_desc" : "你正在一台新设备登录%s，需要进行安全验证，通过后下次无需验证。"
"login_authing" : "登录验证中"
"no_relation_user" : "对方非好友关系，消息发送失败，确定重发吗？"
"pwd_not_null" : "请输入密码"
"start_auth" : "开始验证"
"str_forget_pwd" : "忘记密码"

"agree_auth_tips" : "Please read and agree to the privacy policy and user agreement first"
"authorization_request" : "Authorization Request"
"blacklist_user" : "Blacklisted users, unable to send messages"
"chat_pwd" : "Chat Password"
"chat_pwd_reset_pwd" : "Reset password"
"find_user" : "Find users: "
"forget_chat_pwd" : "Chat password error, you still have %d chances. The chat message will be cleared after %d incorrect chat passwords are entered. If you forget your chat password, you can reset it."
"forget_pwd" : "Forget password"
"input_chat_pwd" : "Please enter the chat password"
"login_auth" : "Login authentication"
"login_auth_desc" : "You are logging in to %s on a new device, and security verification is required. After passing, verification is not required next time."
"login_authing" : "Login verification"
"no_relation_user" : "The other party is not a friend and cannot send a message"
"pwd_not_null" : "Please enter password"
"start_auth" : "Start verification"
"str_forget_pwd" : "Forget password"

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.WRITE_MEDIA_STORAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改

android.permission.CHANGE_CONFIGURATION	系统需要	更改您的 UI 设置	允许应用程序更改当前配置,例如语言环境或整体字体大小
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令, 恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置(如果可用)。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_FINE_LOCATION	危险	精细定位(GPS)	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_NOTIFICATION_POLICY	正常		希望访问通知策略的应用程序的标记权限。
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.MANAGE_EXTERNAL_STORAGE	危险	允许应用程序广泛访问范围存储中的外部存储	允许应用程序广泛访问范围存储中的外部存储。旨在供少数需要代表用户管理文件的应用程序使用

android.permission.READ_MEDIA_IMAGES	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_VIDEO	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_AUDIO	未知	Unknown permission	Unknown permission from android reference
android.permission.POST_NOTIFICATIONS	未知	Unknown permission	Unknown permission from android reference
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.SYSTEM_OVERLAY_WINDOW	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_CONTACTS	危险	读取联系人数据	允许应用程序读取您手机上存储的所有联系人（地址）数据。恶意应用程序可以借此将您的数据发送给其他人

android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.CALL_PHONE	危险	直接拨打电话号码	允许应用程序在没有您干预的情况下拨打电话号码。恶意应用程序可能会导致您的电话账单出现意外呼叫。请注意,这不允许应用程序拨打紧急电话号码
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒
android.permission.READ_LOGS	危险	读取敏感日志数据	允许应用程序从系统读小号各种日志文件。这使它发现有关您使用手机做什么的一般信息,可能包括个人或私人信息
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
com.oliowp.ndtx.d1.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度
com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.heytao.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.oliowp.ndtx.d1.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	未知	Unknown permission	Unknown permission from android reference

android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
com.oliowp.ndtx.d1.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
com.oliowp.ndtx.d1.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
com.huawei.appmarket.service.commondata.permission.GET_COMMON_DATA	未知	Unknown permission	Unknown permission from android reference

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.chat.base.act.WKWebViewActivity	Schemes: com.xinbida.tangsengdaodao://, Hosts: url,

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。