



MoGua

中通快递 2.10.APK 分析报告



APP名称:

中通快递

包名:	cn.beekee.zhongtong
域名线索:	31条
URL线索:	30条
邮箱线索:	0条
分析日期:	2024年4月26日
分析平台:	摸瓜反编译平台

文件名: ZTOAPP_1.27.apk
文件大小: 9.71MB
MD5值: 3438feaa843b035d48ada8900ed179ea
SHA1值: d68d5a9ff4e7dfeefe7db490e120b0ed97f8c579
SHA256值: a8f351de563c64db2e22ebfae9c5391b030314a61b67a2ec807625c095d4cecd

i APP 信息

App名称: 中通快递
包名: cn.beekee.zhongtong
主活动Activity: cn.beekee.zhongtong.WelcomeActivity
安卓版本名称: 2.10
安卓版本: 1

🔍 域名线索

域名	服务器信息
client.map.baidu.com	IP: 111.206.209.120 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
oc.umeng.co	没有服务器地理信息.
www.zto.cn	IP: 103.254.188.166 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

daohang.map.baidu.com	IP: 111.206.209.190 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
usercenter.zt-express.com	没有服务器地理信息.
sapi.map.baidu.com	IP: 111.206.208.72 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
lba.baidu.com	没有服务器地理信息.
alog.umeng.com	IP: 223.109.148.177 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
oc.umeng.com	IP: 203.119.128.55 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
j.map.baidu.com	IP: 111.206.209.187 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

api.map.baidu.com	IP: 111.206.209.166 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
skyhookwireless.com	IP: 96.45.82.97 所属国家: United States of America 地区: Virginia 城市: Reston 纬度: 38.938862 经度: -77.346191
v.map.baidu.com	IP: 111.206.209.185 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
log.umsns.com	IP: 59.82.31.92 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
sv.map.baidu.com	IP: 111.206.209.186 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
japi.zto.cn	IP: 115.231.25.236 所属国家: China 地区: Zhejiang 城市: Huzhou 纬度: 30.870300

	经度: 120.093300
share.imap.baidu.com	IP: 111.206.209.120 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
mo.baidu.com	IP: 110.242.68.155 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
loc.map.baidu.com	IP: 111.206.209.175 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
sv0.map.bdimg.com	IP: 111.206.209.186 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
app.navi.baidu.com	IP: 111.206.209.213 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
appapi.zto.cn	没有服务器地理信息.

alog.umeng.co	没有服务器地理信息.
map.baidu.com	IP: 111.206.208.32 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
its.map.baidu.com	IP: 153.37.235.49 所属国家: China 地区: Jiangsu 城市: Suzhou 纬度: 31.311390 经度: 120.618057
my.zto.cn	IP: 119.45.69.254 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
api.zto.cn	IP: 122.225.117.216 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
wapmap.baidu.com	IP: 111.206.209.212 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
	IP: 52.76.100.116 所属国家: Singapore

api.skyhookwireless.com	地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
wp.map.baidu.com	IP: 111.206.209.185 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
ztowebapi.zt-express.com	没有服务器地理信息.

URL线索

URL信息	Url所在文件
http://alog.umeng.com/app_logs	com/umeng/analytics/a.java
http://alog.umeng.co/app_logs	com/umeng/analytics/a.java
http://oc.umeng.com/check_config_update	com/umeng/analytics/a.java
http://oc.umeng.co/check_config_update	com/umeng/analytics/a.java
http://oc.umeng.com/v2/check_config_update	com/umeng/analytics/onlineconfig/a.java
http://oc.umeng.com/v2/get_update_time	com/umeng/analytics/onlineconfig/a.java
http://log.umsns.com/share/api/	com/umeng/analytics/social/f.java
http://log.umsns.com/	com/umeng/analytics/social/e.java

http://log.umsns.com/share/api/	com/umeng/analytics/social/e.java
http://loc.map.baidu.com/fence	com/baidu/location/ay.java
http://loc.map.baidu.com/fence	com/baidu/location/a4.java
http://skyhookwireless.com/wps/2005	com/baidu/location/r.java
http://lba.baidu.com/	com/baidu/location/BDLocation.java
http://loc.map.baidu.com/sdk_ep.php	com/baidu/location/c.java
http://loc.map.baidu.com/sdk.php	com/baidu/location/c.java
http://loc.map.baidu.com/oqur.php	com/baidu/location/c.java
https://api.skyhookwireless.com/wps2/location	com/baidu/location/c.java
http://loc.map.baidu.com/tcu.php	com/baidu/location/c.java
http://loc.map.baidu.com/user_err.php	com/baidu/location/c.java
http://api.map.baidu.com/geosearch/v2/bound	com/baidu/mapapi/cloud/BoundSearchInfo.java
http://api.map.baidu.com/geosearch/v2/local	com/baidu/mapapi/cloud/LocalSearchInfo.java
http://api.map.baidu.com/geosearch/v2/detail/	com/baidu/mapapi/cloud/DetailSearchInfo.java
http://api.map.baidu.com/geosearch/v2/nearby	com/baidu/mapapi/cloud/NearbySearchInfo.java
http://app.navi.baidu.com/mobile/#navi/naving/	com/baidu/mapapi/navi/BaiduMapNavigation.java
http://daohang.map.baidu.com/mobile/#navi/naving/start=	com/baidu/mapapi/navi/BaiduMapNavigation.java
http://daohang.map.baidu.com/mobile/#search/search/qt=nav&sn=2\$\$\$\$\$\$	com/baidu/mapapi/navi/BaiduMapNavigation.java

http://mo.baidu.com/map/	com/baidu/mapapi/utils/OpenClientUtil.java
http://api.map.baidu.com/place/detail?	com/baidu/mapapi/utils/poi/BaiduMapPoiSearch.java
http://api.map.baidu.com/place/search?	com/baidu/mapapi/utils/poi/BaiduMapPoiSearch.java
http://api.map.baidu.com/direction?	com/baidu/mapapi/utils/route/BaiduMapRoutePlan.java
https://sapi.map.baidu.com/sdkcs/verify	com/baidu/lbsapi/auth/i.java
http://usercenter.zt-express.com/UserCenterV42/Area.ashx? Function=GetListByParent&parentId=	cn/beekee/zhongtong/util/AddressManager.java
http://usercenter.zt-express.com/UserCenterV42/Area.ashx?Function=GetProvinceList	cn/beekee/zhongtong/util/AddressManager.java
http://appapi.zto.cn/AddressManage/AddAddress?OpenId=	cn/beekee/zhongtong/util/StaticParam.java
http://appapi.zto.cn/AddressManage/SelectAllAddress?OpenId=	cn/beekee/zhongtong/util/StaticParam.java
http://appapi.zto.cn/AddressManage/RemoveAddress?OpenId=	cn/beekee/zhongtong/util/StaticParam.java
http://appapi.zto.cn/AddressManage/UpdateAddress?OpenId=	cn/beekee/zhongtong/util/StaticParam.java
http://appapi.zto.cn/SuggestionAndComplaint/AddSuggestion?GuestName=	cn/beekee/zhongtong/util/StaticParam.java
http://appapi.zto.cn/Account/CheckMobileExisted?mobile=	cn/beekee/zhongtong/util/StaticParam.java
http://appapi.zto.cn/SuggestionAndComplaint/AddComplaint?OpenId=	cn/beekee/zhongtong/util/StaticParam.java
http://appapi.zto.cn/SuggestionAndComplaint/GetSuggestionList?OpenId=	cn/beekee/zhongtong/util/StaticParam.java
http://appapi.zto.cn/SuggestionAndComplaint/GetSuggestionDetail?OpenId=	cn/beekee/zhongtong/util/StaticParam.java
http://appapi.zto.cn/Account/FindBackPassword?UserName=	cn/beekee/zhongtong/util/StaticParam.java

http://appapi.zto.cn/Account/LoginThirdParty?Mobile=	cn/beekee/zhongtong/util/StaticParam.java
http://appapi.zto.cn/Account/Login?UserName=	cn/beekee/zhongtong/util/StaticParam.java
http://appapi.zto.cn/Account/EmailBoundFirst?OpenId=	cn/beekee/zhongtong/util/StaticParam.java
http://appapi.zto.cn/Account/EmailBoundSecond?OpenId=	cn/beekee/zhongtong/util/StaticParam.java
http://api.zto.cn/newslist.aspx?Userid=APPLEAPP&Pwd=17DA5953C0&type=2&page=1	cn/beekee/zhongtong/util/StaticParam.java
http://www.zto.cn/m/ShowNewsApi.aspx?id=	cn/beekee/zhongtong/util/StaticParam.java
http://api.zto.cn/newslist.aspx?Userid=APPLEAPP&Pwd=17DA5953C0&type=	cn/beekee/zhongtong/util/StaticParam.java
http://appapi.zto.cn/Order/CommonOrder	cn/beekee/zhongtong/util/StaticParam.java
http://api.zto.cn/json.aspx?Userid=APPLEAPP&Pwd=17DA5953C0&SrtjobNo=	cn/beekee/zhongtong/util/StaticParam.java
http://appapi.zto.cn/Account/LogOut?OpenId=	cn/beekee/zhongtong/util/StaticParam.java
http://appapi.zto.cn/Account/ChangeMobileBoundSecond?OpenId=	cn/beekee/zhongtong/util/StaticParam.java
http://appapi.zto.cn/Account/ChangeMobileBoundFirst?OpenId=	cn/beekee/zhongtong/util/StaticParam.java
http://appapi.zto.cn/Account/ChangeMobileBoundThird?OpenId=	cn/beekee/zhongtong/util/StaticParam.java
http://appapi.zto.cn/Order/PriceAndHour	cn/beekee/zhongtong/util/StaticParam.java
http://appapi.zto.cn/Account/ChangePassWord?OpenId=	cn/beekee/zhongtong/util/StaticParam.java
http://japi.zto.cn/zto/api_utf8/subBillLog	cn/beekee/zhongtong/util/StaticParam.java
http://appapi.zto.cn/Account/Register?UserName=	cn/beekee/zhongtong/util/StaticParam.java
http://usercenter.zt-express.com/usercenterv42/OrganizeService.ashx?	

function=GetWebOrganize&Id=	cn/beekee/zhongtong/util/StaticParam.java
http://usercenter.zt-express.com/usercenterv42/OrganizeService.ashx? function=GetWebOrganizeList&cityId=	cn/beekee/zhongtong/util/StaticParam.java
http://appapi.zto.cn/Account/GetUserInfo?OpenId=	cn/beekee/zhongtong/util/StaticParam.java
http://appapi.zto.cn/Account/GetCheckCode?Mobile=	cn/beekee/zhongtong/util/StaticParam.java
http://www.zto.cn	cn/beekee/zhongtong/util/StaticParam.java
http://www.zto.cn/app/zto_update.xml	cn/beekee/zhongtong/util/net/NetUpdateApkAsyncTask.java
http://www.zto.cn/wapZto/effectiveness/today8.html	cn/beekee/zhongtong/fragment/main/ActivityZTOPProduct.java
http://www.zto.cn/wapZto/effectiveness/today12.html	cn/beekee/zhongtong/fragment/main/ActivityZTOPProduct.java
http://www.zto.cn/wapZto/effectiveness/nextday12.html	cn/beekee/zhongtong/fragment/main/ActivityZTOPProduct.java
http://www.zto.cn/wapZto/effectiveness/nextday36.html	cn/beekee/zhongtong/fragment/main/ActivityZTOPProduct.java
http://www.zto.cn/wapZto/addValue/dianzimiandan.html	cn/beekee/zhongtong/fragment/main/ActivityZTOPProduct.java
http://www.zto.cn/wapZto/addValue/daofujian.html	cn/beekee/zhongtong/fragment/main/ActivityZTOPProduct.java
http://www.zto.cn/wapZto/addValue/daishouhuokuan.html	cn/beekee/zhongtong/fragment/main/ActivityZTOPProduct.java
http://www.zto.cn/wapZto/addValue/daiqujian.html	cn/beekee/zhongtong/fragment/main/ActivityZTOPProduct.java
http://www.zto.cn/wapZto/addValue/qiandanfanhuan.html	cn/beekee/zhongtong/fragment/main/ActivityZTOPProduct.java
http://www.zto.cn/wapZto/addValue/baojia.html	cn/beekee/zhongtong/fragment/main/ActivityZTOPProduct.java
http://www.zto.cn/wapZto/addValue/canpeiyiti.html	cn/beekee/zhongtong/fragment/main/ActivityZTOPProduct.java

http://www.zto.cn/wapZto/HongKong/HongKong.html	cn/beekee/zhongtong/fragment/main/ActivityZTOProduct.java
http://www.zto.cn/wapZto/HongKong/Taiwan.html	cn/beekee/zhongtong/fragment/main/ActivityZTOProduct.java
http://www.zto.cn/wapZto/International/Russia.html	cn/beekee/zhongtong/fragment/main/ActivityZTOProduct.java
http://www.zto.cn/wapZto/International/Europe.html	cn/beekee/zhongtong/fragment/main/ActivityZTOProduct.java
http://www.zto.cn/wapZto/CustomerService/CustomerService.html	cn/beekee/zhongtong/fragment/main/ActivityZTOProduct.java
http://my.zto.cn/faq/app/	cn/beekee/zhongtong/fragment/main/ActivityDangerSearch.java
http://ztowebapi.zt-express.com/SiteSearch/PaginConditionSearch?province=	cn/beekee/zhongtong/fragment/main/ActivityComplainPhoneSearch.java
http://client.map.baidu.com/imap/sdk/tj?qt=vmap	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_31.so
http://v.map.baidu.com/low/	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_31.so
http://v.map.baidu.com/indoorinside/	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_31.so
http://v.map.baidu.com/high/	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_31.so
http://its.map.baidu.com:8003/its.php	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_31.so
http://wp.map.baidu.com/	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkws/heatmap?	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_31.so
http://sv.map.baidu.com/	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_31.so
http://sv0.map.bdimg.com/	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_31.so
http://client.map.baidu.com/?qt=rg&mmproxyver=1&url=	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_31.so

http://map.baidu.com/su	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_31.so
http://client.map.baidu.com/	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui/v1/	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_31.so
http://share.imap.baidu.com/ps	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_31.so
http://j.map.baidu.com/	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_31.so
http://wapmap.baidu.com/s	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkws/place/v2/detail	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui2/v1/	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/RadarService/	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_31.so
http://client.map.baidu.com/rchksdk.dat?	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_31.so
http://client.map.baidu.com/phpui2/	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_31.so
http://client.map.baidu.com/imap/sdk/tj?qt=vmap	lib/x86_64/libBaiduMapSDK_v3_5_0_31.so
http://v.map.baidu.com/indoorinside/	lib/x86_64/libBaiduMapSDK_v3_5_0_31.so
http://its.map.baidu.com:8003/its.php	lib/x86_64/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkws/heatmap?	lib/x86_64/libBaiduMapSDK_v3_5_0_31.so
http://client.map.baidu.com/?qt=rg&mmproxyver=1&url=	lib/x86_64/libBaiduMapSDK_v3_5_0_31.so

http://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui/v1/	lib/x86_64/libBaiduMapSDK_v3_5_0_31.so
http://share.imap.baidu.com/ps	lib/x86_64/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkws/place/v2/detail	lib/x86_64/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui2/v1/	lib/x86_64/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/RadarService/	lib/x86_64/libBaiduMapSDK_v3_5_0_31.so
http://client.map.baidu.com/rchksdk.dat?	lib/x86_64/libBaiduMapSDK_v3_5_0_31.so
http://client.map.baidu.com/phpui2/	lib/x86_64/libBaiduMapSDK_v3_5_0_31.so
http://v.map.baidu.com/low/	lib/x86_64/libBaiduMapSDK_v3_5_0_31.so
http://v.map.baidu.com/high/	lib/x86_64/libBaiduMapSDK_v3_5_0_31.so
http://wp.map.baidu.com/	lib/x86_64/libBaiduMapSDK_v3_5_0_31.so
http://sv.map.baidu.com/	lib/x86_64/libBaiduMapSDK_v3_5_0_31.so
http://sv0.map.bdimg.com/	lib/x86_64/libBaiduMapSDK_v3_5_0_31.so
http://map.baidu.com/su	lib/x86_64/libBaiduMapSDK_v3_5_0_31.so
http://client.map.baidu.com/	lib/x86_64/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/	lib/x86_64/libBaiduMapSDK_v3_5_0_31.so
http://j.map.baidu.com/	lib/x86_64/libBaiduMapSDK_v3_5_0_31.so
http://wapmap.baidu.com/s	lib/x86_64/libBaiduMapSDK_v3_5_0_31.so
http://client.map.baidu.com/imap/sdk/tj?qt=vmap	lib/x86/libBaiduMapSDK_v3_5_0_31.so

http://v.map.baidu.com/indoorinside/	lib/x86/libBaiduMapSDK_v3_5_0_31.so
http://its.map.baidu.com:8003/its.php	lib/x86/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkws/heatmap?	lib/x86/libBaiduMapSDK_v3_5_0_31.so
http://client.map.baidu.com/?qt=rg&mmproxyver=1&url=	lib/x86/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui/v1/	lib/x86/libBaiduMapSDK_v3_5_0_31.so
http://share.imap.baidu.com/ps	lib/x86/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkws/place/v2/detail	lib/x86/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui2/v1/	lib/x86/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/RadarService/	lib/x86/libBaiduMapSDK_v3_5_0_31.so
http://client.map.baidu.com/rchksdk.dat?	lib/x86/libBaiduMapSDK_v3_5_0_31.so
http://client.map.baidu.com/phpui2/	lib/x86/libBaiduMapSDK_v3_5_0_31.so
http://v.map.baidu.com/low/	lib/x86/libBaiduMapSDK_v3_5_0_31.so
http://v.map.baidu.com/high/	lib/x86/libBaiduMapSDK_v3_5_0_31.so
http://wp.map.baidu.com/	lib/x86/libBaiduMapSDK_v3_5_0_31.so
http://sv.map.baidu.com/	lib/x86/libBaiduMapSDK_v3_5_0_31.so
http://sv0.map.bdimg.com/	lib/x86/libBaiduMapSDK_v3_5_0_31.so
http://map.baidu.com/su	lib/x86/libBaiduMapSDK_v3_5_0_31.so

http://client.map.baidu.com/	lib/x86/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/	lib/x86/libBaiduMapSDK_v3_5_0_31.so
http://j.map.baidu.com/	lib/x86/libBaiduMapSDK_v3_5_0_31.so
http://wapmap.baidu.com/s	lib/x86/libBaiduMapSDK_v3_5_0_31.so
http://client.map.baidu.com/imap/sdk/tj?qt=vmap	lib/arm64-v8a/libBaiduMapSDK_v3_5_0_31.so
http://v.map.baidu.com/low/	lib/arm64-v8a/libBaiduMapSDK_v3_5_0_31.so
http://v.map.baidu.com/indoorinside/	lib/arm64-v8a/libBaiduMapSDK_v3_5_0_31.so
http://v.map.baidu.com/high/	lib/arm64-v8a/libBaiduMapSDK_v3_5_0_31.so
http://its.map.baidu.com:8003/its.php	lib/arm64-v8a/libBaiduMapSDK_v3_5_0_31.so
http://wp.map.baidu.com/	lib/arm64-v8a/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkws/heatmap?	lib/arm64-v8a/libBaiduMapSDK_v3_5_0_31.so
http://sv.map.baidu.com/	lib/arm64-v8a/libBaiduMapSDK_v3_5_0_31.so
http://sv0.map.bdimg.com/	lib/arm64-v8a/libBaiduMapSDK_v3_5_0_31.so
http://client.map.baidu.com/?qt=rg&mmproxyver=1&url=	lib/arm64-v8a/libBaiduMapSDK_v3_5_0_31.so
http://map.baidu.com/su	lib/arm64-v8a/libBaiduMapSDK_v3_5_0_31.so
http://client.map.baidu.com/	lib/arm64-v8a/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/	lib/arm64-v8a/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui/v1/	lib/arm64-v8a/libBaiduMapSDK_v3_5_0_31.so

http://share.imap.baidu.com/ps	lib/arm64-v8a/libBaiduMapSDK_v3_5_0_31.so
http://j.map.baidu.com/	lib/arm64-v8a/libBaiduMapSDK_v3_5_0_31.so
http://wapmap.baidu.com/s	lib/arm64-v8a/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkws/place/v2/detail	lib/arm64-v8a/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui2/v1/	lib/arm64-v8a/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/RadarService/	lib/arm64-v8a/libBaiduMapSDK_v3_5_0_31.so
http://client.map.baidu.com/rchksdk.dat?	lib/arm64-v8a/libBaiduMapSDK_v3_5_0_31.so
http://client.map.baidu.com/phpui2/	lib/arm64-v8a/libBaiduMapSDK_v3_5_0_31.so
http://client.map.baidu.com/imap/sdk/tj?qt=vmap	lib/armeabi/libBaiduMapSDK_v3_5_0_31.so
http://v.map.baidu.com/low/	lib/armeabi/libBaiduMapSDK_v3_5_0_31.so
http://v.map.baidu.com/indoorinside/	lib/armeabi/libBaiduMapSDK_v3_5_0_31.so
http://v.map.baidu.com/high/	lib/armeabi/libBaiduMapSDK_v3_5_0_31.so
http://its.map.baidu.com:8003/its.php	lib/armeabi/libBaiduMapSDK_v3_5_0_31.so
http://wp.map.baidu.com/	lib/armeabi/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkws/heatmap?	lib/armeabi/libBaiduMapSDK_v3_5_0_31.so
http://sv.map.baidu.com/	lib/armeabi/libBaiduMapSDK_v3_5_0_31.so
http://sv0.map.bdimg.com/	lib/armeabi/libBaiduMapSDK_v3_5_0_31.so

http://client.map.baidu.com/?qt=rg&mmpoxyver=1&url=	lib/armeabi/libBaiduMapSDK_v3_5_0_31.so
http://map.baidu.com/su	lib/armeabi/libBaiduMapSDK_v3_5_0_31.so
http://client.map.baidu.com/	lib/armeabi/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/	lib/armeabi/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui/v1/	lib/armeabi/libBaiduMapSDK_v3_5_0_31.so
http://share.imap.baidu.com/ps	lib/armeabi/libBaiduMapSDK_v3_5_0_31.so
http://j.map.baidu.com/	lib/armeabi/libBaiduMapSDK_v3_5_0_31.so
http://wapmap.baidu.com/s	lib/armeabi/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkws/place/v2/detail	lib/armeabi/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui2/v1/	lib/armeabi/libBaiduMapSDK_v3_5_0_31.so
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/RadarService/	lib/armeabi/libBaiduMapSDK_v3_5_0_31.so
http://client.map.baidu.com/rchksdk.dat?	lib/armeabi/libBaiduMapSDK_v3_5_0_31.so
http://client.map.baidu.com/phpui2/	lib/armeabi/libBaiduMapSDK_v3_5_0_31.so

 邮箱线索

 手机线索

手机号	所在文件
-----	------

18345352118	com/baidu/mapapi/model/a.java
15236265775	cn/beekee/zhongtong/util/StaticParam.java

🌟 签名证书

APK is signed
v1 signature: True
v2 signature: False
v3 signature: False
Found 1 unique certificates
Subject: C=CN, ST=上海, L=上海, O=贝客技术, OU=贝客技术（上海）有限公司, CN=BeeKee
Signature Algorithm: rsassa_pkcs1v15
Valid From: 2012-04-01 08:26:48+00:00
Valid To: 2032-03-27 08:26:48+00:00
Issuer: C=CN, ST=上海, L=上海, O=贝客技术, OU=贝客技术（上海）有限公司, CN=BeeKee
Serial Number: 0x4f781148
Hash Algorithm: sha1
md5: b8d4c67ce2a69b3b5b86ea7a646fd6bb
sha1: f642d0ce577952ea1aeae556ee0b6e25cadecc51
sha256: dc26c71f28f2f719859deaebcf05e1924fed31a24781feb749d985394e3566a3
sha512: 8234c2d31ec9f24d9bbd7272a4a5ea0061f6bf3f3105a3b2cc45f4e094c0c6aaa3734fa6f7a1db737e3afeaeabb68770e6fd0b60c5c67098c66563ed67b835bb

🔑 硬编码敏感信息

🔗 加壳分析

🛠️ 第三方SDK

名称	分类	URL链接

Baidu Location		https://reports.exodus-privacy.eu.org/trackers/97
Baidu Map		https://reports.exodus-privacy.eu.org/trackers/99
JiGuang Aurora Mobile JPush	Analytics	https://reports.exodus-privacy.eu.org/trackers/343
Umeng Analytics		https://reports.exodus-privacy.eu.org/trackers/119

☰ 此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.CALL_PHONE	危险	直接拨打电话号码	允许应用程序在没有您干预的情况下拨打电话号码。恶意应用程序可能会导致您的电话账单出现意外呼叫。请注意,这不允许应用程序拨打紧急电话号码
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
com.android.launcher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息

android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_FINE_LOCATION	危险	精细定位（GPS）	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.READ_PHONE_STATE	危险	读取电话状态 and 身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.READ_LOGS	危险	读取敏感日志数据	允许应用程序从系统读小号各种日志文件。这使它能够发现有关您使用手机做什么的一般信息,可能包括个人或私人信息
cn.beekee.zhongtong.permission.JPUSH_MESSAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.RECEIVE_USER_PRESENT	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取

android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令，恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。

应用内通信

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。