MoGua

鸽友宝 3.0.6.APK 分析报告

APP名称:	鸽友宝
包名:	com.shyl.dps

域名线索:	74条
URL线索:	75条
邮箱线索:	2条
分析日期:	2025年7月12日
分析平台:	摸瓜APK反编译平台

文件信息

文件名: geyoubao.apk
文件大小: 61.59MB
MD5值: 345310c1469be42af0815e00478cf71a
SHA1值: f657aebc35eef2e0e76bd85540feb30f289155a1
SHA256值: 4443fc60f938ca315176326965f09c6d473f2b233cb8465734fe07df06ff6626

APP 信息

App名称: 鸽友宝
包名: com.shyl.dps
主活动Activity: com.shyl.dps.ui.LauncherActivity
安卓版本名称: 3.0.6
安卓版本: 307100

域名线索

域名	服务器信息
yuntuapi.amap.com	没有服务器地理信息.
lbs-3dtiles-service.amap.com	**IP**: 203.119.204.133 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161583
mpsapi.amap.com	**IP**: 59.82.112.213 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161583
oss-cn-hangzhou.aliyuncs.com	**IP**: 118.31.219.189 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161583
mobile.unionpay.com	没有服务器地理信息.

image.cnamedomain.com	没有服务器地理信息.
astat.bugly.qcloud.com	**IP**: 119.28.121.133 **所属国家**: Singapore **地区**: Singapore **城市**: Singapore **纬度**: 1.289987 **经度**: 103.850281
web.dps-pigeonloft.com	**IP**: 60.205.189.6 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397102
g.co	**IP**: 172.217.160.78 **所属国家**: United States of America **地区**: California **城市**: Mountain View **纬度**: 37.405991 **经度**: -122.078514
vod.cn-shanghai.aliyuncs.com	**IP**: 106.15.83.32 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161583
oss-cn-.aliyuncs.comor	没有服务器地理信息.
apistore.amap.com	**IP**: 110.253.189.212 **所属国家**: China **地区**: Hebei **城市**: Zhangjiakou **纬度**: 40.810024 **经度**: 114.879349
	IP: 123.57.55.210 **所属国家**: China **地区**: Zhejiang

dove-base.dps-pigeonloft.com	**城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161583
cs-v3.dps-pigeonloft.com	**IP**: 60.205.189.6 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397102
mps.amap.com	**IP**: 59.82.112.213 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161583
api.dps-pigeonloft.com	**IP**: 60.205.189.6 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397102
open.weixin.qq.com	**IP**: 220.196.154.28 **所属国家**: China **地区**: Jiangsu **城市**: Wuxi **纬度**: 31.569349 **经度**: 120.288788
www.w3.org	**IP**: 104.18.22.19 **所属国家**: United States of America **地区**: California **城市**: San Francisco **纬度**: 37.775700 **经度**: -122.395203
	IP: 20.205.243.166 **所属国家**: Singapore

github.com	**地区**: Singapore **城市**: Singapore **纬度**: 1.289987 **经度**: 103.850281
mst01.is.autonavi.com	**IP**: 110.253.189.211 **所属国家**: China **地区**: Hebei **城市**: Zhangjiakou **纬度**: 40.810024 **经度**: 114.879349
apilocate.amap.com	**IP**: 59.82.31.183 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161583
astat.bugly.cros.wr.pvp.net	**IP**: 170.106.118.26 **所属国家**: United States of America **地区**: California **城市**: San Francisco **纬度**: 37.774929 **经度**: -122.419418
ultravideo.cs.tut.fi	**IP**: 130.230.203.118 **所属国家**: Finland **地区**: Pirkanmaa **城市**: Tampere **纬度**: 61.499111 **经度**: 23.787121
m5.amap.com	**IP**: 59.82.113.187 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161583
	IP: 203.119.175.235 **所属国家**: China

uri.amap.com	**地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397102
www.95516.com	**IP**: 106.74.11.232 **所属国家**: China **地区**: Shandong **城市**: Jinan **纬度**: 36.668331 **经度**: 116.997223
xml.apache.org	**IP**: 151.101.2.132 **所属国家**: United States of America **地区**: California **城市**: San Francisco **纬度**: 37.775700 **经度**: -122.395203
android.bugly.qq.com	**IP**: 124.95.225.146 **所属国家**: China **地区**: Liaoning **城市**: Shenyang **纬度**: 41.792221 **经度**: 123.432877
h.trace.qq.com	**IP**: 113.56.189.246 **所属国家**: China **地区**: Hubei **城市**: Huangshi **纬度**: 30.204170 **经度**: 115.077606
wap.amap.com	**IP**: 112.26.156.111 **所属国家**: China **地区**: Anhui **城市**: Lu'an **纬度**: 31.650000 **经度**: 118.525002
	IP: 39.98.22.142 **所属国家**: China

dualstack-arestapi.amap.com	**地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161583
zgxt.com	没有服务器地理信息.
zg.dps-pigeonloft.com	**IP**: 60.205.189.6 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397102
api.hcharts.cn	**IP**: 118.31.2.95 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161583
img.alicdn.com	**IP**: 123.125.216.243 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397102
asr.cloud.tencent.com	**IP**: 120.53.97.39 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397102
adiu.amap.com	**IP**: 59.82.118.236 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161583

cgicol.amap.com	**IP**: 60.222.200.219 **所属国家**: China **地区**: Shanxi **城市**: Taiyuan **纬度**: 37.869438 **经度**: 112.561508
www.slf4j.org	**IP**: 195.15.222.169 **所属国家**: Switzerland **地区**: Geneve **城市**: Carouge **纬度**: 46.180931 **经度**: 6.138709
wprd0d.is.autonavi.com	没有服务器地理信息.
api.seniverse.com	**IP**: 116.62.81.138 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161583
lbs.amap.com	**IP**: 110.253.189.211 **所属国家**: China **地区**: Hebei **城市**: Zhangjiakou **纬度**: 40.810024 **经度**: 114.879349
cs-zg-v3.dps-pigeonloft.com	**IP**: 60.205.189.6 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397102
android.googlesource.com	**IP**: 74.125.203.82 **所属国家**: United States of America **地区**: California **城市**: Mountain View **纬度**: 37.405991

	经度: -122.078514
vsp.allinpay.com	**IP**: 111.161.122.56 **所属国家**: China **地区**: Tianjin **城市**: Tianjin **纬度**: 39.142181 **经度**: 117.176102
dualstack-a.apilocate.amap.com	**IP**: 106.11.40.50 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161583
match-base.dps-pigeonloft.com	**IP**: 123.57.55.210 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161583
dovecote-base.dps-pigeonloft.com	**IP**: 123.57.55.210 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161583
app.com	**IP**: 157.240.9.36 **所属国家**: Bulgaria **地区**: Sofia (stolitsa) **城市**: Sofia **纬度**: 42.697510 **经度**: 23.324150
journeyapps.com	**IP**: 18.65.168.90 **所属国家**: Japan **地区**: Tokyo **城市**: Tokyo **纬度**: 35.689499

	经度: 139.692322
cs.dps-pigeonloft.com	**IP**: 60.205.189.6 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397102
api.weixin.qq.com	**IP**: 116.128.170.42 **所属国家**: China **地区**: Shanghai **城市**: Shanghai **纬度**: 31.224333 **经度**: 121.468948
standards.iso.org	**IP**: 138.81.131.111 **所属国家**: Switzerland **地区**: Geneve **城市**: Geneva **纬度**: 46.202103 **经度**: 6.145880
mp.weixin.qq.com	**IP**: 220.196.154.28 **所属国家**: China **地区**: Jiangsu **城市**: Wuxi **纬度**: 31.569349 **经度**: 120.288788
dps.com	**IP**: 13.69.68.22 **所属国家**: Netherlands **地区**: Noord-Holland **城市**: Amsterdam **纬度**: 52.378502 **经度**: 4.899980
www.windy.com	**IP**: 18.64.123.56 **所属国家**: United States of America **地区**: Washington **城市**: Seattle **纬度**: 47.627499

	经度: -122.346199
openrcv.baidu.com	**IP**: 111.206.209.112 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397102
dxp.baidu.com	**IP**: 110.242.68.94 **所属国家**: China **地区**: Hebei **城市**: Baoding **纬度**: 38.851109 **经度**: 115.490280
abroad.apilocate.amap.com	**IP**: 59.82.44.11 **所属国家**: China **地区**: Shanghai **城市**: Shanghai **纬度**: 31.224333 **经度**: 121.468948
restsdk.amap.com	**IP**: 59.82.132.217 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161583
faas-image.amap.com	**IP**: 42.56.82.208 **所属国家**: China **地区**: Liaoning **城市**: Shenyang **纬度**: 41.792221 **经度**: 123.432877
hmma.baidu.com	**IP**: 110.242.68.196 **所属国家**: China **地区**: Hebei **城市**: Baoding **纬度**: 38.851109

	经度: 115.490280
cs-api.dps-pigeonloft.com	**IP**: 60.205.189.6 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397102
restapi.amap.com	**IP**: 59.82.132.217 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161583
www.highcharts.com	**IP**: 104.18.9.9 **所属国家**: United States of America **地区**: California **城市**: San Francisco **纬度**: 37.775700 **经度**: -122.395203
wb.amap.com	**IP**: 110.253.189.212 **所属国家**: China **地区**: Hebei **城市**: Zhangjiakou **纬度**: 40.810024 **经度**: 114.879349
cs-zg.dps-pigeonloft.com	**IP**: 60.205.189.6 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397102
maps.testing.amap.com	**IP**: 140.205.69.9 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650

	经度: 120.161583
user-base.dps-pigeonloft.com	**IP**: 123.57.55.210 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161583
dps-pigeonloft.com	**IP**: 123.57.55.210 **所属国家**: China **地区**: Zhejiang **城市**: Hangzhou **纬度**: 30.293650 **经度**: 120.161583
dashif.org	**IP**: 185.199.109.153 **所属国家**: United States of America **地区**: Pennsylvania **城市**: California **纬度**: 40.065647 **经度**: -79.891724
long.open.weixin.qq.com	**IP**: 112.65.193.170 **所属国家**: China **地区**: Shanghai **城市**: Shanghai **纬度**: 31.224333 **经度**: 121.468948
datax.baidu.com	没有服务器地理信息.
cs-api-v3.dps-pigeonloft.com	**IP**: 60.205.189.6 **所属国家**: China **地区**: Beijing **城市**: Beijing **纬度**: 39.907501 **经度**: 116.397102

URL线索

URL信息	Url所在文件
https://asr.cloud.tencent.com/server_time	ahskej/com/tencent/aai/task/net/networktime/QCloudServiceTimeClient.java
https://github.com/Tencent/tinker/issues	ahskej/com/tencent/tinker/lib/reporter/DefaultPatchReporter.java
https://github.com/Tencent/tinker/issues	ahskej/com/tencent/tinker/lib/reporter/DefaultLoadReporter.java
http://restsdk.amap.com/v3	ahskej/com/amap/api/col/s/m.java
https://restsdk.amap.com/v3	ahskej/com/amap/api/col/s/m.java
http://restsdk.amap.com/v4	ahskej/com/amap/api/col/s/m.java
https://restsdk.amap.com/v4	ahskej/com/amap/api/col/s/m.java
http://restsdk.amap.com/v5	ahskej/com/amap/api/col/s/m.java
https://restsdk.amap.com/v5	ahskej/com/amap/api/col/s/m.java
http://yuntuapi.amap.com	ahskej/com/amap/api/col/s/m.java
https://yuntuapi.amap.com	ahskej/com/amap/api/col/s/m.java
http://restsdk.amap.com/rest/me/cpoint	ahskej/com/amap/api/col/s/m.java
https://restsdk.amap.com/rest/me/cpoint	ahskej/com/amap/api/col/s/m.java
http://apistore.amap.com	ahskej/com/amap/api/col/s/m.java
https://apistore.amap.com	ahskej/com/amap/api/col/s/m.java
http://m5.amap.com/ws/mapapi/shortaddress/transform	ahskej/com/amap/api/col/s/m.java
https://m5.amap.com/ws/mapapi/shortaddress/transform	ahskej/com/amap/api/col/s/m.java

https://restsdk.amap.com/sdk/compliance/params	ahskej/com/amap/api/col/s/dh.java
http://restsdk.amap.com/sdk/compliance/params	ahskej/com/amap/api/col/s/dh.java
https://restapi.amap.com/rest/aaid/get	ahskej/com/amap/api/col/s/cq.java
http://restapi.amap.com/rest/aaid/get	ahskej/com/amap/api/col/s/cq.java
https://api.weixin.qq.com/	ahskej/com/shyl/dps/di/HttpModule.java
https://restapi.amap.com/	ahskej/com/shyl/dps/di/HttpModule.java
https://api.seniverse.com/	ahskej/com/shyl/dps/di/HttpModule.java
https://user-base.dps-pigeonloft.com	ahskej/com/shyl/grpc/GrpcInit.java
https://dove-base.dps-pigeonloft.com	ahskej/com/shyl/grpc/di/GRPCModule.java
https://match-base.dps-pigeonloft.com	ahskej/com/shyl/grpc/di/GRPCModule.java
https://user-base.dps-pigeonloft.com	ahskej/com/shyl/grpc/di/GRPCModule.java
https://dovecote-base.dps-pigeonloft.com	ahskej/com/shyl/grpc/di/GRPCModule.java
https://vsp.allinpay.com/statichtml/webpub/sdk/icon/yinlian.png	ahskej/com/allinpay/unifypay/sdk/e.java
https://vsp.allinpay.com/apiweb/sdk/front	ahskej/com/allinpay/unifypay/sdk/a/f.java
http://www.slf4j.org/codes.html	ahskej/org/slf4j/MDC.java
http://www.slf4j.org/codes.html	ahskej/org/slf4j/LoggerFactory.java
https://github.com/arrow-kt/arrow-core/issues/new/choose	arrow/core/ArrowCoreInternalException.java
https://ip.	com/alibaba/sdk/android/oss/OSSImpl.java
http://oss-cn-****.aliyuncs.com',or	com/alibaba/sdk/android/oss/OSSImpl.java

http://image.cnamedomain.com'!	com/alibaba/sdk/android/oss/OSSImpl.java
http://oss-cn-hangzhou.aliyuncs.com	com/alibaba/sdk/android/oss/common/OSSConstants.java
http://oss-cn-****.aliyuncs.com',or	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java
http://image.cnamedomain.com'!	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java
http://xml.apache.org/xslt	com/aliyun/vod/common/logger/LoggerPrinter.java
https://videocloud.	com/aliyun/vod/log/core/AliyunLogCommon.java
http://vod.	com/aliyun/vod/log/report/AliyunReportParam.java
https://vod.cn-shanghai.aliyuncs.com/	com/aliyun/auth/common/AliyunVodHttpCommon.java
https://vod.	com/aliyun/auth/common/AliyunVodHttpCommon.java
https://adiu.amap.com/ws/device/adius	com/amap/api/col/p0003l/hx.java
http://cgicol.amap.com/collection/collectData?src=baseCol&ver=v74&	com/amap/api/col/p0003l/js.java
http://restsdk.amap.com	com/amap/api/col/p0003l/fv.java
https://restsdk.amap.com/sdk/compliance/params	com/amap/api/col/p0003l/hh.java
http://restsdk.amap.com/sdk/compliance/params	com/amap/api/col/p0003l/hh.java
http://restsdk.amap.com/v3/place/text?	com/amap/api/col/p0003l/a.java
http://restsdk.amap.com/v3/place/around?	com/amap/api/col/p0003l/a.java
http://restsdk.amap.com/v3/config/district?	com/amap/api/col/p0003l/a.java
https://restapi.amap.com/rest/aaid/get	com/amap/api/col/p0003l/gf.java
http://restapi.amap.com/rest/aaid/get	com/amap/api/col/p0003l/gf.java

https://restsdk.amap.com/v3/iasdkauth	com/amap/api/col/p0003l/fm.java
https://dualstack-arestapi.amap.com/v3/iasdkauth	com/amap/api/col/p0003l/fm.java
http://restsdk.amap.com/v4/gridmap?	com/amap/api/col/p0003l/df.java
http://restsdk.amap.com/v4/grasproad/driving?	com/amap/api/col/p0003l/fg.java
http://wprd0%d.is.autonavi.com/appmaptile?	com/amap/api/col/p0003l/de.java
http://restsdk.amap.com/v4/gridmap?	com/amap/api/col/p0003l/de.java
http://restsdk.amap.com/v4	com/amap/api/col/p0003l/s.java
http://restsdk.amap.com/v4	com/amap/api/col/p0003l/cr.java
http://restsdk.amap.com	com/amap/api/col/p0003l/v.java
http://mpsapi.amap.com/ws/mps/lyrdata/ugc/\	com/amap/api/col/p0003l/l.java
https://restapi.amap.com/rest/lbs/geohub/3d/tiles?z=%d&x=%d&y=%d&id=	com/amap/api/col/p0003l/k.java
https://adiu.amap.com/ws/device/adius	com/amap/api/col/s/ds.java
https://restsdk.amap.com/v3/iasdkauth	com/amap/api/col/s/bx.java
https://dualstack-arestapi.amap.com/v3/iasdkauth	com/amap/api/col/s/bx.java
http://wb.amap.com/?r=%f,%f,%s,%f,%f,%s,%d,%d,%d,%s,%s,%s&sourceapplication=openapi/0	com/amap/api/col/s/bt.java
http://wb.amap.com/?q=%f,%f,%s&sourceapplication=openapi/0	com/amap/api/col/s/bt.java
http://wb.amap.com/?n=%f,%f,%f,%f,%d&sourceapplication=openapi/0	com/amap/api/col/s/bt.java
http://wb.amap.com/?p=%s,%f,%f,%s,%s&sourceapplication=openapi/0	com/amap/api/col/s/bt.java

http://wap.amap.com/	com/amap/api/maps/AMapUtils.java
https://lbs-3dtiles-service.amap.com/basemap/tiles/staging?compose=building@1669011850923&compose=tree@1668678765481&z=%d&x=%d&y=%d	com/amap/api/maps/model/amap3dmodeltile/AMap3DModelTileProvider.java
http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/	com/amap/api/location/AMapLocation.java
http://apilocate.amap.com/mobile/binary	com/autonavi/aps/amapapi/utils/b.java
http://dualstack-a.apilocate.amap.com/mobile/binary	com/autonavi/aps/amapapi/utils/b.java
http://abroad.apilocate.amap.com/mobile/binary	com/autonavi/aps/amapapi/utils/b.java
http://abroad.apilocate.amap.com/mobile/binary	com/autonavi/aps/amapapi/utils/h.java
http://dualstack-arestapi.amap.com/v3/geocode/regeo	com/autonavi/aps/amapapi/trans/c.java
http://restsdk.amap.com/v3/geocode/regeo	com/autonavi/aps/amapapi/trans/c.java
http://abroad.apilocate.amap.com/mobile/binary	com/autonavi/aps/amapapi/trans/a.java
http://restsdk.amap.com/rest/lbs/dem/data?z=%d&x=%d&y=%d&type=2	com/autonavi/base/ae/gmap/TerrainOverlayProvider.java
http://mst01.is.autonavi.com/appmaptile?z=%d&x=%d&y=%d&lang=zh_cn&size=1&scale=1&style=6	com/autonavi/base/ae/gmap/TerrainOverlayProvider.java
http://mpsapi.amap.com/	com/autonavi/base/ae/gmap/GLMapEngine.java
http://m5.amap.com/	com/autonavi/base/ae/gmap/GLMapEngine.java
http://m5.amap.com/	com/autonavi/base/amap/mapcore/maploader/AMapLoader.java
https://datax.baidu.com/xs.gif	com/baidu/mobstat/y.java
https://dxp.baidu.com/upgrade	com/baidu/mobstat/y.java
https://hmma.baidu.com/auto.gif	com/baidu/mobstat/Config.java

http://hmma.baidu.com/app.gif	com/baidu/mobstat/Config.java
https://hmma.baidu.com/app.gif	com/baidu/mobstat/Config.java
https://openrcv.baidu.com/1010/bplus.gif	com/baidu/mobstat/r.java
https://api.dps-pigeonloft.com/	com/dps/net/BuildConfig.java
https://dps-pigeonloft.com/	com/dps/net/BuildConfig.java
https://zg.dps-pigeonloft.com/api-zg/	com/dps/net/BuildConfig.java
https://web.dps-pigeonloft.com/privacy/logoff.html	com/shyl/dps/ui/mine/DeleteAccountActivity.java
http://uri.amap.com/navigation?to=	com/shyl/dps/utils/MapNaviUtils.java
https://cs-v3.dps-pigeonloft.com/	com/nly/main/DebugMMKVUtils.java
https://cs-api-v3.dps-pigeonloft.com/	com/nly/main/DebugMMKVUtils.java
https://cs-zg-v3.dps-pigeonloft.com/api-zg/	com/nly/main/DebugMMKVUtils.java
https://cs.dps-pigeonloft.com/	com/nly/main/DebugMMKVUtils.java
https://cs-api.dps-pigeonloft.com/	com/nly/main/DebugMMKVUtils.java
https://cs-zg.dps-pigeonloft.com/api-zg/	com/nly/main/DebugMMKVUtils.java
http://dps.com/	com/nly/main/DebugMMKVUtils.java
http://app.com/	com/nly/main/DebugMMKVUtils.java
http://zgxt.com/	com/nly/main/DebugMMKVUtils.java
https://h.trace.qq.com/kv	com/tencent/bugly/proguard/ad.java
https://astat.bugly.qcloud.com/rqd/async	com/tencent/bugly/proguard/ac.java

https://astat.bugly.cros.wr.pvp.net/:8180/rqd/async	com/tencent/bugly/proguard/ac.java
https://android.bugly.qq.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/StrategyBean.java
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuid=%s	com/tencent/mm/opensdk/diffdev/a/c.java
https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s&timestamp=%s&scope=%s&signature=%s	com/tencent/mm/opensdk/diffdev/a/b.java
https://mp.weixin.qq.com/publicpoc/opensdkconf?action=GetShareConf&appid=%s&sdkVersion=%s&buffer=%s	com/tencent/mm/opensdk/openapi/WXAPiSecurityHelper.java
https://mobile.unionpay.com/getclient?platform=android&type=securepayplugin\	com/unionpay/UPPayAssistEx.java
https://www.windy.com/	dps/map/MapLookForWindActivityurl2.java
https://www.windy.com/	dps/map/TrainingMapActivity.java
http://uri.amap.com/navigation?to=	dps/map/viewmodel/TrainingMapViewModel.java
https://journeyapps.com/	摸瓜V1引擎
https://github.com/journeyapps/zxing-android-embedded	摸瓜V1引擎
https://www.95516.com/portal/open/init.do?entry=open	摸瓜V1引擎
https://api.hcharts.cn/highcharts	摸瓜V2引擎
https://www.highcharts.com?credits	摸瓜V2引擎
https://github.com/arrow-kt/arrow-core/issues/new/choose	摸瓜V3引擎
http://restsdk.amap.com/v3/place/around?	摸瓜V3引擎
https://api.seniverse.com/	摸瓜V3引擎

https://initializationhttp://dashif.org/guidelines/last-segment-numberframeRatedash:profile:isoff-li	摸瓜V3引擎
api.dps-pigeonloft.com	摸瓜V3引擎
http://schemas.android.com/aapt	摸瓜V3引擎
https://dualstack-arestapi.amap.com/v3/iasdkauth	摸瓜V3引擎
https://adiu.amap.com/ws/device/adius	摸瓜V3引擎
http://restsdk.amap.com/v3/place/text?	摸瓜V3引擎
http://standards.iso.org/ittf/PubliclyAvailableStandards/MPEG-DASH_schema_files/DASH-MPD.xsd	摸瓜V3引擎
http://uri.amap.com/navigation?to=	摸瓜V3引擎
https://user-base.dps-pigeonloft.com	摸瓜V3引擎
https://restapi.amap.com/	摸瓜V3引擎
https://restsdk.amap.com/v3/iasdkauth	摸瓜V3引擎
https://android.googlesource.com/toolchain/llvm	摸瓜V3引擎
http://restsdk.amap.com/v4	摸瓜V3引擎
http://restapi.amap.com/rest/aaid/get	摸瓜V3引擎
https://vsp.allinpay.com/apiweb/sdk/front	摸瓜V3引擎
www.googleapis.com	摸瓜V3引擎
https://android.googlesource.com/toolchain/llvm-project	摸瓜V3引擎
https://restsdk.amap.com/sdk/compliance/params	摸瓜V3引擎
https://open.weixin.qq.com/connect/sdk/qrconnect?	摸瓜V3引擎

appid=%s&noncestr=%s&timestamp=%s&scope=%s&signatur	
http://schemas.android.com/apk/res-auto	摸瓜V3引擎
http://schemas.android.com/apk/res/android((layout/specify__item_result_third_dove_0	摸瓜V3引擎
http://schemas.android.com/apk/res/android&&layout/item_specify_order_dove_match_0	摸瓜V3引擎
http://mpsapi.amap.com/ws/mps/lyrdata/ugc/	摸瓜V3引擎
http://dashif.org/guidelines/last-segment-number	摸瓜V3引擎
http://g.co/dev/packagevisibility.	摸瓜V3引擎
http://schemas.android.com/apk/res/androidP	摸瓜V3引擎
https://restapi.amap.com/rest/lbs/geohub/3d/tiles?z=%d&x=%d&y=%d	摸瓜V3引擎
http://wprd0%d.is.autonavi.com/appmaptile?	摸瓜V3引擎
https://web.dps-pigeonloft.com/privacy/logoff.html	摸瓜V3引擎
http://schemas.android.com/apk/res/android$$layout/activity_dove_image_manager_0))pictureLabel1	摸瓜V3引擎
http://schemas.android.com/apk/res/android	摸瓜V3引擎
https://developer.android.com/guide/topics/media/issues/cleartext-not-permitted	摸瓜V3引擎
http://restsdk.amap.com/v4/gridmap?	摸瓜V3引擎
https://android.googlesource.com/toolchain/clang	摸瓜V3引擎
https://restapi.amap.com/rest/aaid/get	摸瓜V3引擎
http://restsdk.amap.com/v3/config/district?	摸瓜V3引擎
http://schemas.android.com/apk/res/android$$layout/apply__fragment_pager_third_0	摸瓜V3引擎

http://restsdk.amap.com/sdk/compliance/params	摸瓜V3引擎
https://api.weixin.qq.com/	摸瓜V3引擎
http://restsdk.amap.com/v4/grasproad/driving?	摸瓜V3引擎
https://dovecote-base.dps-pigeonloft.com	摸瓜V3引擎
https://dove-base.dps-pigeonloft.com	摸瓜V3引擎
http://restsdk.amap.com	摸瓜V3引擎
https://match-base.dps-pigeonloft.com	摸瓜V3引擎
http://schemas.android.com/apk/res/android##layout/activity_search_proxy_user_0	摸瓜V3引擎
http://dashif.org/guidelines/trickmode	摸瓜V3引擎
http://cgicol.amap.com/collection/collectData?src=baseCol&ver=v74&	摸瓜V3引擎
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuid=%s	摸瓜V3引擎
https://lbs-3dtiles-service.amap.com/basemap/tiles/staging?compose=building	摸瓜V3引擎
http://mpsapi.amap.com/ws/mps/vmap/	lib/arm64-v8a/libAMapSDK_MAP_v10_0_600.so
http://mpsapi.amap.com/ws/mps/rtt/	lib/arm64-v8a/libAMapSDK_MAP_v10_0_600.so
http://mpsapi.amap.com/ws/mps/smap	lib/arm64-v8a/libAMapSDK_MAP_v10_0_600.so
http://m5.amap.com/ws/transfer/auth/map/indoor_maps	lib/arm64-v8a/libAMapSDK_MAP_v10_0_600.so
http://mpsapi.amap.com/ws/mps/lyrdata/ugc/	lib/arm64-v8a/libAMapSDK_MAP_v10_0_600.so
http://mpsapi.amap.com/	lib/arm64-v8a/libAMapSDK_MAP_v10_0_600.so
http://m5.amap.com	lib/arm64-v8a/libAMapSDK_MAP_v10_0_600.so

https://mps.amap.com/ws/mps/rtt	lib/arm64-v8a/libAMapSDK_MAP_v10_0_600.so
https://mps.amap.com/ws/mps/vmap	lib/arm64-v8a/libAMapSDK_MAP_v10_0_600.so
https://maps.testing.amap.com/ws/transfer/auth/map/indoor_maps	lib/arm64-v8a/libAMapSDK_MAP_v10_0_600.so
https://mps.amap.com/ws/mps/smap	lib/arm64-v8a/libAMapSDK_MAP_v10_0_600.so
https://mps.amap.com/ws/mps/spot	lib/arm64-v8a/libAMapSDK_MAP_v10_0_600.so
https://mps.amap.com/ws/mps/hot	lib/arm64-v8a/libAMapSDK_MAP_v10_0_600.so
http://maps.testing.amap.com/ws/mps/vmap	lib/arm64-v8a/libAMapSDK_MAP_v10_0_600.so
http://maps.testing.amap.com/ws/mps/rtt	lib/arm64-v8a/libAMapSDK_MAP_v10_0_600.so
https://faas-image.amap.com/acornCompressImageProd/%2523merge%2523%25402x-a2b2ad2c-50f4-46cc-9a68-9ef6a7c3d1be.png	lib/arm64-v8a/libAMapSDK_MAP_v10_0_600.so
https://img.alicdn.com/imgextra/i3/O1CN01BnLPsP1kjLlMfyzmX_!!6000000004719-2-tps-64-64.png	lib/arm64-v8a/libAMapSDK_MAP_v10_0_600.so
https://m5.amap.com/	lib/arm64-v8a/libAMapSDK_MAP_v10_0_600.so
http://ultravideo.cs.tut.fi/	lib/arm64-v8a/libavcodec.so
http://%s:%d%s	lib/arm64-v8a/libavformat.so
http://%s%s	lib/arm64-v8a/libavformat.so
http://dashif.org/guidelines/last-segment-number	lib/arm64-v8a/libavformat.so

邮箱线索

邮箱地址	所在文件

twolame-discuss@lists.sourceforg	lib/arm64-v8a/libavcodec.so
appro@openssl.org	lib/arm64-v8a/libconscrypt_jni.so

手机线索

手机号	所在文件
18222222222	com/amap/api/col/p0003l/fm.java
15060355040	com/unionpay/UPPayAssistEx.java
17179869184	tv/danmaku/ijk/media/player/IjkMediaMeta.java

签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: False
找到 1 个唯一证书
主题: L=TianJin, OU=纳兰云, CN=Jin
签名算法: rsassa_pkcs1v15
有效期自: 2022-05-09 05:50:40+00:00
有效期至: 2072-04-26 05:50:40+00:00
发行人: L=TianJin, OU=纳兰云, CN=Jin
序列号: 0x2c8320
哈希算法: sha256
md5值: ca4cbb930eab77cd94b4b199c59a1adc
sha1值: 1d5ade3073587bf915a7b61369e249a304eab58d
sha256值: b4eaba913d44e5a644d9ab6a6cc379b81d49eb0e174a98bf8353635bff73da2f
sha512值: 8b060f90d895c02e163058a1724c6c2dfe4696220b035449ffb92274e5ed915d05e2bcbb8ff079f8a84df2b516b2fd02cb3ea203a8b4d192290ff925bc2bf2fa
公钥算法: rsa
密钥长度: 2048
指纹: 6f1ca166a07c23a38adf841ccd818e7df9517145a01022bf26fd4ebb463907f5

🔑 硬编码敏感信息

可能的敏感信息
"err_auth_dented" : "认证被否决"
"forget_pwd" : "忘记密码"
"input_password" : "请输入有效的密码"
"input_username" : "请输入您的用户名"
"library_zxingandroidembedded_author" : "JourneyApps"
"library_zxingandroidembedded_authorWebsite" : "https://journeyapps.com/"
"login_forget_password" : "忘记密码？"
"pleaseInputPassword" : "请输入密码"
"pos_pwd_display_yiqianbao" : "请输入壹钱包支付密码:"
"ppplugin_dialog_purse_not_get_pwdinfo_yiqianbao" : "壹钱包密码键盘无密文信息返回"
"ppplugin_forgetpwd_prompt" : "忘记密码"
"ppplugin_input_cardinfo_cardpwd_prompt" : "确认密码"
"ppplugin_inputpaypwd_pos_prompt" : "请输入6位全民付移动支付密码"
"ppplugin_inputpaypwd_prompt" : "请输入6位支付密码"
"ppplugin_inputpwddialog_accbalance_prompt" : "账户余额"
"ppplugin_inputpwddialog_coupon_prompt" : "优惠券"

"ppplugin_microfreepwd_amount_prompt" : "免密金额"
"ppplugin_microfreepwd_pay_prompt" : "小额免密支付"
"ppplugin_microfreepwd_prompt" : "小额免密"
"ppplugin_microfreepwd_switchoff" : "关闭"
"ppplugin_microfreepwd_switchon" : "已开启"
"ppplugin_microfreepwd_use_prompt" : "超过免密额度时，需要验证支付密码，并且系统会移除可疑交易。"
"ppplugin_modifypaypwd_ok" : "支付密码修改成功"
"ppplugin_modifypwd_prompt" : "修改支付密码"
"ppplugin_resetpaypwd_ok" : "支付密码重置成功"
"ppplugin_session_timeout_prompt" : "由于您长时间未操作，请重新登录"
"ppplugin_set_pwd_prompt" : "设置密码"
"session_timeout" : "会话超时,请重新登录"
"tips_amount_free_pwd" : "已为您开启200元额度小额免密，可在右上角设置"
"tips_input_password" : "为了您的账号安全请输入支付密码"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.KILL_BACKGROUND_PROCESSES	正常	杀死后台进程	允许应用程序杀死其他应用程序的后台进程,即使内存不低
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.SCHEDULE_EXACT_ALARM	正常		允许应用程序使用精确的警报调度 API 来执行对时间敏感的后台工作
android.permission.USE_EXACT_ALARM	未知	Unknown permission	Unknown permission from android reference
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取

android.permission.READ_MEDIA_IMAGES	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_VIDEO	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_AUDIO	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.NFC	正常	控制近场通信	允许应用程序与近场通信 (NFC) 标签,卡和读卡器进行通信
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.ACCESS_FINE_LOCATION	危险	精细定位（GPS）	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
org.simalliance.openmobileapi.SMARTCARD	未知	Unknown permission	Unknown permission from android reference
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.POST_NOTIFICATIONS	未知	Unknown permission	Unknown permission from android reference
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
com.google.android.c2dm.permission.RECEIVE	合法	C2DM 权限	云到设备消息传递的权限

android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度
com.shyl.dps.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	未知	Unknown permission	Unknown permission from android reference
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
com.shyl.dps.permission.JPUSH_MESSAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_BACKGROUND_LOCATION	危险	后台访问位置	允许应用程序在后台访问位置
android.permission.QUERY_ALL_PACKAGES	正常		允许查询设备上的任何普通应用程序,无论清单声明如何
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒

应用内通信

活动(ACTIVITY)	**通信**(INTENT)
com.shyl.dps.ui.H5RoutActivity	Schemes: dps://, Hosts: com.dps.h5,
com.shyl.dps.ui.LauncherActivity	Schemes: dps://, Hosts: com.shyl.dps,
com.allinpay.unifypay.sdk.ui.PaymentActivity	Schemes: allinpaysdk://, Hosts: com.shyl.dps, Paths: /result,

报告由 **摸瓜**APK**反编译平台** 自动生成，并非包含所有检测结果，有疑问请联系管理员。