



MoGua

xpCarOOBE

VV6.0.0_20250625144222_Release.APK 分析报告



APP名称: xpCar00BE

包名: com.xiaopeng.oobe

域名线索: 29条

URL线索: 15条

邮箱线索: 0条

分析日期: 2025年7月16日

分析平台: [摸瓜APK反编译平台](#)

文件信息

文件名: xp_xpCarOOBE.apk

文件大小: 55.58MB

MD5值: 37b17f33f02e8a8e441d5377918fc3cf

SHA1值: b5465ce0a4fa8b6d702fea624106c612fc3afad2

SHA256值: f42d2f7c4d0d25ca0e431d5ede37eed8d518770146c56b6c9f460cd0befa42f7

APP 信息

App名称: xpCarOOBE

包名: com.xiaopeng.oobe

主活动Activity: com.xiaopeng.oobe.OOBEActivity

安卓版本名称: VV6.0.0_20250625144222_Release

安卓版本: 857

域名线索

域名	服务器信息
httpdns.xiaopeng.com	IP: 47.102.46.115 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
xmart-cdu-service-log.oss-cn-hangzhou.aliyuncs.com	IP: 124.160.145.0 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000

image.cnamedomain.com	没有服务器地理信息.
oss-cn-hangzhou.aliyuncs.com	IP: 118.31.219.236 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
10.0.13.28	IP: 10.0.13.28 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
cs-api-ext.xiaopeng.com	IP: 118.31.212.217 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
mall.xiaopeng.com	IP: 218.61.164.212 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
fra-bd-callback.xiaopeng.com	IP: 8.220.70.172 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.110882 经度: 8.681996
	IP: 106.11.248.144 所属国家: China

mpush-api.aliyun.com	地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
chargegateway.xiaopeng.com	IP: 118.31.212.217 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
opn.baidu.com	IP: 111.206.209.207 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
fra-callback-api.xiaopeng.com	IP: 8.220.70.172 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.110882 经度: 8.681996
fra-xp-log.s3.eu-central-1.amazonaws.com	IP: 199.96.63.53 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.773968 经度: -122.410446
json-schema.org	IP: 104.26.2.209 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203

iot-web.xiaopeng.com	IP: 175.17.20.208 所属国家: China 地区: Jilin 城市: Changchun 纬度: 43.880001 经度: 125.322777
v-callback.xiaopeng.com	IP: 118.31.212.217 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
xmart.deploy-test.xiaopeng.com	IP: 47.96.240.241 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
xmart.test.mm.volkswagen-anhui.com	IP: 47.102.42.105 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
oss.aliyuncs.com	IP: 118.178.29.5 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
xmart-eu.xiaopeng.com	IP: 8.209.64.176 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.110882

	经度: 8.681996
oss-cn-aliyuncom.com	没有服务器地理信息.
httpdns-extender-pre.xiaopeng.com	IP: 121.199.58.42 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
speech.xiaopeng.com	IP: 101.37.181.14 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
ur.xiaopeng.com	IP: 47.110.214.199 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
speech-eu.xiaopeng.com	IP: 47.254.129.120 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.110882 经度: 8.681996
xmart.xiaopeng.com	IP: 47.96.221.177 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

127.0.0.1	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
cache.amap.com	IP: 124.95.175.53 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
schemas.android.com	没有服务器地理信息.

URL线索

URL信息	Url所在文件
https://ip.	com/alibaba/sdk/android/oss/OSSImpl.java
http://oss-cn-****.aliyuncs.com',or	com/alibaba/sdk/android/oss/OSSImpl.java
http://image.cnamedomain.com'!	com/alibaba/sdk/android/oss/OSSImpl.java
http://oss-cn-hangzhou.aliyuncs.com	com/alibaba/sdk/android/oss/common/OSSConstants.java
http://oss.aliyuncs.com	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java
http://127.0.0.1	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java
http://oss-cn-****.aliyuncs.com',or	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java

http://image.cnamedomain.com/!	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java
http://json-schema.org/draft-04/schema	com/alibaba/fastjson2/schema/JSONSchema.java
https://httpdns-extender-pre.xiaopeng.com/local	com/xiaopeng/lib/framework/netchannelmodule/http/xmart/DnsConstants.java
https://httpdns.xiaopeng.com/local	com/xiaopeng/lib/framework/netchannelmodule/http/xmart/DnsConstants.java
https://fra-xp-log.s3.eu-central-1.amazonaws.com	com/xiaopeng/lib/framework/netchannelmodule/remotestorage/aws/BaseAwsTask.java
https://fra-xp-log.s3.eu-central-1.amazonaws.com/	com/xiaopeng/lib/framework/netchannelmodule/remotestorage/aws/BaseAwsTask.java
https://fra-callback-api.xiaopeng.com/xmartFileData	com/xiaopeng/lib/framework/netchannelmodule/remotestorage/aws/SimpleAwsUploadTask.java
https://fra-bd-callback.xiaopeng.com/oss/xmartData/xmartOssFile	com/xiaopeng/lib/framework/netchannelmodule/remotestorage/aws/SimpleAwsUploadTask.java
https://xmart.deploy-test.xiaopeng.com	com/xiaopeng/lib/utils/config/EnvConfigHelper.java
http://xmart-cdu-service-log.oss-cn-hangzhou.aliyuncs.com/	com/xiaopeng/lib/utils/config/CommonConfig.java
http://oss-cn-hangzhou.aliyuncs.com/	com/xiaopeng/lib/utils/config/CommonConfig.java
https://xmart.xiaopeng.com	com/xiaopeng/lib/utils/config/CommonConfig.java
https://xmart-eu.xiaopeng.com	com/xiaopeng/lib/utils/config/CommonConfig.java
https://xmart.test.mm.volkswagen-anhui.com	com/xiaopeng/lib/utils/config/CommonConfig.java
https://10.0.13.28:8553	com/xiaopeng/lib/utils/config/CommonConfig.java
https://10.0.13.28:8556	com/xiaopeng/lib/utils/config/CommonConfig.java
https://speech.xiaopeng.com	com/xiaopeng/lib/utils/config/CommonConfig.java
https://speech-eu.xiaopeng.com	com/xiaopeng/lib/utils/config/CommonConfig.java

https://iot-web.xiaopeng.com	com/xiaopeng/lib/utils/config/CommonConfig.java
https://chargegateway.xiaopeng.com	com/xiaopeng/lib/utils/config/CommonConfig.java
https://mall.xiaopeng.com	com/xiaopeng/lib/utils/config/CommonConfig.java
https://ur.xiaopeng.com	com/xiaopeng/lib/utils/config/CommonConfig.java
https://fra-callback-api.xiaopeng.com	com/xiaopeng/lib/utils/config/CommonConfig.java
https://cs-api-ext.xiaopeng.com	com/xiaopeng/lib/utils/config/CommonConfig.java
https://v-callback.xiaopeng.com	com/xiaopeng/lib/utils/config/CommonConfig.java
https://cache.amap.com/h5/h5/publish/241/index.html?type=auto	com/xiaopeng/oobe/Constants.java
https://cache.amap.com/h5/h5/publish/238/index.html	com/xiaopeng/oobe/Constants.java
https://mpush-api.aliyun.com/v2.0/a/audid/req/	com/ta/a/b/h.java
http://schemas.android.com/apk/res/android	defpackage/s9.java
http://schemas.android.com/apk/res-auto	defpackage/x0.java
https://opn.baidu.com/map/2025/yens?tpltype=1	defpackage/mv0.java
https://opn.baidu.com/map/2025/darkxieyi?tpltype=1	defpackage/mv0.java

 邮箱线索

 手机线索

手机号	所在文件
17179869184	com/alibaba/fastjson2/JSONWriter.java
16722222222	com/alibaba/fastjson2/util/DateUtils.java
16822222222	com/alibaba/fastjson2/util/DateUtils.java
16922222222	com/alibaba/fastjson2/util/DateUtils.java
17022222222	com/alibaba/fastjson2/util/DateUtils.java
17122222222	com/alibaba/fastjson2/util/DateUtils.java
17222222222	com/alibaba/fastjson2/util/DateUtils.java
18622222222	com/alibaba/fastjson2/util/DateUtils.java
18522222222	com/alibaba/fastjson2/util/DateUtils.java

签名证书

APK已签名

v1 签名: True

v2 签名: True

v3 签名: True

找到 1 个唯一证书

主题: C=US, ST=California, L=Mountain View, O=Android, OU=Android, CN=Android, E=android@android.com

签名算法: rsassa_pkcs1v15

有效期自: 2008-04-15 22:40:50+00:00

有效期至: 2035-09-01 22:40:50+00:00

发行人: C=US, ST=California, L=Mountain View, O=Android, OU=Android, CN=Android, E=android@android.com

序列号: 0xb3998086d056cffa

哈希算法: md5

md5值: 8ddb342f2da5408402d7568af21e29f9

sha1值: 27196e386b875e76adf700e7ea84e4c6eee33dfa

sha256值: c8a2e9bccf597c2fb6dc66bee293fc13f2fc47ec77bc6b2b0d52c11f51192ab8

sha512值: 5d802f24d6ac76c708a8e7afe28fd97e038f888cef6665fb9b4a92234c311d6ff42127ccb2eb5a898f4e7e4e553f6ef602d43d1a2ebae9f002a6598e72fd2d83

公钥算法: rsa

密钥长度: 2048

指纹: 65ba0830722d5767f8779e37d0d9c67562f03ec63a2889af655ee9c59effb434

硬编码敏感信息

可能的敏感信息
"authorization_cancel": "暂不开启"
"authorization_ok": "确认开启"
"voice_authorization_check": "同意参加语音用户体验改进计划，详情可查阅"
"vui_authorization_content": "推荐您开启“小P”智能语音服务，开启后“小P”将为您提供贴心、智能的语音对话服务。"
"vui_authorization_explain": ". 您可通过下达语音指令来控制各类车上的功能，也可发起导航和播放音乐、查询天气等；· “小P+”智能唤醒：只需在指令前后加“小P”即可响应您的需求，如“小P帮我打开空调”；· 多音区交互：每个座位的乘客均可随时呼唤“小P”，支持全车全时连续对话交互；· 无网络对话：在地库、高速、隧道等网络不佳的环境下，依然可为您提供基础的语音服务。"
"vui_authorization_explain_xiao_p": ". 您可通过下达语音指令来控制各类车上的功能，也可发起导航和播放音乐、查询天气等；· 多音区交互：每个座位的乘客均可随时呼唤“小P”；· 无网络对话：在地库、高速、隧道等网络不佳的环境下，依然可为您提供基础的语音服务。"
"vui_authorization_title": ""小P”智能语音服务"
"vui_authorized_start_tts": "为了提供更好的产品体验，推荐您开启小P智能语音服务"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

应用内通信

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。