




# MoGua

## 悄悄话 1.1.2.APK 分析报告



APP名称:

悄悄话

|        |                            |
|--------|----------------------------|
| 包名:    | com.waterfall.viewlive     |
| 域名线索:  | 114条                       |
| URL线索: | 77条                        |
| 邮箱线索:  | 2条                         |
| 分析日期:  | 2025年7月16日                 |
| 分析平台:  | <a href="#">摸瓜APK反编译平台</a> |

文件名: qiaoqiaohua112.apk  
文件大小: 138.34MB  
MD5值: 381b4ca2b66e0fc6d380259ecea99375  
SHA1值: a59f74a9c048d8b5568184d262d92b5d79963374  
SHA256值: 4db72bb41673ef9e75211f530b20890692a7f70685fdeb7c16088bee4d44455f

## i APP 信息

App名称: 悄悄话  
包名: com.waterfall.viewlive  
主活动Activity: com.waterfall.viewlive.activity.SplashActivity  
安卓版本名称: 1.1.2  
安卓版本: 7

## 🔍 域名线索

| 域名                      | 服务器信息                                                                                                 |
|-------------------------|-------------------------------------------------------------------------------------------------------|
| rsf.qiniu.com           | IP: 124.160.115.103<br>所属国家: China<br>地区: Zhejiang<br>城市: Hangzhou<br>纬度: 30.293650<br>经度: 120.161583 |
| rsf-as0.qiniu.com       | IP: 116.196.140.69<br>所属国家: China<br>地区: Zhejiang<br>城市: Jinhua<br>纬度: 30.013470<br>经度: 120.288658    |
| mobilegw.aaa.alipay.net | 没有服务器地理信息.                                                                                            |
|                         | IP: 220.180.243.220                                                                                   |

|                      |                                                                                                                                         |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| qiao.tianlianggg.com | <b>所属国家:</b> China<br><b>地区:</b> Anhui<br><b>城市:</b> Hefei<br><b>纬度:</b> 31.863815<br><b>经度:</b> 117.280830                             |
| fusion.qiniuapi.com  | IP: 221.15.70.70<br><b>所属国家:</b> China<br><b>地区:</b> Henan<br><b>城市:</b> Luoyang<br><b>纬度:</b> 34.683289<br><b>经度:</b> 112.453911       |
| rs-z2.qiniu.com      | IP: 163.142.153.217<br><b>所属国家:</b> China<br><b>地区:</b> Guangdong<br><b>城市:</b> Foshan<br><b>纬度:</b> 23.026770<br><b>经度:</b> 113.131477 |
| fusion.qq.com        | IP: 116.130.229.204<br><b>所属国家:</b> China<br><b>地区:</b> Beijing<br><b>城市:</b> Beijing<br><b>纬度:</b> 39.907501<br><b>经度:</b> 116.397102  |
| up-z2.qiniup.com     | IP: 120.83.145.2<br><b>所属国家:</b> China<br><b>地区:</b> Guangdong<br><b>城市:</b> Foshan<br><b>纬度:</b> 23.026770<br><b>经度:</b> 113.131477    |
| upload-z2.qiniup.com | IP: 163.142.153.213<br><b>所属国家:</b> China<br><b>地区:</b> Guangdong<br><b>城市:</b> Foshan<br><b>纬度:</b> 23.026770<br><b>经度:</b> 113.131477 |

|                           |                                                                                                           |
|---------------------------|-----------------------------------------------------------------------------------------------------------|
| qyspare.chatchat.vip      | IP: 45.199.32.231<br>所属国家: Hong Kong<br>地区: Hong Kong<br>城市: Hong Kong<br>纬度: 22.285521<br>经度: 114.157692 |
| apilocate.amap.com        | IP: 59.82.31.183<br>所属国家: China<br>地区: Zhejiang<br>城市: Hangzhou<br>纬度: 30.293650<br>经度: 120.161583        |
| openmobile.qq.com         | IP: 60.28.215.27<br>所属国家: China<br>地区: Tianjin<br>城市: Tianjin<br>纬度: 39.142181<br>经度: 117.176102          |
| rsf.qbox.me               | IP: 153.99.246.132<br>所属国家: China<br>地区: Jiangsu<br>城市: Yangzhou<br>纬度: 32.397221<br>经度: 119.435600       |
| free-qvm-z0-xs.qiniup.com | IP: 100.103.4.61<br>所属国家: -<br>地区: -<br>城市: -<br>纬度: 0.000000<br>经度: 0.000000                             |
| android.bugly.qq.com      | IP: 124.95.225.146<br>所属国家: China<br>地区: Liaoning<br>城市: Shenyang                                         |

|                   |                                                                                                       |
|-------------------|-------------------------------------------------------------------------------------------------------|
|                   | 纬度: 41.792221<br>经度: 123.432877                                                                       |
| api-as0.qiniu.com | IP: 116.196.140.66<br>所属国家: China<br>地区: Zhejiang<br>城市: Jinhua<br>纬度: 30.013470<br>经度: 120.288658    |
| up-as0.qiniu.com  | IP: 154.41.93.11<br>所属国家: Canada<br>地区: Quebec<br>城市: Montreal<br>纬度: 45.508839<br>经度: -73.587807     |
| uc.qbox.me        | IP: 153.99.246.132<br>所属国家: China<br>地区: Jiangsu<br>城市: Yangzhou<br>纬度: 32.397221<br>经度: 119.435600   |
| m.alipay.com      | IP: 203.209.245.74<br>所属国家: China<br>地区: Zhejiang<br>城市: Hangzhou<br>纬度: 30.293650<br>经度: 120.161583  |
| tsis.jpush.cn     | IP: 121.37.19.137<br>所属国家: China<br>地区: Guangdong<br>城市: Guangzhou<br>纬度: 23.127361<br>经度: 113.264572 |
|                   | IP: 0.0.0.1                                                                                           |

|                             |                                                                                                                                                                           |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| pingma.qq.com               | <b>所属国家:</b> -<br><b>地区:</b> -<br><b>城市:</b> -<br><b>纬度:</b> 0.000000<br><b>经度:</b> 0.000000                                                                              |
| graph.qq.com                | <b>IP:</b> 60.28.215.27<br><b>所属国家:</b> China<br><b>地区:</b> Tianjin<br><b>城市:</b> Tianjin<br><b>纬度:</b> 39.142181<br><b>经度:</b> 117.176102                                |
| rs-z2.qbox.me               | <b>IP:</b> 163.142.153.215<br><b>所属国家:</b> China<br><b>地区:</b> Guangdong<br><b>城市:</b> Foshan<br><b>纬度:</b> 23.026770<br><b>经度:</b> 113.131477                            |
| astat.bugly.cros.wr.pvp.net | <b>IP:</b> 170.106.118.26<br><b>所属国家:</b> United States of America<br><b>地区:</b> California<br><b>城市:</b> San Francisco<br><b>纬度:</b> 37.774929<br><b>经度:</b> -122.419418 |
| vodreport.qcloud.com        | <b>IP:</b> 123.125.244.31<br><b>所属国家:</b> China<br><b>地区:</b> Beijing<br><b>城市:</b> Beijing<br><b>纬度:</b> 39.907501<br><b>经度:</b> 116.397102                              |
| www.slf4j.org               | <b>IP:</b> 159.100.250.151<br><b>所属国家:</b> Switzerland<br><b>地区:</b> Zurich<br><b>城市:</b> Zurich<br><b>纬度:</b> 47.366825<br><b>经度:</b> 8.549790                           |

|                      |                                                                                                           |
|----------------------|-----------------------------------------------------------------------------------------------------------|
| github.com           | IP: 20.205.243.166<br>所属国家: Singapore<br>地区: Singapore<br>城市: Singapore<br>纬度: 1.289987<br>经度: 103.850281 |
| upload-z1.qiniup.com | IP: 110.242.48.23<br>所属国家: China<br>地区: Hebei<br>城市: Baoding<br>纬度: 38.851109<br>经度: 115.490280           |
| rs.qbox.me           | IP: 153.99.246.132<br>所属国家: China<br>地区: Jiangsu<br>城市: Yangzhou<br>纬度: 32.397221<br>经度: 119.435600       |
| adiu.amap.com        | IP: 110.253.188.147<br>所属国家: China<br>地区: Hebei<br>城市: Zhangjiakou<br>纬度: 40.810024<br>经度: 114.879349     |
| qvs.qiniuapi.com     | IP: 122.195.131.83<br>所属国家: China<br>地区: Jiangsu<br>城市: Yangzhou<br>纬度: 32.397221<br>经度: 119.435600       |
| api-na0.qiniu.com    | IP: 116.196.140.69<br>所属国家: China<br>地区: Zhejiang<br>城市: Jinhua                                           |



|                   |                                                                                                       |
|-------------------|-------------------------------------------------------------------------------------------------------|
|                   | 纬度: 30.013470<br>经度: 120.288658                                                                       |
| iovip-z1.qbox.me  | IP: 121.29.19.111<br>所属国家: China<br>地区: Hebei<br>城市: Shijiazhuang<br>纬度: 38.041599<br>经度: 114.478081  |
| up-as0.qiniup.com | IP: 154.41.93.11<br>所属国家: Canada<br>地区: Quebec<br>城市: Montreal<br>纬度: 45.508839<br>经度: -73.587807     |
| lbs.amap.com      | IP: 110.253.189.211<br>所属国家: China<br>地区: Hebei<br>城市: Zhangjiakou<br>纬度: 40.810024<br>经度: 114.879349 |
| rsf-z2.qbox.me    | IP: 163.142.153.215<br>所属国家: China<br>地区: Guangdong<br>城市: Foshan<br>纬度: 23.026770<br>经度: 113.131477  |
| rs-as0.qiniu.com  | IP: 116.196.140.69<br>所属国家: China<br>地区: Zhejiang<br>城市: Jinhua<br>纬度: 30.013470<br>经度: 120.288658    |
|                   | IP: 203.107.86.172                                                                                    |

|                          |                                                                                                                                         |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| sandcash.mixienet.com.cn | <b>所属国家:</b> China<br><b>地区:</b> Zhejiang<br><b>城市:</b> Hangzhou<br><b>纬度:</b> 30.293650<br><b>经度:</b> 120.161583                       |
| bjuser.jpush.cn          | IP: 122.9.5.30<br><b>所属国家:</b> China<br><b>地区:</b> Guangdong<br><b>城市:</b> Guangzhou<br><b>纬度:</b> 23.127361<br><b>经度:</b> 113.264572   |
| api.weixin.qq.com        | IP: 112.65.193.153<br><b>所属国家:</b> China<br><b>地区:</b> Shanghai<br><b>城市:</b> Shanghai<br><b>纬度:</b> 31.224333<br><b>经度:</b> 121.468948 |
| rs.qiniu.com             | IP: 153.99.246.131<br><b>所属国家:</b> China<br><b>地区:</b> Jiangsu<br><b>城市:</b> Yangzhou<br><b>纬度:</b> 32.397221<br><b>经度:</b> 119.435600  |
| huatuocode.huatuo.qq.com | 没有服务器地理信息.                                                                                                                              |
| m5.amap.com              | IP: 59.82.113.187<br><b>所属国家:</b> China<br><b>地区:</b> Zhejiang<br><b>城市:</b> Hangzhou<br><b>纬度:</b> 30.293650<br><b>经度:</b> 120.161583  |
|                          | IP: 163.142.153.217<br><b>所属国家:</b> China<br><b>地区:</b> Guangdong                                                                       |

|                      |                                                                                                                       |
|----------------------|-----------------------------------------------------------------------------------------------------------------------|
| api-z2.qiniu.com     | 城市: Foshan<br>纬度: 23.026770<br>经度: 113.131477                                                                         |
| linking.qiniuapi.com | IP: 114.230.94.211<br>所属国家: China<br>地区: Jiangsu<br>城市: Yangzhou<br>纬度: 32.397221<br>经度: 119.435600                   |
| up-z2.qiniu.com      | IP: 163.142.153.211<br>所属国家: China<br>地区: Guangdong<br>城市: Foshan<br>纬度: 23.026770<br>经度: 113.131477                  |
| qzs.qq.com           | IP: 221.204.14.52<br>所属国家: China<br>地区: Shanxi<br>城市: Taiyuan<br>纬度: 37.869438<br>经度: 112.561508                      |
| mobilegw.alipay.com  | IP: 203.209.243.98<br>所属国家: China<br>地区: Zhejiang<br>城市: Hangzhou<br>纬度: 30.293650<br>经度: 120.161583                  |
| www.1-liao.com       | IP: 72.52.179.174<br>所属国家: United States of America<br>地区: Michigan<br>城市: Lansing<br>纬度: 42.733280<br>经度: -84.637764 |
|                      |                                                                                                                       |

|                            |                                                                                                                                                         |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| mobilegw.alipaydev.com     | IP: 110.75.132.131<br><b>所属国家:</b> China<br><b>地区:</b> Zhejiang<br><b>城市:</b> Hangzhou<br><b>纬度:</b> 30.293650<br><b>经度:</b> 120.161583                 |
| api-s.qiniu.com            | 没有服务器地理信息.                                                                                                                                              |
| xml.org                    | IP: 104.239.142.8<br><b>所属国家:</b> United States of America<br><b>地区:</b> Texas<br><b>城市:</b> Windcrest<br><b>纬度:</b> 29.499678<br><b>经度:</b> -98.399246 |
| com.thoughtworks.xstream   | 没有服务器地理信息.                                                                                                                                              |
| up-na0.qiniu.com           | IP: 148.153.188.134<br><b>所属国家:</b> United States of America<br><b>地区:</b> Texas<br><b>城市:</b> Dallas<br><b>纬度:</b> 32.783058<br><b>经度:</b> -96.806503  |
| wb.amap.com                | IP: 110.253.188.148<br><b>所属国家:</b> China<br><b>地区:</b> Hebei<br><b>城市:</b> Zhangjiakou<br><b>纬度:</b> 40.810024<br><b>经度:</b> 114.879349                |
| mobilegw.stable.alipay.net | 没有服务器地理信息.                                                                                                                                              |
| pili.qiniuapi.com          | IP: 110.242.48.43<br><b>所属国家:</b> China<br><b>地区:</b> Hebei<br><b>城市:</b> Baoding<br><b>纬度:</b> 38.851109                                               |

|                    |                                                                                                                                |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------|
|                    | 经度: 115.490280                                                                                                                 |
| rs-as0.qbox.me     | IP: 116.196.140.68<br>所属国家: China<br>地区: Zhejiang<br>城市: Jinhua<br>纬度: 30.013470<br>经度: 120.288658                             |
| rsf-na0.qiniu.com  | IP: 116.196.140.64<br>所属国家: China<br>地区: Zhejiang<br>城市: Jinhua<br>纬度: 30.013470<br>经度: 120.288658                             |
| xmlpull.org        | IP: 185.199.111.153<br>所属国家: United States of America<br>地区: Pennsylvania<br>城市: California<br>纬度: 40.065647<br>经度: -79.891724 |
| rsf-na0.qbox.me    | IP: 116.196.140.64<br>所属国家: China<br>地区: Zhejiang<br>城市: Jinhua<br>纬度: 30.013470<br>经度: 120.288658                             |
| pipeline.qiniu.com | 没有服务器地理信息.                                                                                                                     |
| rsf-z2.qiniu.com   | IP: 163.142.153.217<br>所属国家: China<br>地区: Guangdong<br>城市: Foshan<br>纬度: 23.026770<br>经度: 113.131477                           |

|                    |                                                                                                      |
|--------------------|------------------------------------------------------------------------------------------------------|
| appsupport.qq.com  | IP: 60.28.215.27<br>所属国家: China<br>地区: Tianjin<br>城市: Tianjin<br>纬度: 39.142181<br>经度: 117.176102     |
| iovip-z2.qbox.me   | IP: 120.83.145.4<br>所属国家: China<br>地区: Guangdong<br>城市: Foshan<br>纬度: 23.026770<br>经度: 113.131477    |
| open.weixin.qq.com | IP: 140.207.121.14<br>所属国家: China<br>地区: Shanghai<br>城市: Shanghai<br>纬度: 31.224333<br>经度: 121.468948 |
| api.qiniu.com      | IP: 153.99.246.130<br>所属国家: China<br>地区: Jiangsu<br>城市: Yangzhou<br>纬度: 32.397221<br>经度: 119.435600  |
| iovip.qbox.me      | IP: 121.52.250.216<br>所属国家: China<br>地区: Zhejiang<br>城市: Hangzhou<br>纬度: 30.293650<br>经度: 120.161583 |
| iovip-as0.qbox.me  | IP: 154.41.93.9<br>所属国家: Canada<br>地区: Quebec<br>城市: Montreal<br>纬度: 45.508839                       |

|                  |                                                                                                      |
|------------------|------------------------------------------------------------------------------------------------------|
|                  | 经度: -73.587807                                                                                       |
| mta.qq.com       | IP: 0.0.0.1<br>所属国家: -<br>地区: -<br>城市: -<br>纬度: 0.000000<br>经度: 0.000000                             |
| up-z1.qiniup.com | IP: 110.242.48.12<br>所属国家: China<br>地区: Hebei<br>城市: Baoding<br>纬度: 38.851109<br>经度: 115.490280      |
| up-z1.qiniu.com  | IP: 121.29.19.109<br>所属国家: China<br>地区: Hebei<br>城市: Shijiazhuang<br>纬度: 38.041599<br>经度: 114.478081 |
| apiinit.amap.com | IP: 106.11.43.113<br>所属国家: China<br>地区: Beijing<br>城市: Beijing<br>纬度: 39.907501<br>经度: 116.397102    |
| rtc.qiniuapi.com | IP: 110.242.48.51<br>所属国家: China<br>地区: Hebei<br>城市: Baoding<br>纬度: 38.851109<br>经度: 115.490280      |
|                  | IP: 101.66.249.208<br>所属国家: China                                                                    |

|                        |                                                                                                                                              |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| tb.53kf.com            | <b>地区:</b> Zhejiang<br><b>城市:</b> Jinhua<br><b>纬度:</b> 30.013470<br><b>经度:</b> 120.288658                                                    |
| paygate-yf.meituan.com | <b>IP:</b> 101.236.69.63<br><b>所属国家:</b> China<br><b>地区:</b> Beijing<br><b>城市:</b> Beijing<br><b>纬度:</b> 39.907501<br><b>经度:</b> 116.397102  |
| rs-na0.qbox.me         | <b>IP:</b> 116.196.140.62<br><b>所属国家:</b> China<br><b>地区:</b> Zhejiang<br><b>城市:</b> Jinhua<br><b>纬度:</b> 30.013470<br><b>经度:</b> 120.288658 |
| mobile.unionpay.com    | 没有服务器地理信息.                                                                                                                                   |
| s.sharetrace.com       | <b>IP:</b> 39.98.67.122<br><b>所属国家:</b> China<br><b>地区:</b> Zhejiang<br><b>城市:</b> Hangzhou<br><b>纬度:</b> 30.293650<br><b>经度:</b> 120.161583 |
| rsf-as0.qbox.me        | <b>IP:</b> 116.196.140.65<br><b>所属国家:</b> China<br><b>地区:</b> Zhejiang<br><b>城市:</b> Jinhua<br><b>纬度:</b> 30.013470<br><b>经度:</b> 120.288658 |
| api.qimeiai.tech       | 没有服务器地理信息.                                                                                                                                   |
|                        | <b>IP:</b> 148.153.188.136<br><b>所属国家:</b> United States of America                                                                          |



|                               |                                                                                                                                                |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| iovip-na0.qbox.me             | <b>地区:</b> Texas<br><b>城市:</b> Dallas<br><b>纬度:</b> 32.783058<br><b>经度:</b> -96.806503                                                         |
| restapi.amap.com              | <b>IP:</b> 106.11.43.113<br><b>所属国家:</b> China<br><b>地区:</b> Beijing<br><b>城市:</b> Beijing<br><b>纬度:</b> 39.907501<br><b>经度:</b> 116.397102    |
| h5.m.taobao.com               | <b>IP:</b> 119.249.53.160<br><b>所属国家:</b> China<br><b>地区:</b> Hebei<br><b>城市:</b> Baoding<br><b>纬度:</b> 38.851109<br><b>经度:</b> 115.490280     |
| sms.qiniuapi.com              | <b>IP:</b> 121.52.255.244<br><b>所属国家:</b> China<br><b>地区:</b> Zhejiang<br><b>城市:</b> Hangzhou<br><b>纬度:</b> 30.293650<br><b>经度:</b> 120.161583 |
| mobilegw-1-64.test.alipay.net | 没有服务器地理信息.                                                                                                                                     |
| mclient.alipay.com            | <b>IP:</b> 116.142.235.204<br><b>所属国家:</b> China<br><b>地区:</b> Beijing<br><b>城市:</b> Beijing<br><b>纬度:</b> 39.907501<br><b>经度:</b> 116.397102  |
| yuntuapi.amap.com             | 没有服务器地理信息.                                                                                                                                     |
|                               | <b>IP:</b> 60.28.215.27<br><b>所属国家:</b> China                                                                                                  |

|                           |                                                                                                                                                 |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| cgi.connect.qq.com        | <b>地区:</b> Tianjin<br><b>城市:</b> Tianjin<br><b>纬度:</b> 39.142181<br><b>经度:</b> 117.176102                                                       |
| free-qvm-z1-zz.qiniup.com | <b>IP:</b> 110.242.48.123<br><b>所属国家:</b> China<br><b>地区:</b> Hebei<br><b>城市:</b> Baoding<br><b>纬度:</b> 38.851109<br><b>经度:</b> 115.490280      |
| upload-na0.qiniup.com     | <b>IP:</b> 116.196.140.62<br><b>所属国家:</b> China<br><b>地区:</b> Zhejiang<br><b>城市:</b> Jinhua<br><b>纬度:</b> 30.013470<br><b>经度:</b> 120.288658    |
| up.qiniu.com              | <b>IP:</b> 124.160.115.140<br><b>所属国家:</b> China<br><b>地区:</b> Zhejiang<br><b>城市:</b> Hangzhou<br><b>纬度:</b> 30.293650<br><b>经度:</b> 120.161583 |
| up.qiniup.com             | <b>IP:</b> 112.82.212.152<br><b>所属国家:</b> China<br><b>地区:</b> Jiangsu<br><b>城市:</b> Nanjing<br><b>纬度:</b> 32.061668<br><b>经度:</b> 118.777992    |
| upload-as0.qiniup.com     | <b>IP:</b> 154.41.93.10<br><b>所属国家:</b> Canada<br><b>地区:</b> Quebec<br><b>城市:</b> Montreal<br><b>纬度:</b> 45.508839<br><b>经度:</b> -73.587807     |

|                     |                                                                                                                     |
|---------------------|---------------------------------------------------------------------------------------------------------------------|
| pu.qbox.me          | IP: 153.99.246.133<br>所属国家: China<br>地区: Jiangsu<br>城市: Yangzhou<br>纬度: 32.397221<br>经度: 119.435600                 |
| rsf-z1.qiniu.com    | IP: 121.29.19.120<br>所属国家: China<br>地区: Hebei<br>城市: Shijiazhuang<br>纬度: 38.041599<br>经度: 114.478081                |
| 182.92.20.189       | IP: 182.92.20.189<br>所属国家: China<br>地区: Beijing<br>城市: Beijing<br>纬度: 39.907501<br>经度: 116.397102                   |
| up-na0.qiniup.com   | IP: 148.153.188.134<br>所属国家: United States of America<br>地区: Texas<br>城市: Dallas<br>纬度: 32.783058<br>经度: -96.806503 |
| vod2.qcloud.com     | IP: 111.206.147.172<br>所属国家: China<br>地区: Beijing<br>城市: Beijing<br>纬度: 39.907501<br>经度: 116.397102                 |
| wappaygw.alipay.com | IP: 116.142.245.206<br>所属国家: China<br>地区: Beijing<br>城市: Beijing                                                    |

|                           |                                                                                                                                |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------|
|                           | 纬度: 39.907501<br>经度: 116.397102                                                                                                |
| abroad.apilocate.amap.com | IP: 59.82.44.11<br>所属国家: China<br>地区: Shanghai<br>城市: Shanghai<br>纬度: 31.224333<br>经度: 121.468948                              |
| mcgw.alipay.com           | IP: 116.142.245.205<br>所属国家: China<br>地区: Beijing<br>城市: Beijing<br>纬度: 39.907501<br>经度: 116.397102                            |
| rs-z1.qbox.me             | IP: 121.29.19.113<br>所属国家: China<br>地区: Hebei<br>城市: Shijiazhuang<br>纬度: 38.041599<br>经度: 114.478081                           |
| picsum.photos             | IP: 172.67.74.163<br>所属国家: United States of America<br>地区: California<br>城市: San Francisco<br>纬度: 37.775700<br>经度: -122.395203 |
| astat.bugly.qcloud.com    | IP: 119.28.121.133<br>所属国家: Singapore<br>地区: Singapore<br>城市: Singapore<br>纬度: 1.289987<br>经度: 103.850281                      |
|                           | IP: 116.196.140.67                                                                                                             |

|                         |                                                                                                                                          |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| rs-na0.qiniu.com        | <b>所属国家:</b> China<br><b>地区:</b> Zhejiang<br><b>城市:</b> Jinhua<br><b>纬度:</b> 30.013470<br><b>经度:</b> 120.288658                          |
| upload.qiniup.com       | IP: 124.160.115.140<br><b>所属国家:</b> China<br><b>地区:</b> Zhejiang<br><b>城市:</b> Hangzhou<br><b>纬度:</b> 30.293650<br><b>经度:</b> 120.161583 |
| h.trace.qq.com          | IP: 113.56.189.246<br><b>所属国家:</b> China<br><b>地区:</b> Hubei<br><b>城市:</b> Huangshi<br><b>纬度:</b> 30.204170<br><b>经度:</b> 115.077606     |
| api-z1.qiniu.com        | IP: 110.242.48.107<br><b>所属国家:</b> China<br><b>地区:</b> Hebei<br><b>城市:</b> Baoding<br><b>纬度:</b> 38.851109<br><b>经度:</b> 115.490280      |
| rs-z1.qiniu.com         | IP: 110.242.48.107<br><b>所属国家:</b> China<br><b>地区:</b> Hebei<br><b>城市:</b> Baoding<br><b>纬度:</b> 38.851109<br><b>经度:</b> 115.490280      |
| long.open.weixin.qq.com | IP: 112.65.193.150<br><b>所属国家:</b> China<br><b>地区:</b> Shanghai<br><b>城市:</b> Shanghai<br><b>纬度:</b> 31.224333<br><b>经度:</b> 121.468948  |

|                    |                                                                                                                                                    |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| mta.oa.com         | IP: 141.144.196.217<br><b>所属国家:</b> Netherlands<br><b>地区:</b> Noord-Holland<br><b>城市:</b> Amsterdam<br><b>纬度:</b> 52.378502<br><b>经度:</b> 4.899980 |
| api.sharetrace.com | IP: 39.98.67.122<br><b>所属国家:</b> China<br><b>地区:</b> Zhejiang<br><b>城市:</b> Hangzhou<br><b>纬度:</b> 30.293650<br><b>经度:</b> 120.161583              |
| rsf-z1.qbox.me     | IP: 121.29.19.114<br><b>所属国家:</b> China<br><b>地区:</b> Hebei<br><b>城市:</b> Shijiazhuang<br><b>纬度:</b> 38.041599<br><b>经度:</b> 114.478081            |

## URL线索

| URL信息                                      | Url所在文件                                 |
|--------------------------------------------|-----------------------------------------|
| https://api.sharetrace.com                 | a/a/a/a/c/d.java                        |
| http://182.92.20.189:9099/                 | cn/jiguang/o/c.java                     |
| https://tsis.jpush.cn                      | cn/jiguang/ad/i.java                    |
| https://bjuser.jpush.cn/v1/appawake/status | cn/jiguang/aa/b.java                    |
| https://mobilegw.alipay.com/mgw.htm        | com/alipay/apmobilesecuritysdk/b/a.java |

|                                                                        |                                         |
|------------------------------------------------------------------------|-----------------------------------------|
| http://mobilegw.aaa.alipay.net/mgw.htm                                 | com/alipay/apmobilesecuritysdk/b/a.java |
| http://mobilegw-1-64.test.alipay.net/mgw.htm                           | com/alipay/apmobilesecuritysdk/b/a.java |
| http://mobilegw.stable.alipay.net/mgw.htm                              | com/alipay/apmobilesecuritysdk/b/a.java |
| https://mcgw.alipay.com/sdklog.do                                      | com/alipay/sdk/packet/impl/c.java       |
| https://mobilegw.alipay.com/mgw.htm                                    | com/alipay/sdk/cons/a.java              |
| https://mobilegw.alipaydev.com/mgw.htm                                 | com/alipay/sdk/cons/a.java              |
| http://m.alipay.com/?action=h5quit                                     | com/alipay/sdk/cons/a.java              |
| https://wappaygw.alipay.com/home/exterfaceAssign.htm?                  | com/alipay/sdk/cons/a.java              |
| https://mclient.alipay.com/home/exterfaceAssign.htm?                   | com/alipay/sdk/cons/a.java              |
| http://h5.m.taobao.com/trade/paySuccess.html?bizOrderId=\$OrderId\$&   | com/alipay/sdk/data/a.java              |
| https://paygate-yf.meituan.com/paygate/notify/alipay/paynotify/simple\ | com/alipay/test/a.java                  |
| https://adiu.amap.com/ws/device/adius                                  | com/amap/api/services/a/dd.java         |
| http://apiinit.amap.com/v3/log/init                                    | com/amap/api/services/a/bh.java         |
| http://restapi.amap.com/v3                                             | com/amap/api/services/a/i.java          |
| https://restapi.amap.com/v3                                            | com/amap/api/services/a/i.java          |
| http://restapi.amap.com/v4                                             | com/amap/api/services/a/i.java          |
| https://restapi.amap.com/v4                                            | com/amap/api/services/a/i.java          |
|                                                                        |                                         |

|                                                                                       |                                             |
|---------------------------------------------------------------------------------------|---------------------------------------------|
| http://yuntuapi.amap.com                                                              | com/amax/api/services/a/i.java              |
| https://yuntuapi.amap.com                                                             | com/amax/api/services/a/i.java              |
| http://m5.amap.com/ws/mapapi/shortaddress/transform                                   | com/amax/api/services/a/i.java              |
| https://m5.amap.com/ws/mapapi/shortaddress/transform                                  | com/amax/api/services/a/i.java              |
| http://restapi.amap.com                                                               | com/amax/api/services/a/bn.java             |
| https://restapi.amap.com/v3/iasdkauth                                                 | com/amax/api/services/a/bg.java             |
| http://restapi.amap.com/v3/iasdkauth                                                  | com/amax/api/services/a/bg.java             |
| http://wb.amap.com/?r=%f,%f,%s,%f,%f,%s,%d,%d,%d,%s,%s,%s&sourceapplication=openapi/0 | com/amax/api/services/a/ba.java             |
| http://wb.amap.com/?q=%f,%f,%s&sourceapplication=openapi/0                            | com/amax/api/services/a/ba.java             |
| http://wb.amap.com/?n=%f,%f,%f,%f,%d&sourceapplication=openapi/0                      | com/amax/api/services/a/ba.java             |
| http://wb.amap.com/?p=%s,%f,%f,%s,%s&sourceapplication=openapi/0                      | com/amax/api/services/a/ba.java             |
| http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/               | com/amax/api/location/AMapLocation.java     |
| https://github.com/yyued/SVGAPlayer-Android                                           | com/opensource/svgaplayer/SVGAParser.java   |
| http://linking.qiniuapi.com                                                           | com/qiniu/linking/LinkingVodManager.java    |
| http://linking.qiniuapi.com                                                           | com/qiniu/linking/LinkingDeviceManager.java |
| http://qvs.qiniuapi.com                                                               | com/qiniu/qvs/TemplateManager.java          |
| http://qvs.qiniuapi.com                                                               | com/qiniu/qvs/NameSpaceManager.java         |
| http://qvs.qiniuapi.com                                                               | com/qiniu/qvs/StreamManager.java            |



|                                              |                                      |
|----------------------------------------------|--------------------------------------|
| http://rtc.qiniuapi.com                      | com/qiniu/rtc/RtcAppManager.java     |
| http://rtc.qiniuapi.com                      | com/qiniu/rtc/RtcRoomManager.java    |
| https://sms.qiniuapi.com                     | com/qiniu/sms/Configuration.java     |
| https://uc.qbox.me                           | com/qiniu/storage/Region.java        |
| http://api-%s.qiniu.com/sisyphus/fetch?id=%s | com/qiniu/storage/BucketManager.java |
| http://pu.qbox.me:10200                      | com/qiniu/storage/BucketManager.java |
| https://pipeline.qiniu.com                   | com/qiniu/bigdata/Configuration.java |
| http://fusion.qiniuapi.com                   | com/qiniu/cdn/CdnManager.java        |
| https://uc.qbox.me                           | com/qiniu/common/AutoZone.java       |
| http://up.qiniu.com                          | com/qiniu/common/AutoZone.java       |
| http://up-z1.qiniu.com                       | com/qiniu/common/AutoZone.java       |
| http://up-z2.qiniu.com                       | com/qiniu/common/AutoZone.java       |
| http://up-na0.qiniu.com                      | com/qiniu/common/AutoZone.java       |
| http://up-as0.qiniu.com                      | com/qiniu/common/AutoZone.java       |
| http://rs.qiniu.com                          | com/qiniu/common/Zone.java           |
| https://rs.qbox.me                           | com/qiniu/common/Zone.java           |
| http://rsf.qiniu.com                         | com/qiniu/common/Zone.java           |
|                                              |                                      |

|                                   |                            |
|-----------------------------------|----------------------------|
| https://rsf.qbox.me               | com/qiniu/common/Zone.java |
| http://api.qiniu.com              | com/qiniu/common/Zone.java |
| https://api.qiniu.com             | com/qiniu/common/Zone.java |
| http://upload.qiniup.com          | com/qiniu/common/Zone.java |
| https://upload.qiniup.com         | com/qiniu/common/Zone.java |
| http://up.qiniup.com              | com/qiniu/common/Zone.java |
| https://up.qiniup.com             | com/qiniu/common/Zone.java |
| http://iovip.qbox.me              | com/qiniu/common/Zone.java |
| https://iovip.qbox.me             | com/qiniu/common/Zone.java |
| http://free-qvm-z0-xs.qiniup.com  | com/qiniu/common/Zone.java |
| https://free-qvm-z0-xs.qiniup.com | com/qiniu/common/Zone.java |
| http://upload-z1.qiniup.com       | com/qiniu/common/Zone.java |
| https://upload-z1.qiniup.com      | com/qiniu/common/Zone.java |
| http://up-z1.qiniup.com           | com/qiniu/common/Zone.java |
| https://up-z1.qiniup.com          | com/qiniu/common/Zone.java |
| http://iovip-z1.qbox.me           | com/qiniu/common/Zone.java |
| https://iovip-z1.qbox.me          | com/qiniu/common/Zone.java |
|                                   |                            |

|                                   |                            |
|-----------------------------------|----------------------------|
| http://rs-z1.qiniu.com            | com/qiniu/common/Zone.java |
| https://rs-z1.qbox.me             | com/qiniu/common/Zone.java |
| http://rsf-z1.qiniu.com           | com/qiniu/common/Zone.java |
| https://rsf-z1.qbox.me            | com/qiniu/common/Zone.java |
| http://api-z1.qiniu.com           | com/qiniu/common/Zone.java |
| https://api-z1.qiniu.com          | com/qiniu/common/Zone.java |
| http://free-qvm-z1-zz.qiniup.com  | com/qiniu/common/Zone.java |
| https://free-qvm-z1-zz.qiniup.com | com/qiniu/common/Zone.java |
| http://upload-z2.qiniup.com       | com/qiniu/common/Zone.java |
| https://upload-z2.qiniup.com      | com/qiniu/common/Zone.java |
| http://up-z2.qiniup.com           | com/qiniu/common/Zone.java |
| https://up-z2.qiniup.com          | com/qiniu/common/Zone.java |
| http://iovip-z2.qbox.me           | com/qiniu/common/Zone.java |
| https://iovip-z2.qbox.me          | com/qiniu/common/Zone.java |
| http://rs-z2.qiniu.com            | com/qiniu/common/Zone.java |
| https://rs-z2.qbox.me             | com/qiniu/common/Zone.java |
| http://rsf-z2.qiniu.com           | com/qiniu/common/Zone.java |
| https://rsf-z2.qbox.me            | com/qiniu/common/Zone.java |

|                               |                            |
|-------------------------------|----------------------------|
| http://api-z2.qiniu.com       | com/qiniu/common/Zone.java |
| https://api-z2.qiniu.com      | com/qiniu/common/Zone.java |
| http://upload-na0.qiniup.com  | com/qiniu/common/Zone.java |
| https://upload-na0.qiniup.com | com/qiniu/common/Zone.java |
| http://up-na0.qiniup.com      | com/qiniu/common/Zone.java |
| https://up-na0.qiniup.com     | com/qiniu/common/Zone.java |
| http://iovip-na0.qbox.me      | com/qiniu/common/Zone.java |
| https://iovip-na0.qbox.me     | com/qiniu/common/Zone.java |
| http://rs-na0.qiniu.com       | com/qiniu/common/Zone.java |
| https://rs-na0.qbox.me        | com/qiniu/common/Zone.java |
| http://rsf-na0.qiniu.com      | com/qiniu/common/Zone.java |
| https://rsf-na0.qbox.me       | com/qiniu/common/Zone.java |
| http://api-na0.qiniu.com      | com/qiniu/common/Zone.java |
| https://api-na0.qiniu.com     | com/qiniu/common/Zone.java |
| http://upload-as0.qiniup.com  | com/qiniu/common/Zone.java |
| https://upload-as0.qiniup.com | com/qiniu/common/Zone.java |
| http://up-as0.qiniup.com      | com/qiniu/common/Zone.java |
|                               |                            |

|                                                |                                           |
|------------------------------------------------|-------------------------------------------|
| https://up-as0.qiniu.com                       | com/qiniu/common/Zone.java                |
| http://iovip-as0.qbox.me                       | com/qiniu/common/Zone.java                |
| https://iovip-as0.qbox.me                      | com/qiniu/common/Zone.java                |
| http://rs-as0.qiniu.com                        | com/qiniu/common/Zone.java                |
| https://rs-as0.qbox.me                         | com/qiniu/common/Zone.java                |
| http://rsf-as0.qiniu.com                       | com/qiniu/common/Zone.java                |
| https://rsf-as0.qbox.me                        | com/qiniu/common/Zone.java                |
| http://api-as0.qiniu.com                       | com/qiniu/common/Zone.java                |
| https://api-as0.qiniu.com                      | com/qiniu/common/Zone.java                |
| http://%s/%s/%s.m3u8                           | com/qiniu/streaming/UrlFactory.java       |
| http://%s/%s/%s.flv                            | com/qiniu/streaming/UrlFactory.java       |
| http://%s/%s/%s.jpg                            | com/qiniu/streaming/UrlFactory.java       |
| http://pili.qiniuapi.com                       | com/qiniu/streaming/StreamingManager.java |
| https://adiu.amap.com/ws/device/adius          | com/loc/bl.java                           |
| http://apilocate.amap.com/mobile/binary        | com/loc/di.java                           |
| http://abroad.apilocate.amap.com/mobile/binary | com/loc/di.java                           |
| http://restapi.amap.com                        | com/loc/t.java                            |
| http://restapi.amap.com/v3/place/text?         | com/loc/a.java                            |

|                                                         |                                                                      |
|---------------------------------------------------------|----------------------------------------------------------------------|
| http://restapi.amap.com/v3/config/district?             | com/loc/a.java                                                       |
| http://restapi.amap.com/v3/place/around?                | com/loc/a.java                                                       |
| http://abroad.apilocate.amap.com/mobile/binary          | com/loc/dn.java                                                      |
| http://restapi.amap.com/v3/geocode/regeo                | com/loc/dd.java                                                      |
| http://abroad.apilocate.amap.com/mobile/binary          | com/loc/db.java                                                      |
| https://restapi.amap.com/v3/iasdkauth                   | com/loc/m.java                                                       |
| http://restapi.amap.com/v3/iasdkauth                    | com/loc/m.java                                                       |
| https://sandcash.mixienet.com.cn/h5/?                   | com/pay/paytypelibrary/PayUtil.java                                  |
| https://h.trace.qq.com/kv                               | com/tencent/bugly/proguard/ad.java                                   |
| https://astat.bugly.qcloud.com/rqd/async                | com/tencent/bugly/proguard/ac.java                                   |
| https://astat.bugly.cros.wr.pvp.net/:8180/rqd/async     | com/tencent/bugly/proguard/ac.java                                   |
| https://android.bugly.qq.com/rqd/async                  | com/tencent/bugly/crashreport/common/strategy/StrategyBean.java      |
| http://xmlpull.org/v1/doc/features.html                 | com/tencent/cos/xml/transfer/XmlSlimBuilder.java                     |
| http://xmlpull.org/v1/doc/features.html                 | com/tencent/cos/xml/transfer/XmlBuilder.java                         |
| https://picsum.photos/id/%d/200/200                     | com/tencent/qcloud/tim/uikit/modules/group/info/GroupInfoLayout.java |
| http://qzs.qq.com/open/mobile/request/sdk_request.html? | com/tencent/open/SocialApilml.java                                   |
| http://qzs.qq.com/open/mobile/invite/sdk_invite.html?   | com/tencent/open/SocialApilml.java                                   |
|                                                         |                                                                      |

|                                                                                       |                                                 |
|---------------------------------------------------------------------------------------|-------------------------------------------------|
| http://qzs.qq.com/open/mobile/sendstory/sdk_sendstory_v1.3.html?                      | com/tencent/open/SocialApilml.java              |
| http://qzs.qq.com                                                                     | com/tencent/open/SocialApilml.java              |
| http://cgi.connect.qq.com/qqconnectopen/openapi/policy_conf                           | com/tencent/open/utils/f.java                   |
| https://huatuocode.huatuo.qq.com                                                      | com/tencent/open/b/d.java                       |
| http://mta.qq.com/                                                                    | com/tencent/wxop/stat/StatServiceImpl.java      |
| http://mta.oa.com/                                                                    | com/tencent/wxop/stat/StatServiceImpl.java      |
| http://pingma.qq.com:80/mstat/report                                                  | com/tencent/wxop/stat/common/StatConstants.java |
| https://graph.qq.com/oauth2.0/me                                                      | com/tencent/connect/UnionInfo.java              |
| http://openmobile.qq.com/oauth2.0/m_jump_by_version?                                  | com/tencent/connect/common/BaseApi.java         |
| http://qzs.qq.com/open/mobile/login/qzsjump.html?                                     | com/tencent/connect/common/BaseApi.java         |
| http://qzs.qq.com/open/mobile/login/qzsjump.html?                                     | com/tencent/connect/auth/a.java                 |
| https://openmobile.qq.com/oauth2.0/m_authorize?                                       | com/tencent/connect/auth/AuthAgent.java         |
| https://openmobile.qq.com/user/user_login_statis                                      | com/tencent/connect/auth/AuthAgent.java         |
| https://openmobile.qq.com/v3/user/get_info                                            | com/tencent/connect/auth/AuthAgent.java         |
| http://appsupport.qq.com/cgi-bin/qzapps/mapp_addapp.cgi                               | com/tencent/connect/auth/AuthAgent.java         |
| http://fusion.qq.com/cgi-bin/qzapps/unified_jump?appid=%1\$s&from=%2\$s&isOpenAppID=1 | com/tencent/connect/share/QQShare.java          |
| http://fusion.qq.com/cgi-bin/qzapps/unified_jump?appid=%1\$s&from=%2\$s&isOpenAppID=1 | com/tencent/connect/share/QzoneShare.java       |
| https://long.open.weixin.qq.com/connect/l/qrcodeconnect?f=json&uuid=%s                | com/tencent/mm/opensdk/diffdev/a/f.java         |

|                                                                                                          |                                                 |
|----------------------------------------------------------------------------------------------------------|-------------------------------------------------|
| https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s&timestamp=%s&scope=%s&signature=%s | com/tencent/mm/opensdk/diffdev/a/d.java         |
| http://xmlpull.org/v1/doc/features.html                                                                  | com/ta/utdid2/b/a/a.java                        |
| http://xmlpull.org/v1/doc/features.html                                                                  | com/ta/utdid2/b/a/e.java                        |
| http://com.thoughtworks.xstream/sax/property/configured-xstream                                          | com/thoughtworks/xstream/io/xml/SaxWriter.java  |
| http://com.thoughtworks.xstream/sax/property/source-object-list                                          | com/thoughtworks/xstream/io/xml/SaxWriter.java  |
| http://xml.org/sax/features/namespaces                                                                   | com/thoughtworks/xstream/io/xml/SaxWriter.java  |
| http://xml.org/sax/features/namespace-prefixes                                                           | com/thoughtworks/xstream/io/xml/SaxWriter.java  |
| http://com.thoughtworks.xstream/sax/property/configured-xstream\                                         | com/thoughtworks/xstream/io/xml/SaxWriter.java  |
| http://com.thoughtworks.xstream/sax/property/source-object-list\                                         | com/thoughtworks/xstream/io/xml/SaxWriter.java  |
| http://com.thoughtworks.xstream/XStreamSource/feature                                                    | com/thoughtworks/xstream/io/xml/TraxSource.java |
| https://mobile.unionpay.com/getclient?platform=android&type=securepayplugin\                             | com/unionpay/UPPayAssistEx.java                 |
| https://mobile.unionpay.com/getclient?platform=android&type=securepayplugin\                             | com/unionpay/mobile/android/utils/c.java        |
| https://qiao.tianlianggg.com/                                                                            | com/waterfall/viewlive/BuildConfig.java         |
| https://qiao.tianlianggg.com/app/                                                                        | com/waterfall/viewlive/constant/ChatApi.java    |
| https://qiao.tianlianggg.com/share/                                                                      | com/waterfall/viewlive/constant/ChatApi.java    |
| http://www.1-liao.com                                                                                    | com/waterfall/viewlive/constant/ChatApi.java    |
| https://api.weixin.qq.com/sns/oauth2/access_token                                                        | com/waterfall/viewlive/constant/ChatApi.java    |



|                                                           |                                                             |
|-----------------------------------------------------------|-------------------------------------------------------------|
| https://api.weixin.qq.com/sns/userinfo                    | com/waterfall/viewlive/constant/ChatApi.java                |
| http://qyspare.chatchat.vip/app/getProtectAppVersion.html | com/waterfall/viewlive/constant/ChatApi.java                |
| https://vodreport.qcloud.com/ugcupload                    | com/waterfall/viewlive/videoupload/impl/UGCReport.java      |
| https://vod2.qcloud.com/v3/index.php?Action=              | com/waterfall/viewlive/videoupload/impl/UGCClient.java      |
| https://api.qimeiai.tech/file/wechat.html                 | com/waterfall/viewlive/activity/ActorVerifyingActivity.java |
| https://tb.53kf.com/code/client/10188492/1?device=android | com/waterfall/viewlive/activity/KeFuWebViewActivity.java    |
| http://www.slf4j.org/codes.html                           | org.slf4j/MDC.java                                          |
| http://www.slf4j.org/codes.html                           | org.slf4j/LoggerFactory.java                                |
| http://',                                                 | 摸瓜V2引擎                                                      |
| https://';                                                | 摸瓜V2引擎                                                      |

 邮箱线索

| 邮箱地址          | 所在文件                                                              |
|---------------|-------------------------------------------------------------------|
| null@null.xml | com/thoughtworks/xstream/persistence/FilePersistenceStrategy.java |
| tt01@2x.png   | com/waterfall/viewlive/im/ConfigHelper.java                       |

 手机线索

---

| 手机号         | 所在文件                                          |
|-------------|-----------------------------------------------|
| 17179869184 | com/faceunity/wrapper/faceunity.java          |
| 15060355040 | com/unionpay/UPPayAssistEx.java               |
| 17179869184 | tv/danmaku/ijk/media/player/IjkMediaMeta.java |

## 🌟 签名证书

APK已签名  
v1 签名: True  
v2 签名: True  
v3 签名: False  
找到 1 个唯一证书  
主题: C=cn, ST=hunan, L=changsha, O=xinyi, OU=xinyi, CN=xinyi  
签名算法: rsassa\_pkcs1v15  
有效期自: 2025-04-30 03:24:33+00:00  
有效期至: 2026-04-30 03:24:33+00:00  
发行人: C=cn, ST=hunan, L=changsha, O=xinyi, OU=xinyi, CN=xinyi  
序列号: 0x16e0f843  
哈希算法: sha256  
md5值: fa271c1ab192a35252a4d18a73d766f0  
sha1值: efcd515a8bd99e8761ee562e4e73c8107f05cff6  
sha256值: debeef3dd5a31dbe651de59c668cd8fc7262173b8351c4c886e3c77728064a60  
sha512值: a64c062908be079f5818fce365d3552ecc6cd1dcb8bee662d0afe57d6cf662357104c457f60af991a00375023b40622e3216fceddceb45c710f0f1c4dc9ae5e  
公钥算法: rsa  
密钥长度: 2048  
指纹: e8c6582cd89fe47b5e1e249a03dd4df29ba7923c0cb2d4279bd28feab005fcf7

## 🔑 硬编码敏感信息

可能的敏感信息

|                                                  |
|--------------------------------------------------|
| "account_password" : "账号密码登录"                    |
| "active_user" : "活跃用户:"                          |
| "chat_user" : "聊友:"                              |
| "forget_password" : "忘记密码?"                      |
| "input_password" : "输入密码"                        |
| "need_independent_password" : "启动未成年模式,需要设置独立密码" |
| "online_user" : "当前在线用户: 5562次"                  |
| "password" : "密 码:"                              |
| "phone_private" : "私密(不公开)"                      |
| "please_input_active_user" : "请输入您的活跃用户"         |
| "please_input_long_password" : "密码长度不够"          |
| "please_input_password" : "请输入密码"                |
| "private_agree" : " 《隐私政策》 "                     |
| "private_chat_switch" : "私信聊天"                   |
| "private_detail" : "隐私政策"                        |
| "private_image" : "私密照片"                         |
| "private_video" : "私密视频"                         |
| "swtich_off_alert_private" : "关闭后你将收不到私聊消息"      |

|                                  |
|----------------------------------|
| "token_invalid" : "登录失效, 请重新登录"  |
| "verify_password" : "验证密码"       |
| "wrong_password" : "密码不正确,请重新输入" |

加壳分析

| 加壳类型      | 所属文件 |
|-----------|------|
| 登陆摸瓜网站后查看 |      |

第三方插件

| 名称        | 分类 | URL链接 |
|-----------|----|-------|
| 登陆摸瓜网站后查看 |    |       |

此APP的危险动作

| 向手机申请的权限 | 是否危险 | 类型 | 详细情况 |
|----------|------|----|------|
|          |      |    |      |

|                                           |    |                    |                                                               |
|-------------------------------------------|----|--------------------|---------------------------------------------------------------|
| android.permission.INTERNET               | 正常 | 互联网接入              | 允许应用程序创建网络套接字                                                 |
| android.permission.WRITE_EXTERNAL_STORAGE | 危险 | 读取/修改/删除外部存储内容     | 允许应用程序写入外部存储                                                  |
| android.permission.READ_EXTERNAL_STORAGE  | 危险 | 读取外部存储器内容          | 允许应用程序从外部存储读取                                                 |
| android.permission.CAMERA                 | 危险 | 拍照和录像              | 允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像                             |
| android.permission.ACCESS_NETWORK_STATE   | 正常 | 查看网络状态             | 允许应用程序查看所有网络的状态                                               |
| android.permission.ACCESS_WIFI_STATE      | 正常 | 查看Wi-Fi状态          | 允许应用程序查看有关 Wi-Fi 状态的信息                                        |
| android.permission.READ_PHONE_STATE       | 危险 | 读取电话状态和身份          | 允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等 |
| android.permission.RECORD_AUDIO           | 危险 | 录音                 | 允许应用程序访问音频记录路径                                                |
| android.permission.CHANGE_NETWORK_STATE   | 正常 | 更改网络连接             | 允许应用程序更改网络连接状态。                                               |
| android.permission.GET_TASKS              | 危险 | 检索正在运行的应用程序        | 允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息             |
| android.permission.MODIFY_AUDIO_SETTINGS  | 正常 | 更改您的音频设置           | 允许应用程序修改全局音频设置,例如音量和路由                                        |
| android.permission.RECEIVE_BOOT_COMPLETED | 正常 | 开机时自动启动            | 允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度   |
| android.permission.VIBRATE                | 正常 | 可控震源               | 允许应用程序控制振动器                                                   |
| android.permission.WAKE_LOCK              | 正常 | 防止手机睡眠             | 允许应用程序防止手机进入睡眠状态                                              |
| android.permission.RECEIVE_USER_PRESENT   | 未知 | Unknown permission | Unknown permission from android reference                     |

|                                                     |    |                    |                                                           |
|-----------------------------------------------------|----|--------------------|-----------------------------------------------------------|
| com.meiguisj.chat.permission.JPUSH_MESSAGE          | 未知 | Unknown permission | Unknown permission from android reference                 |
| android.permission.REQUEST_INSTALL_PACKAGES         | 危险 | 允许应用程序请求安装包。       | 恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。                              |
| android.permission.BROADCAST_STICKY                 | 正常 | 发送粘性广播             | 允许应用程序发送粘性广播,在广播结束后保留。恶意应用程序会导致手机使用过多内存,从而使手机运行缓慢或不稳定     |
| android.permission.BLUETOOTH                        | 正常 | 创建蓝牙连接             | 允许应用程序连接到配对的蓝牙设备                                          |
| android.permission.BLUETOOTH_ADMIN                  | 正常 | 蓝牙管理               | 允许应用程序发现和配对蓝牙设备。                                          |
| android.permission.DISABLE_KEYGUARD                 | 正常 |                    | 如果键盘不安全,允许应用程序禁用它。                                        |
| android.permission.ACCESS_FINE_LOCATION             | 危险 | 精细定位 (GPS)         | 访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量 |
| android.permission.ACCESS_COARSE_LOCATION           | 危险 | 粗定位                | 访问粗略位置源,例如移动网络数据库,以确定大概的电话位置 (如果可用)。恶意应用程序可以使用它来确定您的大致位置  |
| android.permission.CHANGE_WIFI_STATE                | 正常 | 更改Wi-Fi状态          | 允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改                  |
| android.permission.ACCESS_LOCATION_EXTRA_COMMANDS   | 正常 | 访问额外的位置提供程序命令      | 访问额外的位置提供程序命令,恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作               |
| android.permission.SYSTEM_ALERT_WINDOW              | 危险 | 显示系统级警报            | 允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕                          |
| android.permission.FOREGROUND_SERVICE               | 正常 |                    | 允许常规应用程序使用 Service.startForeground。                       |
| android.permission.USE_FULL_SCREEN_INTENT           | 正常 |                    | 针对想要使用通知全屏意图的 Build.VERSION_CODES.Q 的应用程序是必需的             |
| com.huawei.android.launcher.permission.CHANGE_BADGE | 正常 | 在应用程序上显示通知计数       | 在华为手机的应用程序启动图标上显示通知计数或徽章。                                 |
|                                                     |    |                    |                                                           |

|                                                 |    |                    |                                           |
|-------------------------------------------------|----|--------------------|-------------------------------------------|
| com.waterfall.viewlive.permission.JPUSH_MESSAGE | 未知 | Unknown permission | Unknown permission from android reference |
| android.permission.WRITE_SETTINGS               | 危险 | 修改全局系统设置           | 允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。          |
| android.permission.MOUNT_UNMOUNT_FILESYSTEMS    | 危险 | 装载和卸载文件系统          | 允许应用程序为可移动存储安装和卸载文件系统                     |
| android.permission.ACCESS_BACKGROUND_LOCATION   | 危险 | 后台访问位置             | 允许应用程序在后台访问位置                             |



应用内通信

| 活动(ACTIVITY)                                   | 通信(INTENT)           |
|------------------------------------------------|----------------------|
| com.waterfall.viewlive.activity.SplashActivity | Schemes: tz03xi://,  |
| com.tencent.tauth.AuthActivity                 | Schemes: tencent://, |