



MoGua

联通智家 7.8.4.APK 分析报告



APP名称:

联通智家

包名:	com.woapp.hebei
域名线索:	72条
URL线索:	17条
邮箱线索:	3条
分析日期:	2025年6月12日
分析平台:	摸瓜APK反编译平台

文件名: com.woapp.hebei.apk

文件大小: 405.78MB

MD5值: 38ebe688e549939f8861a1196b6594cb

SHA1值: ec3296c829a71e3cb12257ed908c167b4410f9dc

SHA256值: 7b04acec074db1f3854ec260223e249d1573aa570b78f1a6474b58d128f0fa16

i APP 信息

App名称: 联通智家

包名: com.woapp.hebei

主活动Activity: net.smartont.we.wohome.ui.welcome.view.WelcomeActivity

安卓版本名称: 7.8.4

安卓版本: 218

🔍 域名线索

域名	服务器信息
formatjs.io	IP: 13.248.158.7 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.627499 经度: -122.346199
data-drru.push.dbankcloud.com	IP: 159.138.202.31 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
img0.baidu.com	IP: 221.204.61.38 所属国家: China 地区: Shanxi

	城市: Taiyuan 纬度: 37.869438 经度: 112.561508
itunes.apple.com	IP: 61.179.224.2 所属国家: China 地区: Shandong 城市: Binzhou 纬度: 37.366619 经度: 118.015182
grs.dbankcloud.com	IP: 60.28.193.195 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
metrics-dra.dt.hicloud.com	IP: 94.74.88.100 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
data-drcn.push.dbankcloud.com	IP: 118.194.33.160 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
	IP: 185.199.110.153

unicode-org.github.io	所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
ss0.bdstatic.com	IP: 218.68.136.32 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
www.w3.org	没有服务器地理信息.
html.spec.whatwg.org	IP: 165.227.248.76 所属国家: United States of America 地区: New Jersey 城市: Clifton 纬度: 40.858585 经度: -74.163605
speaker-cu-drcn.things.hicloud.com	IP: 49.4.44.160 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
smarthome.hicloud.com	IP: 49.4.17.106 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
login.cloud.huawei.com	IP: 121.36.117.176 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397102
www.mozilla.org	IP: 151.101.91.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.huawei.com	IP: 121.22.232.167 所属国家: China 地区: Hebei 城市: Qinhuangdao 纬度: 39.932541 经度: 119.588226
js.foundationn	没有服务器地理信息.
mobile.baidu.com	IP: 153.3.238.197 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
api.amazon.com	IP: 98.82.157.104 所属国家: United States of America 地区: Virginia 城市: Ashburn 纬度: 39.039474 经度: -77.491806
tips-res-drcn.dbankcdn.com	IP: 153.99.77.72 所属国家: China 地区: Jiangsu 城市: Huai'an 纬度: 33.588612 经度: 119.019173

github.com	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
feross.org	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
app-support.smart321.com	IP: 8.153.101.26 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.abego.org	IP: 5.35.225.139 所属国家: Germany 地区: Nordrhein-Westfalen 城市: Koeln 纬度: 50.933346 经度: 6.949720
www.zetetic.net	IP: 13.225.177.5 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
www.ibm.comn	没有服务器地理信息.
	IP: 23.205.144.74 所属国家: United States of America

www.oracle.com	地区: Georgia 城市: Atlanta 纬度: 33.748795 经度: -84.387543
unicode.org	IP: 64.182.27.164 所属国家: United States of America 地区: Texas 城市: Dallas 纬度: 32.814899 经度: -96.879204
fb.me	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
t12.baidu.com	IP: 111.7.189.36 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
data-dra.push.dbankcloud.com	IP: 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
www.philips.com.cn	IP: 221.194.154.213 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717

stackoverflow.com	IP: 172.64.155.249 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
agroup.baidu.com	没有服务器地理信息.
javolution.org	IP: 147.93.88.244 所属国家: Belgium 地区: Brussels Hoofdstedelijk Gewest 城市: Brussels 纬度: 50.850849 经度: 4.348780
t10.baidu.com	IP: 111.7.189.36 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
metrics2.data.hicloud.com	IP: 80.158.2.190 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
api.map.baidu.com	IP: 111.206.208.72 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 104.131.8.164 所属国家: United States of America

js.foundation	地区: New Jersey 城市: Clifton 纬度: 40.858585 经度: -74.163605
xiaodu.baidu.com	IP: 110.242.69.93 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
www.bouncycastle.orgn	没有服务器地理信息.
t11.baidu.com	IP: 111.7.189.36 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
img1.baidu.com	IP: 221.204.61.38 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
img2.baidu.com	IP: 221.204.61.38 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
mathiasbynens.be	IP: 83.137.145.144 所属国家: Netherlands 地区: Groningen 城市: Groningen 纬度: 53.219173

	经度: 6.567002
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
nj03-rp-m22nlp156.nj03.baidu.com	没有服务器地理信息.
metrics1-drcn.dt.dbankcloud.cn	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
grs.dbankcloud.eu	没有服务器地理信息.
api.cloud.huawei.com	IP: 49.4.47.39 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
smarthome.rest.ott4china.com	IP: 121.228.250.165 所属国家: China 地区: Jiangsu 城市: Suzhou 纬度: 31.311365 经度: 120.617691
metrics5.dt.dbankcloud.ru	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg

	纬度: 56.857498 经度: 60.612499
grs.dbankcloud.asia	IP: 49.4.40.185 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
www.unicode.org	IP: 64.182.27.164 所属国家: United States of America 地区: Texas 城市: Dallas 纬度: 32.814899 经度: -96.879204
consumer.huawei.com	IP: 120.52.95.239 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
www.opensource.org	IP: 104.22.65.197 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.sun.com	IP: 23.214.168.202 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
	IP: 49.4.41.105

speaker-drcn.things.hicloud.com	所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
developer.mozilla.org	IP: 34.111.97.67 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
grs.dbankcloud.cn	IP: 49.4.40.185 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
www.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
fusesource.comn	没有服务器地理信息.
www.sun.comn	没有服务器地理信息.
people.mozilla.org	IP: 52.11.124.240 所属国家: United States of America 地区: Oregon 城市: Portland 纬度: 45.523460 经度: -122.676468
grs.platform.dbankcloud.ru	没有服务器地理信息.

www.lotus.comn	没有服务器地理信息.
images.tuyaus.com	IP: 108.157.254.109 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.604309 经度: -122.329842
underscorejs.org	IP: 172.67.134.18 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.w3.org	IP: 104.18.22.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
x265.orgn	没有服务器地理信息.
www.tuya.com	IP: 8.153.104.76 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

URL线索

URL信息	件
https://www.philips.com.cn/c-e/appdownload-homepage/philips-home-plus?origin=1_cn_zh_APP_download_QR_code_WeChat_moments	摸瓜V1引擎
https://www.tuya.com/vas/commodity/SDK_APP_CREATE	摸瓜V1引擎
https://api.amazon.com/auth/relyingPartyLogout	摸瓜V1引擎
https://api.amazon.com/auth/O2/token	摸瓜V1引擎
https://www.zetetic.net/sqlcipher/	摸瓜V1引擎
https://www.zetetic.net/sqlcipher/license/	摸瓜V1引擎
https://github.com/sqlcipher/android-database-sqlcipher	摸瓜V1引擎
https://app-support.smart321.com/upgrade-notice/tuyasmart?lang=zh	摸瓜V1引擎
https://app-support.smart321.com/developerapp/upgrade-notice/tuyasmart?lang=zh	摸瓜V1引擎
https://images.tuyaus.com/app/1029-300-banner.jpg	摸瓜V1引擎
https://img2.baidu.com/it/u=175449109,3788073609&fm=253&app=138&size=w931&n=0&f=JPEG&fmt=auto?sec=1681491600&t=55820f072d3d18feddb5a703bed646fa	摸瓜V2引擎
https://img2.baidu.com/it/u=1145113115,1272761906&fm=253&fmt=auto&app=120&f=JPEG?w=690&h=388	摸瓜V2引擎
https://img2.baidu.com/it/u=1328912407,361280608&fm=253&fmt=auto&app=138&f=JPEG?w=750&h=500	摸瓜V2引擎
https://img2.baidu.com/it/u=4135346850,1412370596&fm=253&fmt=auto&app=138&f=JPEG?w=500&h=1082	摸瓜V2引擎
http://t10.baidu.com/it/u=2735562544,2830845040&fm=58&app=83&f=JPEG?w=250&h=250	摸瓜V2引擎
http://t11.baidu.com/it/u=2072888826,1594698134&fm=58&app=83&f=JPEG?w=250&h=250&s=17B2C72577237B0532E4C5DE030050B3	摸瓜V2引擎

http://t12.baidu.com/it/u=3930089798,3323019215&fm=58&app=83&f=JPEG?w=250&h=250	摸瓜V2引擎
http://t10.baidu.com/it/u=2634707026,1773979484&fm=58&app=83&f=JPEG?w=250&h=250	摸瓜V2引擎
http://t10.baidu.com/it/u=2783881284,921924814&fm=58&app=83&f=JPEG?w=250&h=250	摸瓜V2引擎
http://t12.baidu.com/it/u=3268067274,3938113073&fm=58&app=83&f=JPEG?w=250&h=250	摸瓜V2引擎
http://t10.baidu.com/it/u=1959205732,3947920150&fm=58&app=83&f=JPEG?w=250&h=250	摸瓜V2引擎
https://img1.baidu.com/it/u=1483781116,3828629172&fm=253&fmt=auto&app=138&f=JPEG?w=750&h=500	摸瓜V2引擎
https://img0.baidu.com/it/u=1664442671,1375167574&fm=253&fmt=auto&app=120&f=JPEG?w=640&h=426	摸瓜V2引擎
https://img1.baidu.com/it/u=3392405720,2690321707&fm=253&fmt=auto&app=120&f=JPEG?w=793&h=500	摸瓜V2引擎
https://img2.baidu.com/it/u=3208657076,2656985225&fm=253&fmt=auto&app=138&f=JPEG?w=500&h=334	摸瓜V2引擎
https://img2.baidu.com/it/u=1945674610,1208913114&fm=253&fmt=auto&app=138&f=JPEG?w=738&h=500	摸瓜V2引擎
https://img1.baidu.com/it/u=2645591661,2140541219&fm=253&fmt=auto&app=138&f=JPEG?w=650&h=434	摸瓜V2引擎
https://img2.baidu.com/it/u=1720566088,1456653215&fm=253&fmt=auto&app=138&f=JPEG?w=763&h=477	摸瓜V2引擎
https://img2.baidu.com/it/u=3820118608,1029428021&fm=253&fmt=auto&app=120&f=JPEG?w=500&h=1083	摸瓜V2引擎
https://img0.baidu.com/it/u=3830350424,1776713070&fm=253&fmt=auto&app=138&f=JPEG?w=500&h=665	摸瓜V2引擎
https://img1.baidu.com/it/u=2685999904,4248992413&fm=253&fmt=auto&app=120&f=JPEG?w=640&h=667	摸瓜V2引擎
https://img2.baidu.com/it/u=3534284102,616662343&fm=253&fmt=auto&app=138&f=JPEG?w=667&h=500	摸瓜V2引擎
https://img0.baidu.com/it/u=4209553362,1749997713&fm=253&fmt=auto&app=120&f=JPEG?w=640&h=373	摸瓜V2引擎
https://img1.baidu.com/it/u=1483781116,3828629172&fm=253&fmt=auto&app=138&f=JPEG?w=750&h=500	摸瓜V2引擎

https://img0.baidu.com/it/u=1664442671,1375167574&fm=253&fmt=auto&app=120&f=JPEG?w=640&h=426	摸瓜V2引擎
https://img1.baidu.com/it/u=3392405720,2690321707&fm=253&fmt=auto&app=120&f=JPEG?w=793&h=500	摸瓜V2引擎
https://img2.baidu.com/it/u=3208657076,2656985225&fm=253&fmt=auto&app=138&f=JPEG?w=500&h=334	摸瓜V2引擎
https://img2.baidu.com/it/u=1945674610,1208913114&fm=253&fmt=auto&app=138&f=JPEG?w=738&h=500	摸瓜V2引擎
https://img1.baidu.com/it/u=2645591661,2140541219&fm=253&fmt=auto&app=138&f=JPEG?w=650&h=434	摸瓜V2引擎
https://img2.baidu.com/it/u=1720566088,1456653215&fm=253&fmt=auto&app=138&f=JPEG?w=763&h=477	摸瓜V2引擎
https://img2.baidu.com/it/u=3820118608,1029428021&fm=253&fmt=auto&app=120&f=JPEG?w=500&h=1083	摸瓜V2引擎
https://img0.baidu.com/it/u=3830350424,1776713070&fm=253&fmt=auto&app=138&f=JPEG?w=500&h=665	摸瓜V2引擎
https://img1.baidu.com/it/u=2685999904,4248992413&fm=253&fmt=auto&app=120&f=JPEG?w=640&h=667	摸瓜V2引擎
https://img2.baidu.com/it/u=3534284102,616662343&fm=253&fmt=auto&app=138&f=JPEG?w=667&h=500	摸瓜V2引擎
https://img0.baidu.com/it/u=4209553362,1749997713&fm=253&fmt=auto&app=120&f=JPEG?w=640&h=373	摸瓜V2引擎
https://img2.baidu.com/it/u=1145113115,1272761906&fm=253&fmt=auto&app=120&f=JPEG?w=690&h=388	摸瓜V2引擎
https://img2.baidu.com/it/u=1328912407,361280608&fm=253&fmt=auto&app=138&f=JPEG?w=750&h=500	摸瓜V2引擎
https://img2.baidu.com/it/u=4135346850,1412370596&fm=253&fmt=auto&app=138&f=JPEG?w=500&h=1082	摸瓜V2引擎
http://t10.baidu.com/it/u=2735562544,2830845040&fm=58&app=83&f=JPEG?w=250&h=250	摸瓜V2引擎
http://t11.baidu.com/it/u=2072888826,1594698134&fm=58&app=83&f=JPEG?w=250&h=250&s=17B2C72577237B0532E4C5DE030050B3	摸瓜V2引擎
http://t12.baidu.com/it/u=3930089798,3323019215&fm=58&app=83&f=JPEG?w=250&h=250	摸瓜V2引擎

http://t10.baidu.com/it/u=2634707026,1773979484&fm=58&app=83&f=JPEG?w=250&h=250	摸瓜V2引擎
http://t10.baidu.com/it/u=2783881284,921924814&fm=58&app=83&f=JPEG?w=250&h=250	摸瓜V2引擎
http://t12.baidu.com/it/u=3268067274,3938113073&fm=58&app=83&f=JPEG?w=250&h=250	摸瓜V2引擎
http://t10.baidu.com/it/u=1959205732,3947920150&fm=58&app=83&f=JPEG?w=250&h=250	摸瓜V2引擎
https://smarthome.hicloud.com:8443	摸瓜V2引擎
https://speaker-cu-drcn.things.hicloud.com:8443	摸瓜V2引擎
https://speaker-cu-drcn.things.hicloud.com:443	摸瓜V2引擎
https://api.map.baidu.com	摸瓜V2引擎
https://login.cloud.huawei.com	摸瓜V2引擎
https://api.cloud.huawei.com	摸瓜V2引擎
https://www.huawei.com	摸瓜V2引擎
https://consumer.huawei.com	摸瓜V2引擎
https://tips-res-drcn.dbankcdn.com	摸瓜V2引擎
https://speaker-drcn.things.hicloud.com:8443	摸瓜V2引擎
https://speaker-drcn.things.hicloud.com:443	摸瓜V2引擎
https://smarthome.rest.ott4china.com:9001	摸瓜V2引擎
https://data-drcn.push.dbankcloud.com	摸瓜V2引擎

https://data-dra.push.dbankcloud.com	摸瓜V2引擎
https://data-dre.push.dbankcloud.com	摸瓜V2引擎
https://data-drru.push.dbankcloud.com	摸瓜V2引擎
https://metrics1-drcn.dt.dbankcloud.cn:443	摸瓜V2引擎
https://metrics-dra.dt.hicloud.com:6447	摸瓜V2引擎
https://metrics2.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.dt.dbankcloud.ru:6447	摸瓜V2引擎
https://grs.dbankcloud.com	摸瓜V2引擎
https://grs.dbankcloud.cn	摸瓜V2引擎
https://grs.dbankcloud.asia	摸瓜V2引擎
https://grs.platform.dbankcloud.ru	摸瓜V2引擎
https://grs.dbankcloud.eu	摸瓜V2引擎
http://agroup.baidu.com/dbo/md/article/49113	摸瓜V2引擎
https://ss0.bdstatic.com/5aV1bjqh_Q23odCf/static/superman/img/logo_top_ca79a146.png	摸瓜V2引擎
https://itunes.apple.com/cn/app/di-di-chu-xing-chu-zu-che/id554499054?mt=8	摸瓜V2引擎
http://mobile.baidu.com/	摸瓜V2引擎

http://nj03-rp-m22nlp156.nj03.baidu.com:8186/saiya/userinfo/personal	摸瓜V2引擎
http://nj03-rp-m22nlp156.nj03.baidu.com:8288/saiya/userinfo/companyDetail?from=personal&isBackClose=true	摸瓜V2引擎
http://agroup.baidu.com/duer/md/article/21812	摸瓜V2引擎
http://xiaodu.baidu.com/saiya/client/shareBlacklist	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Object/is\n\nfunction	摸瓜V2引擎
http://fb.me/prop-types-in-prod\n	摸瓜V2引擎
https://github.com/Modernizr/Modernizr/blob/master/LICENSE\n	摸瓜V2引擎
https://github.com/Modernizr/Modernizr/blob/master/feature-detects/history.js\n	摸瓜V2引擎
https://github.com/reactjs/react-router/issues/586\n	摸瓜V2引擎
https://github.com/ReactTraining/history/pull/289\n	摸瓜V2引擎
http://www.opensource.org/licenses/mit-license.php\n\tAuthor	摸瓜V2引擎
http://stackoverflow.com/a/26603875\n\t\tcss	摸瓜V2引擎
https://unicode.org/reports/tr35/tr35-dates.html	摸瓜V2引擎
https://github.com/caridy/intl-datetimeformat-pattern/blob/master/index.js\n	摸瓜V2引擎
https://github.com/unicode-org/icu/blob/master/docs/userguide/format_parse/numbers/skeletons.md	摸瓜V2引擎
https://github.com/unicode-org/icu/blob/master/icu4c/source/i18n/unicode/unumberformatter.h\n	摸瓜V2引擎
https://unicode-org.github.io/icu/userguide/format_parse/numbers/skeletons.html	摸瓜V2引擎
https://www.unicode.org/reports/tr35/tr35-dates.html	摸瓜V2引擎

https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Intl/Locale/hourCycle \n	摸瓜V2引擎
https://github.com/formatjs/formatjs/issues/2822 \n	摸瓜V2引擎
https://html.spec.whatwg.org/multipage/custom-elements.html	摸瓜V2引擎
https://github.com/unicode-org/icu/blob/af7ed1f6d2298013dc303628438ec4abe1f16479/icu4c/source/common/messagepattern.cpp	摸瓜V2引擎
https://www.unicode.org/Public/UCD/latest/ucd/PropList.txt \n	摸瓜V2引擎
\n	摸瓜V2引擎
https://formatjs.io/docs/tooling/ts-transformer)	摸瓜V2引擎
https://formatjs.io/docs/tooling/linter	摸瓜V2引擎
https://github.com/formatjs/formatjs/issues/1914 \n	摸瓜V2引擎
https://github.com/microsoft/TypeScript/pull/50402	摸瓜V2引擎
https://formatjs.io/docs/getting-started/message-distribution	摸瓜V2引擎
https://formatjs.io/docs/react-intl/api	摸瓜V2引擎
https://formatjs.io/docs/react-intl	摸瓜V2引擎
https://github.com/pillarjs/path-to-regexp/blob/master/index.js	摸瓜V2引擎
https://people.mozilla.org/	摸瓜V2引擎
https://github.com/facebook/regenerator/issues/274	摸瓜V2引擎
\n	摸瓜V2引擎

https://www.huawei.com/cn/personal-data-request	摸瓜V2引擎
https://www.huawei.com/cn/privacy-policy	摸瓜V2引擎
https://www.bouncycastle.org	摸瓜V2引擎
https://mathiasbynens.be	摸瓜V2引擎
http://www.apache.org/licenses/	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Object/is	摸瓜V2引擎
http://fb.me/prop-types-in-prod	摸瓜V2引擎
https://github.com/Modernizr/Modernizr/blob/master/LICENSE	摸瓜V2引擎
https://github.com/Modernizr/Modernizr/blob/master/feature-detects/history.js	摸瓜V2引擎
https://github.com/reactjs/react-router/issues/586	摸瓜V2引擎
https://github.com/ReactTraining/history/pull/289	摸瓜V2引擎
http://www.opensource.org/licenses/mit-license.php	摸瓜V2引擎
http://stackoverflow.com/a/26603875	摸瓜V2引擎
https://unicode.org/reports/tr35/tr35-dates.html	摸瓜V2引擎
https://github.com/caridy/intl-datetimeformat-pattern/blob/master/index.js	摸瓜V2引擎
https://github.com/unicode-org/icu/blob/master/docs/userguide/format_parse/numbers/skeletons.md	摸瓜V2引擎
https://github.com/unicode-org/icu/blob/master/icu4c/source/i18n/unicode/unumberformatter.h	摸瓜V2引擎

https://unicode-org.github.io/icu/userguide/format_parse/numbers/skeletons.html	摸瓜V2引擎
https://www.unicode.org/reports/tr35/tr35-dates.html	摸瓜V2引擎
\n	摸瓜V2引擎
\n	摸瓜V2引擎
https://html.spec.whatwg.org/multipage/custom-elements.html	摸瓜V2引擎
https://github.com/unicode-org/icu/blob/af7ed1f6d2298013dc303628438ec4abe1f16479/icu4c/source/common/messagepattern.cpp	摸瓜V2引擎
\n	摸瓜V2引擎
\n\n	摸瓜V2引擎
https://formatjs.io/docs/tooling/ts-transformer)	摸瓜V2引擎
https://formatjs.io/docs/tooling/linter	摸瓜V2引擎
\n	摸瓜V2引擎
https://github.com/microsoft/TypeScript/pull/50402	摸瓜V2引擎
https://formatjs.io/docs/getting-started/message-distribution	摸瓜V2引擎
https://formatjs.io/docs/react-intl/api	摸瓜V2引擎
https://formatjs.io/docs/react-intl	摸瓜V2引擎
https://github.com/pillarjs/path-to-regexp/blob/master/index.js	摸瓜V2引擎
https://people.mozilla.org/	摸瓜V2引擎

https://github.com/facebook/regenerator/issues/274	摸瓜V2引擎
http://fb.me/use-check-prop-types\n	摸瓜V2引擎
https://www.huawei.com/cn/personal-data-request');\n	摸瓜V2引擎
https://www.huawei.com/cn/privacy-policy');\n	摸瓜V2引擎
https://mathiasbynens.be/');\n	摸瓜V2引擎
https://mathiasbynens.be/>');\n	摸瓜V2引擎
http://www.apache.org/\n	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0.txt';\n	摸瓜V2引擎
http://www.abego.org)	摸瓜V2引擎
http://x265.org';\n	摸瓜V2引擎
http://www.bouncycastle.org');\n	摸瓜V2引擎
http://www.lotus.com';\n	摸瓜V2引擎
http://www.sun.com';\n	摸瓜V2引擎
http://www.ibm.com';\n	摸瓜V2引擎
http://www.sun.com	摸瓜V2引擎
http://www.oracle.com\n	摸瓜V2引擎
https://js.foundation/>');\n	摸瓜V2引擎

https://www.bouncycastle.org/ '),\n	摸瓜V2引擎
https://js.foundation/ '),\n	摸瓜V2引擎
http://underscorejs.org/ >'),\n	摸瓜V2引擎
https://js.foundation	摸瓜V2引擎
http://javolution.org/ '),\n	摸瓜V2引擎
http://fusesource.com/ '),\n	摸瓜V2引擎
http://www.apache.org/licenses/ '\n	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0 '\n	摸瓜V2引擎
https://www.bouncycastle.org/ '\n	摸瓜V2引擎
http://www.mozilla.org/MPL/ '),\n	摸瓜V2引擎
http://feross.org >	摸瓜V2引擎
https://feross.org/opensource >	摸瓜V2引擎
https://github.com/zloirock/core-js/blob/v3.33.2/LICENSE	摸瓜V2引擎
https://github.com/zloirock/core-js	摸瓜V2引擎
https://github.com/zloirock/core-js/blob/v3.33.1/LICENSE	摸瓜V2引擎
https://github.com/zloirock/core-js	摸瓜V2引擎
https://github.com/zloirock/core-js/blob/v3.34.0/LICENSE	摸瓜V2引擎

✉ 邮箱线索

邮箱地址	所在文件
翅膀@2x.png subtract@2x.png	摸瓜V2引擎
tbuktu@hotmail.com jeroen@hierynomus.com kevina@gnu.org	摸瓜V2引擎
kevina@gnu.org riccardo.murri@gmx.it c.h.g.wright@ieee.org kent@threeiversinstitute.org erich_gamma@acm.org david@saff.net mbp@humbug.org daniel@haxx.se sam@hocevar.net frob@df.ru mwp1@cornell.edu thomas@randspringer.de sindresorhus@gmail.com provos@citi.umich dyuproject@gmail.com dain@iq80.com david@zentus.com todd.miller@courtesan.com tbuktu@hotmail.com eay@cryptsoft.com foss@huawei.com	摸瓜V2引擎

☰ 手机线索

手机号	所在文件
19707301197	摸瓜V2引擎
13261512236	摸瓜V2引擎
13261512236	摸瓜V2引擎
19707301197	摸瓜V2引擎
13641137292	摸瓜V2引擎

✿ 签名证书

APK已签名

v1 签名: True

v2 签名: True

v3 签名: False

找到 1 个唯一证书

主题: C=CH, ST=beijing, L=beijing, O=unicom, OU=unicom, CN=unicom

签名算法: rsassa_pkcs1v15

有效期自: 2015-09-15 08:17:10+00:00

有效期至: 2045-09-07 08:17:10+00:00

发行人: C=CH, ST=beijing, L=beijing, O=unicom, OU=unicom, CN=unicom

序列号: 0x5a6a8dcc

哈希算法: sha256

md5值: 4ced6938af87b5f2de2e70328649b338

sha1值: 5878e3baed1bb141d8b778dbc966762c4af83c67

sha256值: bc2671152545ad9bc43d9cf7e9aceec272c91679b8e659beb47fc17436df2fc9

sha512值: 599ea667914ac729309ae45786357ccabf5a9d4cec09c0ad6b4932c85dbb12612b2fc156ccd3ed3e7fa046a9144235a01b29b91fbca2b1692d3363a73f9136f7

公钥算法: rsa

密钥长度: 2048

硬编码敏感信息

可能的敏感信息
"account_token_timeout" : "账号已在其他设备上登录，请重新登录"
"activator_auto_search_authority_tip" : "开启以下权限以搜索附近设备"
"add_secret_file" : "New Files"
"add_secret_files" : "Add to Safe"
"alexa_flip_auth_info" : "将你的 %s 账号与 Amazon 账号连接"
"alexa_flip_refuse_auth" : "拒绝授权"
"ali_auth_sms_veri_title" : "请输入 %s 收到的验证码"
"ali_auth_verification_reGetCode" : "重新获取验证码"
"amapKey" : ""
"ap_auth_fail" : "设备断开，请重连后尝试"
"auto_test_input_wifi_password" : "input_wifi_password"
"avs_token_url" : "https://api.amazon.com/auth/O2/token"
"base_amap_key" : "Y29tLmFtYXAuYXBpLnYyLmFwaWtleQ=="
"base_google_map_key" : "Y29tLmdvb2dsZS5hbmRyb2lkLmdlby5BUeIfS0VZ"

"ble_auth_desc" : "部分 Wi-Fi 设备蓝牙开启后更容易添加"
"ble_auth_desc_1" : "允许本应用的“蓝牙”权限"
"ble_auth_desc_2" : "打开系统蓝牙"
"ble_auth_title" : "建议开启蓝牙"
"chat_team_need_authentication" : "需要身份验证"
"close_secret_space_fp" : "确定关闭私密空间的指纹解锁? 关闭后, 将无法使用指纹进入"
"cloud_reset_secret_space" : "重置私密空间密码"
"cloud_secret_space_finger" : "联通云盘私密空间解锁"
"cloud_secret_space_pwd_input_tip" : "*请输入6-20位数字、字母或组合的密码"
"cloud_secret_space_pwd_not_smae_tip" : "*两次密码不一致"
"cloud_set_secret_space" : "设置私密空间密码"
"com_alibc_auth_actiivty_auth_ok" : "确认授权"
"com_alibc_auth_actiivty_cancel" : "取消"
"com_alibc_auth_actiivty_get" : "获取"
"com_taobao_tae_sdk_authorize_title" : "登录授权"
"contact_selector_session_max_count" : "最多只能选择%s个会话"
"copy_link_copy_password" : "复制访问密码"

"copy_link_enter_password" : "输入密码"
"copy_link_use_password" : "使用访问密码"
"culink_device_authorize_dialog_comfirm" : "同意并授权"
"culink_device_authorize_dialog_content" : "是否同意将该设备授权给“联通智家APP”及其所管理的音箱等语音控制类设备进行管理、控制？ "
"culink_device_authorize_dialog_content_hw" : "是否同意将此设备授权给智能音箱等语音控制类设备进行语音管理、控制？ "
"culink_device_setting_authorize" : "已授权"
"data_secret_box" : "Data Safe"
"de_pwd" : "的密码"
"delete_certificate" : "The certificate will be removed permanently."
"delete_secret_files" : "Delete from Safe"
"device_share_no_auth" : "暂无权限"
"device_share_no_auth_tips" : "如需权限，请联系设备持有人"
"dialog_auth_contact_customer_service_tip" : "如有任何问题，请您拨打电话"
"dialog_auth_phone_num" : "10010"
"dialog_auth_right_now_tip" : "按照国家工信部实名制要求，购买通信类产品需要上传身份证件并进行查验。"
"dialog_auth_time_limit_tip" : "很抱歉，根据电话实名制相关 规定，请在 7:30 — 22:00 时间段内进行实名认证"
"dialog_auth_wait_check_tip" : "正在审核中，请您耐心等待 审核通过后会以短信的形式 通知您，请注意查收"
"dialog_delete_authinfo_tip" : "确定要删除实名信息吗?"

"dl_add_permanent_password" : "添加永久密码"
"dl_add_temp_password" : "添加临时密码"
"dl_add_temporary_password" : "添加临时密码"
"dl_password" : "密码"
"face_recognition_authorize_dialog_content_first_part" : "这项功能的完善基于用户分享视频。只要点击"我接受", 这些都将匿名自动进行。我们不会收集您的信息或者联系您。"
"face_recognition_authorize_dialog_content_privacy_policy" : " 点击阅读协议 >"
"face_recognition_authorize_dialog_content_second_part" : "所以... 您愿意帮助我们提高吗? "
"face_recognition_authorize_dialog_title" : "请帮助%s"
"family_permision_open_inputpwd_desc" : "可联系服务人员获取密码"
"family_permision_open_inputpwd_title" : "请输入管理员密码"
"forget_password" : "Forgot your password?"
"forget_password_reset_password" : "重置密码"
"go_auth" : "去认证"
"google_flip_auth_info" : "将你的 %s 账号与 Google 账号连接"
"google_flip_refuse_auth" : "拒绝授权"
"google_maps_key" : ""
"gw_edit_wifi_pwd" : "修改Wi-Fi密码"

"gw_lo_id_pwd_label" : "业务密码: "
"gw_please_input_pppoe_password" : "请输入宽带密码"
"gw_pwd_label" : "宽带密码: "
"gw_set_wifi_pwd" : "设置Wi-Fi密码"
"gw_user_pwd_label" : "密码: "
"home_store_pwd" : "Password:"
"home_store_user" : "Username:"
"homekit_auth_back" : "返回"
"homekit_auth_tips" : "请开启住宅数据的权限"
"hs_private_protect" : "隐私保护"
"import_certificate" : "Import Certificate"
"input_login_password" : "请输入登录密码"
"input_password" : "密码"
"input_pwd" : "输入密码"
"input_secret_space_pwd" : "请输入私密空间密码，确认本人操作"
"intent_not_same_user" : "抱歉，当前用户账号不能使用此功能"
"ios_authorize_in_privacy" : "请点击“设置”->“隐私”->“通讯录”中打开授权"
"ios_enter_username" : "请输入您的用户名"

"ios_input_password" : "输入"%s"的密码。 "
"ios_no_password" : "没有密码? 您可以不填写"
"ios_premiun_user" : "高级用户"
"ios_private" : "保密"
"ipc_doorbell_file_authority" : "为获得最佳的用户体验, 门铃响起时App会播放手机系统铃声, 为此我们需要获取手机的文件读取权限。 "
"ipc_settings_onvif_authentication" : "鉴权方式"
"ipc_settings_onvif_authentication_digest" : "digest"
"ipc_settings_onvif_authentication_ws" : "ws"
"ipc_settings_reset_pwd" : "密码重置"
"ipc_share_more_auth_tips" : "如需更多设备权限, 可以联系设备持有者在设置中开通"
"ipc_share_no_cloud_auth_tips" : "暂无查看云存储录像权限, 可以联系设备持有者在设置中开通"
"ipc_share_no_local_auth_tips" : "暂无查看本地存储录像权限, 可以联系设备持有者在设置中开通"
"library_android_database_sqlcipher_author" : "Zetetic, LLC"
"library_android_database_sqlcipher_authorWebsite" : "https://www.zetetic.net/sqlcipher/"
"livenesslib_auth_faield" : "认证失败"
"livenesslib_auth_success" : "认证成功"
"livenesslib_id_auth" : "身份认证"

"livenesslib_re_auth" : "重新认证"
"login_authentication_code_input" : "请输入完整的验证码"
"login_authority_ctc" : "认证服务由天翼账号提供"
"login_authority_cuc" : "认证服务由中国联通提供"
"login_by_account_and_password" : "密码登录"
"login_by_mobile_onekey" : "本机号码一键登录/注册"
"login_by_onekey" : "一键登录"
"login_find_password" : "找回密码"
"login_forget_password" : "忘记密码?"
"login_free_password" : "免密登录"
"login_password" : "Password"
"login_please_input_pwd" : "设置新密码"
"login_please_input_pwd_regist" : "请输入密码"
"login_pwd_input_format" : "*密码必须为8-20位数字、大小写字母和符号的组合"
"login_pwd_phone_desc" : "联通智家账号"
"login_pwd_pic_desc" : "图形验证码"
"login_pwd_pwd_desc" : "密码"
"login_pwd_twice_not_same_tip" : "*输入的密码不一致，请重新输入"

"login_register_password" : "密码登录"
"login_secret" : "Log In to Safe"
"login_send_password" : "发送密码"
"login_session_expired" : "登录信息已过期,请重新登录"
"login_setting_key" : "设置密码"
"login_switch_pwd_login" : "使用账号密码登录"
"login_user_policy_format_with_onekey" : "我已阅读并同意《服务协议》以及《隐私政策》和%s"
"login_username" : "UserName"
"login_with_pwd" : "账号密码登录"
"ltyp_account_forget_pwd" : "忘记密码"
"ltyp_account_login_by_pwd" : "密码登录"
"ltyp_account_login_pwd_input_format" : "8-20位数字、大小写字母、符号的组合, 且不含2位以上连续数字或字母"
"ltyp_account_login_pwd_twice_not_same_tip" : "两次输入的密码不一致, 请重新输入"
"ltyp_account_pwd" : "密码"
"ltyp_account_pwd_login" : "密码登录"
"ltyp_account_reset_pwd_success" : "密码修改成功"
"ltyp_account_set_pwd" : "设置密码"

"ltyp_cloud_auth" : "授权"
"ltyp_cloud_authentication" : "身份验证"
"ltyp_cloud_close_secret_space_finger_print" : "确定关闭私密空间的指纹解锁? 关闭后, 将无法使用指纹进入"
"ltyp_cloud_enter_secret_space" : "进入私密空间"
"ltyp_cloud_input_secret_space_pwd" : "请输入私密空间密码"
"ltyp_cloud_no_token" : "令牌为空"
"ltyp_cloud_reset_secret_space" : "重置私密空间密码"
"ltyp_cloud_secret_space" : "私密空间"
"ltyp_cloud_secret_space_pwd_input_tip" : "6-20位数字、字母或组合的密码"
"ltyp_cloud_secret_space_pwd_not_same_tip" : "*两次密码不一致"
"ltyp_cloud_secret_space_sf_bottom_tips" : "请先在手机设置中录入指纹, 才能进行开启指纹的快捷操作"
"ltyp_cloud_secret_space_sf_top_tips" : "温馨提示: 1. 指纹识别信息仅对本手机有效, 如需在其他手机上使用此功能需要重新授权开通。 2. 本手机录入的所有指纹均可解锁, 请确保手机留存的指纹信息为本人所有。 3. 若手机录入的指纹发生变化, 需要重新开启指纹识别功能。"
"ltyp_cloud_set_finger_print_for_secret_space" : "设置指纹解锁可便捷进入私密空间哦"
"ltyp_cloud_set_finger_print_secret_space" : "设置成功, 前往私密空间"
"ltyp_cloud_set_secret_space" : "设置私密空间密码"
"ltyp_cloud_sim_auth" : "SIM盾认证"
"ltyp_cloud_sim_auth_clear" : "取消认证"
"ltyp_cloud_sim_auth_loading" : "加载中... 您还需等待%ds"

"ltyp_cloud_sim_auth_no_support" : "您的手机SIM卡尚未开通此认证功能，请您到联通营业厅办理并更换5G国密卡（无需换号）"
"ltyp_cloud_sim_auth_timeout" : "SIM盾认证超时"
"ltyp_cloud_sim_auth_tips_desc" : "温馨提示： 1、请确保您的手机SIM卡可以正常使用； 2、请您再接受到SIM盾提醒后，确认是本人操作，请在60秒内确认是否授权，超过60秒视为取消授权登录； 3、若您更换SIM卡不支持SIM盾功能，请使用其他方式登陆私密空间。"
"ltyp_cloud_sim_auth_tips_title" : "您正在使用中国联通SIM盾认证"
"ltyp_cloud_sim_un_auth" : "用户未授权登录"
"ltyp_me_close_secret_space_fp" : "确定关闭私密空间的指纹解锁? 关闭后，将无法使用指纹进入"
"ltyp_me_cloud_reset_secret_space" : "重置私密空间密码"
"ltyp_me_cloud_secret_space_finger" : "联通云盘私密空间解锁"
"ltyp_me_cloud_secret_space_pwd_input_tip" : "*请输入6-20位数字、字母或组合的密码"
"ltyp_me_cloud_secret_space_pwd_not_smae_tip" : "*两次密码不一致"
"ltyp_me_cloud_set_secret_space" : "设置私密空间密码"
"ltyp_me_input_secret_space_pwd" : "请输入私密空间密码"
"ltyp_me_modify_password" : "修改密码"
"ltyp_me_pwd_authentication" : "身份验证"
"ltyp_me_secret_space" : "私密空间"
"ltyp_me_secret_space_top_tips" : "温馨提示： 1. 指纹识别信息仅对本手机有效，如需在其他手机上使用此功能需要重新授权开通。 2. 本手机录入的所有指纹均可解锁，请确保手机留存的指纹信息为本人所有。 3. 若手机录入的指纹发生变化，需要重新开启指纹识别功能。"

"ltyp_me_set_password" : "设置密码"
"meizu_app_key" : ""
"mi_app_key" : ""
"nas_login_password" : "Password"
"nas_login_username" : "User Name"
"nas_not_private_network_connect_success" : "You are not using the China Unicom mobile private network for connection."
"nas_over_user" : "To ensure user experience, a maximum of six users can use the home storage at the same time."
"nas_pc_authorization_failed" : "Authorization failed."
"nas_pc_authorization_failed_reason" : "HTTPS request failed."
"nas_pc_authorization_successful" : "Authorization succeeded."
"nas_private_network_connect_success" : "You are using the China Unicom mobile private network for connection."
"nas_secret_box" : "Safe"
"not_share_device_to_user" : "无法分享给用户 %s"
"not_share_family_to_user" : "无法分享家庭“%1\$s”给用户%2\$s"
"oauth_manage" : "第三方平台授权"
"open_secret_failed" : "Failed to open the safe. Check whether the network connection is normal."
"oppo_app_key" : ""
"oppo_app_secret" : ""

"please_enter_pwd" : "请输入密码"
"please_input_password" : "输入密码"
"please_input_wifi_password" : "请输入密码"
"private_and_user_agreement" : "服务协议与隐私政策"
"private_user_agree_tip" : "Register and agree with %s"
"profile_ca_select_certificate" : "Select a specified CA certificate."
"profile_user_select_certificate" : "Select a specified user certificate."
"pwd_not_equal" : "Check whether the two passwords are the same."
"pwd_tip_str" : "Password prompt: %s"
"qqAppKey" : ""
"qqMusicAppPubilcKey" : ""
"qqMusicLocalPrivateKey" : ""
"qq_auth_or_bind_fail_code" : "qq_auth_or_bind_fail_code %s"
"qq_music_auth_fail" : "qq_music_auth_fail"
"qq_music_auth_init_fail" : "qq_music_auth_init_fail"
"qq_music_auth_init_fail_code" : "qq_music_auth_init_fail_code %s"
"qq_music_auth_result_code" : "qq_music_auth_result_code %s"

"qq_music_get_token_data_illegal" : "qq_music_get_token_data_illegal"
"qq_music_get_token_data_parse_fail" : "qq_music_get_token_data_parse_fail"
"qq_music_get_token_fail" : "qq_music_get_token_fail %s"
"qq_music_get_token_fail1" : "qq_music_get_token_fail1"
"qrcode_auth_login" : "授权登录"
"qrcode_auth_login_fail" : "授权登录失败"
"qrcode_auth_login_success" : "授权登录成功"
"qrocde_auth_desc" : "授权说明"
"re_auth" : "重新认证"
"refind_password" : "找回登录密码"
"register_input_auth_code" : "请输入验证码"
"register_input_password" : "输入密码"
"remove_user" : "Remove User"
"reset_pwd_success" : "密码修改成功"
"secret_box_introduce" : "Used to save important files and photos."
"secret_box_tip_one" : "2. On the home screen, touch the %1\$s All-Optical Home Storage, touch %s > Safe > Enable Safe, set a safe password and password protection question, and touch OK."
"secret_box_tip_two" : "3. Touch the plus sign (+) in the upper right corner, touch Add File from Home Storage or Upload File, select the photos, videos, or files to be added or uploaded, and touch Add or Upload. When the files are displayed in the safe, the files are added successfully."

"secret_move_out_tip" : "The file to be moved out already exists in the target folder. Select another file."
"secret_rename" : "Rename from Safe"
"secret_safe_des" : "Files in the safe may be cached by other apps. After accessing the safe, clear the cache to prevent file leakage."
"secret_space" : "私密空间"
"secret_space_bottom_tips" : "请先在手机设置中录入指纹，才能进行开启指纹的快捷操作"
"secret_space_top_tips" : "温馨提示： 1. 指纹识别信息仅对本手机有效，如需在其他手机上使用此功能需要重新授权开通。 2. 本手机录入的所有指纹均可解锁，请确保手机留存的指纹信息为本人所有。 3. 若手机录入的指纹发生变化，需要重新开启指纹识别功能。"
"session_overtime" : "The current login has expired. Log in again."
"smarthome_authentication" : "身份验证"
"social_third_authorize_manage" : "三方授权管理"
"speaker_menu_authorization" : "查看音箱授权协议"
"speaker_menu_kugou_music_auth" : "酷狗音乐授权"
"speaker_wotel_personal_auth" : "身份验证"
"string_dialog_ai_speaker_user" : "AI音箱用户"
"switch_pwd_login" : "切换密码登录"
"team_session_pin" : "聊天置顶"
"thing_activator_user_name" : "用户名"
"thing_alex_a_how_to_remove_link_with_auth_manager" : "如需解绑，请前往 Alexa App 中禁用 %s 技能或在“我的 > 设置 > 账号与安全”中解除授权"

"thing_auth_management" : "授权管理"
"thing_auth_success" : "thing_auth_success"
"thing_authority_management_dataAuthorization_tips" : "允许我们收集基于产品使用和特定行为数据来了解您的偏好。关闭授权不会影响产品基础功能的使用"
"thing_authority_management_dataAuthorization_title" : "功能体验升级计划"
"thing_authority_management_entry" : "进入App"
"thing_authority_management_marketingPush_tips" : "允许我们通过广告位和通知等形式向您推荐相关内容。关闭精选推送时，我们将不再推送您可能感兴趣的内容"
"thing_authority_management_marketingPush_tips_2" : "允许我们向您推荐您感兴趣的场景、商品、服务等内容，来提升您的智能产品的使用体验。若您对该类内容不感兴趣，可以选择关闭本项服务，我们将不再将您的信息用于该推荐功能。"
"thing_authority_management_marketingPush_title" : "个性化推送服务"
"thing_authority_management_tips" : "当您使用我们的应用程序时，我们会收集必要的信息（包括统计类数据、网络使用数据、应用崩溃事件）以便监测应用程序的性能运行情况。"
"thing_authority_management_title" : "为了给您提供更优质的服务，我们需要向您申请以下权限："
"thing_authorize_cancel" : "取消授权"
"thing_authorize_failed" : "授权失败"
"thing_config_dev_pwd_length_max" : "已达到最大支持长度，请确认 Wi-Fi 密码或切换 Wi-Fi"
"thing_config_dev_pwd_length_over_access" : "密码过长，最多支持%s字节"
"thing_config_dev_pwd_length_over_tip" : "已超出最大支持长度，请修改路由器密码或切换 Wi-Fi"
"thing_config_dev_pwd_length_too_long" : "密码位数过长，是否使用AP配网模式？"
"thing_creat_gesture_key" : "创建手势密码"

"thing_d_password" : "password"
"thing_device_bind_key" : "按键"
"thing_device_detail_location_auth_manage" : "位置信息"
"thing_device_share_auth_manager" : "权限设置"
"thing_device_share_user_name" : "用户昵称"
"thing_gesture_forget_pwd" : "重新登录即可设置新的手势密码"
"thing_gesture_pwd_nomatch" : "跟上一次绘制不一致, 请重新绘制"
"thing_gesture_pwd_out" : "手势密码已失效, 请重新登录"
"thing_gesture_pwd_times" : "密码错误, 还可以输入%d次"
"thing_google_flip_how_to_remove_link_with_auth_manager" : "如需解绑, 请前往 Google Home App 中禁用 %s 技能或在“我的 > 设置 > 账号与安全”中解除授权"
"thing_homekit_auth_home_data" : "开启“住宅数据”"
"thing_homekit_auth_home_title" : "开启住宅数据允许此应用访问 HomeKit"
"thing_input_username" : "Enter username"
"thing_iot_card_auth_tip" : "该设备使用蜂窝流量时, 需要对 SIM 卡进行实名认证"
"thing_iot_card_go_auth" : "去认证"
"thing_location_auth_apply_allowed" : "允许"
"thing_location_auth_apply_content" : "为根据您所在位置展示相应的内容, 本设备需申请定位权限"

"thing_location_auth_apply_not_allowed" : "不允许"
"thing_location_auth_apply_refuse" : "拒绝"
"thing_location_auth_apply_sub_title" : "获取您的位置信息"
"thing_location_auth_apply_title" : "%s 申请"
"thing_login_modify_password" : "修改密码"
"thing_logoff_password" : "请输入你的账号关联的密码，完成你的注销请求"
"thing_net_pool_input_wifi_password" : "输入“%s”密码"
"thing_permission_manager_bluetooth_desc_app_auth" : "用于搜索、添加附近的蓝牙设备和蓝牙设备的配网操作。"
"thing_private_did_agree_tip" : "登录即表示同意"
"thing_private_user_agree_tip" : "我同意"
"thing_real_name_auth_failed" : "实名认证失败"
"thing_real_name_auth_result_loss" : "实名认证结果查询失败"
"thing_set_password" : "设置密码"
"thing_social_auth_authorization_content_label" : "授权包含："
"thing_social_auth_authorization_ts" : "授权时间： %s"
"thing_social_auth_authorize_content_google" : "授权Google访问设备"
"thing_social_auth_authorize_content_item_one" : "访问你的账号信息"
"thing_social_auth_authorize_content_item_two" : "访问你的设备控制权"

"thing_social_auth_authorize_manage" : "第三方语音授权管理"
"thing_social_auth_de_authorize_content" : "解除后，将无法通过 %s 控制设备。若需重新控制设备，可在三方技能平台上解绑后重新授权。"
"thing_social_auth_de_authorize_platform" : "解除%s授权"
"thing_social_auth_de_authorize_platform_icon" : "平台图标"
"thing_social_auth_de_authorize_success" : "解除授权成功"
"thing_social_auth_de_authorize_title" : "解除%s授权? "
"thing_social_auth_repeated_deauthorization_not_allowed" : "不允许重复解除授权"
"thing_sport_auth_alert_cancel" : "取消"
"thing_sport_auth_alert_setting" : "去设置"
"thing_sport_auth_alert_tips" : "温馨提示"
"thing_sport_auth_location_privacy" : "请在 设置 - 隐私 - 定位服务 选项中，开启定位权限"
"thing_sport_auth_sport_privacy" : "请在 设置 - 隐私 - 运动与健身 选项中，开启运动与健身权限"
"thing_system_location_auth_open_tips" : "请开启“位置”权限以使用“位置信息”"
"thing_system_location_auth_setup_now" : "立即设置"
"token_unable" : "设备配网Token过期"
"tool_ap_auth_fail" : "账号密码错误!"
"ub_close_secret_space_finger_print" : "确定关闭文件保险箱的指纹解锁? 关闭后，将无法使用指纹进入"

"ub_secret_space_sf_bottom_tips" : "请先在手机设置中录入指纹，才能进行开启指纹的快捷操作"
"ub_set_finger_print_secret_space" : "设置成功"
"upload_to_secret" : "Upload/Create to Safe"
"vivo_app_key" : ""
"wifi_auth_desc" : "Wi-Fi 设备需要开启"
"wifi_auth_desc_1" : "打开应用的本地网络权限"
"wifi_auth_desc_2" : "打开 Wi-Fi 开关并连接"
"wifi_auth_title" : "建议开启并配置 Wi-Fi"
"wifi_remember_pwd" : "记住密码"
"wxAppKey" : ""
"xg_access_key" : ""
"activator_auto_search_authority_tip" : "开启以下权限以搜索附近设备"
"not_share_family_to_user" : "unable to share family “%1\$s” to user %2\$s"
"qq_auth_or_bind_fail_code" : "QQ登录授权或者绑定设备失败%s"
"qq_music_auth_fail" : "QQ音乐授权失败"
"qq_music_auth_init_fail" : "QQ音乐授权初始化失败"
"qq_music_auth_init_fail_code" : "QQ音乐授权初始化失败%s"
"qq_music_auth_result_code" : "QQ音乐授权结果%s"

"qq_music_get_token_data_illegal" : "请求用户Token信息请求返回数据非法"
"qq_music_get_token_data_parse_fail" : "请求用户Token信息请求返回数据解析失败"
"qq_music_get_token_fail" : "请求用户Token信息失败： 错误%s"
"qq_music_get_token_fail1" : "请求用户Token信息失败"
"thing_activator_user_name" : "用户名"
"thing_auth_success" : "认证成功"
"thing_config_dev_pwd_length_over_access" : "密码太长，最多只支持%s个字符，请修改Wi-Fi密码"
"thing_config_dev_pwd_length_over_tip" : "已超出最大支持长度，请修改路由器密码或切换Wi-Fi"
"thing_config_dev_pwd_length_too_long" : "密码位数过长，最多支持58位"
"thing_device_detail_location_auth_manage" : "位置信息"
"thing_iot_card_auth_tip" : "该设备使用蜂窝流量时，需要对SIM卡进行实名认证"
"thing_iot_card_go_auth" : "去认证"
"thing_location_auth_apply_allowed" : "允许"
"thing_location_auth_apply_content" : "为根据您所在位置展示相应的内容，本设备需申请定位权限"
"thing_location_auth_apply_not_allowed" : "不允许"
"thing_location_auth_apply_refuse" : "拒绝"
"thing_location_auth_apply_sub_title" : "获取您的位置信息"

"thing_location_auth_apply_title" : "%s 申请"
"thing_real_name_auth_failed" : "实名认证失败"
"thing_real_name_auth_result_loss" : "实名认证结果查询失败"
"add_secret_file" : "新增文件"
"add_secret_files" : "从保密柜新增"
"data_secret_box" : "数据保密柜"
"delete_certificate" : "证书将被永久移除! "
"delete_secret_files" : "从保密柜删除"
"forget_password" : "忘记密码? "
"home_store_pwd" : "密码:"
"home_store_user" : "用户名:"
"import_certificate" : "导入证书"
"login_password" : "密码"
"login_secret" : "登录保密柜"
"login_username" : "用户名"
"nas_login_password" : "密码"
"nas_login_username" : "用户名"
"nas_not_private_network_connect_success" : "当前正在使用非随行私网进行连接"

"nas_over_user" : "为保障使用体验，家庭存储最多支持6人同时使用"
"nas_pc_authorization_failed" : "授权失败"
"nas_pc_authorization_failed_reason" : "HTTPS请求失败"
"nas_pc_authorization_successful" : "授权成功"
"nas_private_network_connect_success" : "当前正在使用联通随行私网进行连接"
"nas_secret_box" : "保密柜"
"open_secret_failed" : "打开保密柜失败，请确认网络连接是否正常"
"profile_ca_select_certificate" : "选择一个指定的CA证书"
"profile_user_select_certificate" : "选择指定的用户证书"
"pwd_not_equal" : "请确认两次输入的密码是否相同"
"pwd_tip_str" : "密码提示: %s"
"remove_user" : "移除用户"
"secret_box_introduce" : "用于保存重要的文件和照片"
"secret_box_tip_one" : "2、首页点击%s全光家庭存储，点击%s>保密柜>开启保密柜，设置保密柜密码及密保问题后，点击确定"
"secret_box_tip_two" : "3、点击右上角的"+"号，点击从存储移入文件或上传手机本地文件，选择需要移入/上传的照片视频或文件，点击移入或上传，待文件出现在保密柜中，则表示添加成功"
"secret_move_out_tip" : "待移出的文件在目标文件夹已存在，请重新选择"
"secret_rename" : "从保密柜重命名"

"secret_safe_des": "保密柜文件在其他应用中打开时，可能会被应用缓存，使用后，请注意清理缓存，以防文件泄漏"
"session_overtime": "当前登录已失效，请重新登录"
"upload_to_secret": "上传/新建至保密柜"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
	正		

android.permission.QUERY_ALL_PACKAGES	常		允许查询设备上的任何普通应用程序,无论清单声明如何
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径

android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.RECEIVE_USER_PRESENT	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
android.permission.READ_CONTACTS	危险	读取联系人数据	允许应用程序读取您手机上存储的所有联系人（地址）数据。恶意应用程序可以借此将您的数据发送给其他人
android.permission.WRITE_CONTACTS	危险	写入联系人数据	允许应用程序修改您手机上存储的联系人（地址）数据。恶意应用程序可以使用它来删除或修改您的联系人数据
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
com.android.launcher.permission.INSTALL_SHORTCUT	未知	Unknown permission	Unknown permission from android reference
android.permission.USE_FULL_SCREEN_INTENT	正常		针对想要使用通知全屏意图的 Build.VERSION_CODES.Q 的应用程序是必需的
android.permission.READ_LOGS	危险	读取敏感日志数据	允许应用程序从系统读小号各种日志文件。这使它能够发现有关您使用手机做什么的一般信息,可能包括个人或私人信息
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_FINE_LOCATION	危险	精细定位（GPS）	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量

android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
com.android.launcher.permission.UNINSTALL_SHORTCUT	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH_SCAN	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH_CONNECT	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_BACKGROUND_LOCATION	危险	后台访问位置	允许应用程序在后台访问位置
android.permission.NFC	正常	控制近场通信	允许应用程序与近场通信 (NFC) 标签,卡和读卡器进行通信
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒
com.woapp.hebei.permission.RECEIVE_MSG	未知	Unknown permission	Unknown permission from android reference
com.woapp.hebei.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
	未	Unknown	

com.heytao.mcs.permission.RECIEVE_MCS_MESSAGE	知	permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE_CONNECTED_DEVICE	未知	Unknown permission	Unknown permission from android reference
android.permission.CHANGE_WIFI_MULTICAST_STATE	正常	允许Wi-Fi多播接收	允许应用程序接收不是直接发送到您设备的数据包。这在发现附近提供的服务时很有用。它比非多播模式使用更多的功率
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.MODIFY_PHONE_STATE	系统需要	修改电话状态	允许应用程序控制设备的电话功能。具有此权限的应用程序可以切换网络,打开和关闭电话收音机等,而无需通知您
com.hihonor.push.permission.READ_PUSH_NOTIFICATION_INFO	未知	Unknown permission	Unknown permission from android reference
com.google.android.gms.permission.AD_ID	未知	Unknown permission	Unknown permission from android reference
android.permission.MANAGE_EXTERNAL_STORAGE	危险	允许应用程序广泛访问范围存储中的外部存储	允许应用程序广泛访问范围存储中的外部存储。旨在供少数需要代表用户管理文件的应用程序使用
android.permission.READ_MEDIA_AUDIO	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_IMAGES	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_VIDEO	未知	Unknown permission	Unknown permission from android reference
android.permission.CONTROL_VPN	未知	Unknown permission	Unknown permission from android reference

android.permission.SCHEDULE_EXACT_ALARM	正常		允许应用程序使用精确的警报调度 API 来执行对时间敏感的后台工作
android.permission.USE_EXACT_ALARM	未知	Unknown permission	Unknown permission from android reference
android.permission.REQUEST_IGNORE_BATTERY_OPTIMIZATIONS	正常		应用程序必须持有的权限才能使用 Settings.ACTION_REQUEST_IGNORE_BATTERY_OPTIMIZATIONS。
android.permission.FOREGROUND_SERVICE_DATA_SYNC	未知	Unknown permission	Unknown permission from android reference
android.permission.POST_NOTIFICATIONS	未知	Unknown permission	Unknown permission from android reference
com.android.launcher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.woapp.hebei.permission.sofire.RECEIVE	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_MEDIA_LOCATION	危险	访问的任何地理位置	允许应用程序访问的任何地理位置持久保存在用户的共享集合
android.permission.KILL_BACKGROUND_PROCESSES	正常	杀死后台进程	允许应用程序杀死其他应用程序的后台进程,即使内存不低
android.permission.READ_CALL_LOG	危险		允许应用程序读取用户的通话日志
android.permission.READ_SMS	危险	阅读短信或彩信	允许应用程序读取存储在您的手机或 SIM 卡上的 SMS 消息。恶意应用程序可能会读取您的机密信息
android.permission.WRITE_SMS	危险	编辑短信或彩信	允许应用程序写入存储在您的手机或 SIM 卡上的 SMS 消息。恶意应用程序可能会删除您的消息

android.permission.READ_PRIVILEGED_PHONE_STATE	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令，恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作
android.permission.DISABLE_KEYGUARD	正常		如果键盘不安全,允许应用程序禁用它。
android.permission.USE_BIOMETRIC	正常		允许应用使用设备支持的生物识别模式。
android.permission.USE_FINGERPRINT	正常	allow use of 指纹	该常量在 API 级别 28 中已被弃用。应用程序应改为请求 USE_BIOMETRIC
com.woapp.hebei.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
android.permission.CHANGE_CONFIGURATION	系统需要	更改您的 UI 设置	允许应用程序更改当前配置,例如语言环境或整体字体大小
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
com.sec.android.provider.badge.permission.READ	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
android.permission.READ_APP_BADGE	正常	显示应用程序通知	允许应用程序显示应用程序图标徽章
getui.permission.GetuiService.com.woapp.hebei	未知	Unknown permission	Unknown permission from android reference

com.vivo.notification.permission.BADGE_ICON	未知	Unknown permission	Unknown permission from android reference
com.woapp.hebei.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
com.woapp.hebei.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference
com.asus.permission.READ_SDID_PROVIDER	未知	Unknown permission	Unknown permission from android reference
freemme.permission.msa	未知	Unknown permission	Unknown permission from android reference
cn.wo.account.receiver.permission	未知	Unknown permission	Unknown permission from android reference
android.permission.SET_WALLPAPER	正常	设置壁纸	允许应用程序设置系统壁纸
android.permission.REORDER_TASKS	正常	重新排序正在运行的应用程序	允许应用程序将任务移动到前台和后台。恶意应用程序可以在不受您控制的情况下将自己强加于前
android.permission.HIGH_SAMPLING_RATE_SENSORS	未知	Unknown permission	Unknown permission from android reference
com.android.vending.CHECK_LICENSE	未知	Unknown permission	Unknown permission from android reference

活动(ACTIVITY)	通信(INTENT)
net.smartont.we.wohome.push.activity.XgPushFilterActivity	Schemes: unicom://, unicomsmarhome://, linkhome://, Hosts: com.smarthome.push, liantong, start, Paths: /notify_detail,
com.tencent.tauth.AuthActivity	Schemes:.tencent1106218497://,
com.alibaba.baichuan.android.trade.ui.AlibcBackActivity	Schemes: alisdk://,
com.baidu.sapi2.activity.GrantWebActivity	Schemes: openapp://, Hosts: com.woapp.hebei, Paths: /passport/grantweb,
com.amazon.identity.auth.device.workflow.WorkflowActivity	Schemes: amzn://, Hosts: com.woapp.hebei,

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。