



MoGua

赤金沉默 4.6.2.APK 分析报告



APP名称:

赤金沉默

包名:	com.fgcq.a115286
域名线索:	116条
URL线索:	67条
邮箱线索:	1条
分析日期:	2025年6月21日
分析平台:	摸瓜APK反编译平台

文件名: o_1isqntmq512kp1tfu17cfpnoi669.apk
文件大小: 141.54MB
MD5值: 39a739efc63a8f4558b0b0866d4ef79a
SHA1值: ebef00cb59b5c81caf7d10174481253d0bb54e30
SHA256值: 90559ff2b7b4cb132ceb9f2b0ded0711921e8e860acc6a2528c6fcc90670bd7c

i APP 信息

App名称: 赤金沉默
包名: com.fgcq.a115286
主活动Activity: org.cocos2dx.cpp.AppActivity
安卓版本名称: 4.6.2
安卓版本: 400000068

🔍 域名线索

域名	服务器信息
fortest.suqi.tech	IP: 122.9.98.227 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
pslog.umeng.com	IP: 59.82.31.160 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
ye.dun.163yun.com	IP: 59.111.248.82 所属国家: China 地区: Guangdong

	城市: Guangzhou 纬度: 23.127361 经度: 113.264572
da.dun.163.com	IP: 59.111.248.82 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
ad.partner.gifshow.com	IP: 103.102.202.39 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
ad-test.tj.996sdk.com	IP: 125.39.43.214 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
utoken.umeng.com	IP: 223.109.148.171 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
open.e.189.cn	IP: 42.123.76.75 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

fzb.tj.db996.cn	IP: 111.161.126.181 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
api-pre.tj.996sdk.com	IP: 111.202.5.202 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cn-hangzhou.log.aliyuncs.com	IP: 121.43.10.93 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
pay-sdkv2.ppp996.vkcgd.cn	IP: 111.161.126.184 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
pay-sdkv2-test1.ppp996.vkcgd.cn	没有服务器地理信息.
push-test.tj.996sdk.com	IP: 218.11.15.214 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041599 经度: 114.478081
	IP: 121.40.49.120 所属国家: China 地区: Zhejiang

hhc.huohucloud.com	城市: Hangzhou 纬度: 30.293650 经度: 120.161583
user-sdkv2.tj.db996.cn	IP: 111.202.5.195 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
astat.bugly.qcloud.com	IP: 119.28.121.133 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
voice-test.tj.996sdk.com	IP: 111.202.5.198 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
opencloud.wostore.cn	IP: 116.128.209.136 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
sqc.pkfun.com	IP: 122.9.119.77 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572

ad.tj.996sdk.com	IP: 218.11.15.214 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041599 经度: 114.478081
mcgw.alipay.com	IP: 111.202.5.209 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
privacy.data.znltc.net	IP: 124.95.150.70 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
voice-test1.tj.996sdk.com	没有服务器地理信息.
user-sdkv2.dhsf.996db.cn	IP: 111.202.5.195 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
pay.ipaynow.cn	IP: 203.107.44.71 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
	IP: 23.192.228.80 所属国家: United States of America

example.com	地区: California 城市: Santa Clara 纬度: 37.354111 经度: -121.955490
api.e.kuaishou.com	IP: 116.136.202.194 所属国家: China 地区: Nei Mongol 城市: Hohhot 纬度: 40.810650 经度: 111.650665
mobilegw.alipaydev.com	IP: 110.75.132.131 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.sl4j.org	IP: 195.15.222.169 所属国家: Switzerland 地区: Geneve 城市: Carouge 纬度: 46.180931 经度: 6.138709
mobilegwpre.alipay.com	IP: 110.75.138.35 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
abtest.volceapplog.com	IP: 101.72.221.220 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717

api.api.znltc.cn	IP: 125.39.43.219 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
api-e189.21cn.com	IP: 222.93.106.185 所属国家: China 地区: Jiangsu 城市: Suzhou 纬度: 31.311365 经度: 120.617691
log.trackingio.com	IP: 52.80.89.130 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
track-test.tj.996sdk.com	IP: 47.111.78.110 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
toblog.volceapplog.com	IP: 219.154.251.58 所属国家: China 地区: Henan 城市: Zhumadian 纬度: 32.979439 经度: 114.030144
link.trackingio.com	IP: 54.223.80.43 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501

	经度: 116.397102
crash.163.com	IP: 45.254.50.146 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
tobapplog.volceapplog.com	IP: 125.39.61.78 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
user-sdkv2.api.znltc.cn	IP: 125.39.61.78 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
res.kf.996sdk.net	IP: 116.142.235.229 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
pay-sdkv2-test.ppp996.vkcgd.cn	IP: 218.11.15.211 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041599 经度: 114.478081
api-test1.tj.996sdk.com	没有服务器地理信息.

user-sdkv2-test1.ppp996.hqyxkj.cn	没有服务器地理信息.
pay-sdkv2.api.znltc.cn	IP: 111.161.126.183 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
log-pre.tj.996sdk.com	IP: 125.39.61.80 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
uri6.com	IP: 54.223.51.14 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
openapi.dhsf.xqhuyu.com	IP: 111.161.126.180 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
tdid.m.qq.com	IP: 60.29.239.156 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
	IP: 59.82.31.210 所属国家: China 地区: Zhejiang

developer.umeng.com	城市: Hangzhou 纬度: 30.293650 经度: 120.161583
api.ipify.org	IP: 104.26.12.205 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
alogsus.umeng.com	IP: 223.109.148.179 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
pay-sdkv2.tj.db996.cn	IP: 111.202.5.202 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
id6.me	IP: 42.123.77.138 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
a.gdt.qq.com	IP: 220.194.116.30 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102

d.alipay.com	IP: 111.202.5.209 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
hhc-server1.huohucloud.com	IP: 115.29.201.15 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
mclient.alipay.com	IP: 116.142.235.203 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
wap.cmpassport.com	IP: 120.232.169.168 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
user-sdkv2-test.ppp996.hqyxkj.cn	IP: 125.39.135.185 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
ap-southeast-1.log.aliyuncs.com	IP: 161.117.125.94 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987

	经度: 103.850281
pay-sdkv2.dhsf.996db.cn	IP: 111.161.126.179 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
log.api.znltc.cn	IP: 47.97.49.18 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
event.gdt.qq.com	IP: 157.255.221.54 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545673 经度: 114.068108
ulogs.umengcloud.com	IP: 223.109.148.141 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
pay-sdkv2-test.ppp996.hqyxkj.cn	IP: 125.39.61.80 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
	IP: 47.97.40.93 所属国家: China

test.huohucloud.com	地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
e.189.cn	IP: 42.123.76.65 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
user-sdkv2.api.znltc.net	IP: 111.161.126.180 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
schemas.android.com	没有服务器地理信息.
user-sdkv2-pre.dhsf.996db.cn	IP: 111.161.126.181 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
klink.volceapplog.com	IP: 221.194.162.230 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
api-test.tj.996sdk.com	IP: 111.202.5.201 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501

	经度: 116.397102
mobilegw.alipay.com	IP: 203.209.243.27 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
alogus.umeng.com	IP: 223.109.148.141 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
api.tj.db996.cn	IP: 218.11.15.214 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041599 经度: 114.478081
api.huohucloud.com	IP: 111.202.5.198 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
api-pre.huohucloud.com	IP: 218.11.15.212 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041599 经度: 114.478081
	IP: 124.64.196.20 所属国家: China

nisportal.10010.com	地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
pay-sdkv2-test1.ppp996.hqyxkj.cn	没有服务器地理信息.
newtest.pkfun.com	IP: 47.107.105.60 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
servetf221.suqi.tech	IP: 122.9.48.225 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
ms.zzx9.cn	IP: 124.64.196.28 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
privacy.tj.996sdk.com	IP: 218.11.15.215 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041599 经度: 114.478081
m.alipay.com	IP: 203.209.245.120 所属国家: China 地区: Zhejiang 城市: Hangzhou

	纬度: 30.293650 经度: 120.161583
plbslog.umeng.com	IP: 36.156.202.75 所属国家: China 地区: Jiangsu 城市: Yangzhou 纬度: 32.397221 经度: 119.435600
www.trackingio.com	IP: 52.80.176.105 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
api.tj.996sdk.com	IP: 111.202.5.200 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
voice.tj.db996.cn	IP: 221.194.162.224 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
ad-pre.tj.996sdk.com	IP: 125.39.43.215 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
	IP: 219.154.251.56

analytics.oceanengine.com	所属国家: China 地区: Henan 城市: Zhumadian 纬度: 32.979439 经度: 114.030144
alink.volceapplog.com	IP: 123.6.144.210 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
pay-sdkv2-pre.dhsf.996db.cn	IP: 111.161.126.181 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
h5pay.huohucloud.com	IP: 47.97.40.93 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
api.api.znltc.net	IP: 125.39.61.80 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
voice.tj.996sdk.com	IP: 125.39.43.217 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102

log.reyun.com	IP: 54.223.72.156 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
wappaygw.alipay.com	IP: 111.202.5.210 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
h.trace.qq.com	IP: 113.56.189.246 所属国家: China 地区: Hubei 城市: Huangshi 纬度: 30.204170 经度: 115.077606
yyx.pkfun.com	IP: 121.37.241.11 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
forsqc.suqi.tech	没有服务器地理信息.
h5.m.taobao.com	IP: 101.72.202.199 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
	IP: 125.39.61.76

push-pre.tj.996sdk.com	所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
cptest.yaltc.cn	IP: 101.37.38.172 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
push.tj.996sdk.com	IP: 125.39.61.77 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
msg.cmpassport.com	IP: 112.33.111.188 所属国家: China 地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830
log.tj.996sdk.com	IP: 47.111.88.34 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
databyterangers.com.cn	没有服务器地理信息.
	IP: 111.202.5.196 所属国家: China 地区: Beijing

fzb.dhsf.996db.cn	城市: Beijing 纬度: 39.907501 经度: 116.397102
android.bugly.qq.com	IP: 124.95.225.146 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
loggw-exsdk.alipay.com	IP: 110.76.6.75 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.95516.com	IP: 123.126.74.16 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
ulogs.umeng.com	IP: 223.109.148.141 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
pay-sdkv2.api.znltc.net	IP: 111.161.126.183 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102

astat.bugly.cros.wr.pvp.net	IP: 170.106.118.26 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
-----------------------------	---

URL线索

URL信息	Url所在文件
https://open.e.189.cn/openapi/special/getTimeStamp.do	cn/com/chinatelecom/account/api/e/h.java
https://api-e189.21cn.com/gw/client/accountMsg.do	cn/com/chinatelecom/account/api/e/h.java
https://cn-hangzhou.log.aliyuncs.com	com/alibaba/netspeed/network/Log.java
https://ap-southeast-1.log.aliyuncs.com	com/alibaba/netspeed/network/Log.java
http://m.alipay.com/?action=h5quit	com/alipay/sdk/m/x/e.java
https://wappaygw.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
http://wappaygw.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/home/exterfaceAssign.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/home/exterfaceAssign.htm	com/alipay/sdk/app/PayTask.java

https://mclient.alipay.com/cashier/mobilepay.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/cashier/mobilepay.htm	com/alipay/sdk/app/PayTask.java
https://wappaygw.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/app/PayTask.java
https://newtest.pkfun.com/cpc_pro	com/cloudapp/client/request/cpc/HttpConfig.java
https://yyx.pkfun.com/cpc_pro	com/cloudapp/client/request/cpc/HttpConfig.java
https://sqc.pkfun.com/cpc_pro	com/cloudapp/client/request/cpc/HttpConfig.java
https://hhc-server1.huohucloud.com/	com/cloudapp/client/trace/StreamSdkE.java
https://servetf221.suqi.tech/	com/cloudapp/client/trace/StreamSdkE.java
https://cn-hangzhou.log.aliyuncs.com	com/cloudapp/client/trace/ali/StreamSdkQ.java
https://api.ipify.org	com/cloudapp/client/utils/Utils.java
http://wap.cmpassport.com/resources/html/contract.html	com/cmhc/sso/sdk/view/LoginAuthActivity.java
https://e.189.cn/sdk/agreement/detail.do?hidetop=true	com/cmhc/sso/sdk/view/LoginAuthActivity.java
https://opencloud.wostore.cn/authz/resource/html/disclaimer.html?fromsdk=true	com/cmhc/sso/sdk/view/LoginAuthActivity.java
https://pay.ipaynow.cn	com/ipaynow/plugin/inner_plugin/wechatwp/activity/WeChatNotifyActivity.java
https://crash.163.com/uploadCrashLogInfo.do	com/netease/htprotect/necrash/nis/crashreport/O8oO888.java
https://crash.163.com/uploadCrashLogInfo.do	com/netease/htprotect/necrash/nis/p001O8oO888/p002O8oO888/O8oO888.java
https://da.dun.163.com/sn.gif?d=	com/netease/nis/basesdk/crash/BaseJavaCrashHandler.java

https://ye.dun.163yun.com/v1/preCheck	com/netease/nis/quicklogin/QuickLogin.java
https://ye.dun.163yun.com/v1/oneclick/preCheck	com/netease/nis/quicklogin/QuickLogin.java
https://a.gdt.qq.com/getSdkConf	com/qq/gdt/action/i/b.java
http://a.gdt.qq.com/getSdkConf	com/qq/gdt/action/i/b.java
https://a.gdt.qq.com/sdk	com/qq/gdt/action/i/c.java
http://a.gdt.qq.com/sdk	com/qq/gdt/action/i/c.java
http://event.gdt.qq.com/report	com/qq/gdt/action/i/a.java
https://event.gdt.qq.com/report	com/qq/gdt/action/i/a.java
https://log.reyun.com/receive/pkginfo	com/reyun/tracking/utils/c.java
https://log.trackingio.com/	com/reyun/tracking/utils/c.java
https://link.trackingio.com/dpquery	com/reyun/tracking/utils/r.java
https://uri6.com/tkio/attributionquery?os=android&appkey=	com/reyun/tracking/utils/t.java
https://www.trackingio.com/authorization/close_data_share	com/reyun/tracking/sdk/g.java
http://schemas.android.com/android/skin	com/sq/libhotfix/skin/SUnionSdkWW.java
https://cptest.yaltc.cn\	com/sq/sdk/cloudgame/CloudSdk.java
https://hhc-server1.huohucloud.com\	com/sq/sdk/cloudgame/CloudSdk.java
https://hhc.huohucloud.com\	com/sq/sdk/cloudgame/CloudSdk.java

https://yyx.pkfun.com/fastcloud_h5/game.html?sqcloudsample://open/params?	com/sq/sdk/cloudgame/ui/CloudJoinLivePlayActivity.java
https://yyx.pkfun.com/fastcloud_h5/game.html?sqcloudsample://open/params?	com/sq/sdk/cloudgame/ui/CloudPlayerActivity.java
https://sqc.pkfun.com/fastcloud_h5/game.html?sqcloudsample://open/params?	com/sq/sdk/cloudgame/ui/ctrl/TphdControlBar.java
https://yyx.pkfun.com/fastcloud_h5/game.html?sqcloudsample://open/params?	com/sq/sdk/cloudgame/ui/ctrl/TphdControlBar.java
https://newtest.pkfun.com/fastcloud_h5/game.html?sqcloudsample://open/params?	com/sq/sdk/cloudgame/ui/ctrl/TphdControlBar.java
https://tdid.m.qq.com?mc=2	com/tencent/turingfd/sdk/ams/ad/Core.java
https://h.trace.qq.com/kv	com/tencent/bugly/proguard/ad.java
https://astat.bugly.qcloud.com/rqd/async	com/tencent/bugly/proguard/ac.java
https://astat.bugly.cros.wr.pvp.net/8180/rqd/async	com/tencent/bugly/proguard/ac.java
https://android.bugly.qq.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/StrategyBean.java
http://developer.umeng.com/docs/66650/cate/66650	com/umeng/analytics/pro/j.java
https://developer.umeng.com/docs/66632/detail/	com/umeng/commonsdk/debug/UMLogUtils.java
https://developer.umeng.com/docs/119267/detail/182050	com/umeng/commonsdk/debug/UMLogCommon.java
https://plbslog.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ulogs.umeng.com	com/umeng/commonsdk/stateless/a.java
https://alogus.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ulogs.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java

https://alogsus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://ulogs.umengcloud.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://pslog.umeng.com	com/umeng/commonsdk/vchannel/a.java
https://pslog.umeng.com/	com/umeng/commonsdk/vchannel/a.java
https://utoken.umeng.com/api/postZdata/v4	com/umeng/umzid/ZIDManager.java
https://utoken.umeng.com/api/updateZdata/v4	com/umeng/umzid/ZIDManager.java
https://res.kf.996sdk.net/im/customer/	com/xqhy/customerservice/view/CustomerServiceWebView.java
https://fzb.dhsf.996db.cn	com/xqhy/lib/network/net/HttpConstant.java
https://privacy.tj.996sdk.com/children.html?game_id=2	com/xqhy/lib/network/net/HttpConstant.java
https://privacy.tj.996sdk.com/tripartite.html?game_id=2	com/xqhy/lib/network/net/HttpConstant.java
https://privacy.tj.996sdk.com/Privacy.html?game_id=2	com/xqhy/lib/network/net/HttpConstant.java
https://privacy.tj.996sdk.com/register.html?game_id=2	com/xqhy/lib/network/net/HttpConstant.java
https://user-sdkv2.tj.db996.cn	com/xqhy/lib/network/net/DomainUtil.java
https://pay-sdkv2.tj.db996.cn	com/xqhy/lib/network/net/DomainUtil.java
https://api.tj.db996.cn	com/xqhy/lib/network/net/DomainUtil.java
https://voice.tj.db996.cn	com/xqhy/lib/network/net/DomainUtil.java
https://fzb.tj.db996.cn	com/xqhy/lib/network/net/DomainUtil.java

https://track-test.tj.996sdk.com	com/xqhy/lib/network/net/DomainUtil.java
https://api-test.tj.996sdk.com	com/xqhy/lib/network/net/DomainUtil.java
https://user-sdkv2-test.ppp996.hqyxkj.cn	com/xqhy/lib/network/net/DomainUtil.java
https://pay-sdkv2-test.ppp996.hqyxkj.cn	com/xqhy/lib/network/net/DomainUtil.java
https://pay-sdkv2-test.ppp996.vkcgd.cn	com/xqhy/lib/network/net/DomainUtil.java
https://voice-test.tj.996sdk.com	com/xqhy/lib/network/net/DomainUtil.java
https://push-test.tj.996sdk.com	com/xqhy/lib/network/net/DomainUtil.java
https://ad-test.tj.996sdk.com	com/xqhy/lib/network/net/DomainUtil.java
https://log-pre.tj.996sdk.com	com/xqhy/lib/network/net/DomainUtil.java
https://api-pre.tj.996sdk.com	com/xqhy/lib/network/net/DomainUtil.java
https://user-sdkv2-pre.dhsf.996db.cn	com/xqhy/lib/network/net/DomainUtil.java
https://pay-sdkv2-pre.dhsf.996db.cn	com/xqhy/lib/network/net/DomainUtil.java
https://push-pre.tj.996sdk.com	com/xqhy/lib/network/net/DomainUtil.java
https://ad-pre.tj.996sdk.com	com/xqhy/lib/network/net/DomainUtil.java
https://log.tj.996sdk.com	com/xqhy/lib/network/net/DomainUtil.java
https://api.tj.996sdk.com	com/xqhy/lib/network/net/DomainUtil.java
https://user-sdkv2.dhsf.996db.cn	com/xqhy/lib/network/net/DomainUtil.java
https://pay-sdkv2.dhsf.996db.cn	com/xqhy/lib/network/net/DomainUtil.java

https://pay-sdkv2.ppp996.vkcgd.cn	com/xqhy/lib/network/net/DomainUtil.java
https://voice.tj.996sdk.com	com/xqhy/lib/network/net/DomainUtil.java
https://push.tj.996sdk.com	com/xqhy/lib/network/net/DomainUtil.java
https://ad.tj.996sdk.com	com/xqhy/lib/network/net/DomainUtil.java
https://privacy.data.znltc.net/Privacy.html?game_id=12	com/xqhy/lib/network/net/DomainUtil.java
https://privacy.data.znltc.net/register.html?game_id=12	com/xqhy/lib/network/net/DomainUtil.java
https://privacy.data.znltc.net/children.html?game_id=12	com/xqhy/lib/network/net/DomainUtil.java
https://privacy.data.znltc.net/tripartite.html?game_id=12	com/xqhy/lib/network/net/DomainUtil.java
https://user-sdkv2.api.znltc.net	com/xqhy/lib/network/net/DomainUtil.java
https://pay-sdkv2.api.znltc.net	com/xqhy/lib/network/net/DomainUtil.java
https://api.api.znltc.net	com/xqhy/lib/network/net/DomainUtil.java
https://log.api.znltc.cn	com/xqhy/lib/network/net/DomainUtil.java
https://api-test1.tj.996sdk.com	com/xqhy/lib/network/net/DomainUtil.java
https://user-sdkv2-test1.ppp996.hqyxkj.cn	com/xqhy/lib/network/net/DomainUtil.java
https://pay-sdkv2-test1.ppp996.hqyxkj.cn	com/xqhy/lib/network/net/DomainUtil.java
https://pay-sdkv2-test1.ppp996.vkcgd.cn	com/xqhy/lib/network/net/DomainUtil.java
https://voice-test1.tj.996sdk.com	com/xqhy/lib/network/net/DomainUtil.java

https://api.api.znltc.cn	com/xqhy/lib/network/net/DomainUtil.java
https://user-sdkv2.api.znltc.cn	com/xqhy/lib/network/net/DomainUtil.java
https://pay-sdkv2.api.znltc.cn	com/xqhy/lib/network/net/DomainUtil.java
https://api-pre.huohucloud.com	com/xqhy/cloudphone/util/CloudPhoneUrlConstant\$CP_BASE_URL\$2.java
https://api.huohucloud.com	com/xqhy/cloudphone/util/CloudPhoneUrlConstant\$CP_BASE_URL\$2.java
https://test.huohucloud.com	com/xqhy/cloudphone/util/CloudPhoneUrlConstant\$CP_WX_PAY_REFERER\$2.java
https://h5pay.huohucloud.com	com/xqhy/cloudphone/util/CloudPhoneUrlConstant\$CP_WX_PAY_REFERER\$2.java
https://h5pay.huohucloud.com/chat	com/xqhy/cloudphone/util/CloudPhoneUrlConstant\$USER_CUSTOMER_URL\$2.java
http://mclient.alipay.com	com/xqhy/pay/wechat/WechatPayWebActivity.java
https://mclient.alipay.com	com/xqhy/pay/wechat/WechatPayWebActivity.java
https://api.e.kuaishou.com/rest/config/client/v1/open/sdkGatherConfig	com/xqhy/tripartite/TripartiteSdkManager.java
http://example.com/	cz/msebera/android/httpclient/impl/client/cache/CacheKeyGenerator.java
https://d.alipay.com	org/cocos2dx/lib/Cocos2dxWebView.java
http://openapi.dhsf.xqhuyu.com/api/UserInfo/getUserBaseInfo?	org/cocos2dx/cpp/SDKUtil.java
http://www.slf4j.org/codes.html	org.slf4j/MDC.java
http://www.slf4j.org/codes.html	org.slf4j/LoggerFactory.java
https://h5.m.taobao.com/mlapp/olist.html	xqj/xqj/hyj/xqk/n/xqj.java
https://mcgw.alipay.com/sdklog.do	xqj/xqj/hyj/xqk/u/xqk.java

https://loggw-exsdk.alipay.com/loggw/logUpload.do	xqj/xqj/hyj/xqk/u/xql.java
https://mobilegw.alipaydev.com/mgw.htm	xqj/xqj/xqj/xqj/xqj/xqj/r.java
https://mobilegw.alipay.com/mgw.htm	xqj/xqj/xqj/xqj/xqj/xqj/r.java
https://mobilegwpre.alipay.com/mgw.htm	xqj/xqj/xqk/xqk/xqj.java
https://mobilegw.alipay.com/mgw.htm	xqj/xqj/xqk/xqk/xqj.java
https://pay.ipaynow.cn/sdk/syncException	xqj/xql/xqj/xqk/xql.java
https://ye.dun.163yun.com/v2/collect	xqg/xqg/xqg/xqg/hyg/hyh.java
https://ms.zzx9.cn/html/oauth/protocol2.html	xqg/xqg/xqg/xqg/hyg/xqh.java
https://wap.cmpassport.com/resources/html/contract.html	xqg/xqg/xqg/xqg/hyg/xqh.java
https://e.189.cn/sdk/agreement/content.do?type=main&appKey=&hidetop=true	xqg/xqg/xqg/xqg/hyg/xqh.java
https://api.e.kuaishou.com/rest/config/client/v1/open/globalId	xqu/xqu/xqu/xqv/hyv.java
https://ad.partner.gifshow.com/api/v2/sdk/log?token=dee6172daef74f0895c7d185956ac0a7	xqu/xqu/xqu/xqv/hyv.java
https://api.e.kuaishou.com/rest/config/client/v1/open/sdkGatherConfig	xqu/xqu/xqu/hyv/xqv.java
https://databyterangers.com.cn	xqv/xqu/hyu/q2.java
https://nisportal.10010.com:9001/api?appid=1554778161154	xqv/xqu/xqu/xqu/xqu/xqu/hyu.java
https://msg.cmpassport.com/h5/getMobile	xqv/xqu/xqu/xqu/xqu/xqu/xqv.java
https://id6.me/gw/preuniq.do	xqv/xqu/xqu/xqu/xqu/xqu/xqw.java

https://analytics.oceanengine.com/sdk/app/	xqv/xqu/xqv/xqu/a/c.java
https://klink.volceapplog.com/service/2/device_register/	xqv/xqu/xqw/q/hyv.java
https://klink.volceapplog.com/service/2/device_update	xqv/xqu/xqw/q/hyv.java
https://klink.volceapplog.com/service/2/app_alert_check/	xqv/xqu/xqw/q/hyv.java
https://toblog.volceapplog.com/service/2/app_log/	xqv/xqu/xqw/q/hyv.java
https://tobapplog.volceapplog.com/service/2/app_log/	xqv/xqu/xqw/q/hyv.java
https://toblog.volceapplog.com/service/2/profile/	xqv/xqu/xqw/q/hyv.java
https://toblog.volceapplog.com/service/2/log_settings/	xqv/xqu/xqw/q/hyv.java
https://abtest.volceapplog.com/service/2/abtest_config/	xqv/xqu/xqw/q/hyv.java
https://alink.volceapplog.com/service/2/attribution_data	xqv/xqu/xqw/q/hyv.java
https://alink.volceapplog.com/service/2/alink_data	xqv/xqu/xqw/q/hyv.java
https://newtest.pkfun.com/	摸瓜V1引擎
https://yyx.pkfun.com/	摸瓜V1引擎
https://sqc.pkfun.com/	摸瓜V1引擎
https://forsqc.suqi.tech/	摸瓜V1引擎
https://fortest.suqi.tech/	摸瓜V1引擎
https://www.95516.com/portal/open/init.do?entry=open	摸瓜V1引擎

邮箱线索

邮箱地址	所在文件
.apk@classes.dex	com/tencent/turingfd/sdk/ams/ad/Cstatic.java

手机线索

手机号	所在文件
13200000256	com/sq/sdk/cloudgame/Constants.java
13300000121	com/sq/sdk/cloudgame/Constants.java
15251596565	com/sq/sdk/cloudgame/Constants.java
15251580731	com/sq/sdk/cloudgame/Constants.java
13300000091	com/sq/sdk/cloudgame/CloudSdk.java
13200000126	com/sq/sdk/cloudgame/CloudSdk.java

签名证书

APK已签名

v1 签名: True

v2 签名: True

v3 签名: True

找到 1 个唯一证书

主题: C=CN, ST=hangzhou, L=hangzhou, O=xianqu, OU=xianqu, CN=shengfeiyue
签名算法: rsassa_pkcs1v15
有效期自: 2020-12-23 03:32:48+00:00
有效期至: 2048-05-10 03:32:48+00:00
发行人: C=CN, ST=hangzhou, L=hangzhou, O=xianqu, OU=xianqu, CN=shengfeiyue
序列号: 0x77862009
哈希算法: sha256
md5值: a00e20e1bde5d12b30843c7eb2263ab3
sha1值: 2bf8b0f7ec08d9f5cba9811766582d75aa39a983
sha256值: 7eb19077fb5e0a0a37d89575c6750421748f6009ef571b9f7255e212f269f250
sha512值: 4dd6c6d7ad85bb8473cd08cf9155c102ec3c00395e6eb13b070a00c6c8b91f279b251b6e097bbebd6b52d5905ff2b5bb886d6ade6cc9d6386a7863d5c51aaa07
公钥算法: rsa
密钥长度: 2048
指纹: 64b9d57b96a1a4edc28497c544899a348ec4ab54725f8f17497d1fb18bd91a66

硬编码敏感信息

可能的敏感信息
"again_input_password" : "再次输入密码"
"api_auth_token" : "yun/temp/auth.json"
"api_check_token_reconnect" : "room/yun/check/box/device/check/reconnect"
"api_client_kick_user" : "yun/client/room/visitor/exit"
"api_client_token_batchStorage" : "yun/client/inner/yun/batchStorage"
"api_client_token_device_check_support_dec_optimization" : "yun/client/inner/check/supportDecOptimization"
"api_client_token_device_get_asyn_autostream" : "yun/client/inner/device/open/autostreamingjobresult"
"api_client_token_device_set_afk_time" : "yun/client/inner/hang/up/time"
"api_client_token_download_backup_files" : "yun/client/inner/get/temporary/ur"

api_client_token_download_backup_files : yun/client/inner/get/temporary/url
"api_client_token_get_osb_tmp_url" : "yun/client/device/get/app/upload/url"
"api_client_token_get_profile" : "yun/client/inner/get/proFile"
"api_client_token_get_token" : "yun/temp/token/client/auth"
"api_client_token_install_apk" : "yun/client/device/notice/upload/and/install/app"
"api_client_token_join" : "yun/client/inner/room/get"
"api_client_token_last_profile_codec" : "yun/client/inner/get/category/coding"
"api_client_token_open_streaming" : "yun/client/inner/device/open/streaming"
"api_client_token_reboot" : "yun/client/device/reboot"
"api_client_token_record_codec" : "yun/client/inner/record/category/coding"
"api_client_token_restart" : "/yun/client/device/user/restart"
"api_client_token_root" : "/yun/client/device/toggle/root"
"api_client_token_rtsa_batchStorage" : "yun/client/inner/rtsa/v2/yun/batchStorage"
"api_client_token_rtsa_device_check_support_dec_optimization" : "yun/client/inner/rtsa/v2/check/supportDecOptimization"
"api_client_token_rtsa_device_get_asyn_autostream" : "yun/client/inner/rtsa/v2/open/autostreamingjobresult"
"api_client_token_rtsa_device_set_afk_time" : "yun/client/inner/rtsa/v2/hang/up/time"
"api_client_token_rtsa_download_backup_files" : "yun/client/inner/rtsa/v2/get/temporary/url"
"api_client_token_rtsa_get_osb_tmp_url" : "yun/client/device/get/app/upload/url"

"api_client_token_rtsa_get_profile" : "yun/client/inner/rtsa/v2/get/proFile"
"api_client_token_rtsa_install_apk" : "yun/client/device/notice/upload/and/install/app"
"api_client_token_rtsa_join" : "yun/client/inner/rtsa/v2/room/get"
"api_client_token_rtsa_last_profile_codec" : "yun/client/inner/rtsa/v2/get/category/coding"
"api_client_token_rtsa_open_streaming" : "yun/client/inner/rtsa/v2/open/streaming"
"api_client_token_rtsa_reboot" : "yun/client/device/reboot"
"api_client_token_rtsa_record_codec" : "yun/client/inner/rtsa/v2/record/category/coding"
"api_client_token_rtsa_screenshot" : "yun/client/inner/rtsa/v2/get/param/screenshot"
"api_client_token_rtsa_start" : "yun/client/inner/rtsa/v2/open/autostreaming"
"api_client_token_rtsa_state_query" : "yun/client/inner/rtsa/v2/get/isOk"
"api_client_token_screenshot" : "yun/client/inner/get/param/screenshot"
"api_client_token_start" : "yun/client/inner/device/open/autostreaming"
"api_client_token_state_query" : "yun/client/inner/get/isOk"
"api_get_token" : "yun/user/token/auth"
"api_kick_user" : "yun/mix/inner/room/visitor/exit"
"api_queue_token_check" : "yun/inner/queue/token/valid"
"api_rtsa_check_token_reconnect" : "room/yun/check/Rtsa/device/check/reconnect"
"app_key" : "16e7a670d57337d682e3c30103c70f8a"

app_key : 4ce7a079d37aa7d062eac50493c7910e
"err_auth_dented" : "认证被否决"
"forget_password" : "忘记密码"
"forget_pwd" : "忘记密码"
"input_password" : "请输入密码"
"input_username" : "请输入您的用户名"
"login_forget_password" : "忘记密码? "
"password" : "密码"
"please_input_enter_password" : "请输入正确的密码"
"please_input_password" : "请输入密码"
"pos_pwd_display_yiqianbao" : "请输入壹钱包支付密码:"
"ppplugin_dialog_purse_not_get_pwdinfo_yiqianbao" : "壹钱包密码键盘无密文信息返回"
"ppplugin_forgetpwd_prompt" : "忘记密码"
"ppplugin_input_cardinfo_cardpwd_prompt" : "确认密码"
"ppplugin_inputpaypwd_pos_prompt" : "请输入6位全民付移动支付密码"
"ppplugin_inputpaypwd_prompt" : "请输入6位支付密码"
"ppplugin_inputpwddialog_accbalance_prompt" : "账户余额"
"ppplugin_inputpwddialog_coupon_prompt" : "优惠券"

"ppplugin_microfreepwd_amount_prompt": "免密金额"
"ppplugin_microfreepwd_pay_prompt": "小额免密支付"
"ppplugin_microfreepwd_prompt": "小额免密"
"ppplugin_microfreepwd_switchoff": "关闭"
"ppplugin_microfreepwd_switchon": "已开启"
"ppplugin_microfreepwd_use_prompt": "超过免密额度时，需要验证支付密码，并且系统会移除可疑交易。"
"ppplugin_modifypaypwd_ok": "支付密码修改成功"
"ppplugin_modifypwd_prompt": "修改支付密码"
"ppplugin_resetpaypwd_ok": "支付密码重置成功"
"ppplugin_session_timeout_prompt": "由于您长时间未操作，请重新登录"
"ppplugin_set_pwd_prompt": "设置密码"
"session_timeout": "会话超时,请重新登录"
"streamsdk_auth_label": "确定授权给您的好友%1\$s吗，授权后他将有权限操控您当前应用的屏幕，可以与您和其他观众进行同屏互动!"
"streamsdk_dialog_auth": "授权"
"streamsdk_dialog_un_auth": "授权收回"
"streamsdk_dialog_un_auth_label": "确定收回您的好友%1\$s的操控权限吗，收回后他将只能观看您当前应用的屏幕，您可再次授权给他进行同屏互动"
"streamsdk_ui_auth_user": "授权接力"

"streamsdk_ui_dialog_duplicated_user" : "当前云机已在其它设备登录，请退出重试或联系客服!"
"streamsdk_ui_terminate_session" : "云机服务已结束"
"streamsdk_ui_unauth_user" : "取消授权"
"tips_amount_free_pwd" : "已为您开启200元额度小额免密，可在右上角设置"
"tips_input_password" : "为了您的账号安全请输入支付密码"
"umcsdk_oauth_version_name" : "v1.4.1"
"umeng_appkey" : "615ec92814e22b6a4f1503fd"
"unisdk_dialog_auth" : "授权"
"unisdk_dialog_auth_user" : "是否授予控制权限给您已分享出去的用户 %s, 授权后他将有权限操控您当前应用的屏幕，可以与您和其他观众进行同屏互动!"
"unisdk_dialog_un_auth" : "授权收回"
"unisdk_dialog_un_auth_user" : "确定收回您的好友 %s 的操控权限吗? 收回后他将只能观看您当前应用的屏幕，您可再次授权给他进行同屏互动"
"unisdk_ui_auth_user" : "授权接力"
"unisdk_ui_unauth_user" : "取消授权"
"xqhy_cs_stopSessionDesc" : "当前正在会话中，确定结束会话? "
"streamsdk_auth_label" : "Authorize your friend?%1\$sThis will give him the ability to control the screen of your current application and interact with you and other viewers on the room!"
"streamsdk_dialog_auth" : "Authorization"
"streamsdk_dialog_un_auth" : "Revoke authorization"

"streamsdk_dialog_un_auth_label" : "Are you sure to revoke your friend's control rights%1\$sIf you revoke your friend's control rights, he will only be able to view the screen of your current application, and you can authorize him to interact with the screen again<!-- -->"
"streamsdk_ui_auth_user" : "Authorized Relay"
"streamsdk_ui_dialog_duplicated_user" : "Has been logged in on another device, please exit and try again or contact us!"
"streamsdk_ui_terminate_session" : "Streaming session terminated"
"streamsdk_ui_unauth_user" : "Cancel Authorization"
"unisdsk_dialog_auth" : "Authorization"
"unisdsk_dialog_auth_user" : "Whether to grant control rights to your shared user %s, after authorization, he will have the right to control the screen of your current application, can interact with you and other viewers on the same screen!"
"unisdsk_dialog_un_auth" : "Revoke authorization"
"unisdsk_dialog_un_auth_user" : "Are you sure to take back control of your friend %s? After it is taken back, he will only be able to view the screen of your current app, and you can authorize him to interact with the same screen again"
"unisdsk_ui_auth_user" : "Authorized Relay"
"unisdsk_ui_unauth_user" : "Cancel Authorization"
"streamsdk_auth_label" : "確定授權給您的好友%1\$s嗎，授權後他將有權限操控您當前應用的屏幕，可以與您和其他觀眾進行同屏互動!<!-- -->"
"streamsdk_dialog_auth" : "授權"
"streamsdk_dialog_un_auth" : "授權收回"
"streamsdk_dialog_un_auth_label" : "確定收回您的好友%1\$s的操控權限嗎，收回後他將只能觀看您當前應用的屏幕，您可再次授權給他進行同屏互動<!-- -->"

"streamsdk_ui_auth_user" : "授權接力"
"streamsdk_ui_dialog_duplicated_user" : "當前雲機已在其它設備登錄，請退出重試或聯繫客服!"
"streamsdk_ui_terminate_session" : "串流會話終止"
"streamsdk_ui_unauth_user" : "取消授權"

 加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

 第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

 此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况

android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.READ_PRIVILEGED_PHONE_STATE	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_FINE_LOCATION	危险	精细定位（GPS）	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由

android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.DEVICE_POWER	合法	打开或关闭手机	允许应用程序打开或关闭手机
android.permission.MANAGE_EXTERNAL_STORAGE	危险	允许应用程序广泛访问范围存储中的外部存储	允许应用程序广泛访问范围存储中的外部存储。旨在供少数需要代表用户管理文件的应用程序使用
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
com.asus.permission.READ_SDID_PROVIDER	未知	Unknown permission	Unknown permission from android reference
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference
freemme.permission.msa	未知	Unknown permission	Unknown permission from android reference
com.fgcq.a115286.gdt.qq.SEND_PERMISSION	未知	Unknown permission	Unknown permission from android reference
com.fgcq.a115286.gdt.qq.RECEIVE_PERMISSION	未知	Unknown permission	Unknown permission from android reference

应用内通信

活动(ACTIVITY)	通信(INTENT)
org.cocos2dx.cpp.AppActivity	Schemes: 615ec92814e22b6a4f1503fd://,
com.xqhy.pay.PayActivity	Schemes: xqhy115286://,