



MoGua

天猫国际专用 100.11.5.APK 分析报告



APP名称:	天猫国际专用
包名:	com.s1780tianmaoguoji.chat
域名线索:	77条
URL线索:	53条
邮箱线索:	1条

分析日期:

2024年11月22日

分析平台:

[摸瓜APK反编译平台](#)

文件信息

文件名: deae3ec09dd78a3a318f9eb036afeecd.apk

文件大小: 33.64MB

MD5值: 3c174f85308622cadb6591d4723b48f5

SHA1值: ab64bb8e5379eae40c2c212df2e0ab2222f7f292

SHA256值: 764deeb543dd528469d57f1f87fecc3285ade8da5719af234416b3d210df1dc0

i APP 信息

App名称: 天猫国际专用

包名: com.s1780tianmaoguoji.chat

主活动Activity: com.gaoyuan.mianshu.main.activity.SplashActivity

安卓版本名称: 100.11.5

安卓版本: 109

域名线索

域名	服务器信息

store2.hispace.hicloud.com	IP: 18.65.168.75 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.627499 经度: -122.346199
metrics2.data.hicloud.com	IP: 80.158.38.48 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321331 经度: 10.134890
apilocate.amap.com	IP: 59.82.31.183 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
lbs.netease.im	IP: 59.111.211.9 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
wb.amap.com	IP: 59.82.60.46 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
api-push.meizu.com	IP: 125.94.213.129 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
nosup-hz1.127.net	IP: 45.127.129.16 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
webrd0d.is.autonavi.com	没有服务器地理信息.
	IP: 59.82.31.156

cgicol.amap.com	所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
yuntuapi.amap.com	没有服务器地理信息.
lbs.chatnos.com	IP: 59.111.211.13 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
www.jivesoftware.com	IP: 35.238.7.255 所属国家: United States of America 地区: Iowa 城市: Council Bluffs 纬度: 41.261940 经度: -95.860832
169.254.170.2	IP: 169.254.170.2 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
grs.dbankcloud.asia	没有服务器地理信息.
check-ipv4.netease.im	IP: 59.111.211.9 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
xmlpull.org	IP: 74.50.61.58 所属国家: United States of America 地区: Texas 城市: Dallas 纬度: 32.814899 经度: -96.879204
wap.amap.com	IP: 182.40.18.221 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941

mst0d.is.autonavi.com	没有服务器地理信息.
maps.google.cn	IP: 220.181.174.98 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
imtest.netease.im	IP: 59.111.241.163 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
norma-external-collect.meizu.com	IP: 113.106.27.98 所属国家: China 地区: Guangdong 城市: Zhongshan 纬度: 22.520580 经度: 113.382317
169.254.169.254	IP: 169.254.169.254 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559
m5.amap.com	IP: 59.82.113.187 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
trs1780fe.s3.ap-northeast-2.amazonaws.com	IP: 52.219.58.67 所属国家: Korea (Republic of) 地区: Seoul-teukbyeolsi 城市: Seoul 纬度: 37.568260 经度: 126.977829
	IP: 223.252.196.43

wannos.127.net	所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
lbs.amap.com	IP: 59.82.29.231 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
wprd0d.is.autonavi.com	没有服务器地理信息.
rs.qiniu.com	IP: 111.225.212.229 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321331 经度: 10.134890
api-push.in.meizu.com	IP: 206.161.233.191 所属国家: United States of America 地区: Virginia 城市: Herndon 纬度: 38.978210 经度: -77.386993
store-drru.hispace.hicloud.com	IP: 159.138.202.186 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559
apiinit.amap.com	IP: 106.11.43.113 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
	IP: 59.111.211.9 所属国家: China

lbs-test.netease.im	地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
nim.nosdn.127.net	IP: 182.40.61.243 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
59.111.110.28	IP: 59.111.110.28 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
apilocatesrc.amap.com	IP: 106.11.43.81 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
restapi.amap.com	IP: 203.119.175.194 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
play.google.com	IP: 142.251.43.14 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
data-dra.push.dbankcloud.com	IP: 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
logs.amap.com	IP: 59.82.60.46 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423

store.hispace.hicloud.com	IP: 49.4.32.127 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
45.127.128.25	IP: 45.127.128.25 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
fr.register.xmpush.global.xiaomi.com	IP: 3.122.79.134 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.115520 经度: 8.684170
metrics-dra.dt.hicloud.com	IP: 94.74.80.173 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
s3.amazonaws.com	IP: 52.217.75.134 所属国家: United States of America 地区: Virginia 城市: Ashburn 纬度: 39.043720 经度: -77.487488
tm.amap.com	IP: 59.82.31.164 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
store1.hispace.hicloud.com	IP: 49.4.44.164 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
	IP: 49.4.41.160 所属国家: China

grs.dbankcloud.cn	地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
grs.dbankcloud.eu	没有服务器地理信息.
api.xmpush.xiaomi.com	IP: 118.26.252.230 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
154.197.24.8	IP: 154.197.24.8 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
grid.amap.com	IP: 203.119.145.40 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
idmb.register.xmpush.global.xiaomi.com	IP: 13.235.176.185 所属国家: India 地区: Maharashtra 城市: Mumbai 纬度: 19.014410 经度: 72.847939
appgallery.cloud.huawei.com	IP: 121.36.118.136 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
register.xmpush.global.xiaomi.com	IP: 47.88.199.5 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
grs.dbankcloud.com	IP: 121.36.119.243 所属国家: China 地区: Guangdong

	城市: Guangzhou 纬度: 23.116671 经度: 113.250000
data-drcn.push.dbankcloud.com	IP: 121.36.117.8 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
metrics1.data.hicloud.com	IP: 114.115.188.66 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
www.w3.org	IP: 128.30.52.100 所属国家: United States of America 地区: Massachusetts 城市: Cambridge 纬度: 42.365078 经度: -71.104523
cn.register.xmpush.xiaomi.com	IP: 118.26.252.220 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
data-drru.push.dbankcloud.com	IP: 159.138.202.31 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559
statistic.live.126.net	IP: 183.136.182.46 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
resolver.msg.xiaomi.net	IP: 120.92.96.13 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

store-at-dre.hispacedbankcloud.com	IP: 80.158.5.6 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321331 经度: 10.134890
nos.netease.com	IP: 45.127.129.37 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
store3.hispacedcloud.com	IP: 104.94.253.2 所属国家: United States of America 地区: Georgia 城市: Atlanta 纬度: 33.749001 经度: -84.387978
app.netease.im	IP: 59.111.243.80 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
trs1780fe.oss-ap-northeast-2.aliyuncs.com	IP: 149.129.12.33 所属国家: Korea (Republic of) 地区: Seoul-teukbyeolsi 城市: Seoul 纬度: 37.568260 经度: 126.977829
abroad.apilocate.amap.com	IP: 59.82.44.11 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
new.api.ad.xiaomi.com	没有服务器地理信息.
yunxin.163.com	IP: 59.111.243.80 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000

ru.register.xmpush.global.xiaomi.com	IP: 107.155.52.56 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559
dr.netease.im	IP: 183.131.177.88 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
check-ipv6.netease.im	没有服务器地理信息.
45.127.128.24	IP: 45.127.128.24 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
gitee.com	IP: 182.255.34.126 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.222219 经度: 121.458061

URL线索

URL信息	Url所在文件
http://apiinit.amap.com/v3/log/init	com/emap/api/col/et.java
http://cgicol.amap.com/collection/writedata?ver=v1.0_ali&	com/emap/api/col/hi.java
http://restapi.amap.com/v3/geocode/regeo	com/emap/api/col/hi.java
http://tm.amap.com	com/emap/api/col/bg.java
http://wprd0%d.is.autonavi.com	com/emap/api/col/bg.java
http://webrd0%d.is.autonavi.com	com/emap/api/col/bg.java
http://grid.amap.com/grid/%d/%d/%d?ds=	com/emap/api/col/bg.java

http://mst0%d.is.autonavi.com	com/amap/api/col/bg.java
http://restapi.amap.com/v3	com/amap/api/col/dc.java
https://restapi.amap.com/v3	com/amap/api/col/dc.java
http://yuntuapi.amap.com	com/amap/api/col/dc.java
https://yuntuapi.amap.com	com/amap/api/col/dc.java
http://m5.amap.com/ws/mapapi/shortaddress/transform	com/amap/api/col/dc.java
https://m5.amap.com/ws/mapapi/shortaddress/transform	com/amap/api/col/dc.java
http://restapi.amap.com/v3/place/around?	com/amap/api/col/a.java
http://restapi.amap.com/v3/place/text?	com/amap/api/col/a.java
http://restapi.amap.com/v3/config/district?	com/amap/api/col/a.java
http://wb.amap.com/?r=%f,%f,%s,%f,%f,%s,%d,%d,%d,%s,%s,%s&sourceapplication=openapi/0	com/amap/api/col/eo.java
http://wb.amap.com/?q=%f,%f,%s&sourceapplication=openapi/0	com/amap/api/col/eo.java
http://wb.amap.com/?n=%f,%f,%f,%d&sourceapplication=openapi/0	com/amap/api/col/eo.java
http://wb.amap.com/?p=%s,%f,%f,%s,%s&sourceapplication=openapi/0	com/amap/api/col/eo.java
https://restapi.amap.com/v3/iasdkauth	com/amap/api/col/es.java
http://apilocate.amap.com/mobile/binary	com/amap/api/col/f.java
http://apilocatesrc.amap.com/mobile/binary	com/amap/api/col/f.java
http://abroad.apilocate.amap.com/mobile/binary	com/amap/api/col/f.java
http://logs.amap.com/ws/log/upload?product=%s&type=%s&platform=%s&channel=%s&sign=%s	com/amap/api/col/fd.java
http://abroad.apilocate.amap.com/mobile/binary	com/amap/api/col/ia.java
http://restapi.amap.com	com/amap/api/col/ey.java
http://wap.amap.com/	com/amap/api/maps2d/AMapUtils.java
http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/	com/amap/api/location/AMapLocation.java

https://api.xmpush.xiaomi.com/upload/xmsf_log?file=	com/xiaomi/mipush/sdk/u.java
https://api.xmpush.xiaomi.com/upload/app_log?file=	com/xiaomi/mipush/sdk/u.java
https://api.xmpush.xiaomi.com/upload/crash_log?file=	com/xiaomi/mipush/sdk/w.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gt.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fq.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gs.java
http://new.api.ad.xiaomi.com/logNotificationAdActions	com/xiaomi/push/cs.java
http://www.jivesoftware.com/xmlns/xmpp/properties\	com/xiaomi/push/gl.java
http://%1\$s/gslb/?ver=4.0	com/xiaomi/push/db.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/ga.java
http://resolver.msg.xiaomi.net/psc?t=a	com/xiaomi/push/service/bc.java
https://cn.register.xmpush.xiaomi.com	com/xiaomi/push/service/l.java
https://register.xmpush.global.xiaomi.com	com/xiaomi/push/service/l.java
https://fr.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/l.java
https://ru.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/l.java
https://idmb.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/l.java
http://statistic.live.126.net/statics/report/common/form	com/netease/nimlib/d/g/a.java
https://statistic.live.126.net/dispatcher/req	com/netease/nimlib/c/b.java
https://statistic.live.126.net/	com/netease/nimlib/c/b/d/b.java
http://wannos.127.net/lbs;http://wannos-hz.127.net/lbs;http://wannos-bj.127.net/lbs;http://wannos-oversea.127.net/lbs;http://223.252.196.38/lbs	com/netease/nimlib/f/g.java
https://nosup-hz1.127.net	com/netease/nimlib/f/g.java
https://lbs-test.netease.im/lbs/conf.jsp	com/netease/nimlib/f/e.java
https://imtest.netease.im/1.gif	com/netease/nimlib/f/e.java

http://check-ipv4.netease.im/	com/netease/nimlib/f/e.java
http://check-ipv6.netease.im/	com/netease/nimlib/f/e.java
https://imtest.netease.im/lbsrc/conf.jsp	com/netease/nimlib/f/e.java
https://lbs.netease.im/lbs/conf.jsp	com/netease/nimlib/f/e.java
https://dr.netease.im/1.gif	com/netease/nimlib/f/e.java
https://api-push.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.in.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
http://norma-external-collect.meizu.com/android/exchange/getpublickey.do	com/meizu/cloud/pushsdk/a/a/a.java
http://norma-external-collect.meizu.com/push/android/external/add.do	com/meizu/cloud/pushsdk/a/a/b.java
https://api-push.meizu.com	com/meizu/cloud/pushsdk/b/c/e.java
http://second	com/gaoyuan/mianshu/f.java
http://second	com/gaoyuan/mianshu/NimApplication.java
http://59.111.110.28:8281/lbs/demoConfig.jsp	com/gaoyuan/mianshu/main/activity/PrivatizationConfigActivity.java
http://maps.google.cn/maps/api/staticmap?size=200x100&zoom=13&markers=color:red	com/gaoyuan/mianshu/location/activity/LocationAmapActivity.java
https://nim.nosdn.127.net/MTAxMTAxMA==/bmltYV8yNDM0MzQ4OV8xNTMyMDUzNmM3ODkzXzJINGQ3ZjA5LWI2MjgtNDNiNy1hZTlwLTBhYTgzMjZhYzBjZQ==?thumbnail=540x540&imageView&tostatic=0	com/gaoyuan/mianshu/chatroom/activity/ChatRoomActivity.java
https://app.netease.im/api/	com/gaoyuan/mianshu/j/a/a.java
http://rs.qiniu.com/stat/aGVhZHBpYy1hOmhlYWRRpY29uLnBuZw==	com/gaoyuan/mianshu/network/MyGitFile\$mListqQnNew\$2.java
http://rs.qiniu.com/stat/aGVhZHBpYy1iOmhlYWRRpY29uLnBuZw==	com/gaoyuan/mianshu/network/MyGitFile\$mListqQnNew\$2.java
http://rs.qiniu.com/stat/aGVhZHBpYy1jOmhlYWRRpY29uLnBuZw==	com/gaoyuan/mianshu/network/MyGitFile\$mListqQnNew\$2.java
https://gitee.com/	com/gaoyuan/mianshu/network/MyGitFile\$testGit\$1.java
http://154.197.24.8/	com/gaoyuan/mianshu/network/MyGitFile.java
http://rs.qiniu.com	com/gaoyuan/mianshu/network/MyGitFile\$testQn\$1.java
https://gitee.com/jianliao/project1/raw/master/readme.md	com/gaoyuan/mianshu/network/MyGitFile\$mList\$2.java

https://gitee.com/ccdfddxcg/mytest/raw/master/readme.md	com/gaoyuan/mianshu/network/MyGitFile\$mList\$2.java
https://gitee.com/zhang-zhenyue/kratos/raw/master/readme.md	com/gaoyuan/mianshu/network/MyGitFile\$mList\$2.java
https://gitee.com/ph-on/gateway/raw/master/readme.md	com/gaoyuan/mianshu/network/MyGitFile\$mList\$2.java
https://trs1780fe.oss-ap-northeast-2.aliyuncs.com/czE3ODA%3D	Mogua Engine V1
https://trs1780fe.s3.ap-northeast-2.amazonaws.com/czE3ODA%3D	Mogua Engine V1
https://play.google.com/store/apps/details?id=	Mogua Engine V1
https://appgallery.cloud.huawei.com	Mogua Engine V1
https://store.hispac.hicloud.com/hwmarket/api/	Mogua Engine V1
https://data-drcn.push.dbankcloud.com	Mogua Engine V2
https://data-dra.push.dbankcloud.com	Mogua Engine V2
https://data-dre.push.dbankcloud.com	Mogua Engine V2
https://data-drru.push.dbankcloud.com	Mogua Engine V2
https://store-at-dre.hispac.dbankcloud.com/hwmarket/api/	Mogua Engine V2
https://grs.dbankcloud.com	Mogua Engine V2
https://grs.dbankcloud.cn	Mogua Engine V2
https://grs.dbankcloud.eu	Mogua Engine V2
https://grs.dbankcloud.asia	Mogua Engine V2
https://store1.hispac.hicloud.com/hwmarket/api/	Mogua Engine V2
https://store2.hispac.hicloud.com/hwmarket/api/	Mogua Engine V2
https://store3.hispac.hicloud.com/hwmarket/api/	Mogua Engine V2
https://store-drru.hispac.hicloud.com/hwmarket/api/	Mogua Engine V2
https://metrics1.data.hicloud.com:6447	Mogua Engine V2
https://metrics-dra.dt.hicloud.com:6447	Mogua Engine V2

https://metrics2.data.hicloud.com:6447	Mogua Engine V2
https://metrics5.data.hicloud.com:6447	Mogua Engine V2
https://statistic.live.126.net	lib/x86/libhigh-available.so
https://lbs.netease.im/lbs/conf.jsp	lib/x86/libhigh-available.so
https://lbs.chatnos.com/lbs/conf.jsp	lib/x86/libhigh-available.so
https://yunxin.163.com/lbs/conf.jsp	lib/x86/libhigh-available.so
http://45.127.128.24	lib/x86/libhigh-available.so
http://45.127.128.25	lib/x86/libhigh-available.so
http://nos.netease.com	lib/x86/libhigh-available.so
http://s3.amazonaws.com/doc/2006-03-01/	lib/x86/libhigh-available.so
http://www.w3.org/2001/XMLSchema-instance	lib/x86/libhigh-available.so
http://169.254.170.2	lib/x86/libhigh-available.so
http://169.254.169.254	lib/x86/libhigh-available.so

邮箱线索

邮箱地址	所在文件
ftp@example.com	lib/x86/libhigh-available.so

手机线索

签名证书

APK is signed
v1 signature: True
v2 signature: False
v3 signature: False
Found 1 unique certificates

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.ACCESS_FINE_LOCATION	危险	精细定位 (GPS)	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置(如果可用)。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令,恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等

android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
com.vivo.notification.permission.BADGE_ICON	未知	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
com.s1780tianmaoguoji.chat.permission.RECEIVE_MSG	未知	Unknown permission	Unknown permission from android reference
com.s1780tianmaoguoji.chat.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.meizu.flyme.push.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.s1780tianmaoguoji.chat.push.permission.MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.meizu.c2dm.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.s1780tianmaoguoji.chat.permission.C2D_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.heytap.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.s1780tianmaoguoji.chat.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
com.s1780tianmaoguoji.chat.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
com.sec.android.provider.badge.permission.READ	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.sec.android.provider.badge.permission.WRITE	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.UPDATE_SHORTCUT	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.sonyericsson.home.permission.BROADCAST_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。

		计数	
com.anddoes.launcher.permission.UPDATE_COUNT	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或徽章
com.majeur.launcher.permission.UPDATE_BADGE	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或标记为固体。
com.huawei.android.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
com.huawei.android.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
android.permission.READ_APP_BADGE	正常	显示应用程序通知	允许应用程序显示应用程序图标徽章
com.oppo.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
com.oppo.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
me.everything.badger.permission.BADGE_COUNT_READ	未知	Unknown permission	Unknown permission from android reference
me.everything.badger.permission.BADGE_COUNT_WRITE	未知	Unknown permission	Unknown permission from android reference
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
com.huawei.appmarket.service.commondata.permission.GET_COMMON_DATA	未知	Unknown permission	Unknown permission from android reference

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.gaoyuan.mianshu.main.activity.SplashActivity	Schemes: xxxxxx://,
com.gaoyuan.mianshu.main.activity.MixPushActivity	Schemes: pushscheme://, Hosts: com.huawei.codelabpush, Paths: /deeplink,