



MoGua

TeenPatti Plus 101.APK 分析报告



APP名称:

TeenPatti Plus

包名:	com.csgame.plus
域名线索:	28条
URL线索:	8条
邮箱线索:	0条
分析日期:	2025年1月15日
分析平台:	摸瓜APK反编译平台

文件名: abcd.apk

文件大小: 35.42MB

MD5值: 3c8bd50cf8b2da662086829afc5ee511

SHA1值: b0338c84ead806898c996099cfb73d5cb516e6eb

SHA256值: 4ccbdbdb1a3cc184b37fd4edd8914dcc6c4076322c676cae9d56972f936b921a

i APP 信息

App名称: TeenPatti Plus

包名: com.csgame.plus

主活动Activity: com.csgame.plus.PlusActivity

安卓版本名称: 101

安卓版本: 101

🔍 域名线索

域名	服务器信息
app.adjust.net.in	IP: 185.151.204.30 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043
oss.aliyuncs.com	IP: 118.178.29.5 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
gdpr.tr.adjust.com	IP: 195.244.54.6 所属国家: Turkey 地区: Izmir

	<p>城市: Izmir 纬度: 38.412731 经度: 27.138380</p>
gdpr.adjust.net.in	<p>IP: 178.162.219.36 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.115520 经度: 8.684170</p>
oss-cn-.aliyuncs.comor	<p>没有服务器地理信息.</p>
www.cocos2d-x.org	<p>IP: 50.18.252.155 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418</p>
gdpr.us.adjust.com	<p>IP: 185.151.204.70 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043</p>
subscription.eu.adjust.com	<p>IP: 185.151.204.60 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043</p>
gdpr.adjust.com	<p>IP: 178.162.219.36 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.115520 经度: 8.684170</p>

app.tr.adjust.com	IP: 195.244.54.5 所属国家: Turkey 地区: Izmir 城市: Izmir 纬度: 38.412731 经度: 27.138380
app.adjust.world	IP: 185.151.204.42 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043
subscription.adjust.world	IP: 185.151.204.44 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043
docs.cocos.com	IP: 36.102.212.33 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
www.facebook.com	IP: 103.252.115.49 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
image.cnamedomain.com	没有服务器地理信息.

subscription.us.adjust.com	IP: 185.151.204.70 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043
gdpr.eu.adjust.com	IP: 185.151.204.60 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043
subscription.tr.adjust.com	IP: 195.244.54.6 所属国家: Turkey 地区: Izmir 城市: Izmir 纬度: 38.412731 经度: 27.138380
app.us.adjust.com	IP: 185.151.204.70 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043
subscription.adjust.com	IP: 185.151.204.52 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043
subscription.adjust.net.in	IP: 185.151.204.34 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380

	经度: -112.074043
github.com	IP: 20.205.243.166 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
docs.cocos2d-x.org	IP: 184.169.198.12 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
127.0.0.1	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
app.eu.adjust.com	IP: 185.151.204.60 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043
gdpr.adjust.world	IP: 178.162.219.36 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.115520 经度: 8.684170
	IP: 185.151.204.7 所属国家: United States of America

app.adjust.com	地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043
oss-cn-hangzhou.aliyuncs.com	IP: 118.31.219.248 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423

URL线索

URL信息	Url所在文件
https://app.adjust.com	com/adjust/sdk/Constants.java
https://gdpr.adjust.com	com/adjust/sdk/Constants.java
https://subscription.adjust.com	com/adjust/sdk/Constants.java
https://github.com/adjust/android_sdk	com/adjust/sdk/ActivityHandler.java
https://app.adjust.world	com/adjust/sdk/network/UrlStrategy.java
https://app.eu.adjust.com	com/adjust/sdk/network/UrlStrategy.java
https://app.adjust.net.in	com/adjust/sdk/network/UrlStrategy.java
https://app.tr.adjust.com	com/adjust/sdk/network/UrlStrategy.java
https://app.us.adjust.com	com/adjust/sdk/network/UrlStrategy.java

https://gdpr.adjust.world	com/adjust/sdk/network/UrlStrategy.java
https://gdpr.eu.adjust.com	com/adjust/sdk/network/UrlStrategy.java
https://gdpr.adjust.net.in	com/adjust/sdk/network/UrlStrategy.java
https://gdpr.tr.adjust.com	com/adjust/sdk/network/UrlStrategy.java
https://gdpr.us.adjust.com	com/adjust/sdk/network/UrlStrategy.java
https://subscription.adjust.world	com/adjust/sdk/network/UrlStrategy.java
https://subscription.eu.adjust.com	com/adjust/sdk/network/UrlStrategy.java
https://subscription.adjust.net.in	com/adjust/sdk/network/UrlStrategy.java
https://subscription.tr.adjust.com	com/adjust/sdk/network/UrlStrategy.java
https://subscription.us.adjust.com	com/adjust/sdk/network/UrlStrategy.java
http://www.facebook.com/xvpn2017	com/csgame/plus/PlusActivity.java
https://ip.	com/alibaba/sdk/android/oss/OSSImpl.java
http://oss-cn-****.aliyuncs.com',or	com/alibaba/sdk/android/oss/OSSImpl.java
http://image.cnamedomain.com'!	com/alibaba/sdk/android/oss/OSSImpl.java
http://oss-cn-hangzhou.aliyuncs.com	com/alibaba/sdk/android/oss/common/OSSConstants.java
http://oss.aliyuncs.com	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java
http://127.0.0.1	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java
http://oss-cn-****.aliyuncs.com',or	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java

http://image.cnamedomain.com/!	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java
https://docs.cocos.com/creator/manual/zh/scripting/class.html	Mogua Engine V2
http://docs.cocos2d-x.org/creator/manual/en/scripting/class.html	Mogua Engine V2
https://docs.cocos.com/creator/manual/zh/scripting/reference/attributes.html	Mogua Engine V2
http://docs.cocos2d-x.org/creator/manual/en/scripting/reference/attributes.html	Mogua Engine V2
https://docs.cocos.com/creator/manual/zh/scripting/life-cycle-callbacks.html	Mogua Engine V2
https://www.cocos2d-x.org/docs/creator/manual/en/scripting/life-cycle-callbacks.html	Mogua Engine V2

邮箱线索

手机线索

签名证书

APK已签名

v1 签名: True

v2 签名: True

v3 签名: False

找到 1 个唯一证书

主题: C=tt4tt5y, ST=try545, L=tret34t5, O=rrt43r43t, OU=ewrfwef34, CN=fer332fre

签名算法: rsassa_pkcs1v15

有效期自: 2023-01-04 03:48:09+00:00

有效期至: 2047-12-29 03:48:09+00:00

发行人: C=tt4tt5y, ST=try545, L=tret34t5, O=rrt43r43t, OU=ewrfwef34, CN=fer332fre

序列号: 0x159a385d

哈希算法: sha256

md5值: d332fb01818d0691bfe576e4ce9e1a58

sha1值: 59752ff36b28581fe05ef396a3a167416141c164

sha256值: c59b41e4f026927dbf43e7e150651e0666d66a61ff04b406873642f5ec518d0c

sha512值: 1239808aff0d8a31852440d64e73f8d3c282b7e9f078e3d35e30bd772ca7f7efd3671f7480b843339488d6a1f599c66875483463c51182c2435f2995a0ccdde7

公钥算法: rsa

密钥长度: 2048

指纹: 6a11f03e22fa1369f29e1780d1f6d9570c527ce8d522b28dbbece03a8e6acda1

硬编码敏感信息

可能的敏感信息
"com_facebook_device_auth_instructions" : "Visit facebook.com/device and enter the code shown above."
"com_facebook_device_auth_instructions" : "Gå til facebook.com/device og indtast koden, som er vist ovenfor."
"com_facebook_device_auth_instructions" : "facebook.com/deviceにアクセスして、上のコードを入力してください。"
"com_facebook_device_auth_instructions" : "facebook.com/device 'ਤੇ ਵਿਜ਼ਿਟ ਕਰੋ ਅਤੇ ਉੱਪਰ ਦਿੱਤੇ ਕੋਡ ਨੂੰ ਦਾਖ਼ਲ ਕਰੋ।"
"com_facebook_device_auth_instructions" : "facebook.com/device ஐப் பார்வையிட்டு, மேலே காட்டப்பட்ட குறியீட்டை உள்ளிடவும்."
"com_facebook_device_auth_instructions" : "Gå til facebook.com/device og skriv inn koden som vises over."
"com_facebook_device_auth_instructions" : "Kunjungi facebook.com/device dan masukkan kode yang ditampilkan di atas."
"com_facebook_device_auth_instructions" : "Gehe zu facebook.com/device und gib den oben angezeigten Code ein."
"com_facebook_device_auth_instructions" : "facebook.com/device సందర్శించి ఎగువన చూపిన కోడ్‌ను నమోదు చేయండి."
"com_facebook_device_auth_instructions" : "Besoek facebook.com/device en voer die kode wat hierbo gewys word, in."
"com_facebook_device_auth_instructions" : "ไปที่ facebook.com/device แล้วป้อนรหัสที่ปรากฏด้านล่าง"

"com_facebook_device_auth_instructions" : "Siirry osoitteeseen facebook.com/device ja anna oheinen koodi."
"com_facebook_device_auth_instructions" : "facebook.com/device पर विज़िट करें और ऊपर दिखाया गया कोड डालें."
"com_facebook_device_auth_instructions" : "Truy cập facebook.com/device và nhập mã được hiển thị bên trên."
"com_facebook_device_auth_instructions" : "Navštívte stránku facebook.com/device a zadajte kód zobrazený vyššie."
"com_facebook_device_auth_instructions" : "Πηγαίνετε στη διεύθυνση facebook.com/device και εισαγάγετε τον παραπάνω κωδικό."
"com_facebook_device_auth_instructions" : "facebook.com/device സന്ദർശിച്ച് മുകളിൽ കാണിച്ചിരിക്കുന്ന കോഡ് നൽകുക."
"com_facebook_device_auth_instructions" : "Ga naar facebook.com/device en voer de bovenstaande code in."
"com_facebook_device_auth_instructions" : "Odwiedź stronę facebook.com/device i wprowadź powyższy kod."
"com_facebook_device_auth_instructions" : "Puntahan ang facebook.com/device at ilagay ang code na ipinapakita sa itaas."
"com_facebook_device_auth_instructions" : "facebook.com/device দেখুন এবং উপরে দেখানো কোডটিকে প্রবেশ করান।"
"com_facebook_device_auth_instructions" : "Kunjungi facebook.com/device dan masukkan kode yang ditampilkan di bawah ini."
"com_facebook_device_auth_instructions" : "facebook.com/device ಗೆ ಭೇಟಿ ನೀಡಿ ಮತ್ತು ಮೇಲೆ ತೋರಿಸಿದ ಕೋಡ್ ಅನ್ನು ನಮೂದಿಸಿ."
"com_facebook_device_auth_instructions" : "facebook.com/device에 방문하여 위 코드를 입력하세요."
"com_facebook_device_auth_instructions" : "Vizitează facebook.com/device și introdu codul de mai sus."
"com_facebook_device_auth_instructions" : "وإدخال الرمز الموضح أعلاه facebook.com/device تفضل بزيارة."
"com_facebook_device_auth_instructions" : "Consultez facebook.com/device et entrez le code affiché ci-dessus."
"com_facebook_device_auth_instructions" : "Posjetitw facebook.com/device i unesite gore prikazani kôd."
"com_facebook_device_auth_instructions" : "facebook.com/device भेट द्या आणि वरील कोड प्रविष्ट करा."

"com_facebook_device_auth_instructions" : "facebook.com/device adresine git ve yukarıda gösterilen kodu gir."
"com_facebook_device_auth_instructions" : "Přejděte na facebook.com/device a zadejte nahoře uvedený kód."
"com_facebook_device_auth_instructions" : "Ve a facebook.com/device e ingresa el código que se muestra arriba."
"com_facebook_device_auth_instructions" : "Lawati facebook.com/device dan masukkan kod yang ditunjukkan di atas."
"com_facebook_device_auth_instructions" : "Visita facebook.com/device e inserisci il codice mostrato qui sotto."
"com_facebook_device_auth_instructions" : "Acesse facebook.com/device e insira o código mostrado acima."
"com_facebook_device_auth_instructions" : "facebook.com/device > नी मुलकात लो, अने उपर आपेले कोड एाखल करो."
"com_facebook_device_auth_instructions" : "Keresd fel a facebook.com/device címet, és írd be a fent megjelenített kódot."
"com_facebook_device_auth_instructions" : "Откройте facebook.com/device и введите код, показанный выше."
"com_facebook_device_auth_instructions" : "Gå till facebook.com/device och skriv in koden som visas ovan."
"com_facebook_device_auth_instructions" : "ולחזן את הקוד המוצג למעלה facebook.com/device > יש לבקר בכתובת"
"com_facebook_device_auth_instructions" : "Accédez à facebook.com/device et entrez le code affiché ci-dessus."
"com_facebook_device_auth_instructions" : "前往facebook.com/device >，並輸入上方顯示的代碼。"
"com_facebook_device_auth_instructions" : "请访问facebook.com/device并输入以上验证码。"
"com_facebook_device_auth_instructions" : "Visita facebook.com/device e introduce el código que se muestra más arriba."
"com_facebook_device_auth_instructions" : "Visita facebook.com/device e insere o código apresentado abaixo."
"com_facebook_device_auth_instructions" : "前往facebook.com/device >，並輸入上方顯示的代碼。"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
com.android.vending.BILLING	未知	Unknown permission	Unknown permission from android reference
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器

android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.READ_PRIVILEGED_PHONE_STATE	未知	Unknown permission	Unknown permission from android reference
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	未知	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。

android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.facebook.CustomTabActivity	Schemes: @string/fb_login_protocol_scheme://, fbconnect://, Hosts: cct.com.csgame.plus,

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。