



MoGua

fK98n 1.1.6.APK 分析报告



APP名称:

fK98n

包名: com.F1M1P5.soexample

域名线索: 43条

URL线索: 46条

邮箱线索: 0条

分析日期: 2025年6月9日

分析平台: [摸瓜APK反编译平台](#)

文件名: F1M1_1749323528.apk
文件大小: 127.86MB
MD5值: 3e84ba8e4dbf11907beb5bbc008f3379
SHA1值: ff311c7abe2124dc0126a8a7f79287f231ec4e4c
SHA256值: bfeb2399607413f5819ebeab536782236e81aacb93a14bdbe9caac70c3a39e1a

i APP 信息

App名称: fK98n
包名: com.F1M1P5.soexample
主活动Activity: com.F1M1P5.soexample.MainActivity
安卓版本名称: 1.1.6
安卓版本: 1

🔍 域名线索

域名	服务器信息
msg.umengcloud.com	IP: 111.63.206.4 所属国家: China 地区: Hebei 城市: Hengshui 纬度: 37.732220 经度: 115.701157
ipinfo.io	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
	IP: 34.229.76.186 所属国家: United States of America 地区: Virginia

drewnoakes.com	城市: Ashburn 纬度: 39.039474 经度: -77.491806
plbslog.umeng.com	IP: 36.156.202.78 所属国家: China 地区: Jiangsu 城市: Yangzhou 纬度: 32.397221 经度: 119.435600
plus.google.com	IP: 108.160.163.117 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
alogus.umeng.com	IP: 223.109.148.176 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
www.w3.org	IP: 104.18.23.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.facebook.com	IP: 31.13.64.7 所属国家: Ireland 地区: Dublin 城市: Dublin 纬度: 53.344151 经度: -6.267249

play.google.com	IP: 59.24.3.174 所属国家: Korea (Republic of) 地区: Gyeonggi-do 城市: Seongnam 纬度: 37.420624 经度: 127.126717
ccs.umeng.com	IP: 123.183.232.14 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041599 经度: 114.478081
www.example.com	IP: 96.7.229.92 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
docs.swmansion.com	IP: 104.21.27.136 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
ns.adobe.com	没有服务器地理信息.
utoken.umeng.com	IP: 223.109.148.171 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
	IP: 151.101.2.132 所属国家: United States of America

xerces.apache.org	地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
pinterest.com	IP: 157.240.12.50 所属国家: Brazil 地区: Sao Paulo 城市: Sao Paulo 纬度: -23.547121 经度: -46.637184
pslog.umeng.com	IP: 59.82.29.162 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
xml.org	IP: 104.239.142.8 所属国家: United States of America 地区: Texas 城市: Windcrest 纬度: 29.499678 经度: -98.399246
ns.useplus.org	IP: 54.83.4.77 所属国家: United States of America 地区: Virginia 城市: Ashburn 纬度: 39.039474 经度: -77.491806
ulogs.umengcloud.com	IP: 223.109.148.141 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992

developer.umeng.com	IP: 59.82.31.154 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
purl.org	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
www.npes.org	IP: 104.21.43.185 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
github.com	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
raw.githubusercontent.com	IP: 185.199.108.133 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
javax.xml.xmlconstants	没有服务器地理信息.
	IP: 223.109.148.177 所属国家: China

alogsus.umeng.com	地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
iptc.org	IP: 3.64.29.21 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.110882 经度: 8.681996
audid.umeng.com	IP: 36.143.252.104 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
twitter.com	IP: 198.27.124.186 所属国家: Canada 地区: Quebec 城市: Montreal 纬度: 45.508839 经度: -73.587807
www.aiim.org	IP: 199.60.103.225 所属国家: United States of America 地区: Massachusetts 城市: Cambridge 纬度: 42.370129 经度: -71.086304
ltt378.com	IP: 47.75.105.13 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692

ulogs.umeng.com	IP: 223.109.148.178 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
offmsg.umeng.com	IP: 59.82.31.154 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
apache.org	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
cipa.jp	IP: 118.82.81.189 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
ce3e75d5-ipv6.jpvcn	IP: 120.233.33.247 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545673 经度: 114.068108
codepush.appcenter.ms	没有服务器地理信息.
	IP: 8.218.208.240 所属国家: Hong Kong 地区: Hong Kong

54youyuan.cn	城市: Hong Kong 纬度: 22.285521 经度: 114.157692
feaffcodegetm3.com	IP: 154.203.18.197 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
sss.umeng.com	IP: 59.82.31.154 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
mobile.confsettings.com	IP: 54.195.39.4 所属国家: Ireland 地区: Dublin 城市: Dublin 纬度: 53.344151 经度: -6.267249
ce3e75d5.jpusth.cn	IP: 120.233.50.96 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545673 经度: 114.068108

 URL线索

URL信息	Url所在文件

https://ce3e75d5.jppush.cn/wi/cjc4sa	cn/jiguang/ba/c.java
https://ce3e75d5-ipv6.jppush.cn/wi/cjc4sa	cn/jiguang/ba/c.java
https://ce3e75d5.jppush.cn/wi/d8n3hj	cn/jiguang/ba/c.java
https://ce3e75d5-ipv6.jppush.cn/wi/d8n3hj	cn/jiguang/ba/c.java
https://www.facebook.com/sharer/sharer.php?u=	cl/json/social/FacebookPagesManagerShare.java
https://www.facebook.com/sharer/sharer.php?u=	cl/json/social/FacebookShare.java
https://plus.google.com/share?url=	cl/json/social/GooglePlusShare.java
https://pinterest.com/pin/create/button/?url=	cl/json/social/PinterestShare.java
https://twitter.com/intent/tweet?text=	cl/json/social/TwitterShare.java
https://play.google.com/store/apps/details?id=com.instagram.android	cl/json/social/InstagramShare.java
https://play.google.com/store/apps/details?id=com.instagram.android	cl/json/social/InstagramStoriesShare.java
http://ns.adobe.com/StockPhoto/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/asf/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/bwf/bext/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/camera-raw-settings/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/creatorAtom/1.0/	com/adobe/xmp/XMPConst.java
http://purl.org/dc/elements/1.1/	com/adobe/xmp/XMPConst.java
http://purl.org/dc/1.1/	com/adobe/xmp/XMPConst.java

http://ns.adobe.com/DICOM/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xmp/1.0/DynamicMedia/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/exif/1.0/	com/adobe/xmp/XMPConst.java
http://cipa.jp/exif/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/exif/1.0/aux/	com/adobe/xmp/XMPConst.java
http://iptc.org/std/lptc4xmpCore/1.0/xmlns/	com/adobe/xmp/XMPConst.java
http://iptc.org/std/lptc4xmpExt/2008-02-29/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/iX/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/jp2k/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/jpeg/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/pdf/1.3/	com/adobe/xmp/XMPConst.java
http://www.aiim.org/pdfa/ns/extension/	com/adobe/xmp/XMPConst.java
http://www.aiim.org/pdfa/ns/field	com/adobe/xmp/XMPConst.java
http://www.aiim.org/pdfa/ns/id/	com/adobe/xmp/XMPConst.java
http://www.aiim.org/pdfa/ns/property	com/adobe/xmp/XMPConst.java
http://www.aiim.org/pdfa/ns/schema	com/adobe/xmp/XMPConst.java
http://www.aiim.org/pdfa/ns/type	com/adobe/xmp/XMPConst.java

http://ns.adobe.com/pdfx/1.3/	com/adobe/xmp/XMPConst.java
http://www.npes.org/pdfx/ns/id/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/photoshop/1.0/	com/adobe/xmp/XMPConst.java
http://ns.useplus.org/ldf/xmp/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/png/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/album/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/riff/info/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xmp/1.0/Script/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/swf/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/tiff/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xmp/transient/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/TransformXMP/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xmp/wav/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/bj/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/mm/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xmp/note/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/rights/	com/adobe/xmp/XMPConst.java

http://ns.adobe.com/xap/1.0/sType/Dimensions	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/sType/Font	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/g/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xmp/Identifier/qual/1.0/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/g/img/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/sType/ManifestItem	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/t/pg/	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/sType/ResourceEvent	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/sType/ResourceRef	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/sType/Job	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/sType/Version	com/adobe/xmp/XMPConst.java
http://ns.adobe.com/xap/1.0/t/	com/adobe/xmp/XMPConst.java
http://purl.org/dc/elements/1.1/	com/adobe/xmp/impl/Utils.java
http://ns.adobe.com/xap/1.0/	com/adobe/xmp/impl/Utils.java
http://ns.adobe.com/tiff/1.0/	com/adobe/xmp/impl/Utils.java
http://ns.adobe.com/exif/1.0/	com/adobe/xmp/impl/Utils.java
http://ns.adobe.com/exif/1.0/aux/	com/adobe/xmp/impl/Utils.java

http://ns.adobe.com/xap/1.0/	com/adobe/xmp/impl/XMPSchemaRegistryImpl.java
http://purl.org/dc/elements/1.1/	com/adobe/xmp/impl/XMPSchemaRegistryImpl.java
http://ns.adobe.com/tiff/1.0/	com/adobe/xmp/impl/XMPSchemaRegistryImpl.java
http://ns.adobe.com/exif/1.0/	com/adobe/xmp/impl/XMPSchemaRegistryImpl.java
http://ns.adobe.com/exif/1.0/aux/	com/adobe/xmp/impl/XMPSchemaRegistryImpl.java
http://ns.adobe.com/xap/1.0/	com/adobe/xmp/impl/XMPSerializerRDF.java
http://purl.org/dc/elements/1.1/	com/adobe/xmp/impl/ParseRDF.java
http://purl.org/dc/elements/1.1/	com/adobe/xmp/impl/XMPNormalizer.java
http://ns.adobe.com/exif/1.0/	com/adobe/xmp/impl/XMPNormalizer.java
http://javax.xml.XMLConstants/feature/secure-processing	com/adobe/xmp/impl/XMPMetaParser.java
http://apache.org/xml/features/disallow-doctype-decl	com/adobe/xmp/impl/XMPMetaParser.java
http://xml.org/sax/features/external-general-entities	com/adobe/xmp/impl/XMPMetaParser.java
http://xerces.apache.org/xerces2-j/features.html	com/adobe/xmp/impl/XMPMetaParser.java
http://xml.org/sax/features/external-parameter-entities	com/adobe/xmp/impl/XMPMetaParser.java
http://apache.org/xml/features/nonvalidating/load-external-dtd	com/adobe/xmp/impl/XMPMetaParser.java
http://www.example.com/	com/E2/eagleeyes/details/n.java
https://www.example.com/	com/E2/eagleeyes/details/n.java
https://raw.githubusercontent.com/drewnoakes/metadata-extractor-	com/drew/imaging/ImageMetadataReader.java

images/master/%s\	
http://purl.org/dc/elements/1.1/	com/drew/metadata/Schema.java
http://ns.adobe.com/exif/1.0/aux/	com/drew/metadata/Schema.java
http://ns.adobe.com/exif/1.0/	com/drew/metadata/Schema.java
http://ns.adobe.com/tiff/1.0/	com/drew/metadata/Schema.java
http://ns.adobe.com/xap/1.0/	com/drew/metadata/Schema.java
http://ns.adobe.com/xmp/note/	com/drew/metadata/xmp/XmpReader.java
http://ns.adobe.com/xmp/extension/\u0000	com/drew/metadata/xmp/XmpReader.java
http://ns.adobe.com/xap/1.0/\u0000	com/drew/metadata/xmp/XmpReader.java
https://drewnoakes.com/code/exif/\n	com/drew/tools/ProcessAllImagesInFolderUtility.java
https://raw.githubusercontent.com/drewnoakes/metadata-extractor-images/master/%s/%s)	com/drew/tools/ProcessAllImagesInFolderUtility.java
https://raw.githubusercontent.com/drewnoakes/metadata-extractor-images/master/%s/metadata/%s.txt)\n	com/drew/tools/ProcessAllImagesInFolderUtility.java
https://litt378.com	com/F1M1P5/soexample/MainApplication.java
https://feaffcodegetm3.com	com/F1M1P5/soexample/MainApplication.java
https://codepush.appcenter.ms/	com/microsoft/codepush/react/CodePush.java
http://www.example.com/	com/iovation/mobile/android/details/o.java
https://www.example.com/	com/iovation/mobile/android/details/o.java

https://docs.swmansion.com/react-native-gesture-handler/docs/guides/migrating-off-rnghenableroot	com/swmansion/gesturehandler/react/RNGestureRecognizerEnabledRootView.java
https://github.com/software-mansion/react-native-screens/issues/17	com/swmansion/rnscreens/ScreenStackFragment.java
https://github.com/software-mansion/react-native-screens/issues/17	com/swmansion/rnscreens/ScreenFragment.java
http://developer.umeng.com/docs/66650/cate/66650	com/umeng/analytics/pro/j.java
https://ulogs.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogsus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://ulogs.umengcloud.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://developer.umeng.com/docs/66632/detail/	com/umeng/commonsdk/debug/UMLogUtils.java
https://developer.umeng.com/docs/119267/detail/182050	com/umeng/commonsdk/debug/UMLogCommon.java
https://pslog.umeng.com	com/umeng/commonsdk/vchannel/a.java
https://pslog.umeng.com/	com/umeng/commonsdk/vchannel/a.java
https://plbslog.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ulogs.umeng.com	com/umeng/commonsdk/stateless/a.java
https://alogus.umeng.com	com/umeng/commonsdk/stateless/a.java
https://offmsg.umeng.com/log/upload	com/umeng/message/common/UPLog.java
https://ccs.umeng.com/aa	com/umeng/message/proguard/n.java

https://sss.umeng.com/api/v2/al	com/umeng/message/proguard/n.java
https://offmsg.umeng.com/v2/offmsg/switch	com/umeng/message/proguard/ak.java
https://offmsg.umeng.com/v2/offmsg/req	com/umeng/message/proguard/t.java
https://msg.umengcloud.com/v3/tag/add	com/umeng/message/proguard/ar.java
https://msg.umengcloud.com/v3/tag/delete	com/umeng/message/proguard/ar.java
https://msg.umengcloud.com/v3/tag/get	com/umeng/message/proguard/ar.java
https://msg.umengcloud.com/admsg/v3/launch	com/umeng/message/proguard/ai.java
https://msg.umengcloud.com/admsg/v3/getmsg	com/umeng/message/proguard/ai.java
https://msg.umengcloud.com/admsg/v3/stats	com/umeng/message/proguard/ai.java
https://offmsg.umeng.com/log/switch	com/umeng/message/proguard/q.java
https://msg.umengcloud.com/v3/alias	com/umeng/message/proguard/z.java
https://msg.umengcloud.com/v3/alias/set	com/umeng/message/proguard/z.java
https://msg.umengcloud.com/v3/alias/delete	com/umeng/message/proguard/z.java
https://audid.umeng.com/v3/a/audid/req	com/umeng/ut/a/b/g.java
https://utoken.umeng.com/api/postZdata/v4	com/umeng/umzid/ZIDManager.java
https://utoken.umeng.com/api/updateZdata/v4	com/umeng/umzid/ZIDManager.java
https://54youyuan.cn/index.php	com/tinstall/tinstall/TInstall.java
https://ipinfo.io/ip	io/seon/androidsdk/service/PublicIP.java

http://%s	pro/piwik/sdk/Tracker.java
https://mobile.confsettings.com/	摸瓜V1引擎

 邮箱线索

 手机线索

手机号	所在文件
14104540454	rtsywqyugwlieao/C0118.java
17204310431	rtsywqyugwlieao/C0124.java
15304310431	rtsywqyugwlieao/C0121.java
15704310431	rtsywqyugwlieao/C0121.java
15904310431	rtsywqyugwlieao/C0121.java

 签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: True
找到 1 个唯一证书
主题: C=y, ST=y, L=y, O=y, OU=y, CN=y
签名算法: rsassa_pkcs1v15
有效期自: 2025-06-07 19:10:59+00:00

有效期至: 2125-05-14 19:10:59+00:00
 发行人: C=y, ST=y, L=y, O=y, OU=y, CN=y
 序列号: 0x4fdd875c
 哈希算法: sha256
 md5值: eaf119bb6cbfe15f02ebaf147b024fe7
 sha1值: df707db3e1ce3b78bb12815aeacc6e7e9c75a03f
 sha256值: 18e1f7ab17cf9611ef963ed4ca5be4380bfa78cd6ce3c52750aa66eea60f459e
 sha512值: d7c5b1965cfefa8af9fa0e94d4b5f5a0430460245c3a84d5f8e6b628e9f19d3c1821ef4b288793da1b927d8ae09650d0e7feec9cdbc5d66e7dbf53f116aa0b5
 公钥算法: rsa
 密钥长度: 2048
 指纹: 567eddb52be9119ba40a2ce65b2e9544dab2c185f6128b298938a0b406fd8f6a

硬编码敏感信息

可能的敏感信息
"CodePushDeploymentKey" : "OwFaj8xcOf9rGIV2ji4w6tzi3YBD4ksvOXqog"
"device_token" : "DeviceToken"
"google_api_key" : "AlzaSyBbPpSc6TmDYDqL6VwBHrDMoaPoJ94sDKQ"
"google_crash_reporting_api_key" : "AlzaSyBbPpSc6TmDYDqL6VwBHrDMoaPoJ94sDKQ"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
	危	读取外部存	

android.permission.READ_EXTERNAL_STORAGE	危险	存储器内容	允许应用程序从外部存储读取
android.permission.READ_MEDIA_IMAGES	未知	Unknown permission	Unknown permission from android reference
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.USE_BIOMETRIC	正常		允许应用使用设备支持的生物识别模式。
com.google.android.gms.permission.AD_ID	未知	Unknown permission	Unknown permission from android reference
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
com.vivo.notification.permission.BADGE_ICON	未知	Unknown permission	Unknown permission from android reference
android.permission.POST_NOTIFICATIONS	未知	Unknown permission	Unknown permission from android reference

com.F1M1P5.soexample.permission.JPUSH_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.hihonor.android.launcher.permission.CHANGE_BADGE	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置(如果可用)。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_FINE_LOCATION	危险	精细定位(GPS)	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_BACKGROUND_LOCATION	危险	后台访问位置	允许应用程序在后台访问位置
android.permission.QUERY_ALL_PACKAGES	正常		允许查询设备上的任何普通应用程序,无论清单声明如何
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
android.permission.USE_FINGERPRINT	正常	allow use of指纹	该常量在 API 级别 28 中已被弃用。应用程序应改为请求 USE_BIOMETRIC
com.fingerprints.service.ACCESS_FINGERPRINT_MANAGER	未知	Unknown permission	Unknown permission from android reference
com.samsung.android.providers.context.permission.WRITE_USE_APP_FEATURE_SURVEY	未知	Unknown permission	Unknown permission from android reference
com.android.vending.CHECK_LICENSE	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备

android.permission.GET_ACCOUNTS	危险	列出帐户	允许访问账户服务中的账户列表
com.google.android.providers.gsf.permission.READ_GSERVICES	未知	Unknown permission	Unknown permission from android reference
com.google.android.c2dm.permission.RECEIVE	合法	C2DM 权限	云到设备消息传递的权限
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	未知	Unknown permission	Unknown permission from android reference

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.F1M1P5.soexample.MainActivity	Schemes: f1m1p5://,