



MoGua

Ladbrokes 5.4.0119.APK 分析报告



APP名称:

Ladbrokes

包名:	com.lb7be
域名线索:	33条
URL线索:	48条
邮箱线索:	2条
分析日期:	2025年6月30日
分析平台:	摸瓜APK反编译平台

文件名: LADBROKES_599.apk

文件大小: 89.96MB

MD5值: 414cefd1f960ee1b0e9d1a91a80597a7

SHA1值: 4a6a6da7e3fe20ac79e157e05762999fcf7ad877

SHA256值: 785859a62f4f53d0bcbe68fbd8d08fe1302eb1357f2323fdff85579b32b24eb

i APP 信息

App名称: Ladbrokes

包名: com.lb7be

主活动Activity: com.qsf.taogin.Splash.vi.SplashActivity

安卓版本名称: 5.4.0119

安卓版本: 599

🔍 域名线索

域名	服务器信息
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
errlogos.umeng.com	IP: 47.246.110.96 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
errnewlog.umeng.com	IP: 223.109.148.129 所属国家: China 地区: Jiangsu

	<p>城市: Nanjing 纬度: 32.061668 经度: 118.777992</p>
live.leisu.com	<p>IP: 27.221.79.6 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941</p>
ccs.umeng.com	<p>IP: 110.253.189.138 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349</p>
2021euapi.k33uc.com	<p>没有服务器地理信息.</p>
errnewlogos.umeng.com	<p>IP: 47.246.110.18 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281</p>
developer.umeng.com	<p>IP: 59.82.29.249 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583</p>
www.jihai8.com	<p>IP: 47.95.126.66 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583</p>

errlog.umeng.com	IP: 223.109.148.180 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
tg.zjqde.cn	没有服务器地理信息.
alogus.umeng.com	IP: 223.109.148.130 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
plbslog.umeng.com	IP: 36.156.202.78 所属国家: China 地区: Jiangsu 城市: Yangzhou 纬度: 32.397221 经度: 119.435600
utoken.umeng.com	IP: 223.109.148.139 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
pslog.umeng.com	IP: 59.82.31.92 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
schemas.android.com	没有服务器地理信息.

h.trace.qq.com	IP: 113.56.189.162 所属国家: China 地区: Hubei 城市: Huangshi 纬度: 30.204170 经度: 115.077606
ip-api.com	IP: 208.95.112.1 所属国家: United States of America 地区: North Carolina 城市: Skyland 纬度: 35.483757 经度: -82.521996
www.slf4j.org	IP: 159.100.250.151 所属国家: Switzerland 地区: Zurich 城市: Zurich 纬度: 47.366825 经度: 8.549790
audid.umeng.com	IP: 123.183.232.13 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041599 经度: 114.478081
msg.umengcloud.com	IP: 110.253.188.231 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
ulogs.umengcloud.com	IP: 223.109.148.130 所属国家: China 地区: Jiangsu

	城市: Nanjing 纬度: 32.061668 经度: 118.777992
app.reflpo.cn	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
app.tpxdrme.cn	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
sss.umeng.com	IP: 59.82.29.249 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
ulogs.umeng.com	IP: 223.109.148.130 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
cs.cs3upebmh9.shop	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
c.k33uc.com	没有服务器地理信息.

offmsg.umeng.com	IP: 59.82.31.154 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
alogsus.umeng.com	IP: 223.109.148.179 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
m1.lbzz15786.art	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
www.tgtop88.com	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
43.132.55.55	IP: 43.132.55.55 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281

URL信息	Url所在文件
https://errnewlog.umeng.com/api/crashsdk/logcollect	com/efs/sdk/base/core/f/c.java
https://errnewlogos.umeng.com/api/crashsdk/logcollect	com/efs/sdk/base/core/controller/ControllerCenter.java
https://errnewlog.umeng.com/api/crashsdk/logcollect	com/efs/sdk/base/core/controller/ControllerCenter.java
https://github.com/danikula/AndroidVideoCache/issues/88 .	com/danikula/videocache/HttpUrlSource.java
https://github.com/danikula/AndroidVideoCache/issues/43 .	com/danikula/videocache/HttpUrlSource.java
https://github.com/danikula/AndroidVideoCache/issues .	com/danikula/videocache/HttpUrlSource.java
http://%s:%d/%s	com/danikula/videocache/f.java
https://github.com/danikula/AndroidVideoCache/issues/134 .	com/danikula/videocache/f.java
http://%s:%d/%s	com/danikula/videocache/HttpProxyCacheServer.java
https://app.tpxdrme.cn/info/erefs	com/qsf/taogin/SubNetSettings.java
https://www.jihai8.com/zq/	com/qsf/taogin/MainActivity.java
https://live.leisu.com	com/qsf/taogin/MainActivity.java
https://c.k33uc.com/?lang=	com/qsf/taogin/MainActivity.java
http://ip-api.com/	com/qsf/taogin/api/RetrofitClient.java
https://app.reflpo.cn/info/dpeek/Android.html	com/qsf/taogin/api/HeaderInterceptor.java
https://2021euapi.k33uc.com/api/	com/qsf/taogin/bigMatch/api/BigMatchLiveRetrofitManager.java

http://schemas.android.com/apk/res/android	com/qsf/taogin/bigMatch/home/BigMatchHomeCirleView.java
http://schemas.android.com/apk/res/android	com/qsf/taogin/market/barchart/BarView.java
http://schemas.android.com/apk/res/android	com/qsf/taogin/home/vi/CirleView.java
http://schemas.android.com/apk/res/android	com/qsf/taogin/utility/DrawCicler.java
http://schemas.android.com/apk/res/android	com/qsf/taogin/utility/DrawCiclerX.java
http://schemas.android.com/apk/res/android	com/qsf/taogin/utility/AllenCommonTabLayoutV2.java
http://schemas.android.com/apk/res/android	com/qsf/taogin/utility/AllenSlidingTabLayout.java
http://schemas.android.com/apk/res/android	com/qsf/taogin/utility/AllenCommonTabLayoutV3.java
https://tg.zjqde.cn/	com/qsf/taogin/utility/CS_contact.java
https://cs.cs3upebmh9.shop/qsf/iframe/user/login	com/qsf/taogin/utility/CS_contact.java
https://www.tgtop88.com/	com/qsf/taogin/account/view/AccountMainV2Fragment.java
https://2021euapi.k33uc.com/api/?token=	com/qsf/taogin/websocket/BigMatchWebSocketManager.java
https://m1.lbzz15786.art	com/qsf/taogin/Splash/vi/SplashActivity.java
http://developer.umeng.com/docs/66650/cate/66650	com/umeng/analytics/pro/j.java
https://ulogs.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogsus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://ulogs.umengcloud.com	com/umeng/commonsdk/statistics/UMServerURL.java

https://pslog.umeng.com	com/umeng/commonsdk/vchannel/a.java
https://pslog.umeng.com/	com/umeng/commonsdk/vchannel/a.java
https://developer.umeng.com/docs/66632/detail/	com/umeng/commonsdk/debug/UMLogUtils.java
https://developer.umeng.com/docs/119267/detail/182050	com/umeng/commonsdk/debug/UMLogCommon.java
https://plbslog.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ulogs.umeng.com	com/umeng/commonsdk/stateless/a.java
https://alogus.umeng.com	com/umeng/commonsdk/stateless/a.java
https://offmsg.umeng.com/v2/offmsg/switch	com/umeng/message/proguard/ai.java
https://offmsg.umeng.com/v2/offmsg/req	com/umeng/message/proguard/s.java
https://msg.umengcloud.com/v3/tag/add	com/umeng/message/proguard/an.java
https://msg.umengcloud.com/v3/tag/delete	com/umeng/message/proguard/an.java
https://msg.umengcloud.com/v3/tag/get	com/umeng/message/proguard/an.java
https://ccs.umeng.com/aa	com/umeng/message/proguard/o.java
https://sss.umeng.com/api/v2/al	com/umeng/message/proguard/o.java
https://msg.umengcloud.com/admsg/v3/stats	com/umeng/message/proguard/ag.java
https://msg.umengcloud.com/admsg/v3/launch	com/umeng/message/proguard/ag.java
https://msg.umengcloud.com/admsg/v3/getmsg	com/umeng/message/proguard/ag.java

https://msg.umengcloud.com/v3/alias/set	com/umeng/message/proguard/x.java
https://msg.umengcloud.com/v3/alias/delete	com/umeng/message/proguard/x.java
https://msg.umengcloud.com/v3/alias	com/umeng/message/proguard/x.java
https://audid.umeng.com/v3/a/audid/req	com/umeng/ut/a/b/g.java
https://errnewlog.umeng.com	com/umeng/umcrash/UMCrashContent.java
https://errnewlogos.umeng.com	com/umeng/umcrash/UMCrashContent.java
https://errnewlogos.umeng.com/upload	com/umeng/umcrash/UMCrash.java
https://errnewlogos.umeng.com	com/umeng/umcrash/UMCrash.java
https://errnewlog.umeng.com/upload	com/umeng/umcrash/UMCrash.java
https://errnewlog.umeng.com	com/umeng/umcrash/UMCrash.java
https://utoken.umeng.com/api/postZdata/v4	com/umeng/umzid/ZIDManager.java
https://utoken.umeng.com/api/updateZdata/v4	com/umeng/umzid/ZIDManager.java
https://errlog.umeng.com	com/uc/crashsdk/a/d.java
https://errlogos.umeng.com	com/uc/crashsdk/a/d.java
http://43.132.55.55/conf?id=	com/tencent/msdk/dns/core/a.java
http://%s/d?%s&alg=des	com/tencent/msdk/dns/core/n/b/c.java
http://%s/d?%s&alg=aes	com/tencent/msdk/dns/core/n/a/c.java
https://h.trace.qq.com/kv?attaid=0ac00073068&token=9663669547&carrier=	com/tencent/msdk/dns/d/a.java

https://github.com/TooTallNate/Java-WebSocket/wiki/Lost-connection-detection	org/java_websocket/AbstractWebSocket.java
http://www.slf4j.org/codes.html	org/slf4j/MDC.java
http://www.slf4j.org/codes.html	org/slf4j/LoggerFactory.java

邮箱线索

邮箱地址	所在文件
danikula@gmail.com	com/danikula/videocache/HttpUrlSource.java
this@calendarfragment.requirecon	com/qsf/taogin/micronet/view/CalendarFragment.java

手机线索

签名证书

APK已签名

v1 签名: False

v2 签名: True

v3 签名: False

找到 1 个唯一证书

主题: C=6CrK7S7g6CrK7S7g, ST=EuCS8MXbEuCS8MXb, L=Rt4aQH36Rt4aQH36, O=cwpWWy4gcwpWWy4g, OU=BKUp3P8UBKUp3P8U, CN=qQ8rz7VMqQ8rz7VM

签名算法: rsassa_pkcs1v15

有效期自: 2019-01-29 07:26:46+00:00

有效期至: 2069-01-16 07:26:46+00:00

发行人: C=6CrK7S7g6CrK7S7g, ST=EuCS8MXbEuCS8MXb, L=Rt4aQH36Rt4aQH36, O=cwpWWy4gcwpWWy4g, OU=BKUp3P8UBKUp3P8U, CN=qQ8rz7VMqQ8rz7VM

序列号: 0x2e7192d1

哈希算法: sha256

md5值: 452e1fb91a108f4fc362961c57b9e2f2

sha1值: ac48a0d77f26d779b6ab7ca9a5ad9d8b7f0211ec

sha256值: a5cf03565f33ad1052d3f9ec4cff9280c272e55af7f11a1f3e256208aca5dd99

sha512值: 4374799803aa4f121c0d030514c9003684d4c6f932512fe2cdc2496096d4137c37463a060d4c996f72ee371d85b15541abf53832548c2b5f88ccf6af96cf3899

公钥算法: rsa

密钥长度: 2048

指纹: baa107bff257cc875c6f2a07d532c67e7f08adc9b1a817741d0ec009d4c08eab

硬编码敏感信息

可能的敏感信息
"STR_KEY" : "STR_FROM_RESOURCE_VALUE"
"auto_authorization_description" : "不想错过任何一个获利机会, 请授权K7系统自动执行"
"auto_authorization_description2" : "每次下单时, 授权K7系统自动执行"
"ball_possession" : "控球率"
"cancel_authorization" : "取消授权"
"dialog_auth_method_mail" : "邮箱"
"dialog_auth_method_mail_common" : "邮箱:"
"dialog_auth_method_mobile" : "手机"
"dialog_choose_auth" : "验证方式"
"dialog_choose_auth_common" : "验证方式"

"draw_password" : "提领密码 :"
"fingerprint_auth" : "进行指纹登入"
"fingerprint_auth_not_ready" : "指纹辨识未设定完成"
"fingerprint_auth_successful" : "指纹辨识成功"
"guide_user_name" : "麦可麦可麦..."
"inout_password" : "输入密码"
"login_password" : "登入密码 :"
"not_authentication_permission" : "未同意指纹使用权限"
"notice_user_name" : "请输入昵称,7个中英文数字内(必填)"
"personal_info_withdraw_password" : "提款密码"
"please_enter_password" : "请输入提款密码"
"please_enter_your_password" : "请输入密码"
"registered_password" : "提款密码"
"reset_password" : "重设密码"
"set_withdraw_pwd_first" : "请先至提领页设置您的提款密码"
"trans3_goto_transhistory" : "前往交易记录"
"user_name" : "用户名称"
"vip_auth" : "VIP权限"

"wrong_password" : "密码错误"
"ball_possession" : "ボールコントロール率"
"dialog_auth_method_mail" : "メールアドレス"
"dialog_auth_method_mail_common" : "メールアドレス:"
"dialog_auth_method_mobile" : "携帯番号"
"dialog_choose_auth" : "認証方法"
"dialog_choose_auth_common" : "認証方法"
"draw_password" : "引き出しパスワード:"
"fingerprint_auth" : "指紋認証でログイン"
"fingerprint_auth_not_ready" : "指紋認証が設定されていません"
"fingerprint_auth_successful" : "指紋認証成功"
"guide_user_name" : "マイクマイクマイク..."
"inout_password" : "パスワード入力"
"login_password" : "ログインパスワード: "
"not_authentication_permission" : "指紋認証の使用権限に同意していません"
"notice_user_name" : "ニックネームを入力してください。7文字以内英数含む（必須） "
"personal_info_withdraw_password" : "出金パスワード"

"please_enter_password" : "引き出しパスワードを入力してください"
"please_enter_your_password" : "パスワードを入力してください"
"registered_password" : "出金パスワード"
"reset_password" : "パスワード再設定"
"set_withdraw_pwd_first" : "引き出しページで、引き出しパスワードを設定してください"
"trans3_goto_transhistory" : "取引記録へ進む"
"user_name" : "ユーザー名"
"vip_auth" : "VIP権限"
"wrong_password" : "パスワード間違い"
"auto_authorization_description" : "Authorize K7 system auto execute if you don't want to miss any profitable opportunity."
"auto_authorization_description2" : "Authorize K7 auto execution when placing bets every time."
"ball_possession" : "Possession Rate"
"cancel_authorization" : "Cancel Authorization"
"dialog_auth_method_mail" : "Email"
"dialog_auth_method_mail_common" : "Email:"
"dialog_auth_method_mobile" : "Mobile"
"dialog_choose_auth" : "Verification Methods"
"dialog_choose_auth_common" : "Verification Methods"

"draw_password" : "Withdraw Password:"

"fingerprint_auth" : "Use fingerprint login"

"fingerprint_auth_not_ready" : "Fingerprint recognition setting incomplete"

"fingerprint_auth_successful" : "Fingerprint recognized"

"guide_user_name" : "MikeMikeMike..."

"inout_password" : "Enter password"

"login_password" : "Login Password:"

"not_authentication_permission" : "Disagree with fingerprint access permission."

"notice_user_name" : "Enter within 7 chars and numbers (*req)"

"personal_info_withdraw_password" : "Withdrawal Password"

"please_enter_password" : "Please enter withdrawal password."

"please_enter_your_password" : "Please enter password"

"registered_password" : "Withdrawal Password"

"reset_password" : "Rest password"

"set_withdraw_pwd_first" : "Please go to Withdrawal to set your withdrawal password."

"trans3_goto_transhistory" : "Go to transactions"

"user_name" : "Username"

"vip_auth" : "VIP Privileges"
"wrong_password" : "Password is incorrect"
"ball_possession" : "볼 점유율"
"dialog_auth_method_mail" : "이메일"
"dialog_auth_method_mail_common" : "이메일:"
"dialog_auth_method_mobile" : "휴대전화 번호"
"dialog_choose_auth" : "인증 방식"
"dialog_choose_auth_common" : "인증 방식"
"draw_password" : "출금 비밀번호:"
"fingerprint_auth" : "지문으로 로그인"
"fingerprint_auth_not_ready" : "지문인식 설정 미완료"
"fingerprint_auth_successful" : "지문인식 성공"
"guide_user_name" : "홍길동홍길동..."
"inout_password" : "비밀번호를 입력하세요."
"login_password" : "로그인 비밀번호 :"
"not_authentication_permission" : "지문 인식 사용 권한을 부여하지 않았습니다."
"notice_user_name" : "문자, 숫자로 된 닉네임 7자를 입력하세요.(필수)"
"personal_info_withdraw_password" : "출금 비밀번호"

"please_enter_password" : "출금 비밀번호를 입력하세요."
"please_enter_your_password" : "비밀번호를 입력하세요."
"registered_password" : "출금 비밀번호"
"reset_password" : "비밀번호 재설정"
"set_withdraw_pwd_first" : "먼저 출금 페이지에서 출금 비밀번호를 설정해 주세요."
"trans3_goto_transhistory" : "거래 기록으로 이동"
"user_name" : "사용자명"
"vip_auth" : "VIP 권한"
"wrong_password" : "비밀번호 오류"
"auto_authorization_description" : "不想錯過任何一個獲利機會，請授權K7系統自動執行"
"auto_authorization_description2" : "每次下單時，授權K7系統自動執行"
"ball_possession" : "控球率"
"cancel_authorization" : "取消授權"
"dialog_auth_method_mail" : "郵箱"
"dialog_auth_method_mail_common" : "郵箱:"
"dialog_auth_method_mobile" : "手機"
"dialog_choose_auth" : "驗證方式"

"dialog_choose_auth_common" : "驗證方式"
"draw_password" : "提領密碼 :"
"fingerprint_auth" : "進行指紋登入"
"fingerprint_auth_not_ready" : "指紋辨識未設定完成"
"fingerprint_auth_successful" : "指紋辨識成功"
"guide_user_name" : "麥可麥可麥..."
"inout_password" : "輸入密碼"
"login_password" : "登入密碼 :"
"not_authentication_permission" : "未同意指紋使用權限"
"notice_user_name" : "請輸入暱稱,7個中英文數字內(必填)"
"personal_info_withdraw_password" : "提款密碼"
"please_enter_password" : "請輸入提款密碼"
"please_enter_your_password" : "請輸入密碼"
"registered_password" : "提款密碼"
"reset_password" : "重設密碼"
"set_withdraw_pwd_first" : "請先至提領頁設置您的提款密碼"
"trans3_goto_transhistory" : "前往交易記錄"
"user_name" : "用戶名稱"

"vip_auth" : "VIP權限"
"wrong_password" : "密碼錯誤"
"ball_possession" : "控球率"
"dialog_auth_method_mail" : "郵箱"
"dialog_auth_method_mail_common" : "郵箱:"
"dialog_auth_method_mobile" : "手機"
"dialog_choose_auth" : "驗證方式"
"dialog_choose_auth_common" : "驗證方式"
"draw_password" : "提領密碼 :"
"fingerprint_auth" : "進行指紋登入"
"fingerprint_auth_not_ready" : "指紋辨識未設定完成"
"fingerprint_auth_successful" : "指紋辨識成功"
"guide_user_name" : "麥可麥可麥..."
"inout_password" : "輸入密碼"
"login_password" : "登入密碼 :"
"not_authentication_permission" : "未同意指紋使用權限"
"notice_user_name" : "請輸入昵稱,7個中英文數字內(必填)"

"personal_info_withdraw_password" : "提款密码"
"please_enter_password" : "请输入提款密码"
"please_enter_your_password" : "请输入密码"
"registered_password" : "提款密码"
"reset_password" : "重设密码"
"set_withdraw_pwd_first" : "请先至提领页设置您的提款密码"
"trans3_goto_transhistory" : "前往交易记录"
"user_name" : "用户名称"
"vip_auth" : "VIP权限"
"wrong_password" : "密码错误"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	

		URL链接
登陆摸瓜网站后查看		

☰ 此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.USE_FINGERPRINT	正常	allow use of 指纹	该常量在 API 级别 28 中已被弃用。应用程序应改为请求 USE_BIOMETRIC
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.READ_MEDIA_IMAGES	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_VIDEO	未知	Unknown permission	Unknown permission from android reference
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像

android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.RECEIVE_SMS	危险	接收短信	允许应用程序接收和处理 SMS 消息。恶意应用程序可能会监视您的消息或将其删除而不向您显示
android.permission.POST_NOTIFICATIONS	未知	Unknown permission	Unknown permission from android reference
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
com.vivo.notification.permission.BADGE_ICON	未知	Unknown permission	Unknown permission from android reference
com.lb7be.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	未知	Unknown permission	Unknown permission from android reference

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。