



云条码仓储新-核心4 1.3.4.APK 分析报告



APP名称:

云条码仓储新-核心4

包名: com.mapptts.qilibcScmBIPC4

域名线索: 22条

URL线索: 29条

邮箱线索: 1条

分析日期: 2025年7月16日

分析平台: [摸瓜APK反编译平台](#)

文件名: qilibcScmYBCore4 (2).apk
文件大小: 6.82MB
MD5值: 426aeadaca7a55e5a4e8e63bded81f5e
SHA1值: 9ae0fd86ee592aa8a13bd8d6c6bc32b86e2a9f9a
SHA256值: f0e20b01487d0b0721236edd70b303cd8c1ae29a17137e8be78f2c4a094dd778

i APP 信息

App名称: 云条码仓储新-核心4
包名: com.mapptts.qilibcScmBIPC4
主活动Activity: com.mapptts.ui.LoginActivity
安卓版本名称: 1.3.4
安卓版本: 47

🔍 域名线索

域名	服务器信息
iss.openspeech.cn	IP: 42.62.43.145 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
nc.qilisoft.com.cn	IP: 39.98.231.124 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
com.thoughtworks.xstream	没有服务器地理信息.

logconf.iflytek.com	IP: 103.8.33.178 所属国家: China 地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830
app.qilisoft.com.cn	IP: 124.71.108.18 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
www.w3.org	IP: 104.18.23.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.amazon.co.uk	IP: 18.155.205.78 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
openapi.openspeech.cn	IP: 114.118.65.97 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
xmlpull.org	IP: 185.199.111.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647

	经度: -79.891724
c4.yonyoucloud.com	IP: 101.42.131.241 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
log.iflytek.com	IP: 103.8.33.178 所属国家: China 地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830
org.dom4j.io.doucmentsource	没有服务器地理信息.
mslm.sunbandad.com	IP: 8.134.103.6 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
issuetracker.google.com	IP: 142.250.217.110 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
www.andykhan.com	IP: 213.171.195.105 所属国家: United Kingdom of Great Britain and Northern Ireland 地区: England 城市: Gloucester 纬度: 51.865681 经度: -2.243100

api.yonyoucloud.com	IP: 59.110.247.93 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.xfyun.cn	IP: 42.62.43.219 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.xunfei.cn	IP: 123.125.46.38 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
wke.openspeech.cn	没有服务器地理信息.
dev.voicecloud.cn	IP: 114.118.65.76 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
isv-pro.yonisv.com	IP: 124.70.125.145 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
	IP: 104.239.142.8 所属国家: United States of America 地区: Texas

xml.org	城市: Windcrest 纬度: 29.499678 经度: -98.399246
---------	--

 URL线索

URL信息	Url所在文件
https://issuetracker.google.com/issues/116541301	android/databinding/ViewDataBinding.java
http://openapi.openspeech.cn/webapi/wfr.do	com/iflytek/cloud/thirdparty/ah.java
http://wke.openspeech.cn/wakeup/	com/iflytek/cloud/thirdparty/l.java
http://dev.voicecloud.cn/msc/help.html\	com/iflytek/cloud/resource/a.java
http://dev.voicecloud.cn/msc/help.html	com/iflytek/cloud/resource/a.java
http://dev.voicecloud.cn/msc/help.html\	com/iflytek/cloud/resource/b.java
http://dev.voicecloud.cn/msc/help.html	com/iflytek/cloud/resource/b.java
http://dev.voicecloud.cn/msc/help.html\	com/iflytek/cloud/resource/c.java
http://dev.voicecloud.cn/msc/help.html	com/iflytek/cloud/resource/c.java
http://www.xunfei.cn/?appid=	com/iflytek/cloud/ui/a.java
http://iss.openspeech.cn/v?	com/iflytek/speech/UtilityConfig.java
https://logconf.iflytek.com/hotupdate	com/iflytek/idata/extension/a.java

https://log.iflytek.com/log	com/iflytek/idata/extension/c.java
https://app.qilisoft.com.cn/appmanager/app/standard/371/apk/qilibcScmBIP-sandbox.apk	com/mappts/ui/GuanyuActivity.java
https://app.qilisoft.com.cn/appmanager/app/standard/355/apk/qilibcScmYBCore1.apk	com/mappts/ui/GuanyuActivity.java
https://app.qilisoft.com.cn/appmanager/app/standard/346/apk/qilibcScmBIP.apk	com/mappts/ui/GuanyuActivity.java
https://app.qilisoft.com.cn/appmanager/app/standard/425/apk/qilibcScmYBCore4.apk	com/mappts/ui/GuanyuActivity.java
https://c4.yonyoucloud.com/iuap-ipaas-base/nativeapp/login? appCode=open_CnTDkMNbGvH16bOJbUA&appKey=514e935b0ca644e287d2a24ba16fc7b7	com/mappts/ui/LoginActivity.java
https://api.yonyoucloud.com/apis/dst/generalText/generaltext	com/mappts/ui/rwdd/RwddCollectActivity.java
https://api.yonyoucloud.com/apis/dst/generalText/generaltext	com/mappts/ui/rwdd/SXZARwddCollectActivity.java
http://nc.qilisoft.com.cn:8057/service/IQiLiSoftServer	com/mappts/ui/listener/ZcConnClickListener.java
http://mslm.sunbandad.com/Print/GetWaybill	com/mappts/ui/ckgl/XsckCollectDataActivity.java
http://mslm.sunbandad.com/Print/KbCloudPrint	com/mappts/ui/ckgl/XsckCollectDataActivity.java
https://isv-pro.yonisv.com/yonbip-yisv-c4-qilibcscm-be/app/yonsuite/api?operation=	com/mappts/api/service/JsonWebService.java
http://com.thoughtworks.xstream/sax/property/configured-xstream	com/thoughtworks/xstream/io/xml/SaxWriter.java
http://com.thoughtworks.xstream/sax/property/source-object-list	com/thoughtworks/xstream/io/xml/SaxWriter.java
http://xml.org/sax/features/namespaces	com/thoughtworks/xstream/io/xml/SaxWriter.java
http://xml.org/sax/features/namespace-prefixes	com/thoughtworks/xstream/io/xml/SaxWriter.java
http://com.thoughtworks.xstream/sax/property/configured-xstream\	com/thoughtworks/xstream/io/xml/SaxWriter.java

http://com.thoughtworks.xstream/sax/property/source-object-list\	com/thoughtworks/xstream/io/xml/SaxWriter.java
http://com.thoughtworks.xstream/XStreamSource/feature	com/thoughtworks/xstream/io/xml/TraxSource.java
http://www.andykhan.com/jexcelapi/index.html	jxl/read/biff/HyperlinkRecord.java
http://www.andykhan.com/jexcelapi/index.html	jxl/demo/ReadWrite.java
http://www.andykhan.com/jexcelapi	jxl/demo/Write.java
http://www.amazon.co.uk/exec/obidos/ASIN/0571058086/qid=1099836249/sr=1-3/ref=sr_1_11_3/202-6017285-1620664	jxl/demo/Write.java
http://www.andykhan.com/jexcelapi\	jxl/demo/Write.java
http://www.amazon.co.uk/exec/obidos/ASIN/0571058086qid=1099836249/sr=1-3/ref=sr_1_11_3/202-6017285-1620664\	jxl/demo/Write.java
http://xml.org/sax/features/validation	org/dom4j/io/SAXValidator.java
http://xml.org/sax/features/namespaces	org/dom4j/io/SAXValidator.java
http://xml.org/sax/features/namespace-prefixes	org/dom4j/io/SAXValidator.java
http://xml.org/sax/properties/lexical-handler	org/dom4j/io/XMLWriter.java
http://xml.org/sax/handlers/LexicalHandler	org/dom4j/io/XMLWriter.java
http://xml.org/sax/features/namespaces	org/dom4j/io/SAXWriter.java
http://xml.org/sax/features/namespace-prefixes	org/dom4j/io/SAXWriter.java
http://xml.org/sax/properties/lexical-handler	org/dom4j/io/SAXWriter.java
http://xml.org/sax/handlers/LexicalHandler	org/dom4j/io/SAXWriter.java

http://org.dom4j.io.DoucmentSource/feature	org/dom4j/io/DocumentSource.java
http://xml.org/sax/properties/declaration-handler	org/dom4j/io/SAXReader.java
http://xml.org/sax/handlers/LexicalHandler	org/dom4j/io/SAXReader.java
http://xml.org/sax/properties/lexical-handler	org/dom4j/io/SAXReader.java
http://xml.org/sax/features/namespaces	org/dom4j/io/SAXReader.java
http://xml.org/sax/features/namespace-prefixes	org/dom4j/io/SAXReader.java
http://xml.org/sax/features/string-interning	org/dom4j/io/SAXReader.java
http://xml.org/sax/features/use-locator2	org/dom4j/io/SAXReader.java
http://xml.org/sax/features/validation	org/dom4j/io/SAXReader.java
http://xmllpull.org/v1/doc/features.html	org/dom4j/io/XPP3Reader.java
https://www.xfyun.cn/document/error-code	摸瓜V1引擎

 邮箱线索

邮箱地址	所在文件
null@null.xml	com/thoughtworks/xstream/persistence/FilePersistenceStrategy.java

 手机线索

🌟 签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: False
找到 1 个唯一证书
主题: C=1, ST=1, L=1, O=1, OU=1, CN=1
签名算法: rsassa_pkcs1v15
有效期自: 2020-10-21 02:56:10+00:00
有效期至: 2045-10-15 02:56:10+00:00
发行人: C=1, ST=1, L=1, O=1, OU=1, CN=1
序列号: 0x56c0f4d9
哈希算法: sha256
md5值: 62741b4f4d766a48f13d336c870061b1
sha1值: a3440d65a0c3d603d1504d05fef79ebdaeb724c9
sha256值: 25554d14fae1a00abe736dde428c5ec9d842fc207f6cad9731d45b1386cd80ea
sha512值: 284a155cd475d4b164d6d405804c9d7a9ce77d0806875e5856cecd32e2b099f21ecb4f04f3c19c3da483f243d5c0625b8b94ec22c6140e265aca0f66129a7f8c
公钥算法: rsa
密钥长度: 2048
指纹: 95ba4bcc8f20ef47ec68bd9969cca91633a8f9bf75dbe429f0ec2d06b245cd08

🔑 硬编码敏感信息

可能的敏感信息
"keyboard_password" : "请输入密码"
"keyboard_username" : "请输入用户名"

🌀 加壳分析

--	--

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息

android.permission.ACCESS_FINE_LOCATION	危险	精细定位 (GPS)	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.WRITE_OWNER_DATA	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_OWNER_DATA	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.DOWNLOAD_WITHOUT_NOTIFICATION	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_DOWNLOAD_MANAGER	未知	Unknown permission	Unknown permission from android reference
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
		Unknown	

android.permission.READ_PRIVILEGED_PHONE_STATE	未知	permission	Unknown permission from android reference
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置

应用内通信

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。