



MoGua

一个 2.2.4.APK 分析报告



APP名称:

一个

包名:	com.hihanhan.one.rt45
域名线索:	48条
URL线索:	52条
邮箱线索:	13条
分析日期:	2025年9月29日
分析平台:	摸瓜APK反编译平台

文件名: Android_OneApp_v2.2.4_b9_Release_09272_jiagu_sign.apk
文件大小: 29.09MB
MD5值: 593754757cfeea7e256fb8d426822873
SHA1值: 04a0ee51014f527a62f982a88b76398f3cda41ad
SHA256值: 66e7838db144cadf5ed84cfa5e017c9804cab0264ca473c085acedde4ad92719

i APP 信息

App名称: 一个
包名: com.hihanhan.one.rt45
主活动Activity: com.hihanhan.one.ui.page.splash.SplashActivity
安卓版本名称: 2.2.4
安卓版本: 2007010048

🔍 域名线索

域名	服务器信息
www.umeng.com	IP: 59.82.31.92 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
wup.imtt.qq.com	IP: 42.187.184.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
	IP: 175.27.9.14 所属国家: China 地区: Beijing

graph.qq.com	城市: Beijing 纬度: 39.907501 经度: 116.397232
debugx5.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
qzs.qq.com	IP: 182.254.52.119 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545540 经度: 114.068298
alogus.umeng.com	IP: 223.109.148.176 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
log.tbs.qq.com	IP: 109.244.244.37 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
debugtbs.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

schemas.android.com	没有服务器地理信息.
pslog.umeng.com	IP: 59.82.31.92 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
cfg.imtt.qq.com	IP: 175.27.12.246 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
openmobile.qq.com	IP: 175.27.9.14 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
ulogs.umeng.com	IP: 223.109.148.130 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
errlog.umeng.com	IP: 223.109.148.143 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
	IP: 185.199.110.153 所属国家: United States of America

google.github.io	地区: Pennsylvania 城市: California 纬度: 40.065632 经度: -79.891708
mqqad.html5.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
soft.tbs.imtt.qq.com	IP: 220.194.122.242 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
c.umsns.com	IP: 59.82.29.163 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
huatuocode.huatuo.qq.com	没有服务器地理信息.
login.sina.com.cn	IP: 49.7.36.224 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
mdc.html5.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501

	经度: 116.397232
mobile.umeng.com	IP: 59.82.31.154 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
cgi.connect.qq.com	IP: 175.27.9.14 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
log.umsns.com	IP: 59.82.31.95 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
qqcandroid-3ff07.firebaseio.com	IP: 34.120.160.131 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
oauth2.umeng.com	IP: 59.82.31.154 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
	IP: 20.205.243.166 所属国家: United States of America

github.com	地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
aaid.umeng.com	IP: 218.91.197.67 所属国家: China 地区: Jiangsu 城市: Nantong 纬度: 32.030281 经度: 120.874718
plbslog.umeng.com	IP: 36.156.202.73 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
service.weibo.com	IP: 49.7.40.134 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
ouplog.umeng.com	IP: 47.246.110.93 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
alogsus.umeng.com	IP: 223.109.148.177 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

api.weixin.qq.com	IP: 109.244.145.152 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
developer.umeng.com	IP: 59.82.112.112 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
long.open.weixin.qq.com	IP: 109.244.216.15 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
api.weibo.com	IP: 49.7.37.118 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
fusion.qq.com	IP: 175.27.9.24 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
pre-c.umsns.com	IP: 59.82.29.44 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650

	经度: 120.161423
appsupport.qq.com	IP: 175.27.9.14 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
errlogos.umeng.com	IP: 47.246.110.96 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
open.weibo.cn	IP: 49.7.37.118 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
open.weixin.qq.com	IP: 175.24.219.72 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
pms.mb.qq.com	IP: 175.27.12.246 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
	IP: 40.70.71.156 所属国家: United States of America

playready.directtaps.net	地区: Virginia 城市: Boynton 纬度: 36.667641 经度: -78.387497
schemas.microsoft.com	IP: 13.107.237.49 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
ai.login.umeng.com	IP: 59.82.29.248 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
i.open.t.sina.com.cn	IP: 10.22.21.203 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
ulogs.umengcloud.com	IP: 223.109.148.176 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

URL线索

URL信息	Url所在文件
-------	---------

https://google.github.io/dagger/testing	dagger/android/AndroidInjector.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifTextView.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifViewUtils.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifTextureView.java
https://login.sina.com.cn/visitor/signin	com/weibo/ssosdk/WeiboSsoSdk.java
https://github.com/lingochamp/FileDownloader/wiki/filedownloader.properties	com/liulishuo/filedownloader/services/BaseFileServiceUIGuard.java
https://service.weibo.com/share/mobilesdk.php	com/sina/weibo/sdk/web/WebActivity.java
https://open.weibo.cn/oauth2/authorize?	com/sina/weibo/sdk/web/WebActivity.java
https://service.weibo.com/share/mobilesdk.php	com/sina/weibo/sdk/web/b/d.java
https://service.weibo.com/share/mobilesdk_uppic.php	com/sina/weibo/sdk/b/e.java
http://i.open.t.sina.com.cn/mobilesdk/sendmessage.php	com/sina/weibo/sdk/b/d.java
https://api.weibo.com/oauth2/access_token	com/sina/weibo/sdk/b/f.java
https://open.weibo.cn/oauth2/authorize?	com/sina/weibo/sdk/auth/a.java
https://aaid.umeng.com/api/postZdata	com/umeng/umzid/ZIDManager.java
https://aaid.umeng.com/api/updateZdata	com/umeng/umzid/ZIDManager.java
https://plbslog.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ulogs.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ouplog.umeng.com	com/umeng/commonsdk/stateless/a.java

https://ulogs.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogsus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://ulogs.umengcloud.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://pslog.umeng.com	com/umeng/commonsdk/vchannel/a.java
https://pslog.umeng.com/	com/umeng/commonsdk/vchannel/a.java
https://developer.umeng.com/docs/66632/detail/	com/umeng/commonsdk/debug/UMLogUtils.java
http://log.umsns.com/link/weixin/download/	com/umeng/socialize/handler/UMWXHandler.java
https://api.weixin.qq.com/sns/oauth2/refresh_token?appid=	com/umeng/socialize/handler/UMWXHandler.java
https://api.weixin.qq.com/sns/oauth2/refresh_token?	com/umeng/socialize/handler/UMWXHandler.java
https://oauth2.umeng.com/oauth/token/acquire?	com/umeng/socialize/handler/UMWXHandler.java
https://api.weixin.qq.com/sns/oauth2/access_token?	com/umeng/socialize/handler/UMWXHandler.java
https://api.weixin.qq.com/sns/userinfo?access_token=	com/umeng/socialize/handler/UMWXHandler.java
https://api.weibo.com/2/users/show.json	com/umeng/socialize/handler/SinaSsoHandler.java
https://developer.umeng.com/docs/66632/detail/	com/umeng/socialize/utils/UrlUtil.java
https://log.umsns.com/	com/umeng/socialize/view/OauthDialog.java
https://api.weixin.qq.com/sns/auth?access_token=	com/umeng/socialize/media/WeixinExtra.java

https://log.umsns.com/	com/umeng/socialize/common/SocializeConstants.java
https://log.umsns.com/link/qq/download/	com/umeng/socialize/common/SocializeConstants.java
https://log.umsns.com/link/weixin/download/	com/umeng/socialize/common/SocializeConstants.java
http://www.umeng.com/social	com/umeng/socialize/common/SocializeConstants.java
https://c.umsns.com/ulink/getRTC	com/umeng/socialize/tracker/a.java
https://pre-c.umsns.com/ulink/getRTC	com/umeng/socialize/tracker/a.java
https://api.weibo.com/oauth2/revokeoauth2	com/umeng/socialize/net/DeleteRequest.java
https://mobile.umeng.com/images/pic/home/social/img-1.png	com/umeng/socialize/net/LinkcardRequest.java
https://api.weibo.com/2/users/show.json	com/umeng/socialize/net/UserinfoRequest.java
https://log.umsns.com/	com/umeng/socialize/net/base/SocializeRequest.java
https://ai.login.umeng.com/api/umed/event	com/umeng/socialize/net/analytics/SocialAnalytics.java
http://developer.umeng.com/docs/66650/cate/66650	com/umeng/analytics/pro/i.java
http://log.tbs.qq.com/ajax?c=pu&v=2&k=	com/tencent/smtt/utils/n.java
http://log.tbs.qq.com/ajax?c=pu&tk=	com/tencent/smtt/utils/n.java
http://wup.imtt.qq.com:8080	com/tencent/smtt/utils/n.java
http://log.tbs.qq.com/ajax?c=dl&k=	com/tencent/smtt/utils/n.java
http://cfg.imtt.qq.com/tbs?v=2&mk=	com/tencent/smtt/utils/n.java
http://log.tbs.qq.com/ajax?c=ul&v=2&k=	com/tencent/smtt/utils/n.java

http://mqqad.html5.qq.com/adjs	com.tencent/smtt/utls/n.java
http://log.tbs.qq.com/ajax?c=ucfu&k=	com.tencent/smtt/utls/n.java
http://soft.tbs.imtt.qq.com/17421/tbs_res_imtt_tbs_DebugPlugin_DebugPlugin.tbs	com.tencent/smtt/utls/d.java
http://pms.mb.qq.com/rsp204	com.tencent/smtt/sdk/i.java
http://debugtbs.qq.com	com.tencent/smtt/sdk/WebView.java
http://debugx5.qq.com	com.tencent/smtt/sdk/WebView.java
http://debugtbs.qq.com?10000\	com.tencent/smtt/sdk/WebView.java
http://mdc.html5.qq.com/mh?channel_id=50079&u=	com.tencent/smtt/sdk/a/c.java
http://mdc.html5.qq.com/d/directdown.jsp?channel_id=11047	com.tencent/smtt/sdk/b/a/a.java
http://mdc.html5.qq.com/d/directdown.jsp?channel_id=11041	com.tencent/smtt/sdk/b/a/a.java
https://graph.qq.com/oauth2.0/me	com.tencent/connect/UnionInfo.java
http://fusion.qq.com/cgi-bin/qzapps/unified_jump?appid=%1\$s&from=%2\$s&isOpenAppID=1	com.tencent/connect/share/QQShare.java
http://fusion.qq.com/cgi-bin/qzapps/unified_jump?appid=%1\$s&from=%2\$s&isOpenAppID=1	com.tencent/connect/share/QzoneShare.java
http://openmobile.qq.com/oauth2.0/m_jump_by_version?	com.tencent/connect/common/BaseApi.java
http://qzs.qq.com/open/mobile/login/qzsjump.html?	com.tencent/connect/common/BaseApi.java
https://openmobile.qq.com/oauth2.0/m_authorize?	com.tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/user/user_login_statis	com.tencent/connect/auth/AuthAgent.java

https://openmobile.qq.com/v3/user/get_info	com.tencent/connect/auth/AuthAgent.java
http://appsupport.qq.com/cgi-bin/qzapps/mapp_addapp.cgi	com.tencent/connect/auth/AuthAgent.java
http://qzs.qq.com/open/mobile/login/qzsjump.html?	com.tencent/connect/auth/a.java
http://qzs.qq.com/open/mobile/request/sdk_request.html?	com.tencent/open/SocialApilml.java
http://qzs.qq.com/open/mobile/invite/sdk_invite.html?	com.tencent/open/SocialApilml.java
http://qzs.qq.com/open/mobile/sendstory/sdk_sendstory_v1.3.html?	com.tencent/open/SocialApilml.java
http://qzs.qq.com	com.tencent/open/SocialApilml.java
http://cgi.connect.qq.com/qqconnectopen/openapi/policy_conf	com.tencent/open/utlis/f.java
https://huatuocode.huatuo.qq.com	com.tencent/open/b/d.java
https://open.weixin.qq.com/connect/sdk/qrconnect? appid=%s&noncestr=%s×tamp=%s&scope=%s&signature=%s	com.tencent/mm/opensdk/diffdev/a/b.java
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuid=%s	com.tencent/mm/opensdk/diffdev/a/c.java
http://playready.directtaps.net/pr/svc/rightsmanager.asmx	tv/danmaku/ijk/media/exo/demo/SmoothStreamingTestMediaDrmCallback.java
http://schemas.microsoft.com/DRM/2007/03/protocols/AcquireLicense	tv/danmaku/ijk/media/exo/demo/SmoothStreamingTestMediaDrmCallback.java
https://qqcandroid-3ff07.firebaseio.com	Mogua Engine V1
https://github.com/vinc3m1	Mogua Engine V1
https://github.com/vinc3m1/RoundedImageView	Mogua Engine V1
https://github.com/vinc3m1/RoundedImageView.git	Mogua Engine V1

https://errlog.umeng.com/api/crashsdk/logcollect	lib/armeabi/libcrashsdk.so
https://errlogos.umeng.com/api/crashsdk/logcollect	lib/armeabi/libcrashsdk.so
https://errlog.umeng.com	lib/armeabi/libcrashsdk.so
https://errlogos.umeng.com	lib/armeabi/libcrashsdk.so
https://errlog.umeng.com/api/crashsdk/logcollect	lib/x86/libcrashsdk.so
https://errlogos.umeng.com/api/crashsdk/logcollect	lib/x86/libcrashsdk.so
https://errlog.umeng.com	lib/x86/libcrashsdk.so
https://errlogos.umeng.com	lib/x86/libcrashsdk.so

 邮箱线索

邮箱地址	所在文件
xiao@2x.png da@2x.png 叁_文案@2x.png bj@2x.png	Mogua Engine V2
xiao@2x.png da@2x.png 陆_文案@2x.png bj@2x.png	Mogua Engine V2
xiao@2x.png da@2x.png 陆_文案@2x.png ...	Mogua Engine V2

bj@2x.png	
xiao@2x.png da@2x.png 四_文案@2x.png bj@2x.png	Mogua Engine V2
xiao@2x.png da@2x.png 五_文案@2x.png bj@2x.png	Mogua Engine V2
xiao@2x.png da@2x.png 贰_文案@2x.png bj@2x.png	Mogua Engine V2
xiao@2x.png da@2x.png 贰_文案@2x.png bj@2x.png	Mogua Engine V2
xiao@2x.png da@2x.png 壹_文案@2x.png bj@2x.png	Mogua Engine V2
xiao@2x.png da@2x.png 壹_文案@2x.png bj@2x.png	Mogua Engine V2
xiao@2x.png da@2x.png 五_文案@2x.png bj@2x.png	Mogua Engine V2
xiao@2x.png	

da@2x.png 参_文案@2x.png bj@2x.png	Mogua Engine V2
xiao@2x.png da@2x.png 四_文案@2x.png bj@2x.png	Mogua Engine V2
o@netstream.failed	lib/x86/librtmp-jni.so

☰ 手机线索

手机号	所在文件
17179869184	tv/danmaku/ijk/media/player/IjkMediaMeta.java

☀ 签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: False
找到 1 个唯一证书
主题: C=000000, ST=manila, L=makati, O=intech, OU=qqc, CN=one
签名算法: rsassa_pkcs1v15
有效期自: 2019-11-01 03:59:40+00:00
有效期至: 2044-10-25 03:59:40+00:00
发行人: C=000000, ST=manila, L=makati, O=intech, OU=qqc, CN=one
序列号: 0x57f5520f
哈希算法: sha256
md5值: 0059223eebf802cbf7ce1ff75fd2cc91
sha1值: 23cff980391156f2343f1ea42bdfa304e0ef0532

sha256值: f327488d89d8cfe8c204e58e774cbaa3d1af95c4d415f0a4bb7037d899f3633e
sha512值: f426b0b232769f714f20920e45104f03442df9e8d403b46b4e4e4be38078d4cbc97956bcf1f24b4ed78f4e827026967b72b3552f217f5cc58b00cfc9fd063023
公钥算法: rsa
密钥长度: 2048
指纹: 1a59531f707b4d93749680d00f9d3fc1298248ec9c85cc005313515c17e10e8b

硬编码敏感信息

可能的敏感信息
"delete_startup_password" : "删除启动密码"
"firebase_database_url" : "https://qqcandroid-3ff07.firebaseio.com"
"gesture_startup_password" : "手势启动密码"
"google_api_key" : "AlzaSyDRcnbmgb04DppsZNAfm0h5xHtEC-81I"
"google_crash_reporting_api_key" : "AlzaSyDRcnbmgb04DppsZNAfm0h5xHtEC-81I"
"library_roundedimageview_author" : "Vince Mi"
"library_roundedimageview_authorWebsite" : "https://github.com/vinc3m1"
"please_draw_original_startup_password" : "请绘制原启动密码"
"please_draw_startup_password" : "请绘制启动密码"
"startup_password" : "启动密码"
"string_author" : "文 / %1\$s"
"string_demand_author" : "出品 / %1\$s"

"string_not_vip_user": "您还不是会员，开通纵享权益"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.GET_PACKAGE_SIZE	正常	测量应用程序存储空间	允许应用程序找出任何包使用的空间
com.android.launcher.permission.READ_MISS_INFO	未知	Unknown permission	Unknown permission from android reference

android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
com.huawei.android.launcher.permission.CHANGE_BADGE	未知	Unknown permission	Unknown permission from android reference
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_FINE_LOCATION	危险	精细定位（GPS）	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_BACKGROUND_LOCATION	危险	后台访问位置	允许应用程序在后台访问位置
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令，恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
android.permission.QUERY_ALL_PACKAGES	正常		允许查询设备上的任何普通应用程序,无论清单声明如何
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态

android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.CHANGE_WIFI_MULTICAST_STATE	正常	允许Wi-Fi多播接收	允许应用程序接收不是直接发送到您设备的数据包。这在发现附近提供的服务时很有用。它比非多播模式使用更多的功率
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.RECEIVE_SMS	危险	接收短信	允许应用程序接收和处理 SMS 消息。恶意应用程序可能会监视您的消息或将其删除而不向您显示
android.permission.READ_SMS	危险	阅读短信或彩信	允许应用程序读取存储在您的手机或 SIM 卡上的 SMS 消息。恶意应用程序可能会读取您的机密信息
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度

活动(ACTIVITY)	通信(INTENT)
com.hihanhan.one.ui.page.feedback.FeedbackActivity	Schemes: one://, Hosts: com.hihanhan.one, Path Prefixes: /feedback,

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。