



MoGua

武汉铁路办公 3.7.2.21.APK 分析报告



APP名称:

武汉铁路办公

包名:	com.uusafe.portal
域名线索:	49条
URL线索:	45条
邮箱线索:	1条
分析日期:	2025年6月24日
分析平台:	摸瓜APK反编译平台

文件名: 1.apk
文件大小: 70.99MB
MD5值: 5ec6ff2c807f48d3cfb793fc282d4c79
SHA1值: 2f93efba476a71783d8458df58b2c63199936cdb
SHA256值: 596caf0fdf122ab63ef65a6739b211214a8554e5d2522b8275b71139ce56d9c2

i APP 信息

App名称: 武汉铁路办公
包名: com.uusafe.portal
主活动Activity: com.uusafe.baseapplication.ui.activity.SplashActivity
安卓版本名称: 3.7.2.21
安卓版本: 2063094280

🔍 域名线索

域名	服务器信息
resolver.msg.xiaomi.net	IP: 110.43.0.169 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
api.xmpush.xiaomi.com	IP: 101.126.23.136 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 119.249.53.155 所属国家: China 地区: Hebei

www.aliyun.com	城市: Baoding 纬度: 38.851109 经度: 115.490280
idmb.register.xmpush.global.xiaomi.com	IP: 20.219.205.9 所属国家: India 地区: Maharashtra 城市: Pune 纬度: 18.519663 经度: 73.854507
mos6.zhizhangyi.com	IP: 192.168.16.17 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
www.jivesoftware.com	IP: 23.235.209.143 所属国家: United States of America 地区: Virginia 城市: Virginia Beach 纬度: 36.837925 经度: -76.093918
store2.hispace.hicloud.com	IP: 18.155.68.8 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
cloudauth.cn-beijing.aliyuncs.com	IP: 39.97.154.134 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

10.168.255.193	IP: 10.168.255.193 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
baidu.com	IP: 182.61.244.181 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
schemas.android.com	没有服务器地理信息.
ru.register.xmpush.global.xiaomi.com	IP: 107.155.52.56 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752258 经度: 37.615471
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
ida.webank.com	IP: 193.112.232.253 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 111.206.101.253 所属国家: China

ccc.sys.miui.com	地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
metrics1.data.hicloud.com	IP: 111.202.16.252 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
store.hispace.hicloud.com	IP: 49.4.47.241 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
grs.dbankcloud.cn	IP: 49.4.45.231 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
metrics2.data.hicloud.com	IP: 80.158.38.48 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
xml.org	IP: 104.239.142.8 所属国家: United States of America 地区: Texas 城市: Windcrest 纬度: 29.499678 经度: -98.399246

register.xmpush.global.xiaomi.com	IP: 47.237.96.1 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
grs.dbankcloud.asia	IP: 49.4.40.185 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
grs.dbankcloud.com	IP: 60.28.193.195 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
metok.sys.miui.com	IP: 111.206.101.98 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
test-umap-crm.pa18.com	IP: 124.196.80.209 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545673 经度: 114.068108
cloudauth.aliyuncs.com	IP: 59.82.44.22 所属国家: China 地区: Shanghai 城市: Shanghai

	纬度: 31.224333 经度: 121.468948
fr.register.xmpush.global.xiaomi.com	IP: 98.64.182.160 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.378502 经度: 4.899980
metrics-dra.dt.hicloud.com	IP: 94.74.88.100 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
zhizhangyi.com	IP: 123.56.120.59 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cn.register.xmpush.xiaomi.com	IP: 123.125.102.39 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
xmipull.org	IP: 185.199.111.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
	IP: 159.138.202.31

data-drru.push.dbankcloud.com	所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
store3.hispace.hicloud.com	IP: 23.200.55.51 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
oss-cn-.aliyuncs.comor	没有服务器地理信息.
appgallery.cloud.huawei.com	IP: 49.4.35.16 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
cloudauth-dualstack.aliyuncs.com	IP: 106.11.172.8 所属国家: China 地区: Zhejiang

	城市: Hangzhou 纬度: 30.293650 经度: 120.161583
store1.hispace.hicloud.com	IP: 49.4.47.241 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
image.cnamedomain.com	没有服务器地理信息.
store-drru.hispace.hicloud.com	IP: 159.138.201.153 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
store-at-dre.hispace.dbankcloud.com	没有服务器地理信息.
grs.dbankcloud.eu	没有服务器地理信息.
miniprogram-kyc.tencentcloudapi.com	IP: 193.112.232.253 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cloudauth-dualstack.cn-beijing.aliyuncs.com	IP: 8.141.244.37 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
	IP: 61.241.21.71

umap-crm.pa18.com	所属国家: China 地区: Jiangsu 城市: Changzhou 纬度: 31.783331 经度: 119.966667
data-dra.push.dbankcloud.com	IP: 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
data-drcn.push.dbankcloud.com	IP: 121.36.117.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
render.alipay.com	IP: 27.221.78.203 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941

 URL线索

URL信息	Url所在文件
https://ip.	com/alibaba/sdk/android/oss/d.java
http://oss-cn-****.aliyuncs.com',or	com/alibaba/sdk/android/oss/d.java

http://image.cnamedomain.com/!	com/alibaba/sdk/android/oss/d.java
https://www.aliyun.com/cloudauth/cloudauth_sdk_flash\\\\\\\\\\	com/aliyun/identity/platform/SystemLoadingActivity.java
https://www.aliyun.com/cloudauth/cloudauth_sdk_flash\\\\\\\\\\	com/aliyun/identity/platform/IdentityLoadingActivity.java
https://render.alipay.com/p/f/fd-j8l9yjj/index.html	com/aliyun/identity/platform/config/NavigatePage.java
https://cloudauth.cn-beijing.aliyuncs.com	com/aliyun/identity/platform/api/IdentityPlatform.java
https://cloudauth-dualstack.cn-beijing.aliyuncs.com	com/aliyun/identity/platform/api/IdentityPlatform.java
https://cloudauth-dualstack.aliyuncs.com	com/aliyun/identity/platform/api/IdentityPlatform.java
https://cloudauth.aliyuncs.com	com/aliyun/identity/platform/api/IdentityPlatform.java
http://xml.org/sax/features/namespaces	com/huawei/secure/android/common/xml/DocumentBuilderFactorySecurity.java
http://xml.org/sax/features/validation	com/huawei/secure/android/common/xml/DocumentBuilderFactorySecurity.java
http://xml.org/sax/features/namespaces	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/namespace-prefixes	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/validation	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/external-general-entities	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/external-parameter-entities	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/string-interning	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xmlpull.org/v1/doc/features.html	com/huawei/secure/android/common/xml/XmlPullParserFactorySecurity.java
https://umap-crm.pa18.com/umap-crm-mobile/	com/paic/crm/sdk/sensitive/SDKConfig.java

https://test-umap-crm.pa18.com:56434/umap-crm-mobile/	com/paic/crm/sdk/sensitive/SDKConfig.java
https://umap-crm.pa18.com/umap-crm-mobile/	com/paic/crm/sdk/sensitive/SDKManager.java
https://test-umap-crm.pa18.com:56434/umap-crm-mobile/	com/paic/crm/sdk/sensitive/SDKManager.java
https://mos6.zhizhangyi.com/uusafe/mos/policy/rest/downloadConfig?code=mos1128	com/uusafe/commbase/permission/MosAppPermissions.java
https://grs.dbankcloud.com	com/uusafe/commbase/utils/CommUtils.java
https://grs.dbankcloud.cn	com/uusafe/commbase/utils/CommUtils.java
https://grs.dbankcloud.eu	com/uusafe/commbase/utils/CommUtils.java
https://grs.dbankcloud.asia	com/uusafe/commbase/utils/CommUtils.java
https://miniprogram-kyc.tencentcloudapi.com	com/uusafe/h5app/library/browser/fragment/ZlaWebFragment.java
https://ida.webank.com	com/uusafe/h5app/library/browser/fragment/ZlaWebFragment.java
https://miniprogram-kyc.tencentcloudapi.com	com/uusafe/h5app/library/utils/WBH5FaceVerifySDK.java
https://ida.webank.com	com/uusafe/h5app/library/utils/WBH5FaceVerifySDK.java
https://zhizhangyi.com/	com/uusafe/mcm/net/UURetrofit.java
https://10.168.255.193:9081	com/uusafe/sdp/bridge/UUSdpClient.java
http://schemas.android.com/apk/res/android	com/uusafe/ui/base/view/SlidingTabLayout.java
http://ccc.sys.miui.com	com/xiaomi/push/br.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gu.java

http://www.jivesoftware.com/xmlns/xmpp/properties\	com/xiaomi/push/hf.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/hm.java
https://metok.sys.miui.com	com/xiaomi/push/bl.java
http://%1\$s/gslb/?ver=4.0	com/xiaomi/push/ds.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/hn.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gk.java
http://resolver.msg.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bb.java
https://cn.register.xmpush.xiaomi.com	com/xiaomi/push/service/l.java
https://register.xmpush.global.xiaomi.com	com/xiaomi/push/service/l.java
https://fr.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/l.java
https://ru.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/l.java
https://idmb.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/l.java
https://api.xmpush.xiaomi.com/upload/xmsf_log?file=	com/xiaomi/mipush/sdk/w.java
https://api.xmpush.xiaomi.com/upload/app_log?file=	com/xiaomi/mipush/sdk/w.java
https://api.xmpush.xiaomi.com/upload/crash_log?file=	com/xiaomi/mipush/sdk/y.java
http://xmlpull.org/v1/doc/features.html	com/zhizhangyi/platform/common/preference/FileXmlUtils.java
http://schemas.android.com/apk/res-auto	com/zhizhangyi/platform/general/appresolver/ResolveParser.java
https://zhizhangyi.com/	com/zhizhangyi/platform/network/ZRetrofit.java

https://...:8080	com/zhizhangyi/platform/network/rangeupload/UMain.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Completable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Maybe.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Single.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Observable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Flowable.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	io/reactivex/exceptions/OnErrorNotImplementedException.java
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	io/reactivex/exceptions/UndeliverableException.java
https://appgallery.cloud.huawei.com	摸瓜V1引擎
https://store.hispace.hicloud.com/hwmarket/api/	摸瓜V1引擎
https://baidu.com'	摸瓜V1引擎
https://baidu.com	摸瓜V1引擎
https://metrics1.data.hicloud.com:6447	摸瓜V2引擎
https://metrics-dra.dt.hicloud.com:6447	摸瓜V2引擎
https://metrics2.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.data.hicloud.com:6447	摸瓜V2引擎
https://store-at-dre.hispace.dbankcloud.com/hwmarket/api/	摸瓜V2引擎

https://data-drcn.push.dbankcloud.com	摸瓜V2引擎
https://data-dra.push.dbankcloud.com	摸瓜V2引擎
https://data-dre.push.dbankcloud.com	摸瓜V2引擎
https://data-drru.push.dbankcloud.com	摸瓜V2引擎
https://store1.hispace.hicloud.com/hwmarket/api/	摸瓜V2引擎
https://store2.hispace.hicloud.com/hwmarket/api/	摸瓜V2引擎
https://store3.hispace.hicloud.com/hwmarket/api/	摸瓜V2引擎
https://store-drru.hispace.hicloud.com/hwmarket/api/	摸瓜V2引擎

 邮箱线索

邮箱地址	所在文件
1234@163.com	com/uusafe/filemanager/Utils/ShareUtil.java

 手机线索

手机号	所在文件
15861805745	com/uusafe/jsbridge/module/NativeModule.java

签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: False
找到 1 个唯一证书
主题: C=CN, ST=Beijing, L=Beijing, O=UUSafe, OU=UUSafe, CN=UUSafe
签名算法: rsassa_pkcs1v15
有效期自: 2015-11-19 09:13:46+00:00
有效期至: 2043-04-06 09:13:46+00:00
发行人: C=CN, ST=Beijing, L=Beijing, O=UUSafe, OU=UUSafe, CN=UUSafe
序列号: 0x19005fc3
哈希算法: sha256
md5值: 9e5a270cade8a597cff96661ff4a83af
sha1值: 461b561801981659a8f2fca474828ec39c094757
sha256值: 281ee22a2b743748e76856ae2595f63bdd60cae0a519ef3fcc7456f8cab97aa0
sha512值: 993fa5d3cfd647b14ac375723e3edea854f89f8d3f4350e9345abdb252dd91234fc88d078ea2ffb66e55bcb4ef9dbc44bf3795c3a866d3fd508e4192c9267bdf
公钥算法: rsa
密钥长度: 2048
指纹: 541c9a082814fdcc92f78205378ac46a6e84ad6cb002d96122991ea2c0d0a988

硬编码敏感信息

可能的敏感信息
"appLock_gesture_pwd" : "Please draw the original pattern."
"appLock_login_authentication" : "Verify the login id"
"appLock_pwd_err_info" : "Maximum trial times Verify the login password"
"appLock_pwd_reset" : "reset pattern success"
"appLock_reset_gesture_pwd" : "Reset unlock pattern"

"appLock_set_gesture_pwd" : "Set graphic pattern"
"appLock_verify_gesture_pwd" : "Graphic authentication"
"appLock_verify_pwd" : "Verify the login password"
"feature_sdlogin_login_modify_password" : "Force password change"
"feature_sdlogin_login_resetpwd_title" : "Reset Password"
"mbs_config_component_antianantivirus_appkey" : ""
"mbs_config_component_baidulocation_appkey" : ""
"mbs_config_component_baidumap_appkey" : ""
"mbs_config_component_gaodemap_appkey" : ""
"mbs_config_component_mipush_appkey" : ""
"mbs_config_component_modifyloginpwd_type" : "UTV8Y3g"
"mbs_config_component_modifyloginpwd_url" : ""
"mbs_config_component_mtdantivirus_publickey" : ""
"mbs_config_component_sandboxsec_secretkey" : ""
"mbs_config_component_sangforvpn_publicpassword" : ""
"mbs_config_component_securehttp_key" : "CmMpNiZuP3RbPCxklDo9Jlw8fDMnbm0pCGJ+MXA+Onl"
"mbs_config_component_sslclient_password" : ""

"mbs_config_forgetpwdtype" : "WzVtZXF5eWdZLmZycVJ6fU4senB9a3A"
"mbs_config_forgetpwdtype_thirdpartyurl" : ""
"mbs_config_project_bonree_apmtoken" : ""
"mbs_config_project_bonree_authkey" : ""
"mbs_config_project_bonree_resetpwdurl" : ""
"mbs_config_project_nmgdl_sm2key" : ""
"mbs_config_project_nmgdl_sm4key" : ""
"mbs_config_project_nmgdx_nmgdx_appSecret" : ""
"mbs_config_project_ruishu_appsecret" : ""
"mbs_config_project_ruishu_secretkey" : ""
"mbs_config_project_shdx_appkey" : ""
"mbs_config_project_shdx_authhost" : ""
"mbs_config_project_shdx_authport" : ""
"mbs_config_project_shiwaiedu_clientsecret" : ""
"mbs_config_project_xjdx_appkey" : ""
"mbs_config_project_xjdx_appsecret" : ""
"mbs_config_project_zjdxsdp_appkey" : ""
"mbs_config_project_zjdxsdp_appsecret" : ""

"uu_base_forget_pwd_retry" : "Try again after %dS"
"uu_base_license_secret_popup_segmentation" : ", "
"uu_base_license_secret_title" : "Privacy Policy"
"uu_dialog_auth" : "去授权"
"uu_emm_logout_auth" : "Auth"
"uu_login_login_by_username" : "Login by username"
"uu_login_reset_password" : "Password has expired, please reset it"
"uu_mbs_account_auth_title" : "Account Auth"
"uu_mbs_account_p_auth" : "AccountAuth"
"uu_mbs_dynamic_p_auth" : "DynamicAuth"
"uu_mbs_factory_certificate" : "内部证书"
"uu_mbs_select_login_user" : "Choose login account"
"uu_mos_app_detail_detail_author" : "Manager"
"uu_mos_app_detail_developer_author" : "Developer"
"uu_mos_appsetting_userinfo_item_username" : "User name"
"uu_mos_forget_p_auth" : "Identity authentication"
"uu_mos_user_name" : "User name"

"uu_mos_username" : "User name"
"uu_sdp_choose_user" : "User selection"
"uu_sdp_different_pwd" : "Pwd not the same"
"uu_sdp_modify_pwd_server_code_other" : "Failed to modify password"
"uu_sdp_modify_pwd_success" : "Successfully change password"
"uu_sdp_pwd_strength_tip" : "8-20 alphabets, digits, and special characters"
"uu_sdp_username" : "Username"
"appLock_gesture_pwd" : "请绘制原解锁图案"
"appLock_login_authentication" : "安全身份验证"
"appLock_pwd_err_info" : "尝试次数已达上限 请验证登录密码"
"appLock_pwd_reset" : "图形密码已重置"
"appLock_reset_gesture_pwd" : "重置解锁图案"
"appLock_set_gesture_pwd" : "设置图形密码"
"appLock_verify_gesture_pwd" : "验证解锁图案"
"appLock_verify_pwd" : "验证登录密码"
"feature_sdplogin_login_modify_password" : "强制修改密码"
"feature_sdplogin_login_resetpwd_title" : "修改密码"
"uu_base_forget_pwd_retry" : "%dS后重新获取"

"uu_base_license_secret_popup_segmentation": ", "
"uu_base_license_secret_title": "隐私政策"
"uu_dialog_auth": "去授权"
"uu_emm_logout_auth": "认证"
"uu_login_login_by_username": "用户名登录"
"uu_login_reset_password": "密码已经超期，请重置密码"
"uu_mbs_account_auth_title": "账号认证"
"uu_mbs_account_p_auth": "账号密码认证"
"uu_mbs_dynamic_p_auth": "动态密码认证"
"uu_mbs_factory_certificate": "内部证书"
"uu_mbs_select_login_user": "选择登录账号"
"uu_mos_app_detail_detail_author": "管理者"
"uu_mos_app_detail_developer_author": "开发者"
"uu_mos_appsetting_userinfo_item_username": "用户名"
"uu_mos_forget_p_auth": "身份认证"
"uu_mos_user_name": "用户名"
"uu_mos_username": "用户名"

"uu_sdp_choose_user" : "选择用户"
"uu_sdp_different_pwd" : "输入的密码不一致"
"uu_sdp_modify_pwd_server_code_other" : "修改密码失败"
"uu_sdp_modify_pwd_success" : "修改密码成功"
"uu_sdp_pwd_strength_tip" : "密码包含字母、数字、特殊字符，8-20个字符"
"uu_sdp_username" : "用户名"
"appLock_gesture_pwd" : "Please draw the original pattern."
"appLock_login_authentication" : "Verify the login id"
"appLock_pwd_err_info" : "Maximum trial times Verify the login password"
"appLock_pwd_reset" : "reset pattern success"
"appLock_reset_gesture_pwd" : "Reset unlock pattern"
"appLock_set_gesture_pwd" : "Set graphic pattern"
"appLock_verify_gesture_pwd" : "Graphic authentication"
"appLock_verify_pwd" : "Verify the login password"
"feature_sdlogin_login_modify_password" : "Force password change"
"feature_sdlogin_login_resetpwd_title" : "Reset Password"
"uu_base_forget_pwd_retry" : "Try again after %dS"

"uu_base_license_secret_popup_segmentation" : " , "
"uu_base_license_secret_title" : "Privacy Policy"
"uu_dialog_auth" : "去授权"
"uu_emm_logout_auth" : "Auth"
"uu_login_login_by_username" : "Login by username"
"uu_login_reset_password" : "Password has expired, please reset it"
"uu_mbs_account_auth_title" : "Account Auth"
"uu_mbs_account_p_auth" : "AccountAuth"
"uu_mbs_dynamic_p_auth" : "DynamicAuth"
"uu_mbs_factory_certificate" : "Certificate"
"uu_mbs_select_login_user" : "Choose login account"
"uu_mos_app_detail_detail_author" : "Manager"
"uu_mos_app_detail_developer_author" : "Developer"
"uu_mos_appsetting_userinfo_item_username" : "User name"
"uu_mos_forget_p_auth" : "Identity authentication"
"uu_mos_user_name" : "User name"
"uu_mos_username" : "User name"
"uu_sdp_choose_user" : "User selection"

"uu_sdp_different_pwd" : "Pwd not the same"
"uu_sdp_modify_pwd_server_code_other" : "Failed to modify password"
"uu_sdp_modify_pwd_success" : "Successfully change password"
"uu_sdp_pwd_strength_tip" : "8-20 alphabets, digits, and special characters"
"uu_sdp_username" : "Username"
"appLock_gesture_pwd" : "請繪製原解鎖圖案"
"appLock_login_authentication" : "安全身份驗證"
"appLock_pwd_err_info" : "嘗試次數已達上限 請驗證登錄密碼"
"appLock_pwd_reset" : "圖形密碼已重置"
"appLock_reset_gesture_pwd" : "重置解鎖圖案"
"appLock_set_gesture_pwd" : "設置圖形密碼"
"appLock_verify_gesture_pwd" : "驗證解鎖圖案"
"appLock_verify_pwd" : "驗證登錄密碼"
"feature_sdplogin_login_modify_password" : "強制修改密碼"
"feature_sdplogin_login_resetpwd_title" : "修改密碼"
"uu_base_forget_pwd_retry" : "%dS後重新獲取"
"uu_base_license_secret_popup_segmentation" : ", "

"uu_base_license_secret_title" : "隱私政策"
"uu_dialog_auth" : "去授权"
"uu_emm_logout_auth" : "認證"
"uu_login_login_by_username" : "用戶名登錄"
"uu_login_reset_password" : "密碼已經超期，請重置密碼"
"uu_mbs_account_auth_title" : "賬號認證"
"uu_mbs_account_p_auth" : "賬號密碼認證"
"uu_mbs_dynamic_p_auth" : "動態密碼認證"
"uu_mbs_factory_certificate" : "内部证书"
"uu_mbs_select_login_user" : "選擇登錄賬號"
"uu_mos_app_detail_detail_author" : "管理者"
"uu_mos_app_detail_developer_author" : "開發者"
"uu_mos_appsetting_userinfo_item_username" : "用戶名"
"uu_mos_forget_p_auth" : "身份認證"
"uu_mos_user_name" : "用戶名"
"uu_mos_username" : "用戶名"
"uu_sdp_choose_user" : "選擇用戶"
"uu_sdp_different_pwd" : "輸入的密碼不一致"

"uu_sdp_modify_pwd_server_code_other" : "修改密碼失敗"
"uu_sdp_modify_pwd_success" : "修改密碼成功"
"uu_sdp_pwd_strength_tip" : "密碼包含字母、數字、特殊字符，8-20個字符"
"uu_sdp_username" : "用戶名"
"appLock_gesture_pwd" : "オリジナルのロック解除パターンを描いてください"
"appLock_login_authentication" : "安全な本人確認"
"appLock_pwd_err_info" : "試行回数が上限に達しました ログインパスワードを確認してください。"
"appLock_pwd_reset" : "グラフィックパスワードがリセットされました"
"appLock_reset_gesture_pwd" : "ロック解除パターンのリセット"
"appLock_set_gesture_pwd" : "パスワードの設定"
"appLock_verify_gesture_pwd" : "アンロック検証"
"appLock_verify_pwd" : "ログインパスワードの確認"
"uu_dialog_auth" : "去授权"
"appLock_gesture_pwd" : "Veuillez dessiner le motif de déverrouillage original"
"appLock_login_authentication" : "Vérification sécurisée de l'identité"
"appLock_pwd_err_info" : "Le nombre maximum de tentatives a été atteint ! Veuillez vérifier votre mot de passe de connexion."
"appLock_pwd_reset" : "Le mot de passe graphique a été réinitialisé"

"appLock_reset_gesture_pwd" : "Réinitialiser le motif de déverrouillage"
"appLock_set_gesture_pwd" : "Définir le mot de passe"
"appLock_verify_gesture_pwd" : "Vérification du déverrouillage"
"appLock_verify_pwd" : "Vérifier le mot de passe de connexion"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况

android.permission.REORDER_TASKS	正常	重新排序正在运行的应用程序	允许应用程序将任务移动到前台和后台。恶意应用程序可以在不受您控制的情况下将自己强加于前
com.uusafe.portal.permission.PERMISSION_AUTH_SEND	未知	Unknown permission	Unknown permission from android reference
com.uusafe.portal.permission.PERMISSION_AUTH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
com.uusafe.portal.permission.MOS_PERMISSION	未知	Unknown permission	Unknown permission from android reference
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.REQUEST_DELETE_PACKAGES	正常		允许应用程序请求删除包
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息

com.android.alarm.permission.SET_ALARM	未知	Unknown permission	Unknown permission from android reference
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
com.uusafe.safe.filemanager.permission.SHOW_DOWNLOAD_FILE	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.USE_FINGERPRINT	正常	allow use of 指纹	该常量在 API 级别 28 中已被弃用。应用程序应改为请求 USE_BIOMETRIC
com.uusafe.portal.uusafe.sandbox.permission	未知	Unknown permission	Unknown permission from android reference
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。

android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.heytap.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.uusafe.portal.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.uusafe.portal.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
com.uusafe.portal.launcher.permission.INSTALL_SHORTCUT	未知	Unknown permission	Unknown permission from android reference
com.bbk.launcher2.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.bbk.launcher2.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.DISABLE_KEYGUARD	正常		如果键盘不安全,允许应用程序禁用它。
android.permission.KILL_BACKGROUND_PROCESSES	正常	杀死后台进程	允许应用程序杀死其他应用程序的后台进程,即使内存不低
android.permission.RESTART_PACKAGES	正常	杀死后台进程	允许应用程序杀死其他应用程序的后台进程,即使内存不低
android.permission.READ_PRIVILEGED_PHONE_STATE	未	Unknown	Unknown permission from android reference

	知	permission	
android.permission.SET_WALLPAPER	正常	设置壁纸	允许应用程序设置系统壁纸
android.permission.SCHEDULE_EXACT_ALARM	正常		允许应用程序使用精确的警报调度 API 来执行对时间敏感的后台工作
com.uusafe.portal.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
com.huawei.appmarket.service.commondata.permission.GET_COMMON_DATA	未知	Unknown permission	Unknown permission from android reference

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.uusafe.baseapplication.ui.activity.SplashActivity	Schemes: uumbs://, Hosts: worktable, Paths: /openapp,
com.uusafe.portal.push.activity.DeepLinkActivity	Schemes: pushscheme://, Hosts: com.uusafe.mbs, Paths: /push,