



# MoGua

## 西游乐消消 1.0.4.APK 分析报告



APP名称:

西游乐消消

包名: com.jinke.xiyoulexiaoxiao

域名线索: 24条

URL线索: 43条

邮箱线索: 0条

分析日期: 2025年7月18日

分析平台: [摸瓜APK反编译平台](#)

文件名: 西游乐消消tap端.apk

文件大小: 13.76MB

MD5值: 62ab3544f26b4da4f0c06d64523a38a8

SHA1值: e47ed8c6e23d60c40ca7fd4302ef65dce2990f85

SHA256值: acbff7e5420245d9d15a7c77b8322a31a4ab109c09da227c3776e19fce989714

## i APP 信息

App名称: 西游乐消消

包名: com.jinke.xiyoulaxiaoxiao

主活动Activity: com.jinke.demand.FirstActivity

安卓版本名称: 1.0.4

安卓版本: 12

## 🔍 域名线索

域名	服务器信息
s.s.s	没有服务器地理信息.
api-t.kylinmobi.net	IP: 124.238.241.35 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
tds-public-config-sh.oss-cn-shanghai.aliyuncs.com	IP: 106.14.228.107 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423

www.w3.org	IP: 104.18.23.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
upload.qiniu.com	IP: 115.231.27.135 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
tds.taptap-api.com	没有服务器地理信息.
www.taptap.com	IP: 39.107.195.45 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
www.xdrnd.com	IP: 47.100.242.246 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
www.mycard520.com.tw	IP: 220.130.127.97 所属国家: Taiwan (Province of China) 地区: Taipei 城市: Taipei 纬度: 25.047760 经度: 121.531853
	IP: 159.100.250.151 所属国家: Switzerland

www.slf4j.org	地区: Vaud 城市: Lausanne 纬度: 46.515999 经度: 6.632820
openapi.taptap.com	IP: 39.107.195.214 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
l.taptap.io	IP: 104.18.30.71 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
talkingtomgame.jinkejoy.com	IP: 52.83.192.246 所属国家: China 地区: Ningxia 城市: Zhongwei 纬度: 37.509998 经度: 105.180000
l.taptap.com	IP: 39.107.197.32 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
game-permission.jinkejoy.com	IP: 222.141.4.35 所属国家: China 地区: Henan 城市: Luoyang 纬度: 34.683609 经度: 112.453613

test.mycard520.com.tw	IP: 40.83.124.36 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
api.kylinmobi.net	IP: 124.238.241.35 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
github.com	IP: 20.205.243.166 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
www.tap.io	IP: 104.18.29.116 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
ttf-cdn.jinkejoy.com	IP: 111.225.213.35 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
tds-tapsdk.cn.tapapis.com	IP: 203.107.32.241 所属国家: China 地区: Zhejiang 城市: Hangzhou

	纬度: 30.293650 经度: 120.161423
open.api.xdrnd.com	IP: 47.101.131.115 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
app-router.com	IP: 106.75.81.168 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
openapi.tap.io	IP: 104.18.29.116 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203

## URL线索

URL信息	Url所在文件
<a href="https://github.com/TooTallNate/Java-WebSocket/wiki/Lost-connection-detection">https://github.com/TooTallNate/Java-WebSocket/wiki/Lost-connection-detection</a>	org/java_websocket/AbstractWebSocket.java
<a href="http://www.slf4j.org/codes.html">http://www.slf4j.org/codes.html</a>	org/slf4j/LoggerFactory.java
<a href="http://www.slf4j.org/codes.html">http://www.slf4j.org/codes.html</a>	org/slf4j/MDC.java
<a href="https://github.com/ReactiveX/RxJava/wiki/Plugins">https://github.com/ReactiveX/RxJava/wiki/Plugins</a>	io/reactivex/Observable.java

<a href="https://github.com/ReactiveX/RxJava/wiki/Plugins">https://github.com/ReactiveX/RxJava/wiki/Plugins</a>	io/reactivex/Single.java
<a href="https://github.com/ReactiveX/RxJava/wiki/Plugins">https://github.com/ReactiveX/RxJava/wiki/Plugins</a>	io/reactivex/Completable.java
<a href="https://github.com/ReactiveX/RxJava/wiki/Plugins">https://github.com/ReactiveX/RxJava/wiki/Plugins</a>	io/reactivex/Maybe.java
<a href="https://github.com/ReactiveX/RxJava/wiki/Plugins">https://github.com/ReactiveX/RxJava/wiki/Plugins</a>	io/reactivex/Flowable.java
<a href="https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0">https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0</a>	io/reactivex/exceptions/UndeliverableException.java
<a href="https://github.com/ReactiveX/RxJava/wiki/Error-Handling">https://github.com/ReactiveX/RxJava/wiki/Error-Handling</a>	io/reactivex/exceptions/OnErrorNotImplementedException.java
<a href="http://www.w3.org/XML/1998/namespace">http://www.w3.org/XML/1998/namespace</a>	defpackage/H.java
<a href="http://www.w3.org/2000/xmlns/">http://www.w3.org/2000/xmlns/</a>	defpackage/H.java
<a href="https://app-router.com">https://app-router.com</a>	cn/leancloud/core/AppRouter.java
<a href="http://upload.qiniu.com">http://upload.qiniu.com</a>	cn/leancloud/upload/QiniuAccessor.java
<a href="https://api-t.kylinmobi.net">https://api-t.kylinmobi.net</a>	com/jinkejoy/main/Constant.java
<a href="https://api-t.kylinmobi.net/v1/commonServer/getConfigData">https://api-t.kylinmobi.net/v1/commonServer/getConfigData</a>	com/jinkejoy/main/Constant.java
<a href="https://api.kylinmobi.net">https://api.kylinmobi.net</a>	com/jinkejoy/lib_billing/BuildConfig.java
<a href="https://api.kylinmobi.net">https://api.kylinmobi.net</a>	com/jinkejoy/lib_billing/common/util/Constant.java
<a href="https://api.kylinmobi.net/v2/create_order">https://api.kylinmobi.net/v2/create_order</a>	com/jinkejoy/lib_billing/common/util/Constant.java
<a href="https://api.kylinmobi.net/v1/commonServer/getlapConfigData">https://api.kylinmobi.net/v1/commonServer/getlapConfigData</a>	com/jinkejoy/lib_billing/common/util/Constant.java
<a href="https://api.kylinmobi.net/v1/commonServer/pay/getsign">https://api.kylinmobi.net/v1/commonServer/pay/getsign</a>	com/jinkejoy/lib_billing/common/util/Constant.java

https://api.kylinmobi.net/v2/platform_login	com/jinkejoy/lib_billing/common/util/Constant.java
https://api.kylinmobi.net/v1/commonServer/SDK/virtualPay	com/jinkejoy/lib_billing/common/util/Constant.java
https://api.kylinmobi.net/v2/select_pay	com/jinkejoy/lib_billing/common/util/Constant.java
https://api.kylinmobi.net/v2/order/update_status	com/jinkejoy/lib_billing/common/util/Constant.java
https://api.kylinmobi.net/v1/commonServer/huaWeiOnline/verifyOrder/	com/jinkejoy/lib_billing/common/util/Constant.java
https://api.kylinmobi.net/v1/commonServer/huaWeiSingle/verifyOrder/	com/jinkejoy/lib_billing/common/util/Constant.java
https://api.kylinmobi.net/v1/commonServer/lenovoOnline/verifyOrder/	com/jinkejoy/lib_billing/common/util/Constant.java
https://api.kylinmobi.net/v1/commonServer/360Online/verifyOrder/	com/jinkejoy/lib_billing/common/util/Constant.java
https://api.kylinmobi.net/v1/commonServer/360Single/verifyOrder/	com/jinkejoy/lib_billing/common/util/Constant.java
https://api.kylinmobi.net/v2/commonServer/pay/IntegratedPayment/my_card_pay	com/jinkejoy/lib_billing/common/util/Constant.java
https://www.mycard520.com.tw/MyCardPay	com/jinkejoy/lib_billing/common/util/Constant.java
https://test.mycard520.com.tw/MyCardPay	com/jinkejoy/lib_billing/common/util/Constant.java
https://api.kylinmobi.net/v1/commonServer/oppoSingle/verifyOrder/	com/jinkejoy/lib_billing/common/util/Constant.java
https://api.kylinmobi.net/v2/commonServer/pay/IntegratedPayment/payermax	com/jinkejoy/lib_billing/common/util/Constant.java
https://api.kylinmobi.net/v2/commonServer/app-config/get-pay-mode-config	com/jinkejoy/lib_billing/common/util/Constant.java
https://api.kylinmobi.net/v1/commonServer/JinKe/verifyOrder/	com/jinkejoy/lib_billing/common/util/Constant.java
https://api.kylinmobi.net/v1/commonServer/samsungOnline/verifyOrder/	com/jinkejoy/lib_billing/common/util/Constant.java
https://api.kylinmobi.net/v1/commonServer	com/jinkejoy/lib_billing/common/util/Constant.java

<a href="https://api.kylinmobi.net/v2/commonServer/pay/IntegratedPayment/travel">https://api.kylinmobi.net/v2/commonServer/pay/IntegratedPayment/travel</a>	com/jinkejoy/lib_billing/common/util/Constant.java
<a href="https://api.kylinmobi.net/v1/commonServer/ucOnline/verifyOrder/">https://api.kylinmobi.net/v1/commonServer/ucOnline/verifyOrder/</a>	com/jinkejoy/lib_billing/common/util/Constant.java
<a href="https://api.kylinmobi.net/v1/commonServer/ucSingle/verifyOrder/">https://api.kylinmobi.net/v1/commonServer/ucSingle/verifyOrder/</a>	com/jinkejoy/lib_billing/common/util/Constant.java
<a href="https://api.kylinmobi.net/v2/order/query">https://api.kylinmobi.net/v2/order/query</a>	com/jinkejoy/lib_billing/common/util/Constant.java
<a href="https://api.kylinmobi.net/v1/commonServer/vivoSingle/verifyOrder/">https://api.kylinmobi.net/v1/commonServer/vivoSingle/verifyOrder/</a>	com/jinkejoy/lib_billing/common/util/Constant.java
<a href="https://api.kylinmobi.net/v1/commonServer/WifiOnline/verifyOrder/">https://api.kylinmobi.net/v1/commonServer/WifiOnline/verifyOrder/</a>	com/jinkejoy/lib_billing/common/util/Constant.java
<a href="https://api.kylinmobi.net/v1/commonServer/GameFanOnline/verifyOrder/">https://api.kylinmobi.net/v1/commonServer/GameFanOnline/verifyOrder/</a>	com/jinkejoy/lib_billing/common/util/Constant.java
<a href="https://openapi.taptap.com/">https://openapi.taptap.com/</a>	com/taptap/sdk/RegionType.java
<a href="https://www.taptap.com/">https://www.taptap.com/</a>	com/taptap/sdk/RegionType.java
<a href="https://openapi.tap.io/">https://openapi.tap.io/</a>	com/taptap/sdk/RegionType.java
<a href="https://www.tap.io/">https://www.tap.io/</a>	com/taptap/sdk/RegionType.java
<a href="https://www.xdrnd.com/">https://www.xdrnd.com/</a>	com/taptap/sdk/ui/l.java
<a href="https://api.kylinmobi.net/">https://api.kylinmobi.net/</a>	com/jkjoy/utils/a.java
<a href="https://api.kylinmobi.net/hot-update">https://api.kylinmobi.net/hot-update</a>	com/jkjoy/utils/a.java
<a href="https://api.kylinmobi.net/v2/events/">https://api.kylinmobi.net/v2/events/</a>	com/jkjoy/a/a.java
<a href="https://l.taptap.com/5d1NGyET">https://l.taptap.com/5d1NGyET</a>	com/tds/common/utils/TapGameUtil.java
<a href="https://l.taptap.io/GNYwFaZr">https://l.taptap.io/GNYwFaZr</a>	com/tds/common/utils/TapGameUtil.java

<a href="https://l.taptap.com/5d1NGyET?subc1=%s">https://l.taptap.com/5d1NGyET?subc1=%s</a>	com/tds/common/utils/TapGameUtil.java
<a href="https://l.taptap.io/GNYwFaZr?subc1=%s">https://l.taptap.io/GNYwFaZr?subc1=%s</a>	com/tds/common/utils/TapGameUtil.java
<a href="https://openapi.taptap.com/">https://openapi.taptap.com/</a>	com/tds/common/oauth/RegionType.java
<a href="https://www.taptap.com/">https://www.taptap.com/</a>	com/tds/common/oauth/RegionType.java
<a href="https://openapi.tap.io/">https://openapi.tap.io/</a>	com/tds/common/oauth/RegionType.java
<a href="https://www.tap.io/">https://www.tap.io/</a>	com/tds/common/oauth/RegionType.java
<a href="https://www.xdrnd.com/">https://www.xdrnd.com/</a>	com/tds/common/oauth/views/AuthorizeWebContainer.java
<a href="https://github.com/TooTallNate/Java-WebSocket/wiki/Lost-connection-detection">https://github.com/TooTallNate/Java-WebSocket/wiki/Lost-connection-detection</a>	com/tds/common/websocket/conn/AbstractWebSocket.java
<a href="https://tds.taptap-api.com/tool/check_ip_region">https://tds.taptap-api.com/tool/check_ip_region</a>	com/tds/common/region/TdsRegionHelper.java
<a href="https://api.kylinmobi.net">https://api.kylinmobi.net</a>	com/jinke/privacy/agreement/BuildConfig.java
<a href="https://api.kylinmobi.net">https://api.kylinmobi.net</a>	com/jinke/demand/FirstActivity.java
<a href="http://ttf-cdn.jinkejoy.com/eula_pg.html">http://ttf-cdn.jinkejoy.com/eula_pg.html</a>	com/jinke/demand/agreement/JkPrivacyAgreementSDK.java
<a href="http://ttf-cdn.jinkejoy.com/privacy_pg.html">http://ttf-cdn.jinkejoy.com/privacy_pg.html</a>	com/jinke/demand/agreement/JkPrivacyAgreementSDK.java
<a href="http://ttf-cdn.jinkejoy.com/childrenprivacy_pg.html">http://ttf-cdn.jinkejoy.com/childrenprivacy_pg.html</a>	com/jinke/demand/agreement/JkPrivacyAgreementSDK.java
<a href="http://ttf-cdn.jinkejoy.com/">http://ttf-cdn.jinkejoy.com/</a>	com/jinke/demand/agreement/PrivacyAgreementImp.java
<a href="https://api.kylinmobi.net/v2/commonServer/app-config/get-agreement-config/">https://api.kylinmobi.net/v2/commonServer/app-config/get-agreement-config/</a>	com/jinke/demand/agreement/PrivacyAgreementImp.java
<a href="http://ttf-cdn.jinkejoy.com/personal_information_pg.html">http://ttf-cdn.jinkejoy.com/personal_information_pg.html</a>	com/jinke/demand/agreement/util/Constant.java
<a href="http://ttf-cdn.jinkejoy.com/childrenPrivacy.html">http://ttf-cdn.jinkejoy.com/childrenPrivacy.html</a>	com/jinke/demand/agreement/util/Constant.java

http://ttf-cdn.jinkejoy.com/eula.html	com/jinke/demand/agreement/util/Constant.java
https://game-permission.jinkejoy.com/agreement_auth	com/jinke/demand/agreement/util/Constant.java
http://ttf-cdn.jinkejoy.com/privacy.html	com/jinke/demand/agreement/util/Constant.java
http://ttf-cdn.jinkejoy.com/information_shared_with_3rd_parties_pg.html	com/jinke/demand/agreement/util/Constant.java
http://ttf-cdn.jinkejoy.com/	com/jinke/demand/agreement/util/Constant.java
https://api.kylinmobi.net/v2/commonServer/app-config/get-apply-permission-content-config/	com/jinke/demand/agreement/util/GetPermissionApplyConfigUtil.java
http://ttf-cdn.jinkejoy.com/eula_pg.html	com/jinke/demand/agreement/view/PrivacyAgreementViewV2.java
http://ttf-cdn.jinkejoy.com/childrenprivacy_pg.html	com/jinke/demand/agreement/view/PrivacyAgreementViewV2.java
http://ttf-cdn.jinkejoy.com/privacy_pg.html	com/jinke/demand/agreement/view/PrivacyAgreementViewV2.java
https://ttf-cdn.jinkejoy.com/privacy_4.html	com/jinke/demand/agreement/view/PrivacyAgreementView.java
https://tds-tapsdk.cn.tapapis.com	com/tapsdk/antiaddiction/BuildConfig.java
https://tds-tapsdk.cn.tapapis.com	com/tapsdk/antiaddiction/AntiAddictionImpl.java
https://tds-public-config-sh.oss-cn-shanghai.aliyuncs.com/antiaddiction-settings.json	com/tapsdk/antiaddiction/AntiAddictionImpl.java
https://tds-tapsdk.cn.tapapis.com	com/tapsdk/antiaddiction/constants/Constants.java
https://openapi.taptap.com	com/tapsdk/antiaddictionui/constant/Constants.java
https://open.api.xdrnd.com	com/tapsdk/antiaddictionui/constant/Constants.java
https://ttf-cdn.jinkejoy.com/childrenPrivacy.html	com/outfit7/talkingfriends/jinke/n.java

https://tff-cdn.jinkejoy.com/privacy.html	com/outfit7/talkingfriends/jinke/m.java
https://tff-cdn.jinkejoy.com/eula.html	com/outfit7/talkingfriends/jinke/l.java
https://talkingtomgame.jinkejoy.com/	com/outfit7/talkingfriends/jinke/real/RealNameActivity.java

## 邮箱线索

## 手机线索

## 签名证书

APK已签名

v1 签名: True

v2 签名: True

v3 签名: False

找到 1 个唯一证书

主题: C=86, ST=guangdong, L=guangzhou, O=jinkewenhua, OU=jinkewenhua, CN=jinke

签名算法: rsassa\_pkcs1v15

有效期自: 2019-04-12 07:23:25+00:00

有效期至: 2044-04-05 07:23:25+00:00

发行人: C=86, ST=guangdong, L=guangzhou, O=jinkewenhua, OU=jinkewenhua, CN=jinke

序列号: 0xfaeddb7

哈希算法: sha256

md5值: 2add741e82d8b2663f911847b3c877b3

sha1值: 29432c9c0efb3819ba6b3778fc1567597760d608

sha256值: 9931afd2f7eaa23d4686f7b1b92f02898933dab8558f8ae01529ae752746ca5f

sha512值: 636f7573ed35b491908d3cdd7b3d2a4d5bc178667c867383dadf34b5a3c75d28767e2e89ff76a52d0a8f3e15fbc41e5dfc452efa0cdc627d3c7e685400228798

公钥算法: rsa

密钥长度: 2048

指纹: 9d030d465200f30db2f105560386373646a4b2720b7d6df080f06e6a822635d8

## 硬编码敏感信息

## 可能的敏感信息

"antiaddictionui\_dialog\_tap\_authorization\_title": "TapTap 快速认证服务"

## 加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

## 第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

## 此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储

android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
com.android.launcher.permission.INSTALL_SHORTCUT	未知	Unknown permission	Unknown permission from android reference
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference

## 应用内通信

报告由 [摸瓜APK反编译平台](#) 自动生成, 并非包含所有检测结果, 有疑问请联系管理员。