



隆基CRM 1.3.5.2022122801.APK 分析报告



APP名称:

隆基CRM

包名:	cn.com.longi.sfa
域名线索:	34条
URL线索:	117条
邮箱线索:	1条
分析日期:	2025年7月22日
分析平台:	摸瓜APK反编译平台

文件名: 110_4b53394ad1cffad64ea17357167fb7de.apk
文件大小: 8.75MB
MD5值: 66ca6b68b68be8d4c9990f59e6de203b
SHA1值: 0c63017ac70c3e59d6b43655a822bb3418ea37b7
SHA256值: 15dfa44df5c78b80a458b992bee9b17004123cfbcc113ed4670d6e5d887f37f4

i APP 信息

App名称: 隆基CRM
包名: cn.com.longi.sfa
主活动Activity: cn.com.rektec.xrm.app.WelcomeActivity
安卓版本名称: 1.3.5.2022122801
安卓版本: 29

🔍 域名线索

域名	服务器信息
astat.bugly.cros.wr.pvp.net	IP: 170.106.118.26 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
h.trace.qq.com	IP: 109.244.244.241 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
itsdata.map.baidu.com	IP: 111.206.209.180 所属国家: China 地区: Beijing

	城市: Beijing 纬度: 39.907501 经度: 116.397102
xmlpull.org	IP: 185.199.108.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
debugx5.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
debugtbs.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
soft.tbs.imtt.qq.com	IP: 121.51.175.60 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545673 经度: 114.068108
log.tbs.qq.com	IP: 109.244.244.32 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

mqqad.html5.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
crmmobile.longi.com	IP: 124.114.178.18 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
jivesoftware.org	IP: 216.146.46.11 所属国家: United States of America 地区: New Hampshire 城市: Manchester 纬度: 42.991245 经度: -71.466560
www.w3.org	IP: 104.18.22.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
etherx.jabber.org	IP: 208.68.163.210 所属国家: United States of America 地区: Iowa 城市: Monticello 纬度: 42.238514 经度: -91.189705
www.slf4j.org	IP: 159.100.250.151 所属国家: Switzerland 地区: Zurich 城市: Zurich 纬度: 47.366825

	经度: 8.549790
mdc.html5.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
bcr2.intsig.net	IP: 106.75.218.19 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
android.bugly.qq.com	IP: 109.244.244.137 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.jivesoftware.com	IP: 23.235.209.143 所属国家: United States of America 地区: Virginia 城市: Virginia Beach 纬度: 36.837925 经度: -76.093918
crm.rektec.com.cn	没有服务器地理信息.
cfg.imtt.qq.com	IP: 175.27.12.246 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

ofloc.map.baidu.com	IP: 111.206.209.193 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.igniterealtime.org	IP: 52.58.216.59 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.110882 经度: 8.681996
jabber.org	IP: 208.68.163.216 所属国家: United States of America 地区: Iowa 城市: Monticello 纬度: 42.238514 经度: -91.189705
xml.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
upload-z2.qiniup.com	IP: 220.181.135.136 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
ce3e75d5.jp.push.cn	IP: 120.233.50.35 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545673

	经度: 114.068108
sdkapi-smartop.jiguang.cn	没有服务器地理信息.
daup.map.baidu.com	IP: 124.237.208.108 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
jivesoftware.com	IP: 23.235.209.143 所属国家: United States of America 地区: Virginia 城市: Virginia Beach 纬度: 36.837925 经度: -76.093918
api.map.baidu.com	IP: 111.206.209.166 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.jivesoftware.org	IP: 216.146.46.11 所属国家: United States of America 地区: New Hampshire 城市: Manchester 纬度: 42.991245 经度: -71.466560
pms.mb.qq.com	IP: 175.27.12.246 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

loc.map.baidu.com	IP: 111.206.209.174 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
astat.bugly.qcloud.com	IP: 119.28.121.133 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281

URL线索

URL信息	Url所在文件
http://www.slf4j.org/codes.html	org/slf4j/LoggerFactory.java
http://www.slf4j.org/codes.html	org/slf4j/MDC.java
http://xmlpull.org/v1/doc/features.html	org/jivesoftware/smack/PacketReader.java
http://jabber.org/protocol/compress	org/jivesoftware/smack/PacketReader.java
http://etherx.jabber.org/streams\	org/jivesoftware/smack/PacketWriter.java
http://jabber.org/protocol/httpbind	org/jivesoftware/smack/BOSHConnection.java
http://jabber.org/protocol/compress'>	org/jivesoftware/smack/XMPPConnection.java
http://xmlpull.org/v1/doc/features.html	org/jivesoftware/smack/BOSHPacketReader.java

http://xmlpull.org/v1/doc/features.html	org/jivesoftware/smack/SmackConfiguration.java
http://xmlpull.org/v1/doc/features.html	org/jivesoftware/smack/provider/ProviderManager.java
http://www.jivesoftware.com/xmlns/xmpp/properties	org/jivesoftware/smack/util/PacketParserUtils.java
http://www.jivesoftware.com/xmlns/xmpp/properties\	org/jivesoftware/smack/packet/Packet.java
http://jabber.org/protocol/disco	org/jivesoftware/smackx/ServiceDiscoveryManager.java
http://jabber.org/protocol/chatstates	org/jivesoftware/smackx/ConfigureProviderManager.java
http://jabber.org/protocol/xhtml-im	org/jivesoftware/smackx/ConfigureProviderManager.java
http://jabber.org/protocol/muc	org/jivesoftware/smackx/ConfigureProviderManager.java
http://jabber.org/protocol/offline	org/jivesoftware/smackx/ConfigureProviderManager.java
http://www.jivesoftware.org/protocol/sharedgroup	org/jivesoftware/smackx/ConfigureProviderManager.java
http://jabber.org/protocol/address	org/jivesoftware/smackx/ConfigureProviderManager.java
http://jabber.org/protocol/si	org/jivesoftware/smackx/ConfigureProviderManager.java
http://jabber.org/protocol/pubsub	org/jivesoftware/smackx/ConfigureProviderManager.java
http://jabber.org/protocol/xhtml-im	org/jivesoftware/smackx/XHTMLManager.java
http://jabber.org/protocol/chatstates	org/jivesoftware/smackx/ChatStateManager.java
http://jabber.org/protocol/offline	org/jivesoftware/smackx/OfflineMessageManager.java
http://jabber.org/protocol/pubsub	org/jivesoftware/smackx/PEPManager.java
http://jabber.org/protocol/address	org/jivesoftware/smackx/MultipleRecipientManager.java

http://jabber.org/protocol/si/profile/file-transfer	org/jivesoftware/smackx/filetransfer/FileTransferNegotiator.java
http://jabber.org/protocol/si	org/jivesoftware/smackx/filetransfer/FileTransferNegotiator.java
http://jabber.org/protocol/ibb	org/jivesoftware/smackx/bytestreams/ibb/InBandBytestreamManager.java
http://jabber.org/protocol/bytestreams	org/jivesoftware/smackx/bytestreams/socks5/Socks5BytestreamManager.java
http://jabber.org/protocol/bytestreams\	org/jivesoftware/smackx/bytestreams/socks5/packet/Bytestream.java
http://www.igniterealtime.org/projects/smack	org/jivesoftware/smackx/entitycaps/EntityCapsManager.java
http://jabber.org/protocol/caps	org/jivesoftware/smackx/entitycaps/EntityCapsManager.java
http://jabber.org/protocol/caps\	org/jivesoftware/smackx/entitycaps/packet/CapsExtension.java
http://xmlpull.org/v1/doc/features.html	org/jivesoftware/smackx/entitycaps/cache/SimpleDirectoryPersistentCache.java
http://jabber.org/protocol/pubsub	org/jivesoftware/smackx/pubsub/packet/PubSubNamespace.java
http://jabber.org/protocol/muc	org/jivesoftware/smackx/muc/Occupant.java
http://jabber.org/protocol/muc	org/jivesoftware/smackx/muc/PacketMultiplexListener.java
http://jabber.org/protocol/muc	org/jivesoftware/smackx/muc/DeafOccupantInterceptor.java
http://jivesoftware.org/protocol/muc	org/jivesoftware/smackx/muc/DeafOccupantInterceptor.java
http://jabber.org/protocol/muc	org/jivesoftware/smackx/muc/MultiUserChat.java
http://jabber.org/protocol/commands	org/jivesoftware/smackx/commands/AdHocCommandManager.java
http://jabber.org/protocol/disco	org/jivesoftware/smackx/packet/DiscoverInfo.java

http://jabber.org/protocol/commands\	org/jivesoftware/smackx/packet/AdHocCommandData.java
http://jabber.org/protocol/commands	org/jivesoftware/smackx/packet/AdHocCommandData.java
http://jabber.org/protocol/nick	org/jivesoftware/smackx/packet/Nick.java
http://jabber.org/protocol/address	org/jivesoftware/smackx/packet/MultipleAddresses.java
http://jabber.org/protocol/pubsub	org/jivesoftware/smackx/packet/PEPEvent.java
http://jabber.org/protocol/xhtml-im	org/jivesoftware/smackx/packet/XHTMLExtension.java
http://www.jivesoftware.org/protocol/sharedgroup\	org/jivesoftware/smackx/packet/SharedGroupsInfo.java
http://jabber.org/protocol/offline	org/jivesoftware/smackx/packet/OfflineMessageInfo.java
http://jabber.org/protocol/pubsub	org/jivesoftware/smackx/packet/PEPItem.java
http://jabber.org/protocol/muc	org/jivesoftware/smackx/packet/MUCInitialPresence.java
http://jabber.org/protocol/shim	org/jivesoftware/smackx/packet/HeadersExtension.java
http://jabber.org/protocol/si\	org/jivesoftware/smackx/packet/StreamInitiation.java
http://jabber.org/protocol/si/profile/file-transfer\	org/jivesoftware/smackx/packet/StreamInitiation.java
http://jabber.org/protocol/si/profile/file-transfer	org/jivesoftware/smackx/packet/StreamInitiation.java
http://jabber.org/protocol/feature-neg	org/jivesoftware/smackx/packet/StreamInitiation.java
http://jabber.org/protocol/feature-neg\	org/jivesoftware/smackx/packet/StreamInitiation.java
http://jabber.org/protocol/offline\	org/jivesoftware/smackx/packet/OfflineMessageRequest.java
http://jabber.org/protocol/muc	org/jivesoftware/smackx/packet/MUCAdmin.java

http://jabber.org/protocol/muc	org/jivesoftware/smackx/packet/MUCUser.java
http://jabber.org/protocol/muc	org/jivesoftware/smackx/packet/MUCOwner.java
http://jabber.org/protocol/chatstates	org/jivesoftware/smackx/packet/ChatStateExtension.java
http://jabber.org/protocol/pubsub	org/jivesoftware/smackx/packet/PEPPubSub.java
http://jabber.org/protocol/disco	org/jivesoftware/smackx/packet/DiscoverItems.java
http://jivesoftware.com/protocol/workgroup	org/jivesoftware/smackx/workgroup/MetaData.java
http://jabber.org/protocol/workgroup	org/jivesoftware/smackx/workgroup/user/Workgroup.java
http://jabber.org/protocol/muc	org/jivesoftware/smackx/workgroup/user/Workgroup.java
http://jivesoftware.com/protocol/workgroup	org/jivesoftware/smackx/workgroup/user/Workgroup.java
http://jabber.org/protocol/workgroup\	org/jivesoftware/smackx/workgroup/user/Workgroup.java
http://jabber.org/protocol/workgroup	org/jivesoftware/smackx/workgroup/agent/Offer.java
http://jabber.org/protocol/workgroup	org/jivesoftware/smackx/workgroup/agent/AgentRoster.java
http://jabber.org/protocol/workgroup	org/jivesoftware/smackx/workgroup/agent/AgentSession.java
http://jabber.org/protocol/muc	org/jivesoftware/smackx/workgroup/agent/AgentSession.java
http://jivesoftware.com/protocol/workgroup	org/jivesoftware/smackx/workgroup/agent/AgentSession.java
http://jabber.org/protocol/workgroup\	org/jivesoftware/smackx/workgroup/agent/OfferConfirmation.java
http://jabber.org/protocol/workgroup	org/jivesoftware/smackx/workgroup/agent/OfferConfirmation.java

http://jivesoftware.com/protocol/workgroup	org/jivesoftware/smackx/workgroup/util/MetaDataUtils.java
http://jivesoftware.com/protocol/workgroup\	org/jivesoftware/smackx/workgroup/util/MetaDataUtils.java
http://jivesoftware.com/protocol/workgroup	org/jivesoftware/smackx/workgroup/settings/GenericSettings.java
http://jivesoftware.com/protocol/workgroup	org/jivesoftware/smackx/workgroup/settings/OfflineSettings.java
http://jivesoftware.com/protocol/workgroup	org/jivesoftware/smackx/workgroup/settings/ChatSettings.java
http://jivesoftware.com/protocol/workgroup	org/jivesoftware/smackx/workgroup/settings/WorkgroupProperties.java
http://jivesoftware.com/protocol/workgroup	org/jivesoftware/smackx/workgroup/settings/SearchSettings.java
http://jivesoftware.com/protocol/workgroup	org/jivesoftware/smackx/workgroup/settings/SoundSettings.java
http://jivesoftware.com/protocol/workgroup\	org/jivesoftware/smackx/workgroup/packet/Transcript.java
http://jivesoftware.com/protocol/workgroup	org/jivesoftware/smackx/workgroup/packet/TranscriptSearch.java
http://jabber.org/protocol/workgroup\	org/jivesoftware/smackx/workgroup/packet/OfferRevokeProvider.java
http://jabber.org/protocol/workgroup\	org/jivesoftware/smackx/workgroup/packet/AgentWorkgroups.java
http://jabber.org/protocol/workgroup	org/jivesoftware/smackx/workgroup/packet/AgentStatusRequest.java
http://jivesoftware.com/protocol/workgroup\	org/jivesoftware/smackx/workgroup/packet/AgentStatusRequest.java
http://jivesoftware.com/protocol/workgroup\	org/jivesoftware/smackx/workgroup/packet/Transcripts.java
http://jabber.org/protocol/workgroup	org/jivesoftware/smackx/workgroup/packet/OfferRequestProvider.java
http://jabber.org/protocol/workgroup\	org/jivesoftware/smackx/workgroup/packet/OfferRequestProvider.java
http://jivesoftware.com/protocol/workgroup	org/jivesoftware/smackx/workgroup/packet/OfferRequestProvider.java

http://jivesoftware.com/protocol/workgroup	org/jivesoftware/smackx/workgroup/packet/MonitorPacket.java
http://jivesoftware.com/protocol/workgroup	org/jivesoftware/smackx/workgroup/packet/OccupantsInfo.java
http://jabber.org/protocol/workgroup	org/jivesoftware/smackx/workgroup/packet/RoomTransfer.java
http://jivesoftware.com/protocol/workgroup\	org/jivesoftware/smackx/workgroup/packet/RoomTransfer.java
http://jabber.org/protocol/workgroup	org/jivesoftware/smackx/workgroup/packet/QueueDetails.java
http://jabber.org/protocol/workgroup	org/jivesoftware/smackx/workgroup/packet/QueueUpdate.java
http://jabber.org/protocol/workgroup\	org/jivesoftware/smackx/workgroup/packet/QueueUpdate.java
http://jabber.org/protocol/workgroup	org/jivesoftware/smackx/workgroup/packet/AgentStatus.java
http://jivesoftware.com/protocol/workgroup\	org/jivesoftware/smackx/workgroup/packet/AgentStatus.java
http://jivesoftware.com/protocol/workgroup	org/jivesoftware/smackx/workgroup/packet/SessionID.java
http://jivesoftware.com/protocol/workgroup	org/jivesoftware/smackx/workgroup/packet/AgentInfo.java
http://jabber.org/protocol/workgroup	org/jivesoftware/smackx/workgroup/packet/QueueOverview.java
http://jabber.org/protocol/workgroup\	org/jivesoftware/smackx/workgroup/packet/DepartQueuePacket.java
http://jabber.org/protocol/workgroup	org/jivesoftware/smackx/workgroup/packet/RoomInvitation.java
http://jivesoftware.com/protocol/workgroup\	org/jivesoftware/smackx/workgroup/packet/RoomInvitation.java
http://jabber.org/protocol/workgroup	org/jivesoftware/smackx/workgroup/packet/WorkgroupInformation.java
http://jivesoftware.com/protocol/workgroup	org/jivesoftware/smackx/workgroup/packet/UserID.java

http://jivesoftware.com/protocol/workgroup	org/jivesoftware/smackx/workgroup/ext/history/ChatMetadata.java
http://jivesoftware.com/protocol/workgroup	org/jivesoftware/smackx/workgroup/ext/history/AgentChatHistory.java
http://jivesoftware.com/protocol/workgroup	org/jivesoftware/smackx/workgroup/ext/notes/ChatNotes.java
http://jivesoftware.com/protocol/workgroup	org/jivesoftware/smackx/workgroup/ext/macros/Macros.java
http://jivesoftware.com/protocol/workgroup	org/jivesoftware/smackx/workgroup/ext/forms/WorkgroupForm.java
https://sdkapi-smartop.jiguang.cn	cn/jiguang/be/c.java
https://upload-z2.qiniup.com	cn/jiguang/bf/a.java
https://ce3e75d5.jpush.cn/wi/cjc4sa	cn/jiguang/ax/c.java
https://ce3e75d5.jpush.cn/wi/d8n3hj	cn/jiguang/ax/c.java
https://ce3e75d5.jpush.cn/wi/op8jdu	cn/jiguang/s/c.java
https://crmmobile.longi.com:18002/ula.html	cn/com/rektec/xrm/app/PrivacyWebViewActivity.java
https://crmmobile.longi.com:18002/privacy.html	cn/com/rektec/xrm/app/PrivacyWebViewActivity.java
http://debugx5.qq.com	cn/com/rektec/xrm/app/LoginActivity.java
http://crm.rektec.com.cn:7901/	cn/com/rektec/xrm/setting/ChangeServerUrlDevActivity.java
http://jabber.org/protocol/chatstates	cn/com/rektec/chat/XmppConnectionManager.java
http://jabber.org/protocol/muc	cn/com/rektec/chat/XmppConnectionManager.java
http://jabber.org/protocol/offline	cn/com/rektec/chat/XmppConnectionManager.java
http://jabber.org/protocol/nick+notify	cn/com/rektec/chat/XmppConnectionManager.java

http://jabber.org/protocol/muc	cn/com/rektec/chat/RTGroupManager.java
http://jabber.org/protocol/disco	cn/com/rektec/chat/RTGroupManager.java
http://bcr2.intsig.net/BCRService/BCR_VCF2? user=eastlv@rektec.com.cn&pass=7JQAFN5JEYRJ3DTC&json=1&lang=2	cn/com/rektec/ocr/utis/HttpUtil.java
http://xml.apache.org/xslt	com/blankj/utilcode/util/LogUtils.java
http://loc.map.baidu.com/sdk.php	com/baidu/location/e/g.java
http://loc.map.baidu.com/user_err.php	com/baidu/location/e/g.java
http://loc.map.baidu.com/oqur.php	com/baidu/location/e/g.java
https://loc.map.baidu.com/tcu.php	com/baidu/location/e/g.java
http://loc.map.baidu.com/rtbu.php	com/baidu/location/e/g.java
http://loc.map.baidu.com/iofd.php	com/baidu/location/e/g.java
http://loc.map.baidu.com/wloc	com/baidu/location/e/g.java
https://loc.map.baidu.com/sdk_ep.php	com/baidu/location/e/g.java
https://loc.map.baidu.com/sdk.php	com/baidu/location/e/g.java
https://daup.map.baidu.com/cltr/rcvr	com/baidu/location/e/g.java
https://loc.map.baidu.com/cc.php	com/baidu/location/b/e.java
https://itsdata.map.baidu.com/long-conn-gps/sdk.php	com/baidu/location/b/e.java
https://ofloc.map.baidu.com/locnu	com/baidu/location/b/q.java

https://loc.map.baidu.com/cfgs/loc/commcfgs	com/baidu/location/b/a.java
https://api.map.baidu.com/sdkcs/verify	com/baidu/lbsapi/auth/LBSAuthManager.java
http://www.w3.org/XML/1998/namespace	com/kenai/jbosh/Attributes.java
http://www.w3.org/XML/1998/namespace	com/kenai/jbosh/ComposableBody.java
http://jabber.org/protocol/httpbind	com/kenai/jbosh/BodyQName.java
https://android.bugly.qq.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/StrategyBean.java
https://h.trace.qq.com/kv	com/tencent/bugly/proguard/ad.java
https://astat.bugly.qcloud.com/rqd/async	com/tencent/bugly/proguard/ac.java
https://astat.bugly.cros.wr.pvp.net/:8180/rqd/async	com/tencent/bugly/proguard/ac.java
https://log.tbs.qq.com/ajax?c=pu&v=2&k=	com/tencent/smtt/utils/m.java
https://log.tbs.qq.com/ajax?c=pu&tk=	com/tencent/smtt/utils/m.java
https://log.tbs.qq.com/ajax?c=dl&k=	com/tencent/smtt/utils/m.java
https://cfg.imtt.qq.com/tbs?v=2&mk=	com/tencent/smtt/utils/m.java
https://log.tbs.qq.com/ajax?c=ul&v=2&k=	com/tencent/smtt/utils/m.java
https://mqqad.html5.qq.com/adjs	com/tencent/smtt/utils/m.java
https://log.tbs.qq.com/ajax?c=ucfu&k=	com/tencent/smtt/utils/m.java
https://soft.tbs.imtt.qq.com/17421/tbs_res_imtt_tbs_DebugPlugin_DebugPlugin.tbs	com/tencent/smtt/utils/d.java

http://pms.mb.qq.com/rsp204	com/tencent/smtt/sdk/j.java
https://debugtbs.qq.com	com/tencent/smtt/sdk/WebView.java
https://debugx5.qq.com	com/tencent/smtt/sdk/WebView.java
http://debugtbs.qq.com?10000\	com/tencent/smtt/sdk/WebView.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=50079	com/tencent/smtt/sdk/stat/MttLoader.java
https://mdc.html5.qq.com/mh?channel_id=50079&u=	com/tencent/smtt/sdk/stat/MttLoader.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=11041	com/tencent/smtt/sdk/ui/dialog/d.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=11047	com/tencent/smtt/sdk/ui/dialog/d.java
http://crm.rektec.com.cn:7901/	Mogua Engine V2
http://crm.rektec.com.cn:7501/	Mogua Engine V2
http://crm.rektec.com.cn:9901/	Mogua Engine V2

 邮箱线索

邮箱地址	所在文件
eastlv@rektec.com	cn/com/rektec/ocr/utils/HttpUtil.java

 手机线索

🌸 签名证书

APK已签名

v1 签名: True

v2 签名: True

v3 签名: False

找到 1 个唯一证书

主题: ST=jiangsu, L=Suzhou, O=RekTec, OU=RekTec, CN=RekTec

签名算法: rsassa_pkcs1v15

有效期自: 2015-04-02 09:04:23+00:00

有效期至: 2040-03-26 09:04:23+00:00

发行人: ST=jiangsu, L=Suzhou, O=RekTec, OU=RekTec, CN=RekTec

序列号: 0x53391390

哈希算法: sha256

md5值: 93fb92d0a72919e8ba1e49ffae6c638c

sha1值: 8e56060ec41212c8ce1212d346843d833cc22c5a

sha256值: b17bd70413593724151eccc3605a578c6df68fbea98165ce4f64406e6d4e558e

sha512值: b438d1ef60538e3304d51961c4d1d6250c7830315c6d926e9927888b3c8da70e7064cb67d93bc465ef92056971a3a0a10dcdf35b89f42249a216132bcd34059b

公钥算法: rsa

密钥长度: 2048

指纹: 6301e1af33f768063d46b91a2d5cdb9ad7fb259199387304a9512ed680787a11

🔑 硬编码敏感信息

可能的敏感信息
"password" : "密码"
"remember_password" : "记住密码"
"user_name" : "账号"
"password" : "Password"
"remember_password" : "Remember"

"user_name" : "Account"
"password" : "密码"
"remember_password" : "记住密码"
"user_name" : "账号"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危	类型	详细情况

	危险		
cn.com.longi.sfa.permission.JPUSH_MESSAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.RECEIVE_USER_PRESENT	未知	Unknown permission	Unknown permission from android reference
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.READ_PHONE_STATE	危险	读取电话状态 和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕

android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.ACCESS_FINE_LOCATION	危险	精细定位（GPS）	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令，恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
android.permission.READ_CONTACTS	危险	读取联系人数据	允许应用程序读取您手机上存储的所有联系人（地址）数据。恶意应用程序可以借此将您的数据发送给其他人
android.permission.WRITE_CONTACTS	危险	写入联系人数据	允许应用程序修改您手机上存储的联系人（地址）数据。恶意应用程序可以使用它来删除或修改您的联系人数据
android.permission.GET_ACCOUNTS	危险	列出帐户	允许访问账户服务中的账户列表
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.CALL_PHONE	危险	直接拨打电话号码	允许应用程序在没有您干预的情况下拨打电话号码。恶意应用程序可能会导致您的电话账单出现意外呼叫。请注意,这不允许应用程序拨打紧急电话号码
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
		允许应用程序	

android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
com.vivo.notification.permission.BADGE_ICON	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_BACKGROUND_LOCATION	危险	后台访问位置	允许应用程序在后台访问位置

应用内通信