



MoGua

PikPak 1.9.0.APK 分析报告



APP名称:	PikPak
包名:	com.pikcloud.pikpak
域名线索:	136条
URL线索:	85条
邮箱线索:	5条
分析日期:	2022年9月26日
分析平台:	<a href="#">摸瓜反编译平台</a>

## 文件信息

文件名: base(1).apk

文件大小: 42.06MB

**MD5**值: 6b2c79efeb3b24ac1b62f8be4b24a74e

**SHA1**值: 1895ae3df91b9d45204db1988f9247c35e94b2c9

**SHA256**值: 1551675c6255835b74cc7105216be2f41c8282a9bd1ae9ee5f91db702eeb0da1

## APP 信息

**App**名称: PikPak

包名: com.pikcloud.pikpak

主活动**Activity**: com.xunlei.xcloud.opensdk.ui.SplashActivity

安卓版本名称: 1.9.0

安卓版本: 10054

## 域名线索

域名	服务器信息
104.238.198.186	<b>IP:</b> 104.238.198.186 <b>所属国家:</b> United States of America <b>地区:</b> Nevada <b>城市:</b> Las Vegas <b>纬度:</b> 36.174969 <b>经度:</b> -115.137222

域名	服务器信息
cdnauth2.hpplay.cn	<b>IP:</b> 220.181.135.216 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
cdn.vabs.hub.sandai.net	<b>IP:</b> 220.181.135.212 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
github.com	<b>IP:</b> 20.205.243.166 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
files.stripe.com	<b>IP:</b> 3.114.81.222 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689507 经度: 139.691696
image.cnamedomain.com	没有服务器地理信息.

域名	服务器信息
pin.hpplay.cn	<b>IP:</b> 47.106.16.242 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
app.eu.adjust.com	<b>IP:</b> 185.151.204.60 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043
m.stripe.com	<b>IP:</b> 54.148.34.38 所属国家: United States of America 地区: Oregon 城市: Portland 纬度: 45.523449 经度: -122.676208
sj-m-ssl.xunlei.com	<b>IP:</b> 139.224.59.12 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423

域名	服务器信息
tracker.tfile.me	<b>IP:</b> 185.53.177.31 所属国家: Germany 地区: Bayern 城市: Munich 纬度: 48.137428 经度: 11.575490
i.mypikpak.com	<b>IP:</b> 47.241.212.52 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
gdpr.eu.adjust.com	<b>IP:</b> 185.151.204.60 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043
mgtracker.org	<b>IP:</b> 77.91.229.218 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559

域名	服务器信息
oss.aliyuncs.com	<b>IP:</b> 118.178.29.5 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
tracker.tfile.co	没有服务器地理信息.
apache.org	<b>IP:</b> 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
cp.cloudflare.com	<b>IP:</b> 104.16.133.229 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
user.mypikpak.com	<b>IP:</b> 47.241.212.52 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067

域名	服务器信息
inapp.mypikpak.com	<b>IP:</b> 47.241.212.52 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
astat.bugly.cros.wr.pvp.net	<b>IP:</b> 170.106.135.32 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
conf.hpplay.cn	<b>IP:</b> 47.106.59.179 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
shortvideo.xl	没有服务器地理信息.
open.acgnxtracker.com	<b>IP:</b> 51.159.29.240 所属国家: France 地区: Ile-de-France 城市: Paris 纬度: 48.853409 经度: 2.348800



域名	服务器信息
android.bugly.qq.com	<b>IP:</b> 109.244.244.137 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
192.168.8.230	<b>IP:</b> 192.168.8.230 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
gdpr.tr.adjust.com	<b>IP:</b> 195.244.54.7 所属国家: Turkey 地区: Izmir 城市: Izmir 纬度: 38.412731 经度: 27.138380
purl.org	<b>IP:</b> 207.241.239.242 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.781734 经度: -122.459435

域名	服务器信息
subscription.adjust.com	<b>IP:</b> 185.151.204.52 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043
h5.hpplay.com.cn	<b>IP:</b> 220.181.135.215 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
greenrobot.org	<b>IP:</b> 85.13.129.145 所属国家: Germany 地区: Thuringen 城市: Friedersdorf 纬度: 50.604919 经度: 11.035770
retracker.mgts.by	<b>IP:</b> 82.209.230.66 所属国家: Belarus 地区: Minskaya voblasts' 城市: Minsk 纬度: 53.900002 经度: 27.566669
omg.wttrackr.pw	没有服务器地理信息.
tracker.vanitycore.co	没有服务器地理信息.

域名	服务器信息
subscription.eu.adjust.com	<b>IP:</b> 185.151.204.60 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043
evening-badlands-6215.herokuapp.com	<b>IP:</b> 54.243.238.66 所属国家: United States of America 地区: Virginia 城市: Ashburn 纬度: 39.043720 经度: -77.487488
try-pan-privilege-vip.xunlei.com	<b>IP:</b> 101.133.168.165 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
ssdkauth.hpplay.cn	<b>IP:</b> 120.25.130.190 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423

域名	服务器信息
sl-m-ssl.xunlei.com	<b>IP:</b> 220.181.135.224 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
indonesia-rcv5-gcm.n0909.com	<b>IP:</b> 47.241.18.179 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
flume-xldw-ssl.xunlei.cn	<b>IP:</b> 106.15.126.163 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
torcache.net	<b>IP:</b> 185.53.177.11 所属国家: Germany 地区: Bayern 城市: Munich 纬度: 48.137428 经度: 11.575490

域名	服务器信息
i.xbase.cloud	<b>IP:</b> 220.181.135.224 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
t.me	<b>IP:</b> 149.154.167.99 所属国家: United Kingdom of Great Britain and Northern Ireland 地区: England 城市: Lowestoft 纬度: 52.475201 经度: 1.751590
app.adjust.net.in	<b>IP:</b> 185.151.204.31 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043
gslb.hpplay.cn	<b>IP:</b> 120.78.18.241 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
bt.dl1234.com	没有服务器地理信息.

域名	服务器信息
crashpad.chromium.org	<b>IP:</b> 172.217.160.115 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
static-us.afterpay.com	<b>IP:</b> 18.65.202.85 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.627499 经度: -122.346199
gdpr.adjust.world	<b>IP:</b> 178.162.219.36 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.115520 经度: 8.684170
pay.xunlei.com	<b>IP:</b> 47.103.9.10 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423

域名	服务器信息
www.bturl.cc	<b>IP:</b> 202.160.130.145 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
h.trace.qq.com	<b>IP:</b> 109.244.244.61 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
www.sec.co.kr	<b>IP:</b> 112.106.187.200 所属国家: Korea (Republic of) 地区: Seoul-teukbyeolsi 城市: Seoul 纬度: 37.568260 经度: 126.977829
Od.kebhana.mx	<b>IP:</b> 34.94.213.23 所属国家: United States of America 地区: California 城市: Los Angeles 纬度: 34.052231 经度: -118.243683

域名	服务器信息
vipauth.hpplay.cn	<b>IP:</b> 47.113.57.31 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
tracker.torrentsnows.com	<b>IP:</b> 204.11.56.48 所属国家: Virgin Islands (British) 地区: Virgin Islands, British 城市: Road Town 纬度: 18.416670 经度: -64.616669
vosdkauth.hpplay.cn	<b>IP:</b> 47.107.27.100 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
app.us.adjust.com	<b>IP:</b> 185.151.204.70 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043



域名	服务器信息
meeting.hpplay.cn	<b>IP:</b> 47.115.157.17 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
www.lebo.cn	<b>IP:</b> 1.180.10.45 所属国家: China 地区: Nei Mongol 城市: Baotou 纬度: 40.652222 经度: 109.822220
dy1-vip-ssl.xunlei.com	<b>IP:</b> 101.133.168.165 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
adeng.hpplay.cn	<b>IP:</b> 120.77.74.81 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423

域名	服务器信息
www.btspread.com	<b>IP:</b> 103.240.182.55 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
d1.lengziyuan.com	没有服务器地理信息.
oss-cn-.aliyuncs.comor	没有服务器地理信息.
agusiq-torrents.pl	<b>IP:</b> 194.181.228.35 所属国家: Poland 地区: Pomorskie 城市: Gdansk 纬度: 54.352051 经度: 18.646370
sl.hpplay.cn	<b>IP:</b> 47.107.21.168 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
vietnam-rcv5-gcm.n0909.com	<b>IP:</b> 149.129.174.235 所属国家: India 地区: Karnataka 城市: Bengaluru 纬度: 12.976230 经度: 77.603287
vipimdns.hpplay.cn	没有服务器地理信息.

域名	服务器信息
retracker.spb.ru	<b>IP:</b> 178.210.89.119 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559
etl-gcm.n0909.com	<b>IP:</b> 47.241.18.179 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
dev-user.mypikpak.com	<b>IP:</b> 8.219.118.190 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
subscription.adjust.world	<b>IP:</b> 185.151.204.44 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043

域名	服务器信息
subscription.tr.adjust.com	<b>IP:</b> 195.244.54.7 所属国家: Turkey 地区: Izmir 城市: Izmir 纬度: 38.412731 经度: 27.138380
api-drive.mypikpak.com	<b>IP:</b> 47.241.212.52 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
open.weixin.qq.com	<b>IP:</b> 175.24.209.30 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
pay-gateway.mypikpak.com	<b>IP:</b> 47.241.212.52 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067

域名	服务器信息
chat.whatsapp.com	<b>IP:</b> 31.13.70.9 所属国家: United States of America 地区: California 城市: Los Angeles 纬度: 34.052231 经度: -118.243683
hooks.stripe.com	<b>IP:</b> 18.180.10.245 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689507 经度: 139.691696
rps.hpplay.cn	<b>IP:</b> 144.7.116.129 所属国家: China 地区: Shandong 城市: Jinan 纬度: 36.668331 经度: 116.997223
xml.org	<b>IP:</b> 104.239.240.11 所属国家: United States of America 地区: Texas 城市: Windcrest 纬度: 29.499678 经度: -98.399246

域名	服务器信息
stripe.com	<b>IP:</b> 54.186.23.98 所属国家: United States of America 地区: Oregon 城市: Portland 纬度: 45.523449 经度: -122.676208
dev-config.mypikpak.com	<b>IP:</b> 8.219.118.190 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
q.stripe.com	<b>IP:</b> 54.187.119.242 所属国家: United States of America 地区: Oregon 城市: Portland 纬度: 45.523449 经度: -122.676208
127.0.0.1	<b>IP:</b> 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000

域名	服务器信息
xml.apache.org	<b>IP:</b> 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
tracker.electro-torrent.pl	<b>IP:</b> 104.21.17.153 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
pre.api.tw06.xlmc.sandai.net	<b>IP:</b> 47.101.29.237 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
oss-cn-hangzhou.aliyuncs.com	<b>IP:</b> 118.31.219.248 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423

域名	服务器信息
www.dy2018.com	<b>IP:</b> 23.225.145.50 所属国家: United States of America 地区: California 城市: Los Angeles 纬度: 34.052231 经度: -118.243683
bt.box.n0808.com	<b>IP:</b> 180.163.203.22 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.222219 经度: 121.458061
tracker.torrentyorg.pl	<b>IP:</b> 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
120.79.153.27	<b>IP:</b> 120.79.153.27 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423



域名	服务器信息
subscription.adjust.net.in	<b>IP:</b> 185.151.204.34 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043
subscription.us.adjust.com	<b>IP:</b> 185.151.204.70 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043
cdnauth1.hpplay.cn	<b>IP:</b> 220.181.135.211 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
schemas.xmlsoap.org	<b>IP:</b> 13.107.246.49 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.374031 经度: 4.889690

域名	服务器信息
gdpr.us.adjust.com	<b>IP:</b> 185.151.204.70 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043
gdl.lixian.vip.xunlei.com	<b>IP:</b> 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
api-feedback.mypikpak.com	<b>IP:</b> 47.241.212.52 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
10.10.200.87	<b>IP:</b> 10.10.200.87 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000

域名	服务器信息
www.gstatic.com	<b>IP:</b> 203.208.50.66 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
gdpr.adjust.net.in	<b>IP:</b> 178.162.219.36 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.115520 经度: 8.684170
test.api.xlmc.sandai.net	<b>IP:</b> 180.163.202.75 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.222219 经度: 121.458061
vipgslb.hpplay.cn	<b>IP:</b> 120.78.18.241 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423

域名	服务器信息
long.open.weixin.qq.com	<b>IP:</b> 109.244.216.15 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
xmlconf.rcv.sandai.net	<b>IP:</b> 101.133.169.157 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
feedback.mypikpak.com	<b>IP:</b> 47.241.212.52 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
devicemgr.hpplay.cn	<b>IP:</b> 47.106.59.179 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423

域名	服务器信息
pay.mypikpak.com	<b>IP:</b> 47.241.212.52 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
app.adjust.com	<b>IP:</b> 185.151.204.9 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043
config.mypikpak.com	<b>IP:</b> 47.241.212.52 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
act-vip-ssl.xunlei.com	<b>IP:</b> 220.181.158.238 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

域名	服务器信息
share.camoe.cn	<b>IP:</b> 51.81.200.170 所属国家: United States of America 地区: Oregon 城市: Hillsboro 纬度: 45.522888 经度: -122.989830
app.adjust.world	<b>IP:</b> 185.151.204.41 所属国家: United States of America 地区: Arizona 城市: Phoenix 纬度: 33.448380 经度: -112.074043
misdkauth.hpplay.cn	<b>IP:</b> 47.106.44.51 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
support.stripe.com	<b>IP:</b> 54.186.23.98 所属国家: United States of America 地区: Oregon 城市: Portland 纬度: 45.523449 经度: -122.676208

域名	服务器信息
47.112.113.131	<b>IP:</b> 47.112.113.131 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
api.stripe.com	<b>IP:</b> 13.115.13.148 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689507 经度: 139.691696
twitter.com	<b>IP:</b> 199.59.149.230 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.773968 经度: -122.410446
open.acgtracker.com	<b>IP:</b> 5.182.206.171 所属国家: Germany 地区: Baden-Wurttemberg 城市: Deckenpfronn 纬度: 48.651279 经度: 8.824170

域名	服务器信息
astat.bugly.qcloud.com	<b>IP:</b> 150.109.27.253 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
logu.hpplay.cn	<b>IP:</b> 47.106.59.179 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
www.openssl.org	<b>IP:</b> 184.27.21.43 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689507 经度: 139.691696
t.nyaatracker.com	<b>IP:</b> 51.38.230.101 所属国家: France 地区: Hauts-de-France 城市: Roubaix 纬度: 50.694210 经度: 3.174560



域名	服务器信息
tracker.mg64.net	<b>IP:</b> 5.79.83.193 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.115520 经度: 8.684170
itorrents.org	<b>IP:</b> 104.26.14.170 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
tracker.internetwarriors.net	<b>IP:</b> 186.10.181.6 所属国家: Chile 地区: Region Metropolitana de Santiago 城市: Santiago 纬度: -33.426281 经度: -70.566559
gdpr.adjust.com	<b>IP:</b> 178.162.219.36 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.115520 经度: 8.684170

域名	服务器信息
app.tr.adjust.com	<b>IP:</b> 195.244.54.7 所属国家: Turkey 地区: Izmir 城市: Izmir 纬度: 38.412731 经度: 27.138380
hpplay.cdn.cibn.cc	<b>IP:</b> 220.194.65.35 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
uat.hpplay.cn	<b>IP:</b> 47.112.158.161 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
etl.n0909.com	<b>IP:</b> 149.129.130.227 所属国家: India 地区: Karnataka 城市: Bengaluru 纬度: 12.976230 经度: 77.603287

域名	服务器信息
dev-api-drive.mypikpak.com	<b>IP:</b> 8.219.118.190 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
errors.stripe.com	<b>IP:</b> 54.187.159.182 所属国家: United States of America 地区: Oregon 城市: Portland 纬度: 45.523449 经度: -122.676208

## URL线索

URL信息	Url所在文件
<a href="https://stripe.com/docs/mobile/android/basic">https://stripe.com/docs/mobile/android/basic</a>	com/stripe/android/EphemeralKeyManager.java
<a href="https://stripe.com/docs/keys">https://stripe.com/docs/keys</a>	com/stripe/android/ApiKeyValidator.java
<a href="https://api.stripe.com/v1/">https://api.stripe.com/v1/</a>	com/stripe/android/networking/StripeApiRepository.java
<a href="https://api.stripe.com/edge-internal/">https://api.stripe.com/edge-internal/</a>	com/stripe/android/networking/StripeApiRepository.java
<a href="https://m.stripe.com/6">https://m.stripe.com/6</a>	com/stripe/android/networking/FraudDetectionDataRequest.java
<a href="https://files.stripe.com/v1/files">https://files.stripe.com/v1/files</a>	com/stripe/android/networking/FileUploadRequest.java

URL信息	Url所在文件
<a href="https://q.stripe.com">https://q.stripe.com</a>	com/stripe/android/networking/AnalyticsRequest.java
<a href="https://api.stripe.com">https://api.stripe.com</a>	com/stripe/android/networking/ApiRequest.java
<a href="https://twitter.com/stripestatus">https://twitter.com/stripestatus</a> ,	com/stripe/android/exception/APIConnectionException.java
<a href="https://hooks.stripe.com/three_d_secure/authenticate">https://hooks.stripe.com/three_d_secure/authenticate</a>	com/stripe/android/view/PaymentAuthWebViewClient.java
<a href="https://hooks.stripe.com/redirect/complete/">https://hooks.stripe.com/redirect/complete/</a>	com/stripe/android/view/PaymentAuthWebViewClient.java
<a href="https://hooks.stripe.com/3d_secure/complete/">https://hooks.stripe.com/3d_secure/complete/</a>	com/stripe/android/view/PaymentAuthWebViewClient.java
<a href="https://support.stripe.com/questions/activate-a-new-payment-method">https://support.stripe.com/questions/activate-a-new-payment-method</a>	com/stripe/android/paymentsheet/viewmodels/BaseSheetViewModel.java
<a href="https://stripe.com/docs/api/payment_intents/object#payment_intent_object-confirmation_method">https://stripe.com/docs/api/payment_intents/object#payment_intent_object-confirmation_method</a> .	com/stripe/android/paymentsheet/model/StripeIntentValidator.java
<a href="https://stripe.com/docs/api/payment_intents/object#payment_intent_object-status">https://stripe.com/docs/api/payment_intents/object#payment_intent_object-status</a> .	com/stripe/android/paymentsheet/model/StripeIntentValidator.java
<a href="https://stripe.com/docs/api/setup_intents/object#setup_intent_object-status">https://stripe.com/docs/api/setup_intents/object#setup_intent_object-status</a>	com/stripe/android/paymentsheet/model/StripeIntentValidator.java
<a href="https://static-us.afterpay.com/javascript/modal/%s_rebrand_modal.html">https://static-us.afterpay.com/javascript/modal/%s_rebrand_modal.html</a>	com/stripe/android/paymentsheet/elements/AfterpayClearpayHeaderElement.java
<a href="https://emv3ds/challenge">https://emv3ds/challenge</a>	com/stripe/android/stripe3ds2/views/ThreeDS2WebViewClient.java
<a href="https://errors.stripe.com/api/">https://errors.stripe.com/api/</a>	com/stripe/android/stripe3ds2/observability/DefaultErrorReporter.java
<a href="https://uat.hpplay.cn:90/Author/PhoneAuthor/?">https://uat.hpplay.cn:90/Author/PhoneAuthor/?</a>	com/hpplay/sdk/source/business/cloud/CloudAPI.java
<a href="https://uat.hpplay.cn:1001/Author/PhoneAuthor/?">https://uat.hpplay.cn:1001/Author/PhoneAuthor/?</a>	com/hpplay/sdk/source/business/cloud/CloudAPI.java

URL信息	Url所在文件
-------	---------

https://uat.hpplay.cn:1002/Author/PhoneAuthor/?	com/hpplay/sdk/source/business/cloud/CloudAPI.java
http://47.112.113.131:90/Author/PhoneAuthor/?	com/hpplay/sdk/source/business/cloud/CloudAPI.java
https://misdkauth.hpplay.cn/Author/PhoneAuthor/?	com/hpplay/sdk/source/business/cloud/CloudAPI.java
https://vosdkauth.hpplay.cn/Author/PhoneAuthor/?	com/hpplay/sdk/source/business/cloud/CloudAPI.java
https://ssdkauth.hpplay.cn/Author/PhoneAuthor/?	com/hpplay/sdk/source/business/cloud/CloudAPI.java
https://cdnauth1.hpplay.cn/Author/PhoneAuthor/?	com/hpplay/sdk/source/business/cloud/CloudAPI.java
https://cdnauth2.hpplay.cn/Author/PhoneAuthor/?	com/hpplay/sdk/source/business/cloud/CloudAPI.java
http://hpplay.cdn.cibn.cc/release/out/weixin.html	com/hpplay/sdk/source/business/cloud/CloudAPI.java
https://adeng.hpplay.cn	com/hpplay/sdk/source/business/cloud/CloudAPI.java
http://192.168.8.230:8000	com/hpplay/sdk/source/business/cloud/CloudAPI.java
https://conf.hpplay.cn:90	com/hpplay/sdk/source/business/cloud/CloudAPI.java
https://devicemgr.hpplay.cn	com/hpplay/sdk/source/business/cloud/CloudAPI.java
https://vipgs1b.hpplay.cn	com/hpplay/sdk/source/business/cloud/CloudAPI.java
https://vipimdns.hpplay.cn	com/hpplay/sdk/source/business/cloud/CloudAPI.java

URL信息	Url所在文件
https://pin.hpplay.cn	com/hpplay/sdk/source/business/cloud/CloudAPI.java
https://rps.hpplay.cn	com/hpplay/sdk/source/business/cloud/CloudAPI.java
http://gslb.hpplay.cn	com/hpplay/sdk/source/business/cloud/CloudAPI.java
http://sl.hpplay.cn	com/hpplay/sdk/source/business/cloud/CloudAPI.java
https://vipauth.hpplay.cn	com/hpplay/sdk/source/business/cloud/CloudAPI.java
https://logu.hpplay.cn:8856	com/hpplay/sdk/source/business/cloud/CloudAPI.java
https://meeting.hpplay.cn	com/hpplay/sdk/source/business/cloud/CloudAPI.java
https://logu.hpplay.cn:8868	com/hpplay/sdk/source/business/cloud/CloudAPI.java
http://%s:%s/www.hpplay.com.cn/tv/app/DnsTxtInfo	com/hpplay/sdk/source/business/cloud/CloudAPI.java
https://h5.hpplay.com.cn/webapps/h5/help/#/sdkbaseGuide	com/hpplay/sdk/source/browser/b/a.java
http://hpplay.cdn.cibn.cc/release/out/weixin.html?	com/hpplay/sdk/source/device/qr/QRCodeController.java
http://purl.org/dc/elements/1.1/	com/hpplay/component/protocol/ProtocolBuilder.java
http://www.sec.co.kr/	com/hpplay/component/protocol/ProtocolBuilder.java
https://www.lebo.cn/DTDs/PropertyList-1.0.dtd	com/hpplay/component/protocol/plist/NSObject.java
http://apache.org/xml/features/nonvalidating/load-external-dtd	com/hpplay/component/protocol/plist/XMLPropertyListParser.java

URL信息	Url所在文件
http://xml.org/sax/features/external-general-entities	com/hpplay/component/protocol/plist/XMLPropertyListParser.java
http://xml.org/sax/features/external-parameter-entities	com/hpplay/component/protocol/plist/XMLPropertyListParser.java
http://schemas.xmlsoap.org/soap/encoding/	com/hpplay/cybergarage/soap/SOAP.java
http://schemas.xmlsoap.org/soap/envelope/	com/hpplay/cybergarage/soap/SOAP.java
https://api-drive.mypikpak.com/user/v1/bind?queryBy=INTERNAL&thirdType=TG&accessToken=	com/pikcloud/android/module/guide/b.java
https://user.mypikpak.com/v1/push/connect?type=FCM&token=	com/pikcloud/router/RouterApplication.java
https://api-drive.mypikpak.com/user/v1/bind	com/pikcloud/router/a/e.java
https://api-drive.mypikpak.com/drive/v1/privilege/area_accessible	com/pikcloud/common/ui/c/a.java
http://127.0.0.1	com/pikcloud/vodplayer/lelink/ui/b.java
http://xml.apache.org/xslt}indent-amount	com/a/a/a/c.java
https://act-vip-ssl.xunlei.com/pages/2020/xiaomi-video/buyHistory/	com/xunlei/xcloud/XCloudConstants.java
https://pay.xunlei.com/pages/2020/xcloud-third/?referfrom=v_wap_xm_ggong_shipin	com/xunlei/xcloud/XCloudConstants.java
https://act-vip-ssl.xunlei.com/tianyi_cloud/dist/index.html	com/xunlei/xcloud/XCloudConstants.java
https://sj-m-ssl.xunlei.com/h5/report?file_id=	com/xunlei/xcloud/XCloudConstants.java
https://api-drive.mypikpak.com	com/xunlei/xcloud/xpan/XPanNetwork.java

URL信息	Url所在文件
-------	---------

<a href="https://api-drive.mypikpak.com/vip/v1/stripe/cancelSubscription">https://api-drive.mypikpak.com/vip/v1/stripe/cancelSubscription</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/vip/v1/allSubscriptionStatus">https://api-drive.mypikpak.com/vip/v1/allSubscriptionStatus</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/vip/v1/stripe/paymentIntent">https://api-drive.mypikpak.com/vip/v1/stripe/paymentIntent</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/vip/v1/stripe/products">https://api-drive.mypikpak.com/vip/v1/stripe/products</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/vip/v1/stripe/publishableKey">https://api-drive.mypikpak.com/vip/v1/stripe/publishableKey</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/vip/v1/stripe/subscription">https://api-drive.mypikpak.com/vip/v1/stripe/subscription</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/vip/v1/stripe/subscriptionStatus">https://api-drive.mypikpak.com/vip/v1/stripe/subscriptionStatus</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://try-pan-privilege-vip.xunlei.com">https://try-pan-privilege-vip.xunlei.com</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/drive/v1/check_import_download">https://api-drive.mypikpak.com/drive/v1/check_import_download</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/drive/v1/import_download_record">https://api-drive.mypikpak.com/drive/v1/import_download_record</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/drive/v1/privilege/PREVIEW">https://api-drive.mypikpak.com/drive/v1/privilege/PREVIEW</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/drive/v1/privilege">https://api-drive.mypikpak.com/drive/v1/privilege</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/drive/v1/about">https://api-drive.mypikpak.com/drive/v1/about</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/drive/v1/files">https://api-drive.mypikpak.com/drive/v1/files</a>	com/xunlei/xcloud/xpan/XPanNetwork.java



URL信息	Url所在文件
<a href="https://api-drive.mypikpak.com/drive/v1/task">https://api-drive.mypikpak.com/drive/v1/task</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/drive/v1/files/">https://api-drive.mypikpak.com/drive/v1/files/</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/drive/v1/files/trash:empty">https://api-drive.mypikpak.com/drive/v1/files/trash:empty</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/drive/v1/files:batchUntrash">https://api-drive.mypikpak.com/drive/v1/files:batchUntrash</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/drive/v1/files:batchMove">https://api-drive.mypikpak.com/drive/v1/files:batchMove</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/drive/v1/files:batchCopy">https://api-drive.mypikpak.com/drive/v1/files:batchCopy</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/drive/v1/files?parent_id=">https://api-drive.mypikpak.com/drive/v1/files?parent_id=</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/drive/v1/tasks?page_token=">https://api-drive.mypikpak.com/drive/v1/tasks?page_token=</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/drive/v1/tasks?type=">https://api-drive.mypikpak.com/drive/v1/tasks?type=</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/drive/v1/tasks/">https://api-drive.mypikpak.com/drive/v1/tasks/</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/drive/v1/task/">https://api-drive.mypikpak.com/drive/v1/task/</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/drive/v1/tasks">https://api-drive.mypikpak.com/drive/v1/tasks</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/drive/v1/events">https://api-drive.mypikpak.com/drive/v1/events</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/drive/v1/events?page_token=">https://api-drive.mypikpak.com/drive/v1/events?page_token=</a>	com/xunlei/xcloud/xpan/XPanNetwork.java
<a href="https://api-drive.mypikpak.com/drive/v1/events:delete">https://api-drive.mypikpak.com/drive/v1/events:delete</a>	com/xunlei/xcloud/xpan/XPanNetwork.java

URL信息	Url所在文件
https://api-drive.mypikpak.com/drive/v1/share	com/xunlei/xcloud/xpan/XPanNetwork.java
https://api-drive.mypikpak.com/drive/v1/share?request_from=	com/xunlei/xcloud/xpan/XPanNetwork.java
https://api-drive.mypikpak.com/drive/v1/share?share_id=	com/xunlei/xcloud/xpan/XPanNetwork.java
https://api-drive.mypikpak.com/drive/v1/share/detail?share_id=	com/xunlei/xcloud/xpan/XPanNetwork.java
https://api-drive.mypikpak.com/drive/v1/share/file_info?share_id=	com/xunlei/xcloud/xpan/XPanNetwork.java
https://api-drive.mypikpak.com/drive/v1/share/restore	com/xunlei/xcloud/xpan/XPanNetwork.java
https://api-drive.mypikpak.com/drive/v1/resource/list	com/xunlei/xcloud/xpan/XPanNetwork.java
https://config.mypikpak.com/config/v1/checkClientVersion	com/xunlei/xcloud/xpan/XPanNetwork.java
https://api-drive.mypikpak.com/vip/v1/order/activation-code	com/xunlei/xcloud/xpan/XPanNetwork.java
https://feedback.mypikpak.com	com/xunlei/xcloud/xpan/main/activity/XPanSettingActivity.java
https://config.mypikpak.com/config/v1/urlsOnInstall	com/xunlei/xcloud/xpan/main/network/UrlRequestHelper.java
https://api-feedback.mypikpak.com/report	com/xunlei/xcloud/xpan/pan/activity/XPanReportActivity.java
https://api-drive.mypikpak.com/oracle/close	com/xunlei/xcloud/player/vod/subtitle/SubtitleNetHelper.java
https://api-drive.mypikpak.com/oracle/subtitle	com/xunlei/xcloud/player/vod/subtitle/SubtitleNetHelper.java
https://api-drive.mypikpak.com/oracle/subtitle?gcid=%s&cid=%s&name=%s&duration=%d	com/xunlei/xcloud/player/vod/subtitle/SubtitleManager.java

URL信息	Url所在文件
https://api-drive.mypikpak.com/oracle/vote	com/xunlei/xcloud/player/vod/subtitle/SubtitleManager.java
http://127.0.0.1	com/xunlei/xcloud/player/playrecord/data/PlayRecordDataManager.java
https://api-drive.mypikpak.com/file_info/cli_api/hfe_query_gcid	com/xunlei/xcloud/download/engine/shub/GcidManager.java
https://api-drive.mypikpak.com/file_info/cli_api/hfe_query_gcid?rd=	com/xunlei/xcloud/download/engine/shub/GcidManager.java
https://etl-gcm.n0909.com	com/xunlei/xcloud/opensdk/XCloudInitManager.java
https://vietnam-rcv5-gcm.n0909.com	com/xunlei/xcloud/opensdk/XCloudInitManager.java
https://indonesia-rcv5-gcm.n0909.com	com/xunlei/xcloud/opensdk/XCloudInitManager.java
https://api-drive.mypikpak.com/user/v1/settings	com/xunlei/user/SettingHelper.java
https://dy1-vip-ssl.xunlei.com/logininfo/bizvipinfo	com/xunlei/user/XUserInfo.java
https://api-feedback.mypikpak.com/pikpakFeedback	com/xunlei/user/VipHelper.java
https://api-drive.mypikpak.com/vip/v1/subscription	com/xunlei/user/VipHelper.java
https://api-drive.mypikpak.com/vip/v1/activity/invite	com/xunlei/user/VipHelper.java
https://api-drive.mypikpak.com/drive/v1/privilege/vip	com/xunlei/user/VipHelper.java
https://api-drive.mypikpak.com/vip/v1/subscription?obfuscated_account=	com/xunlei/user/VipHelper.java
http://group.task.url.placeholder.	com/xunlei/download/proguard/c.java

URL信息	Url所在文件
http://pre.api.tw06.xlmc.sandai.net/api/stat/rt	com/xunlei/analytics/dbstore/AnalyticsConstant.java
https://etl.n0909.com/api/stat/rt	com/xunlei/analytics/dbstore/AnalyticsConstant.java
https://test.api.xlmc.sandai.net/api/stat/rt	com/xunlei/analytics/dbstore/AnalyticsConstant.java
https://config.mypikpak.com	com/xunlei/common/BuildConfig.java
https://inapp.mypikpak.com/activity/invitation	com/xunlei/common/BuildConfig.java
https://inapp.mypikpak.com/payment/status	com/xunlei/common/BuildConfig.java
https://inapp.mypikpak.com/report	com/xunlei/common/BuildConfig.java
https://user.mypikpak.com	com/xunlei/common/BuildConfig.java
https://api-drive.mypikpak.com	com/xunlei/common/BuildConfig.java
https://config.mypikpak.com	com/xunlei/common/UrlConfig.java
https://api-drive.mypikpak.com	com/xunlei/common/UrlConfig.java
https://user.mypikpak.com	com/xunlei/common/UrlConfig.java
https://sl-m-ssl.xunlei.com/v2/site/site_add_2.4.html	com/xunlei/common/UrlConfig.java
https://api-drive.mypikpak.com/.health	com/xunlei/common/net/domain/HighAvailabilityConfig.java
https://user.mypikpak.com/.health	com/xunlei/common/net/domain/HighAvailabilityConfig.java

URL信息	Url所在文件
https://dev-api-drive.mypikpak.com/.health	com/xunlei/common/net/domain/HighAvailabilityConfig.java
https://dev-user.mypikpak.com/.health	com/xunlei/common/net/domain/HighAvailabilityConfig.java
https://www.gstatic.com/generate_204	com/xunlei/common/net/domain/HighAvailabilityConfig.java
https://cp.cloudflare.com/generate_204	com/xunlei/common/net/domain/HighAvailabilityConfig.java
http://www	com/xunlei/common/businessutil/XLUrlUtils.java
https://www	com/xunlei/common/businessutil/XLUrlUtils.java
https://)?	com/xunlei/common/businessutil/XLUrlUtils.java
http://magnet:?	com/xunlei/common/businessutil/XLUrlUtils.java
www.dy2018.com	com/xunlei/common/businessutil/XLUrlUtils.java
www.bturl.cc	com/xunlei/common/businessutil/XLUrlUtils.java
https://api-drive.mypikpak.com/user/v1/short	com/xunlei/common/androidutil/NetworkHelper.java
https://config.mypikpak.com/config/v1/globalConfig	com/xunlei/thunder/globalconfigure/GlobalConfigure.java
https://dev-config.mypikpak.com/config/v1/globalConfig	com/xunlei/thunder/globalconfigure/GlobalConfigure.java
https://config.mypikpak.com	com/xunlei/thunder/globalconfigure/GlobalConfigure.java
http://120.79.153.27	com/xunlei/thunder/globalconfigure/GlobalConfigure.java

URL信息	Url所在文件
https://dev-config.mypikpak.com	com/xunlei/thunder/globalconfigure/GlobalConfigure.java
http://10.10.200.87	com/xunlei/thunder/globalconfigure/GlobalConfigure.java
https://t.me/PikPak_Bot	com/xunlei/thunder/globalconfigure/data/XPanConfig.java
https://t.me/pikpak_userservice	com/xunlei/thunder/globalconfigure/data/XPanConfig.java
https://chat.whatsapp.com/BXvB38TYZb04yGjffQiB18	com/xunlei/thunder/globalconfigure/data/XPanConfig.java
https://inapp.mypikpak.com/policy/user-agreement	com/xunlei/thunder/globalconfigure/data/XPanConfig.java
https://inapp.mypikpak.com/policy/privacy-policy	com/xunlei/thunder/globalconfigure/data/XPanConfig.java
https://inapp.mypikpak.com/help	com/xunlei/thunder/globalconfigure/data/XPanConfig.java
https://inapp.mypikpak.com/activity/cdKey	com/xunlei/thunder/globalconfigure/data/AccountConfig.java
https://h.trace.qq.com/kv	com/tencent/bugly/proguard/r.java
https://android.bugly.qq.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/StrategyBean.java
https://astat.bugly.qcloud.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/a.java
https://astat.bugly.cros.wr.pvp.net/:8180/rqd/async	com/tencent/bugly/crashreport/common/strategy/a.java
https://open.weixin.qq.com/connect/sdk/qrcodeconnect?appid=%s&noncestr=%s&timestamp=%s&scope=%s&signature=%s	com/tencent/mm/opensdk/diffdev/a/b.java
https://long.open.weixin.qq.com/connect/l/qrcodeconnect?f=json&uuiid=%s	com/tencent/mm/opensdk/diffdev/a/c.java

URL信息	Url所在文件
<a href="https://github.com/adjust/android_sdk#can-i-trigger-an-event-at-application-launch">https://github.com/adjust/android_sdk#can-i-trigger-an-event-at-application-launch</a>	com/adjust/sdk/ActivityHandler.java
<a href="https://app.adjust.com">https://app.adjust.com</a>	com/adjust/sdk/Constants.java
<a href="https://gdpr.adjust.com">https://gdpr.adjust.com</a>	com/adjust/sdk/Constants.java
<a href="https://subscription.adjust.com">https://subscription.adjust.com</a>	com/adjust/sdk/Constants.java
<a href="https://app.adjust.world">https://app.adjust.world</a>	com/adjust/sdk/network/UrlStrategy.java
<a href="https://app.eu.adjust.com">https://app.eu.adjust.com</a>	com/adjust/sdk/network/UrlStrategy.java
<a href="https://app.adjust.net.in">https://app.adjust.net.in</a>	com/adjust/sdk/network/UrlStrategy.java
<a href="https://app.tr.adjust.com">https://app.tr.adjust.com</a>	com/adjust/sdk/network/UrlStrategy.java
<a href="https://app.us.adjust.com">https://app.us.adjust.com</a>	com/adjust/sdk/network/UrlStrategy.java
<a href="https://gdpr.adjust.world">https://gdpr.adjust.world</a>	com/adjust/sdk/network/UrlStrategy.java
<a href="https://gdpr.eu.adjust.com">https://gdpr.eu.adjust.com</a>	com/adjust/sdk/network/UrlStrategy.java
<a href="https://gdpr.adjust.net.in">https://gdpr.adjust.net.in</a>	com/adjust/sdk/network/UrlStrategy.java
<a href="https://gdpr.tr.adjust.com">https://gdpr.tr.adjust.com</a>	com/adjust/sdk/network/UrlStrategy.java
<a href="https://gdpr.us.adjust.com">https://gdpr.us.adjust.com</a>	com/adjust/sdk/network/UrlStrategy.java
<a href="https://subscription.adjust.world">https://subscription.adjust.world</a>	com/adjust/sdk/network/UrlStrategy.java

URL信息	Url所在文件
https://subscription.eu.adjust.com	com/adjust/sdk/network/UrlStrategy.java
https://subscription.adjust.net.in	com/adjust/sdk/network/UrlStrategy.java
https://subscription.tr.adjust.com	com/adjust/sdk/network/UrlStrategy.java
https://subscription.us.adjust.com	com/adjust/sdk/network/UrlStrategy.java
https://ip.	com/alibaba/sdk/android/oss/OSSImpl.java
http://oss-cn-****.aliyuncs.com',or	com/alibaba/sdk/android/oss/OSSImpl.java
http://image.cnamedomain.com'!	com/alibaba/sdk/android/oss/OSSImpl.java
http://oss.aliyuncs.com	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java
http://127.0.0.1	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java
http://oss-cn-****.aliyuncs.com',or	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java
http://image.cnamedomain.com'!	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java
http://oss-cn-hangzhou.aliyuncs.com	com/alibaba/sdk/android/oss/common/OSSConstants.java
https://greenrobot.org/greendao/documentation/database-encryption/	org/greenrobot/greendao/a/b.java
https://user.mypikpak.com	cloud/xbase/sdk/BuildConfig.java
https://pay-gateway.mypikpak.com	cloud/xbase/sdk/BuildConfig.java



URL信息	Url所在文件
https://pay.mypikpak.com	cloud/xbase/sdk/BuildConfig.java
https://i.mypikpak.com	cloud/xbase/sdk/BuildConfig.java
https://user.mypikpak.com	a/a/a/d/b.java
https://i.xbase.cloud/auth/	a/a/a/d/b.java
https://i.xbase.cloud/oauth/	a/a/a/d/b.java
https://inapp.mypikpak.com/payment/status	Android String Resource
http://xmlconf.rcv.sandai.net/?appid=	lib/armeabi-v7a/libxl_stat.so
http://www.openssl.org/support/faq.html	lib/armeabi-v7a/libaplayer_android_1.2.3.425.so
http://127.0.0.1:%d/%s/%s/%s	lib/armeabi-v7a/libxl_thunder_sdk.so
http://gdl.lixian.vip.xunlei.com/	lib/armeabi-v7a/libxl_thunder_sdk.so
https://tracker.torrentsnows.com:443/announce	lib/armeabi-v7a/libxl_thunder_sdk.so
https://evening-badlands-6215.herokuapp.com:443/announce	lib/armeabi-v7a/libxl_thunder_sdk.so
http://0d.kebhana.mx:443/announce	lib/armeabi-v7a/libxl_thunder_sdk.so
http://tracker.tfile.me:80/announce	lib/armeabi-v7a/libxl_thunder_sdk.so
http://retracker.spb.ru:80/announce	lib/armeabi-v7a/libxl_thunder_sdk.so

URL信息	Url所在文件
<a href="http://tracker.tfile.co:80/announce">http://tracker.tfile.co:80/announce</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://share.camoe.cn:8080/announce">http://share.camoe.cn:8080/announce</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://retracker.mgts.by:80/announce">http://retracker.mgts.by:80/announce</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://tracker.vanitycore.co:6969/announce">http://tracker.vanitycore.co:6969/announce</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://tracker.torreyorg.pl:80/announce">http://tracker.torreyorg.pl:80/announce</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://tracker.mg64.net:6881/announce">http://tracker.mg64.net:6881/announce</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://tracker.internetwarriors.net:1337/announce">http://tracker.internetwarriors.net:1337/announce</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://tracker.electro-torrent.pl:80/announce">http://tracker.electro-torrent.pl:80/announce</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://t.nyaatracker.com:80/announce">http://t.nyaatracker.com:80/announce</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://open.acgtracker.com:1096/announce">http://open.acgtracker.com:1096/announce</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://open.acgnxtracker.com:80/announce">http://open.acgnxtracker.com:80/announce</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://omg.wtftrackr.pw:1337/announce">http://omg.wtftrackr.pw:1337/announce</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://mgtracker.org:6969/announce">http://mgtracker.org:6969/announce</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://bt.dl1234.com:80/announce">http://bt.dl1234.com:80/announce</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://agusiq-torrents.pl:6969/announce">http://agusiq-torrents.pl:6969/announce</a>	lib/armeabi-v7a/libxl_thunder_sdk.so

URL信息	Url所在文件
<a href="http://104.238.198.186:8000/announce">http://104.238.198.186:8000/announce</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://shortvideo.xl/">http://shortvideo.xl/</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://cdn.vabs.hub.sandai.net/">http://cdn.vabs.hub.sandai.net/</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://bt.box.n0808.com/">http://bt.box.n0808.com/</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="https://torcache.net/torrent/">https://torcache.net/torrent/</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://www.btspread.com/magnet/detail/hash/">http://www.btspread.com/magnet/detail/hash/</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://d1.lengziyuan.com/?infohash=">http://d1.lengziyuan.com/?infohash=</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://itorrents.org/torrent/">http://itorrents.org/torrent/</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://schemas.xmlsoap.org/soap/envelope/">http://schemas.xmlsoap.org/soap/envelope/</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://schemas.xmlsoap.org/soap/encoding/">http://schemas.xmlsoap.org/soap/encoding/</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="http://www.openssl.org/support/faq.html">http://www.openssl.org/support/faq.html</a>	lib/armeabi-v7a/libxl_thunder_sdk.so
<a href="https://crashpad.chromium.org/bug/new">https://crashpad.chromium.org/bug/new</a>	lib/armeabi-v7a/libcrashlytics-common.so
<a href="https://crashpad.chromium.org/">https://crashpad.chromium.org/</a>	lib/armeabi-v7a/libcrashlytics-common.so
<a href="https://crashpad.chromium.org/bug/new">https://crashpad.chromium.org/bug/new</a>	lib/x86_64/libcrashlytics-common.so
<a href="https://crashpad.chromium.org/">https://crashpad.chromium.org/</a>	lib/x86_64/libcrashlytics-common.so

URL信息	Url所在文件
<a href="https://crashpad.chromium.org/bug/new">https://crashpad.chromium.org/bug/new</a>	lib/x86/libcrashlytics-common.so
<a href="https://crashpad.chromium.org/">https://crashpad.chromium.org/</a>	lib/x86/libcrashlytics-common.so
<a href="http://xmlconf.rcv.sandai.net/?appid=">http://xmlconf.rcv.sandai.net/?appid=</a>	lib/arm64-v8a/libxl_stat.so
<a href="https://flume-xldw-ssl.xunlei.cn:10106/">https://flume-xldw-ssl.xunlei.cn:10106/</a>	lib/arm64-v8a/libaplayer_android_1.2.3.425.so
<a href="http://127.0.0.1">http://127.0.0.1</a>	lib/arm64-v8a/libaplayer_android_1.2.3.425.so
<a href="http://www.openssl.org/support/faq.html">http://www.openssl.org/support/faq.html</a>	lib/arm64-v8a/libaplayer_android_1.2.3.425.so
<a href="http://127.0.0.1:%d/%s/%s/%s">http://127.0.0.1:%d/%s/%s/%s</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://gdl.lixian.vip.xunlei.com/">http://gdl.lixian.vip.xunlei.com/</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="https://tracker.torrentsnows.com:443/announce">https://tracker.torrentsnows.com:443/announce</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="https://evening-badlands-6215.herokuapp.com:443/announce">https://evening-badlands-6215.herokuapp.com:443/announce</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://0d.kebhana.mx:443/announce">http://0d.kebhana.mx:443/announce</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://tracker.tfile.me:80/announce">http://tracker.tfile.me:80/announce</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://retracker.spb.ru:80/announce">http://retracker.spb.ru:80/announce</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://tracker.tfile.co:80/announce">http://tracker.tfile.co:80/announce</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://share.camoe.cn:8080/announce">http://share.camoe.cn:8080/announce</a>	lib/arm64-v8a/libxl_thunder_sdk.so

URL信息	Url所在文件
<a href="http://retracker.mgts.by:80/announce">http://retracker.mgts.by:80/announce</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://tracker.vanitycore.co:6969/announce">http://tracker.vanitycore.co:6969/announce</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://tracker.torreyorg.pl:80/announce">http://tracker.torreyorg.pl:80/announce</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://tracker.mg64.net:6881/announce">http://tracker.mg64.net:6881/announce</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://tracker.internetwarriors.net:1337/announce">http://tracker.internetwarriors.net:1337/announce</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://tracker.electro-torrent.pl:80/announce">http://tracker.electro-torrent.pl:80/announce</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://t.nyaatracker.com:80/announce">http://t.nyaatracker.com:80/announce</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://open.acgtracker.com:1096/announce">http://open.acgtracker.com:1096/announce</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://open.acgnxtracker.com:80/announce">http://open.acgnxtracker.com:80/announce</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://omg.wtftrackr.pw:1337/announce">http://omg.wtftrackr.pw:1337/announce</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://mgtracker.org:6969/announce">http://mgtracker.org:6969/announce</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://bt.dl1234.com:80/announce">http://bt.dl1234.com:80/announce</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://agusiq-torrents.pl:6969/announce">http://agusiq-torrents.pl:6969/announce</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://104.238.198.186:8000/announce">http://104.238.198.186:8000/announce</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://shortvideo.xl/">http://shortvideo.xl/</a>	lib/arm64-v8a/libxl_thunder_sdk.so

URL信息	Url所在文件
<a href="http://cdn.vabs.hub.sandai.net/">http://cdn.vabs.hub.sandai.net/</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://bt.box.n0808.com/">http://bt.box.n0808.com/</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="https://torcache.net/torrent/">https://torcache.net/torrent/</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://www.btspread.com/magnet/detail/hash/">http://www.btspread.com/magnet/detail/hash/</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://d1.lengziyuan.com/?infohash=">http://d1.lengziyuan.com/?infohash=</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://itorrents.org/torrent/">http://itorrents.org/torrent/</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://www.openssl.org/support/faq.html">http://www.openssl.org/support/faq.html</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://schemas.xmlsoap.org/soap/envelope/">http://schemas.xmlsoap.org/soap/envelope/</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="http://schemas.xmlsoap.org/soap/encoding/">http://schemas.xmlsoap.org/soap/encoding/</a>	lib/arm64-v8a/libxl_thunder_sdk.so
<a href="https://crashpad.chromium.org/bug/new">https://crashpad.chromium.org/bug/new</a>	lib/arm64-v8a/libcrashlytics-common.so
<a href="https://crashpad.chromium.org/">https://crashpad.chromium.org/</a>	lib/arm64-v8a/libcrashlytics-common.so

## 邮箱线索

邮箱地址	所在文件
support@stripe.com	com/stripe/android/networking/StripeRequest.java

邮箱地址	所在文件
support@stripe.com	com/stripe/android/exception/APIConnectionException.java
support@mypikpak.com 请通过support@mypikpak.com与pikpak 可以通过support@mypikpak.com与我们联系 請通過support@mypikpak.com與pikpak 可以通過support@mypikpak.com與我們聯系	Android String Resource
download@qq.com	lib/armeabi-v7a/libxl_thunder_sdk.so
download@qq.com	lib/arm64-v8a/libxl_thunder_sdk.so

## 手机线索

手机号	所在文件
18008675309	com/stripe/android/paymentsheet/forms/FormPreviewKt.java

## 签名证书

APK is signed  
 v1 signature: True  
 v2 signature: True  
 v3 signature: False  
 Found 1 unique certificates  
 Subject: C=cn, ST=guangdong, L=shenzhen, O=pikcloud, OU=pikcloud, CN=pikpak  
 Signature Algorithm: rsassa\_pkcs1v15  
 Valid From: 2021-05-19 03:22:20+00:00

Valid To: 2076-02-20 03:22:20+00:00

Issuer: C=cn, ST=guangdong, L=shenzhen, O=pikcloud, OU=pikcloud, CN=pikpak

Serial Number: 0x47b7071c

Hash Algorithm: sha256

md5: 780e4dc290a3615a938912928b3dedeb

sha1: d1ac8ffe217b5e0f57f3a3cf8a5aefbbd5f34a23

sha256: 74c7b449a086b3d6274607b96c3e6af775ae5dd9d41d76f82d75f17e341cb4b9

sha512: 2199bb8a7ea78894fbbc6b257ec18ed945df4aca7a7145328610954721c7821c326b1f44b875ca181b3f25025713f419b0759e52f2c3aa5fa85b1269218551b2

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: a733451f486831e420d001b3e8e781b0d9d1abec8c3945930e74d5942c76dedf

## 硬编码敏感信息

可能的敏感信息
"com_facebook_device_auth_instructions" : "Visit <b>facebook.com/device</b> and enter the code shown above."
"common_auth_failed" : "Authentication failed"
"common_auth_tips" : "You need to complete the fingerprint unlocking setting in the mobile phone system to enable this function."
"common_enter_pwd_again" : "Enter your passcode again."
"facebook_client_token" : "af75634114930bea85e18cd224f9fe0c"
"google_api_key" : "AlzaSyBgEcsTcNqf5FCCc5lgxGETr_aF3PwKtjY"
"google_crash_reporting_api_key" : "AlzaSyBgEcsTcNqf5FCCc5lgxGETr_aF3PwKtjY"
"pan_default_search_key_word" : "RMVB download"
"stripe_failure_reason_authentication" : "We are unable to authenticate your payment method. Please choose a different payment method and try again."



## 可能的敏感信息

"user\_name" : "Username"

"vodplayer\_dlna\_auth\_failed" : "Verification failed, please try again"

"xbase\_sdk\_authorization\_pending" : "Authorization in progress"

"xbase\_sdk\_client\_captcha\_token\_failed" : "Failed to get the captcha\_token"

"xbase\_sdk\_expired\_token" : "Token expired"

"xpan\_sdcard\_private" : "PikPak private directory"

"xpan\_sdcard\_private\_dialog\_title" : "Change to a PikPak private directory?"

"xpan\_sdcard\_private\_tips" : "If you uninstall PikPak, your downloaded files will be deleted."

"xpan\_set\_password" : "Set Password"

"common\_auth\_failed" : "认证失败"

"common\_auth\_tips" : "需要在手机系统中完成指纹解锁设置才能启用该功能。"

"common\_enter\_pwd\_again" : "再次输入您的密码。"

"pan\_default\_search\_key\_word" : "RMVB 下载"

"stripe\_failure\_reason\_authentication" : "我们未能验证您的支付方式。请选择另一支付方式并重试。"

"user\_name" : "用户名"

## 可能的敏感信息

"vodplayer\_dlna\_auth\_failed" : "验证失败, 请重试"

"xpan\_sdcard\_private" : "PikPak私有目录"

"xpan\_sdcard\_private\_dialog\_title" : "确定修改为PikPak私有目录?"

"xpan\_sdcard\_private\_tips" : "卸载PikPak后, 下载文件会一并删除"

"xpan\_set\_password" : "设置密码"

"com\_facebook\_device\_auth\_instructions" : "Buka <b>facebook.com/device</b> dan masukkan kode yang ditunjukkan di atas."

"common\_auth\_failed" : "Otentikasi gagal"

"common\_auth\_tips" : "Anda harus menyelesaikan pengaturan buka kunci sidik jari di sistem ponsel untuk mengaktifkan fungsi ini."

"common\_enter\_pwd\_again" : "Masukkan kode sandi Anda lagi."

"pan\_default\_search\_key\_word" : "Unduh RMVB"

"user\_name" : "Nama pengguna"

"vodplayer\_dlna\_auth\_failed" : "Pengesahan gagal, sila cuba lagi"

"xpan\_sdcard\_private" : "Direktori sulit PikPak"

"xpan\_sdcard\_private\_dialog\_title" : "Tukar ke direktori sulit PikPak?"

"xpan\_sdcard\_private\_tips" : "Sekiranya anda menyahpasang PikPak, fail-fail anda yang dimuat turun akan dipadamkan."

## 可能的敏感信息

"xpan\_set\_password" : "Setel Kata Sandi"

"com\_facebook\_device\_auth\_instructions" : "وإدخال الرمز المعروض أعلاه <b>facebook.com/device</b> يمكنك زيارة"

"common\_auth\_failed" : "المصادقة فشلت"

"common\_auth\_tips" : "تحتاج إلى إكمال إعداد فتح بصمة الإصبع في نظام الهاتف المحمول لتمكين هذه الوظيفة"

"common\_enter\_pwd\_again" : "أدخل رمز المرور الخاص بك مرة أخرى"

"pan\_default\_search\_key\_word" : "تنزيل RMVB"

"user\_name" : "اسم المستخدم"

"vodplayer\_dlna\_auth\_failed" : "فشل التحقق ، يرجى المحاولة مرة أخرى"

"xpan\_sdcard\_private" : "PikPak دليل خاص"

"xpan\_sdcard\_private\_dialog\_title" : "PikPak التغيير إلى دليل خاص؟"

"xpan\_sdcard\_private\_tips" : "فسيتم حذف الملفات التي تم تنزيلها ، PikPak إذا قمت بإلغاء تثبيت"

"xpan\_set\_password" : "ضبط كلمة السر"

"com\_facebook\_device\_auth\_instructions" : "Lawati <b>facebook.com/device</b> dan masukkan kod yang ditunjukkan di atas."

"common\_auth\_failed" : "Pengesahan gagal"

"common\_auth\_tips" : "Anda perlu melengkapkan tetapan buka kunci cap jari dalam sistem telefon mudah alih untuk mendayakan fungsi ini."

## 可能的敏感信息

"common\_enter\_pwd\_again" : "Masukkan kod laluan anda sekali lagi."

"pan\_default\_search\_key\_word" : "Unduh RMVB"

"user\_name" : "Nama pengguna"

"vodplayer\_dlna\_auth\_failed" : "Pengesahan gagal, sila cuba lagi"

"xpan\_sdcard\_private" : "Direktori sulit PikPak"

"xpan\_sdcard\_private\_dialog\_title" : "Tukar ke direktori sulit PikPak?"

"xpan\_sdcard\_private\_tips" : "Sekiranya anda menyahpasang PikPak, fail-fail anda yang dimuat turun akan dipadamkan."

"xpan\_set\_password" : "Tetapkan kata laluan"

"com\_facebook\_device\_auth\_instructions" : "前往<b> facebook.com/device </b>並輸入上方顯示的代碼。"

"common\_auth\_failed" : "認證失敗"

"common\_auth\_tips" : "需要在手機系統中完成指紋解鎖設置才能啟用該功能。"

"common\_enter\_pwd\_again" : "再次輸入您的密碼。"

"pan\_default\_search\_key\_word" : "RMVB下載"

"stripe\_failure\_reason\_authentication" : "我們無法驗證您的付款方式。請選擇其他付款方式，然後再試一次。"

"user\_name" : "用戶名"











## 可能的敏感信息

"stripe\_failure\_reason\_authentication": "我們無法驗證您的付款方式。請選擇另一付款方式並重試。"

"com\_facebook\_device\_auth\_instructions": "访问<b>facebook.com/device</b>并输入上方显示的验证码。"

"xbase\_sdk\_authorization\_pending": "授权中"

"xbase\_sdk\_client\_captcha\_token\_failed": "captcha\_token获取失败"

"xbase\_sdk\_expired\_token": "token过期"

"stripe\_failure\_reason\_authentication": "Não é possível autenticar sua forma de pagamento. Escolha outra forma de pagamento e tente de novo."

"com\_facebook\_device\_auth\_instructions": "Acede a <b>facebook.com/device</b> e insere o código mostrado acima."

"stripe\_failure\_reason\_authentication": "Não conseguimos autenticar o seu método de pagamento. Selecione outro método de pagamento e tente novamente."

"com\_facebook\_device\_auth\_instructions": "Kunjungi <b>facebook.com/device</b> dan masukkan kode yang ditampilkan di atas."

"stripe\_failure\_reason\_authentication": "Ma nistgħux nawtentikaw il-metodu tal-ħlas tiegħek. Jekk jogħġbok agħzel metodu tal-ħlas differenti u erġa' pprova."

"com\_facebook\_device\_auth\_instructions": "Acesse <b>facebook.com/device</b> e insira o código mostrado acima."

"xbase\_sdk\_authorization\_pending": "Pengotorisasian"

"xbase\_sdk\_client\_captcha\_token\_failed": "Gagal mendapatkan captcha\_token"

"xbase\_sdk\_expired\_token": "Token kedaluwarsa"

"xbase\_sdk\_authorization\_pending": "Pengotorisasian"

可能的敏感信息
"xbase_sdk_client_captcha_token_failed" : "Gagal mendapatkan captcha_token"
"xbase_sdk_expired_token" : "Token kedaluwarsa"
"stripe_failure_reason_authentication" : "Makseviisi ei õnnestunud autentida. Palun valige muu makseviis ja proovige uuesti."
"stripe_failure_reason_authentication" : "Pristnosti vašega načina plačila ni mogoče preveriti. Izberite drugačen način plačila in poskusite znova."
"stripe_failure_reason_authentication" : "Nemôžeme overiť váš spôsob platby. Vyberte iný spôsob platby a skúste to znova."
"stripe_failure_reason_authentication" : "Nie możemy wykonać uwierzytelnienia Twojej metody płatności. Wybierz inną metodę i spróbuj ponownie."
"stripe_failure_reason_authentication" : "Vi kan ikkje godkjenne betalingsmåten. Ver vennleg å velje ein annan betalingsmetode og prøv på nytt."
"stripe_failure_reason_authentication" : "Nu vă putem autentifica metoda de plată. Alegeți o altă metodă de plată și încercați din nou."
"stripe_failure_reason_authentication" : "Δεν μπορούμε να επαληθεύσουμε τη μέθοδο πληρωμής σας. Επιλέξτε διαφορετική μέθοδο πληρωμής και προσπαθήστε ξανά."
"stripe_failure_reason_authentication" : "No podem autenticar el teu mètode de pagament. Si us plau, escull un mètode de pagament diferent."
"stripe_failure_reason_authentication" : "Nepavyko autentifikuoti mokėjimo būdo. Pasirinkite kitą mokėjimo būdą ir bandykite dar kartą."
"stripe_failure_reason_authentication" : "Nevaram autentificēt jūsu maksājuma metodi. Lūdzu, izvēlieties citu maksājuma metodi un mēģiniet vēlreiz."
"stripe_failure_reason_authentication" : "Nemůžeme ověřit Váš způsob platby. Vyberte si jiný způsob platby a zkuste to znovu."

## 第三方SDK

名称	分类	URL链接
Adjust	Analytics	<a href="https://reports.exodus-privacy.eu.org/trackers/52">https://reports.exodus-privacy.eu.org/trackers/52</a>
Bugly		<a href="https://reports.exodus-privacy.eu.org/trackers/190">https://reports.exodus-privacy.eu.org/trackers/190</a>
Facebook Analytics	Analytics	<a href="https://reports.exodus-privacy.eu.org/trackers/66">https://reports.exodus-privacy.eu.org/trackers/66</a>
Facebook Login	Identification	<a href="https://reports.exodus-privacy.eu.org/trackers/67">https://reports.exodus-privacy.eu.org/trackers/67</a>
Facebook Share		<a href="https://reports.exodus-privacy.eu.org/trackers/70">https://reports.exodus-privacy.eu.org/trackers/70</a>
Google CrashLytics	Crash reporting	<a href="https://reports.exodus-privacy.eu.org/trackers/27">https://reports.exodus-privacy.eu.org/trackers/27</a>
Google Firebase Analytics	Analytics	<a href="https://reports.exodus-privacy.eu.org/trackers/49">https://reports.exodus-privacy.eu.org/trackers/49</a>

## 此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储

向手机申请的权限	是否危险	类型	详细情况
android.permission.MANAGE_EXTERNAL_STORAGE	危险	允许应用程序广泛访问范围存储中的外部存储	允许应用程序广泛访问范围存储中的外部存储。旨在供少数需要代表用户管理文件的应用程序使用
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.ACCESS_DOWNLOAD_MANAGER	未知	Unknown permission	Unknown permission from android reference
android.permission.DOWNLOAD_WITHOUT_NOTIFICATION	未知	Unknown permission	Unknown permission from android reference
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态

向手机申请的权限	是否危险	类型	详细情况
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.WRITE_INTERNAL_STORAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.USE_BIOMETRIC	正常		允许应用使用设备支持的生物识别模式。
android.permission.READ_LOGS	危险	读取敏感日志数据	允许应用程序从系统读小号各种日志文件。这使它能够发现有关您使用手机做什么的一般信息,可能包括个人或私人信息
android.permission.USE_FINGERPRINT	正常	allow use of指纹	该常量在 API 级别 28 中已被弃用。应用程序应改为请求 USE_BIOMETRIC
com.fingerprints.service.ACCESS_FINGERPRINT_MANAGER	未知	Unknown permission	Unknown permission from android reference

向手机申请的权限	是否危险	类型	详细情况
com.samsung.android.providers.context.permission.WRITE_USE_APP_FEATURE_SURVEY	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_PRIVILEGED_PHONE_STATE	未知	Unknown permission	Unknown permission from android reference
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	未知	Unknown permission	Unknown permission from android reference
com.google.android.c2dm.permission.RECEIVE	合法	C2DM 权限	云到设备消息传递的权限
android.permission.CHANGE_WIFI_MULTICAST_STATE	正常	允许Wi-Fi多播接收	允许应用程序接收不是直接发送到您设备的数据包。这在发现附近提供的服务时很有用。它比非多播模式使用更多的功率
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
com.android.vending.BILLING	未知	Unknown permission	Unknown permission from android reference

活动(ACTIVITY)	通信(INTENT)
com.pikcloud.router.share.SystemShareActivity	Schemes: content://, file://, ftp://, thunder://, ed2k://, magnet://, Mime Types: */*,
com.pikcloud.router.deeplink.DeepLinkingActivity	Schemes: pikpakapp://, http://, https://, ftp://, thunder://, ed2k://, magnet://, Hosts: *, pikpak.page.link, toapp.mypikpak.com, dev-toapp.mypikpak.com,
com.facebook.CustomTabActivity	Schemes: @string/fb_login_protocol_scheme://, fbconnect://, Hosts: cct.com.pikcloud.pikpak,
com.stripe.android.payments.StripeBrowserLauncherActivity	Schemes: stripesdk://, Hosts: payment_return_url, Paths: /com.pikcloud.pikpak,
com.google.firebase.auth.internal.GenericIdpActivity	Schemes: genericidp://, Hosts: firebase.auth, Paths: /,
com.google.firebase.auth.internal.RecaptchaActivity	Schemes: recaptcha://, Hosts: firebase.auth, Paths: /,