



MoGua

ZOOM 1.2.APK 分析报告



APP名称:

ZOOM

包名:	com.baijiu.daojishi.bjomm
域名线索:	70条
URL线索:	58条
邮箱线索:	0条
分析日期:	2025年7月11日
分析平台:	摸瓜APK反编译平台

文件信息

文件名: com.baijiu.daojishi.bjomm.apk
文件大小: 14.24MB
MD5值: 6d216809cf3e1fd95799621e636e6d36

SHA1值: ec64d783e4f4affcbf23a53e2293ba23dd68aaab
SHA256值: 78942972b6461859f33c5166984bb97ad43ea568057837be88ff362a799d70c3

i APP 信息

App名称: ZOOM
包名: com.baijiu.daojishi.bjomm
主活动Activity: com.yydd.touping.ui.SplashActivity
安卓版本名称: 1.2
安卓版本: 3

🔍 域名线索

域名	服务器信息
mta.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
developer.umeng.com	IP: 59.82.31.92 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
alogsus.umeng.com	IP: 223.109.148.176 所属国家: China 地区: jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
	IP: 47.106.9.254

www.yingyongduoduo.com	所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545673 经度: 114.068108
mobilegw.alipaydev.com	IP: 110.75.132.131 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
tv.sohu.com	IP: 116.130.217.2 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
xmlpull.org	IP: 185.199.111.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
schemas.xmlsoap.org	IP: 13.107.213.74 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
i.snssdk.com	IP: 61.182.131.160 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349

videodata.gz.bcebos.com	IP: 153.3.238.105 所属国家: China 地区: jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
www.zhongziso.com	IP: 199.59.150.49 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.773968 经度: -122.410446
www.baidu.com	IP: 110.242.68.3 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
box.maoyan.com	没有服务器地理信息.
www.bilibili.com	IP: 123.234.3.169 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
www.youku.com	IP: 106.11.40.57 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
xml.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco

	纬度: 37.775700 经度: -122.395203
v.qq.com	IP: 218.12.71.171 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041599 经度: 114.478081
alogus.umeng.com	IP: 223.109.148.141 所属国家: China 地区: jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
ulogs.umengcloud.com	IP: 223.109.148.179 所属国家: China 地区: jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
mqqad.html5.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
long.open.weixin.qq.com	IP: 112.65.193.170 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
www.dbunit.org	IP: 74.220.199.51 所属国家: United States of America 地区: Utah

	城市: Provo 纬度: 40.213909 经度: -111.634071
wappaygw.alipay.com	IP: 123.125.216.241 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
xml.org	IP: 104.239.240.11 所属国家: United States of America 地区: Texas 城市: Windcrest 纬度: 29.499678 经度: -98.399246
plbslog.umeng.com	IP: 36.156.202.68 所属国家: China 地区: jiangsu 城市: Yangzhou 纬度: 32.397221 经度: 119.435600
apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
h.trace.qq.com	IP: 113.56.189.162 所属国家: China 地区: Hubei 城市: Huangshi 纬度: 30.204170 经度: 115.077606
	IP: 120.25.224.76 所属国家: China

120.25.224.76	地区: Guangdong 城市: Shenzhen 纬度: 22.545673 经度: 114.068108
mobilegw.stable.alipay.net	没有服务器地理信息.
www.w3.org	IP: 104.18.22.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
h5.m.taobao.com	IP: 61.182.130.202 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
www.sec.co.kr	IP: 112.106.187.200 所属国家: Korea (Republic of) 地区: Seoul-teukbyeolsi 城市: Seoul 纬度: 37.566311 经度: 126.977203
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
debugx5.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102

sf6-ttcdn-tos.pstatp.com	IP: 103.3.115.129 所属国家: China 地区: Zhejiang 城市: Taizhou 纬度: 28.666668 经度: 121.349998
mobilegw-1-64.test.alipay.net	没有服务器地理信息.
webcast-open.douyin.com	IP: 182.40.61.214 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
mobilegw.aaa.alipay.net	没有服务器地理信息.
mobilegw.alipay.com	IP: 203.209.250.2 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.4thline.org	IP: 51.15.52.165 所属国家: Netherlands 地区: Noord-Holland 城市: Haarlem 纬度: 52.380795 经度: 4.636802
purl.org	IP: 207.241.239.241 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.781734 经度: -122.459435
	IP: 125.39.104.63 所属国家: China

wup.imtt.qq.com	地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
android.bugly.qq.com	IP: 124.95.225.146 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
www.slf4j.org	IP: 159.100.250.151 所属国家: Switzerland 地区: Zurich 城市: Zurich 纬度: 47.366825 经度: 8.549790
debugtbs.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
open.weixin.qq.com	IP: 223.167.82.219 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
mcgw.alipay.com	IP: 123.125.216.242 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 203.209.245.74

m.alipay.com	所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.oracle.com	IP: 184.50.92.108 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
soft.tbs.imtt.qq.com	IP: 119.167.147.86 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
www.samsungapps.com	IP: 54.229.93.185 所属国家: Ireland 地区: Dublin 城市: Dublin 纬度: 53.344151 经度: -6.267249
pms.mb.qq.com	IP: 60.28.172.238 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
ulogs.umeng.com	IP: 223.109.148.178 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992

cfg.imtt.qq.com	IP: 60.28.172.238 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
pslog.umeng.com	IP: 59.82.112.112 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
apps.oceanengine.com	IP: 61.182.131.161 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
astat.bugly.qcloud.com	IP: 119.28.121.133 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
utoken.umeng.com	IP: 223.109.148.171 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
privacy.szcydkj.cn	IP: 47.106.9.254 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545673 经度: 114.068108

mclient.alipay.com	IP: 61.182.131.244 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
log.tbs.qq.com	IP: 124.95.231.218 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
mta.oa.com	IP: 141.144.196.217 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.378502 经度: 4.899980
pingma.qq.com	IP: 116.147.19.64 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
webcast.amemv.com	IP: 61.182.131.176 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
mdc.html5.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102

astat.bugly.cros.wr.pvp.net	IP: 170.106.118.26 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
www.diaosisou.org	IP: 50.28.59.161 所属国家: United States of America 地区: Michigan 城市: Lansing 纬度: 42.733280 经度: -84.637764
api.xgkjdytt.cn	IP: 47.106.9.254 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545673 经度: 114.068108
www.iqiyi.com	IP: 110.242.75.40 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
api.csdtkj.cn	IP: 139.224.103.46 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948

URL信息	Url所在文件
https://mobilegw.alipay.com/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw.aaa.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw-1-64.test.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw.stable.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
https://mobilegw.alipay.com/mgw.htm	com/alipay/sdk/cons/a.java
https://mobilegw.alipaydev.com/mgw.htm	com/alipay/sdk/cons/a.java
http://m.alipay.com/?action=h5quit	com/alipay/sdk/cons/a.java
https://wappaygw.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/cons/a.java
https://mclient.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/cons/a.java
https://h5.m.taobao.com/mlapp/olist.html	com/alipay/sdk/data/a.java
https://mcgw.alipay.com/sdklog.do	com/alipay/sdk/packet/impl/d.java
https://webcast.amemv.com/falcon/webcast_douyin/page/anchor_task_v2/panel/index.html?web_bg_color=%23ff161823	com/bytedance/android/live/base/api/BuildConfig.java
https://webcast.amemv.com/falcon/webcast_douyin/page/recharge_v1/index.html	com/bytedance/android/live/base/api/BuildConfig.java
https://webcast-open.douyin.com	com/bytedance/android/openliveplugin/material/LiveInitMaterialManager.java
https://webcast-open.douyin.com/webcast/openapi/pangle/setting/?app_id=	com/bytedance/android/openliveplugin/material/LiveInitMaterialManager.java
https://i.snssdk.com/	com/ss/android/downloadad/api/constant/AdBaseConstants.java
https://sf6-ttcdn-tos.pstatp.com/obj/ad-tetris-site/personal-privacy-page.html	com/ss/android/downloadlib/addownload/compliance/AppPrivacyPolicyActivity.java

https://apps.oceanengine.com/customer/api/app/pkg_info?	com/ss/android/downloadlib/addownload/compliance/ox.java
https://www.samsungapps.com/appquery/appDetail.as?appld=	com/ss/android/downloadlib/utlis/ko.java
https://android.bugly.qq.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/StrategyBean.java
https://astat.bugly.qcloud.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/a.java
https://astat.bugly.cros.wr.pvp.net/:8180/rqd/async	com/tencent/bugly/crashreport/common/strategy/a.java
https://h.trace.qq.com/kv	com/tencent/bugly/proguard/r.java
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuid=%s	com/tencent/mm/opensdk/diffdev/a/f.java
http://open.weixin.qq.com/connect/sdk/qrconnect? appid=%s&noncestr=%s×tamp=%s&scope=%s&signature=%s	com/tencent/mm/opensdk/diffdev/a/d.java
http://debugtbs.qq.com	com/tencent/smtt/sdk/WebView.java
http://debugx5.qq.com	com/tencent/smtt/sdk/WebView.java
http://debugtbs.qq.com?10000\	com/tencent/smtt/sdk/WebView.java
http://pms.mb.qq.com/rsp204	com/tencent/smtt/sdk/ag.java
http://mdc.html5.qq.com/mh?channel_id=50079&u=	com/tencent/smtt/sdk/a/d.java
http://soft.tbs.imtt.qq.com/17421/tbs_res_imtt_tbs_DebugPlugin_DebugPlugin.tbs	com/tencent/smtt/utlis/i.java
http://log.tbs.qq.com/ajax?c=pu&v=2&k=	com/tencent/smtt/utlis/s.java
http://log.tbs.qq.com/ajax?c=pu&tk=	com/tencent/smtt/utlis/s.java
http://wup.imtt.qq.com:8080	com/tencent/smtt/utlis/s.java
http://log.tbs.qq.com/ajax?c=dl&k=	com/tencent/smtt/utlis/s.java

http://cfg.imtt.qq.com/tbs?v=2&mk=	com/tencent/smtt/utls/s.java
http://log.tbs.qq.com/ajax?c=ul&v=2&k=	com/tencent/smtt/utls/s.java
http://mqqqad.html5.qq.com/adjs	com/tencent/smtt/utls/s.java
http://log.tbs.qq.com/ajax?c=ucfu&k=	com/tencent/smtt/utls/s.java
http://mta.qq.com/	com/tencent/wxop/stat/StatServiceImpl.java
http://mta.oa.com/	com/tencent/wxop/stat/StatServiceImpl.java
http://pingma.qq.com:80/mstat/report	com/tencent/wxop/stat/common/StatConstants.java
http://developer.umeng.com/docs/66650/cate/66650	com/umeng/analytics/pro/j.java
https://developer.umeng.com/docs/66632/detail/	com/umeng/commonsdk/debug/UMLogUtils.java
https://developer.umeng.com/docs/119267/detail/182050	com/umeng/commonsdk/debug/UMLogCommon.java
https://plbslog.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ulogs.umeng.com	com/umeng/commonsdk/stateless/a.java
https://alogus.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ulogs.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogsus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://ulogs.umengcloud.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://pslog.umeng.com	com/umeng/commonsdk/vchannel/a.java
https://oslog.umeng.com/	com/umeng/commonsdk/vchannel/a.iava

https://utoken.umeng.com/api/postZdata/v4	com/umeng/umzid/ZIDManager.java
https://utoken.umeng.com/api/updateZdata/v4	com/umeng/umzid/ZIDManager.java
http://120.25.224.76/%s/	com/yingyongduoduo/ad/config/AppConfig.java
http://videodata.gz.bcebos.com/%s/	com/yingyongduoduo/ad/config/AppConfig.java
http://www.yingyongduoduo.com/%s/	com/yingyongduoduo/ad/config/AppConfig.java
https://api.csdtkj.cn/xly/webcloud/	com/yingyongduoduo/ad/config/AppConfig.java
https://api.xgkjdytt.cn/xly/webcloud/	com/yingyongduoduo/ad/config/AppConfig.java
http://purl.org/dc/elements/1.1/	com/ykbjson/lib/screening/DLNAPlayer.java
http://xml.org/sax/features/external-general-entities	com/ykbjson/lib/screening/xml/DLNASAXParser.java
http://xml.org/sax/features/external-parameter-entities	com/ykbjson/lib/screening/xml/DLNASAXParser.java
http://www.baidu.com/s?&ie=utf-8&oe=UTF-8&wd=	com/yydd/touping/config/Constant.java
http://www.diaosisou.org/	com/yydd/touping/config/Constant.java
http://www.diaosisou.org/list/keyword/page/time_d	com/yydd/touping/config/Constant.java
http://www.diaosisou.org/list/keyword/page/size_d	com/yydd/touping/config/Constant.java
http://www.diaosisou.org/list/keyword/page/rala_d	com/yydd/touping/config/Constant.java
https://box.maoyan.com/promovie/api/box/second.json	com/yydd/touping/config/Constant.java
http://www.zhongziso.com/list_ctime/keyword/page	com/yydd/touping/config/Constant.java
http://www.zhongziso.com/list_click/keyword/page	com/yydd/touping/config/Constant.java

http://www.zhongziso.com/list_length/keyword/page	com/yydd/touping/config/Constant.java
https://www.bilibili.com/	com/yydd/touping/config/Constant.java
https://www.iqiyi.com/	com/yydd/touping/config/Constant.java
https://tv.sohu.com/	com/yydd/touping/config/Constant.java
https://v.qq.com/	com/yydd/touping/config/Constant.java
https://www.youku.com/	com/yydd/touping/config/Constant.java
https://api.csdtkj.cn	com/yydd/touping/net/net/HttpUtils.java
http://privacy.szcycdkj.cn/touping_notpay.html?n=%s&gs=%s&qq=%s	com/yydd/touping/ui/UserAgreementActivity.java
http://privacy.szcycdkj.cn/touping.html?n=%s&gs=%s&qq=%s	com/yydd/touping/ui/UserAgreementActivity.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Completable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Maybe.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Flowable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Single.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Observable.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	io/reactivex/exceptions/OnErrorNotImplementedException.java
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	io/reactivex/exceptions/UndeliverableException.java
http://www.sec.co.kr/dlna	org/fourthline/cling/binding/xml/Descriptor.java
http://schemas.xmlsoap.org/soap/envelope/	org/fourthline/cling/model/Constants.java

http://schemas.xmlsoap.org/soap/encoding/	org/fourthline/cling/model/Constants.java
http://www.w3.org/2000/xmlns/	org/fourthline/cling/support/contentdirectory/DIDLParser.java
http://purl.org/dc/elements/1.1/	org/fourthline/cling/support/model/DIDLObject.java
http://www.sec.co.kr/	org/fourthline/cling/support/model/DIDLObject.java
http://www.4thline.org/projects/maillinglists-cling.html\n\n	org/fourthline/cling/support/shared/Main.java
http://[	org/seamless/util/URIUtil.java
http://www.dbunit.org/properties/datatypeFactory	org/seamless/util/dbunit/H2DBUnitOperations.java
http://www.w3.org/1999/xhtml	org/seamless/xhtml/XHTML.java
http://www.w3.org/2001/xml.xsd	org/seamless/xml/DOM.java
http://xmlpull.org/v1/doc/features.html	org/seamless/xml/XMLPullParserUtils.java
http://www.w3.org/2001/xml.xsd	org/seamless/xml/SAXParser.java
http://xml.org/sax/features/external-general-entities	org/seamless/xml/SAXParser.java
http://xml.org/sax/features/external-parameter-entities	org/seamless/xml/SAXParser.java
http://apache.org/xml/features/disallow-doctype-decl	org/seamless/xml/SAXParser.java
http://www.w3.org/2001/XMLSchema	org/seamless/xml/SAXParser.java
http://www.w3.org/2001/XMLSchema	org/seamless/xml/DOMParser.java
http://apache.org/xml/features/xinclude/fixup-base-uris	org/seamless/xml/DOMParser.java
http://apache.org/xml/features/xinclude/fixup-language	org/seamless/xml/DOMParser.java

http://apache.org/xml/features/disallow-doctype-decl	org/seamless/xml/DOMParser.java
http://xml.org/sax/features/external-general-entities	org/seamless/xml/DOMParser.java
http://xml.org/sax/features/external-parameter-entities	org/seamless/xml/DOMParser.java
http://apache.org/xml/features/nonvalidating/load-external-dtd	org/seamless/xml/DOMParser.java
http://apache.org/xml/features/validation/dynamic	org/seamless/xml/DOMParser.java
http://www.oracle.com/xml/is-standalone	org/seamless/xml/DOMParser.java
http://xml.apache.org/xslt	org/seamless/xml/DOMParser.java
http://www.w3.org/TR/html4/loose.dtd	org/seamless/xml/DOMParser.java
http://www.w3.org/1999/xhtml\	org/seamless/xml/DOMParser.java
http://www.slf4j.org/codes.html	org/slf4j/MDC.java
http://www.slf4j.org/codes.html	org/slf4j/LoggerFactory.java

 邮箱线索

 手机线索

 签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: False
找到 1 个唯一证书

主题: C=ityj, ST=yityity, L=ytit, O=576i, OU=ut6iu, CN=gfh
签名算法: rsassa_pkcs1v15
有效期自: 2022-11-05 08:54:42+00:00
有效期至: 2121-10-12 08:54:42+00:00
发行人: C=ityj, ST=yityity, L=ytit, O=576i, OU=ut6iu, CN=gfh
序列号: 0x6ad15489
哈希算法: sha256
md5值: 7daeb9743d3be8a60c2d18f451d5af72
sha1值: 116b2772ee9a629ca6ba4b5a52ba0d0749a140e8
sha256值: 1cdbcb3b75a7c7ed9de6b43a9f482470f6635150950f65b63b008601ef703d4
sha512值: c4489793a2fae40c72913452e971fcd7effb78c78116a4c13f4bc133a3c0d125db9e38e55062fce06a3fae53a27fce19c9a84f856ef43868fa9a4e65ca1e87cc
公钥算法: rsa
密钥长度: 2048
指纹: 219a3f7f980a8550c1e4298ab24d1b97b1c1c996d35e6ab3f8d0d4916e2703ac

硬编码敏感信息

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
com.baijiu.daojishi.bjomm.openadsdk.permission.TT_PANGOLIN	未知	Unknown permission	Unknown permission from android reference
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.CHANGE_WIFI_MULTICAST_STATE	正常	允许Wi-Fi多播接收	允许应用程序接收不是直接发送到您设备的数据包。这在发现附近提供的服务时很有用。它比非多播模式使用更多的功率
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
			访问粗略位置源,例如移动网络数据库,以确定大概的中间位置 (如果可用) 亚音应

android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置信息,例如将网络数据用于,以确定大概的位置信息 (精度可能)。恶意应用程序可以使用它来确定您的大致位置
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.QUERY_ALL_PACKAGES	正常		允许查询设备上的任何普通应用程序,无论清单声明如何
android.permission.REORDER_TASKS	正常	重新排序正在运行的应用程序	允许应用程序将任务移动到前台和后台。恶意应用程序可以在不受您控制的情况下将自己强加于前
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference

应用内通信