



MoGua

小月亮 1.0.0.APK 分析报告



APP名称:

小月亮

包名:	com.xuyu.xuyu
域名线索:	68条
URL线索:	130条
邮箱线索:	4条
分析日期:	2025年7月16日
分析平台:	摸瓜APK反编译平台

文件名: xiaoyuelia123.apk
文件大小: 115.27MB
MD5值: 6e1163b2d3f1e41da851b95f33d1c61c
SHA1值: b1851d099d827be19f8ff90ecc3a6a10d1f72981
SHA256值: 58ed4c897af702c663f1a63c96af0453f4f2e33c52bb1d9dbb76252710eab2dc

i APP 信息

App名称: 小月亮
包名: com.xuyu.xuyu
主活动Activity: com.xuyu.xuyu.view.main.CoverActivity
安卓版本名称: 1.0.0
安卓版本: 1

🔍 域名线索

域名	服务器信息
api-push.in.meizu.com	IP: 206.161.233.191 所属国家: United States of America 地区: Virginia 城市: Herndon 纬度: 38.978210 经度: -77.386993
mobilegw.alipaydev.com	IP: 110.75.132.131 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
mcgw.alipay.com	IP: 116.142.245.206 所属国家: China 地区: Beijing

	城市: Beijing 纬度: 39.907501 经度: 116.397102
w-.w-.hicloud.com	没有服务器地理信息.
sandcash.mixienet.com.cn	IP: 203.107.86.172 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
metok.sys.miui.com	IP: 111.206.101.98 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
paygate-yf.meituan.com	IP: 103.37.152.89 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
register.xmpush.global.xiaomi.com	IP: 47.237.96.1 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
av1.xdrig.com	IP: 0.0.0.0 所属国家: - 地区: - 城市: - 纬度: 0.000000

	经度: 0.000000
wannos.127.net	IP: 45.127.129.15 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
dashboard.agora.io	IP: 106.14.163.9 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
nosup-hz1.127.net	IP: 124.163.197.206 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
me.xdrig.com	IP: 180.184.82.170 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
api.weixin.qq.com	IP: 116.128.184.169 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
	IP: 116.142.235.203 所属国家: China 地区: Beijing

mclient.alipay.com	城市: Beijing 纬度: 39.907501 经度: 116.397102
schemas.android.com	没有服务器地理信息.
webtest.netease.im	IP: 111.124.202.79 所属国家: China 地区: Guizhou 城市: Zunyi 纬度: 27.686441 经度: 106.907135
play.google.com	IP: 93.46.8.90 所属国家: Italy 地区: Lombardia 城市: Milan 纬度: 45.464336 经度: 9.188547
a.vmall.com	IP: 121.36.118.247 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
long.open.weixin.qq.com	IP: 112.65.193.150 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
app.chuxia12125.com.cn	IP: 101.37.88.200 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650

	经度: 120.161583
dualstack-a.apilocate.amap.com	IP: 59.82.31.183 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
mta.oa.com	IP: 141.144.196.217 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.378502 经度: 4.899980
dualstack-arestapi.amap.com	IP: 59.82.132.217 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
mobilegw-1-64.test.alipay.net	没有服务器地理信息.
da.dun.163.com	IP: 59.111.248.82 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
dr.netease.im	IP: 220.197.34.83 所属国家: China 地区: Sichuan 城市: Leshan 纬度: 29.562281 经度: 103.763863

apilocate.amap.com	IP: 59.82.31.183 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
yuehua123.oss-cn-beijing.aliyuncs.com	IP: 61.135.144.224 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
norma-external-collect.meizu.com	没有服务器地理信息.
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
metrics1.data.hicloud.com	IP: 111.202.16.252 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
abroad.apilocate.amap.com	IP: 59.82.44.11 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
	IP: 114.67.244.173 所属国家: China

conf.xdrig.com	地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
lbs.netease.im	IP: 220.197.34.89 所属国家: China 地区: Sichuan 城市: Leshan 纬度: 29.562281 经度: 103.763863
xml.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.huawei.com	IP: 120.52.95.239 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
xmlpull.org	IP: 185.199.108.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
mobilegw.alipay.com	IP: 203.209.250.2 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

mobilegw.aaa.alipay.net	没有服务器地理信息.
pingma.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
wappaygw.alipay.com	IP: 116.142.245.205 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
i.tddmp.com	IP: 116.196.71.30 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
metrics.data.hicloud.com	IP: 111.202.16.252 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.jivesoftware.com	IP: 23.235.209.143 所属国家: United States of America 地区: Virginia 城市: Virginia Beach 纬度: 36.837925 经度: -76.093918
	IP: 110.43.0.169 所属国家: China

resolver.msg.xiaomi.net	地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
store.hispace.hicloud.com	IP: 49.4.47.241 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
open.weixin.qq.com	IP: 140.207.121.14 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
mobilegw.stable.alipay.net	没有服务器地理信息.
lbs.amap.com	IP: 110.253.189.212 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
astat.bugly.cros.wr.pvp.net	IP: 170.106.118.26 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
cgicol.amap.com	IP: 110.253.189.212 所属国家: China 地区: Hebei 城市: Zhangjiakou

	纬度: 40.810024 经度: 114.879349
h5.m.taobao.com	IP: 119.249.53.160 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
h.trace.qq.com	IP: 113.56.189.246 所属国家: China 地区: Hubei 城市: Huangshi 纬度: 30.204170 经度: 115.077606
adiu.amap.com	IP: 110.253.189.147 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
www.mob.com	IP: 180.188.26.28 所属国家: China 地区: Zhejiang 城市: Taizhou 纬度: 28.666668 经度: 121.349998
mta.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
	IP: 111.202.0.249

ccc.sys.miui.com	所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
restsdk.amap.com	IP: 59.82.132.217 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
api-push.meizu.com	IP: 221.5.93.66 所属国家: China 地区: Guangdong 城市: Foshan 纬度: 23.026770 经度: 113.131477
crash.163.com	IP: 45.254.50.146 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
img.chuxia12125.com.cn	IP: 192.140.169.142 所属国家: China 地区: Sichuan 城市: Chengdu 纬度: 30.666670 经度: 104.066269
m.alipay.com	IP: 203.209.245.74 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

app.shixi.love	IP: 103.248.152.110 所属国家: China 地区: Zhejiang 城市: Jinhua 纬度: 30.013470 经度: 120.288658
android.bugly.qq.com	IP: 124.95.225.146 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
astat.bugly.qcloud.com	IP: 119.28.121.133 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
app.langlangshan.xyz	IP: 123.126.74.197 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
fr.register.xmpush.global.xiaomi.com	IP: 98.64.182.160 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.378502 经度: 4.899980

URL信息	Url所在文件
https://)	cn/sharesdk/framework/a/a.java
https://api.weixin.qq.com/sns/oauth2/access_token	cn/sharesdk/wechat/utils/h.java
https://api.weixin.qq.com/sns/oauth2/refresh_token	cn/sharesdk/wechat/utils/h.java
https://api.weixin.qq.com/sns/userinfo	cn/sharesdk/wechat/utils/h.java
https://mobilegw.alipay.com/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw.aaa.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw-1-64.test.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw.stable.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
https://mobilegw.alipay.com/mgw.htm	com/alipay/sdk/cons/a.java
https://mobilegw.alipaydev.com/mgw.htm	com/alipay/sdk/cons/a.java
http://m.alipay.com/?action=h5quit	com/alipay/sdk/cons/a.java
https://wappaygw.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/cons/a.java
https://mclient.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/cons/a.java
https://mcgw.alipay.com/sdklog.do	com/alipay/sdk/packet/impl/c.java
http://h5.m.taobao.com/trade/paySuccess.html?bizOrderId=\$OrderId\$&	com/alipay/sdk/data/a.java
https://paygate-yf.meituan.com/paygate/notify/alipay/paynotify/simple\	com/alipay/test/a.java

http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/	com/amap/api/location/AMapLocation.java
http://xml.apache.org/xslt	com/blankj/utilcode/util/LogUtils.java
http://yuehua123.oss-cn-beijing.aliyuncs.com/	com/grm/uikit/dialog/GiftRecycleAdapter.java
https://)[\\w-]+\\.([\\w-]+(\\.hicloud\\.com:))[\\d]	com/huawei/hianalytics/v2/a/b/h.java
https://metrics.data.hicloud.com:6447	com/huawei/hianalytics/v2/a/b/n.java
https://metrics1.data.hicloud.com:6447	com/huawei/hms/api/HuaweiApiClient.java
https://www.huawei.com/auth/account/base.profile/accesstoken	com/huawei/hms/support/api/entity/hwid/HwIDConstant.java
https://www.huawei.com/auth/account/base.profile/serviceauthcode	com/huawei/hms/support/api/entity/hwid/HwIDConstant.java
https://www.huawei.com/auth/account/base.profile/servicecountrycode	com/huawei/hms/support/api/entity/hwid/HwIDConstant.java
https://www.huawei.com/auth/account/base.profile	com/huawei/hms/support/api/entity/hwid/HwIDConstant.java
https://play.google.com/store/apps/details?id=	com/huawei/hms/support/api/push/a/a/a.java
http://a.vmall.com/	com/huawei/hms/support/api/push/a/a/a.java
http://schemas.android.com/apk/res/android	com/huawei/hms/support/api/game/ui/GifImageView.java
https://www.huawei.com/auth/sns/read	com/huawei/hms/support/api/sns/HuaweiSns.java
https://www.huawei.com/auth/sns/write	com/huawei/hms/support/api/sns/HuaweiSns.java
https://www.huawei.com/auth/sns/friends.account	com/huawei/hms/support/api/sns/HuaweiSns.java
http://a.vmall.com/app/	com/huawei/hms/update/e/k.java
https://store.hispace.hicloud.com/hwmarket/api/	com/huawei/updatesdk/service/a/e.java

https://adiu.amap.com/ws/device/adius	com/loc/bi.java
http://cgicol.amap.com/collection/collectData?src=baseCol&ver=v74&	com/loc/cy.java
http://apilocate.amap.com/mobile/binary	com/loc/fp.java
http://dualstack-a.apilocate.amap.com/mobile/binary	com/loc/fp.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/fp.java
https://restsdk.amap.com/sdk/compliance/params	com/loc/as.java
http://restsdk.amap.com/sdk/compliance/params	com/loc/as.java
http://restsdk.amap.com	com/loc/w.java
http://restsdk.amap.com/v3/place/text?	com/loc/a.java
http://restsdk.amap.com/v3/config/district?	com/loc/a.java
http://restsdk.amap.com/v3/place/around?	com/loc/a.java
https://restsdk.amap.com/v3/iasdkauth	com/loc/n.java
https://dualstack-arestapi.amap.com/v3/iasdkauth	com/loc/n.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/fv.java
http://dualstack-arestapi.amap.com/v3/geocode/regeo	com/loc/fj.java
http://restsdk.amap.com/v3/geocode/regeo	com/loc/fj.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/fh.java

https://api-push.meizu.com	com/meizu/cloud/pushsdk/b/c/e.java
https://api-push.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.in.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
http://norma-external-collect.meizu.com/android/exchange/getpublickey.do	com/meizu/cloud/pushsdk/a/a/a.java
http://norma-external-collect.meizu.com/push/android/external/add.do	com/meizu/cloud/pushsdk/a/a/b.java
https://nosup-hz1.127.net	com/netease/nimlib/l/a/b/a/c.java
https://wannos.127.net/lbs	com/netease/nimlib/l/a/b/a/c.java
https://webtest.netease.im/lbs/conf.jsp	com/netease/nimlib/f/e.java
https://webtest.netease.im/1.gif	com/netease/nimlib/f/e.java
https://webtest.netease.im/lbsrc/conf.jsp	com/netease/nimlib/f/e.java
https://lbs.netease.im/lbs/conf.jsp	com/netease/nimlib/f/e.java
https://dr.netease.im/1.gif	com/netease/nimlib/f/e.java
https://crash.163.com/uploadCrashLogInfo.do	com/netease/nis/basesdk/crash/BaseJavaCrashHandler.java
https://crash.163.com/client/api/uploadStartUpInfo.do	com/netease/nis/basesdk/crash/BaseJavaCrashHandler.java
https://da.dun.163.com/sn.gif?d=	com/netease/nis/captcha/i.java
https://github.com/yyued/SVGAPlayer-Android	com/opensource/svgaplayer/SVGAParser.java
http://xmlpull.org/v1/doc/features.html	com/ta/utdid2/b/a/a.java
http://xmlpull.org/v1/doc/features.html	com/ta/utdid2/b/a/e.java

https://h.trace.qq.com/kv	com/tencent/bugly/proguard/ad.java
https://astat.bugly.qcloud.com/rqd/async	com/tencent/bugly/proguard/ac.java
https://astat.bugly.cros.wr.pvp.net/:8180/rqd/async	com/tencent/bugly/proguard/ac.java
https://android.bugly.qq.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/StrategyBean.java
http://mta.qq.com/	com/tencent/wxop/stat/StatServiceImpl.java
http://mta.oa.com/	com/tencent/wxop/stat/StatServiceImpl.java
http://pingma.qq.com:80/mstat/report	com/tencent/wxop/stat/common/StatConstants.java
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuid=%s	com/tencent/mm/opensdk/diffdev/a/f.java
https://open.weixin.qq.com/connect/sdk/qrconnect? appid=%s&noncestr=%s×tamp=%s&scope=%s&signature=%s	com/tencent/mm/opensdk/diffdev/a/d.java
https://av1.xdrig.com/u/a	com/tendcloud/tenddata/d.java
https://me.xdrig.com	com/tendcloud/tenddata/e.java
https://conf.xdrig.com/sdk/conf?	com/tendcloud/tenddata/gb.java
https://i.tddmp.com/a/	com/tendcloud/tenddata/gy.java
https://metok.sys.miui.com	com/xiaomi/metoknlp/b.java
http://ccc.sys.miui.com	com/xiaomi/metoknlp/a/f.java
http://resolver.msg.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bb.java
https://register.xmpush.global.xiaomi.com/pass/register	com/xiaomi/push/service/t.java

https://fr.register.xmpush.global.xiaomi.com/pass/register	com/xiaomi/push/service/t.java
http://%1\$s/gslb/?ver=4.0	com/xiaomi/network/HostManager.java
http://xmllpull.org/v1/doc/features.html	com/xiaomi/smack/g.java
http://www.jivesoftware.com/xmlns/xmpp/properties\	com/xiaomi/smack/packet/d.java
http://xmllpull.org/v1/doc/features.html	com/xiaomi/smack/provider/c.java
http://xmllpull.org/v1/doc/features.html	com/xiaomi/smack/util/a.java
http://xmllpull.org/v1/doc/features.html	com/xiaomi/slim/e.java
https://dashboard.agora.io/	com/xuyu/xuyu/agora/WorkerThread.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/controller/settings/adapter/InvitationListAdapter.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/controller/settings/adapter/BillAdapter.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/controller/settings/adapter/InviteAdapter.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/controller/settings/adapter/AddSkillRecyclerAdapter.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/controller/settings/adapter/GeneralOptionsRecyclerAdapter.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/controller/settings/adapter/InfoEditPhotoRecyclerAdapter.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/controller/settings/adapter/SettingBrandAdapter.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/controller/settings/adapter/RankAdapter.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/controller/settings/adapter/SocialAdapter.java

http://img.chuxia12125.com.cn/	com/xuyu/xuyu/controller/settings/adapters/VideoRecordAdapter.java
https://api.weixin.qq.com/sns/oauth2/access_token?	com/xuyu/xuyu/controller/settings/manager/SettingManager.java
https://app.langlangshan.xyz/api/passport/base_param	com/xuyu/xuyu/controller/constant/ConstUrl.java
https://app.chuxia12125.com.cn	com/xuyu/xuyu/controller/constant/ConstUrl.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/controller/constant/ConstUrl.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/controller/main/adapters/GiftReceivedAdapter.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/controller/main/adapters/GuardRankAdapter.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/controller/main/adapters/SearchAdapter.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/controller/main/adapters/GenderUserAdapter.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/controller/main/adapters/OneKeyAttentionAdapter.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/controller/main/adapters/BlackAdapter.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/controller/main/adapters/VideoAdapter.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/controller/main/adapters/MainChannelAdapter.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/controller/dynamics/adapters/DynamicsAdapter.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/im/uikit/common/Constans.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/im/uikit/common/ui/imageview/HeadImageView.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/utills/ClickToastUtils.java
https://dashboard.agora.io/	com/xuyu/xuyu/view/base/BaseApplication.java

http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/base/utils/view/OtherGuardDialog.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/base/utils/view/ToastNoticeDialog.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/news/im/holder/GiftViewHolder.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/news/im/holder/DynamicHolder.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/news/im/holder/OnlineNoticeHolder.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/news/im/holder/AttentionFansHolder.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/news/activity/ChatSettingActivity.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/settings/PreSelfieActivity.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/settings/CopyBoardActivity.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/settings/InfoEditActivity.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/settings/SkillSettingActivity.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/settings/SuperMemberFragment.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/settings/GeneralMemberFragment.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/settings/SettingFragment.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/main/MainHomePageActivity.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/main/MainActivity.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/main/VideoFragment.java

http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/main/MainRecommendPeopleFragment.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/main/MainRecommendActiveFragment.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/main/MainRecommendCityFragment.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/main/RecommendFragment.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/main/AgoraWithFUVideoActivity.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/main/AgoraWithFUVideo2Activity.java
https://app.shixi.love/index/about/agreement.html\	com/xuyu/xuyu/view/main/dialog/FirstTipDialog.java
https://app.shixi.love/index/about/privacy.html\	com/xuyu/xuyu/view/main/dialog/FirstTipDialog.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/rank/CharmRankFragment.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/rank/ConsumptionRankFragment.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/rank/GiftRankFragment.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/rank/GuardRankFragment.java
http://img.chuxia12125.com.cn/	com/xuyu/xuyu/view/rank/ZhimiMiBiRankFragment.java
https://sandcash.mixienet.com.cn	com/pay/paytypelibrary/base/PayUtil.java
https://sandcash.mixienet.com.cn/gateway/v2/order/quickPayment	com/pay/paytypelibrary/base/PayUtil.java
https://sandcash.mixienet.com.cn/gateway/v2/order/mixedpay	com/pay/paytypelibrary/base/PayUtil.java
https://sandcash.mixienet.com.cn/gateway/v2/order/linkCodePayment	com/pay/paytypelibrary/base/PayUtil.java
https://sandcash.mixienet.com.cn/pay/sdk?	com/pay/paytypelibrary/base/PayUtil.java

https://sandcash.mixienet.com.cn/gateway/v2/api	com/pay/paytypelibrary/base/PayUtil.java
https://sandcash.mixienet.com.cn/gateway/v2/quick	com/pay/paytypelibrary/base/PayUtil.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Completable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Maybe.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Single.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Observable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Flowable.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	io/reactivex/exceptions/OnErrorNotImplementedException.java
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	io/reactivex/exceptions/UndeliverableException.java
https://github.com/panpf/sketch	me/panpf/sketch/ErrorTracker.java
https://github.com/panpf/sketch	me/panpf/sketch/decode/GifDecodeHelper.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifViewUtils.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifTextureView.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifTextView.java
http://www.mob.com/policy/en > http://www.mob.com/policy/en .	摸瓜V1引擎
http://www.mob.com/about/policy > http://www.mob.com/about/policy 	摸瓜V1引擎
https://www.mob.com	摸瓜V1引擎

http://www.mob.com/about/policy/en>http://www.mob.com/about/policy/en.If	摸瓜V1引擎
http://www.mob.com/policy/zh>http://www.mob.com/policy/zh	摸瓜V1引擎

邮箱线索

邮箱地址	所在文件
dicheh@he8cifi6ebchcc.e_ci	cn/fly/commons/C0167r.java
034fgffeflfmfkfefn@e.fm0gkhgk1f	cn/fly/tools/b/j.java
011@gl2hk9hg.fk	cn/fly/tools/utis/a.java
xxxx@xxxx.com	com/huawei/hms/support/api/push/a/d/a.java

手机线索

手机号	所在文件
17179869184	com/faceunity/wrapper/faceunity.java
14222222222	com/loc/n.java

签名证书

APK已签名
v1 签名: True

v2 签名: True
v3 签名: False
找到 1 个唯一证书
主题: CN=1
签名算法: rsassa_pkcs1v15
有效期自: 2025-06-20 16:21:19+00:00
有效期至: 2050-06-14 16:21:19+00:00
发行人: CN=1
序列号: 0x1
哈希算法: sha256
md5值: 8fe65d9ac114ffe2ca3bf8f51e632837
sha1值: 14630e408af0d4c0341ed4ecdaf47885c20d9d50
sha256值: b0f5bbd9e70e5dbb806b0d6853c637681aa83083b2cd81bcc9632d9901f82eaf
sha512值: 64afe065b215c2eedeffa800efb49ec858812a7e1b9c03b22cf95b3c061a16eada2083191bc64f17f7d81d47d37faf1c09da49705ff789b51a8101046d8f583e
公钥算法: rsa
密钥长度: 2048
指纹: 61a2d6f91db692eb41e5025830ba4f88f23df6fedb3cb884591fee7863a2e7a3

 硬编码敏感信息

可能的敏感信息
"login_auth_candle" : "授权取消"
"login_auth_failure" : "授权失败"
"login_auth_ing2" : "正在授权中"
"login_auth_success1" : "授权成功"
"mobcommon_authorize_dialog_accept" : "Accept"
"mobcommon_authorize_dialog_content" : "In order to provide you with Mobservice, please check our service policy. For details, please click http://www.mob.com/policy/en. If you agree with our service policy, please click accept, if you do not agree with our service policy, please click reject"
"mobcommon_authorize_dialog_reject" : "Reject"

"mobcommon_authorize_dialog_title" : "Terms of Use"
"mobdemo_authorize_dialog_content" : "为了给您提供Mobservice相关产品服务，请您详细查看我们的隐私政策，详见 http://www.mob.com/about/policy。如您同意我们的隐私政策，请点击“接受”，如您不同意我们的隐私政策，请点击“拒绝”。"</td'>
"mobdemo_authorize_dialog_title" : "服务授权"
"ssdk_cmcc_auth" : "手机认证服务由中国移动提供"
"ssdk_cmcc_login_one_key" : "本机号码一键登录"
"ssdk_instapaper_pwd" : "密码"
"ssdk_weibo_oauth_regiseter" : "应用授权"
"team_authentication" : "身份验证"
"team_invitee_authentication" : "被邀请人身份验证"
"team_invitee_need_authen" : "需要验证"
"team_invitee_not_need_authen" : "不需要验证"
"team_need_authentication" : "需要身份验证"
"mobcommon_authorize_dialog_accept" : "Accept"
"mobcommon_authorize_dialog_content" : "In order to provide you with Mobservice, please check our service policy. For details, please click <a accept,="" agree="" click="" do="" href="http://www.mob.com/policy/en>http://www.mob.com/policy/en." if="" not="" our="" please="" policy,="" reject"<="" service="" td="" with="" you="">
"mobcommon_authorize_dialog_reject" : "Reject"
"mobcommon_authorize_dialog_title" : "Terms of Use"
"mobdemo_authorize_dialog_content" : "In order to provide you with Mobservice related products and services, please check our privacy policy in detail, see details <a href="</a">

http://www.mob.com/about/policy/en>http://www.mob.com/about/policy/en.If you agree with our privacy policy, please click accept. If you disagree with our privacy policy, please click reject."
"mobdemo_authorize_dialog_title" : "service authority"
"ssdk_cmcc_auth" : "Provided by China Mobile"
"ssdk_cmcc_login_one_key" : "PhoneNum Login"
"ssdk_instapaper_pwd" : "Password"
"ssdk_weibo_oauth_regiseter" : "Authorization"
"mobcommon_authorize_dialog_accept" : "同意"
"mobcommon_authorize_dialog_content" : "为了给您提供Mobservice相关产品服务，请您详细查看我们的隐私政策，详见http://www.mob.com/policy/zh。如您同意我们的隐私政策，请点击“接受”，如您不同意我们的隐私政策，请点击“拒绝”。"
"mobcommon_authorize_dialog_reject" : "拒绝"
"mobcommon_authorize_dialog_title" : "服务授权"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

--	--	--

名称	分类	URL链接
登陆摸瓜网站后查看		

☰ 此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_FINE_LOCATION	危险	精细定位（GPS）	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储

android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令，恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.USE_FULL_SCREEN_INTENT	正常		针对想要使用通知全屏意图的 Build.VERSION_CODES.Q 的应用程序是必需的
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
com.xuyu.xuyu.permission.RECEIVE_MSG	未知	Unknown permission	Unknown permission from android reference
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
com.xuyu.xuyu.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.meizu.flyme.push.permission.RECEIVE	未知	Unknown	Unknown permission from android reference

		permission	
com.live.yeban.push.permission.MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.meizu.c2dm.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.live.yeban.permission.C2D_MESSAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.DISABLE_KEYGUARD	正常		如果键盘不安全,允许应用程序禁用它。
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.SET_WALLPAPER	正常	设置壁纸	允许应用程序设置系统壁纸
android.permission.CAPTURE_VIDEO_OUTPUT	正常		允许应用程序捕获视频输出
com.sec.android.provider.badge.permission.READ	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.sec.android.provider.badge.permission.WRITE	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.UPDATE_SHORTCUT	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.sonyericsson.home.permission.BROADCAST_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。

com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.anddoes.launcher.permission.UPDATE_COUNT	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或徽章
com.majeur.launcher.permission.UPDATE_BADGE	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或标记为固体。
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
com.huawei.android.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
com.huawei.android.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
android.permission.READ_APP_BADGE	正常	显示应用程序通知	允许应用程序显示应用程序图标徽章
com.oppo.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
com.oppo.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
me.everything.badger.permission.BADGE_COUNT_READ	未知	Unknown permission	Unknown permission from android reference
me.everything.badger.permission.BADGE_COUNT_WRITE	未知	Unknown permission	Unknown permission from android reference
android.permission.QUERY_ALL_PACKAGES	正常		允许查询设备上的任何普通应用程序,无论清单声明如何

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.xuyu.xuyu.view.main.CoverActivity	Schemes: jjicfq://,
com.xuyu.xuyu.view.main.MainActivity	Schemes: xmigqv://,
com.xuyu.xuyu.view.settings.CaibeiRechargeActivity	Schemes: yuehua://, Hosts: recharge,

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。