



MoGua

冒险岛：枫之传说 2.200.2516.APK 分析报告



APP名称:

冒险岛：枫之传说

包名:

com.tencent.tmgp.maplem

域名线索:	89条
URL线索:	91条
邮箱线索:	2条
分析日期:	2025年6月14日
分析平台:	摸瓜APK反编译平台

文件信息

文件名: 冒险岛：枫之传说.apk

文件大小: 1643.32MB

MD5值: 7240924217f78c699d9bf0b6fff41f1d

SHA1值: 4d53395ec311719eb6bdf155d895578fb7b33b0f

SHA256值: 8a61b98bd0b38369a4c70a0b809cdb2e4cacf7d57051afb6d08d1b641b1185

i APP 信息

App名称: 冒险岛：枫之传说
包名: com.tencent.tmgp.maplem
主活动Activity: com.nexon.maplem.module.MapleUnityActivity
安卓版本名称: 2.200.2516
安卓版本: 2516

🔍 域名线索

域名	服务器信息
cgi.qplus.com	没有服务器地理信息.
analy.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
ops-dra.agcstorage.link	IP: 119.13.106.157 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
license.vod2.myqcloud.com	IP: 221.204.15.89 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
unipay.sdk.android	没有服务器地理信息.
	IP: 60.28.215.27

openmobile.qq.com	所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
appsupport.qq.com	IP: 60.28.215.27 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
metrics1.data.hicloud.com	IP: 111.202.16.252 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
otheve.beacon.qq.com	IP: 113.56.189.125 所属国家: China 地区: Hubei 城市: Huangshi 纬度: 30.204170 经度: 115.077606
webpresence.qq.com	IP: 220.194.111.233 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
tdid.m.qq.com	IP: 60.29.239.156 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
	IP: 153.3.50.50

cloud.tgpa.qq.com	所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
api.tpns.tencent.com	IP: 221.204.43.211 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
agc-storage-drcn.platform.dbankcloud.cn	IP: 114.116.229.201 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
fusion.qq.com	IP: 116.130.228.157 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
qos.189.cn	IP: 42.99.34.130 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
android.bugly.qq.com	IP: 124.95.225.146 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
	IP: 221.198.69.15 所属国家: China

test.snowflake.qq.com	地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
debugx5.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
m.wsq.qq.com	没有服务器地理信息.
long.open.weixin.qq.com	IP: 112.65.193.170 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
xml.org	IP: 104.239.240.11 所属国家: United States of America 地区: Texas 城市: Windcrest 纬度: 29.499678 经度: -98.399246
metrics2.data.hicloud.com	IP: 80.158.2.190 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
grs.dbankcloud.eu	没有服务器地理信息.
log.tbs.qq.com	IP: 124.95.224.248 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221

	经度: 123.432877
channels.weixin.qq.com	IP: 58.246.163.67 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
xmlpull.org	IP: 185.199.109.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
data-drru.push.dbankcloud.com	IP: 159.138.202.31 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
tglog.gcloudsdk.com	IP: 140.207.57.207 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
norma-external-collect.meizu.com	IP: 183.60.176.112 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
grs.platform.dbankcloud.ru	没有服务器地理信息.
	IP: 123.125.102.39 所属国家: China 地区: Beijing

cn.register.xmpush.xiaomi.com	城市: Beijing 纬度: 39.907501 经度: 116.397102
mazutest.kf0309.3g.qq.com	IP: 119.147.179.200 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545673 经度: 114.068108
hc.tdm.qq.com	IP: 140.207.121.12 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
grs.dbankcloud.cn	IP: 49.4.40.185 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
data-dra.push.dbankcloud.com	IP: 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
snowflake.qq.com	IP: 116.130.220.107 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
pms.mb.qq.com	IP: 60.28.172.238 所属国家: China 地区: Tianjin

	城市: Tianjin 纬度: 39.142181 经度: 117.176102
mazu.m.qq.com	IP: 220.194.117.209 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
search-drcn.cloud.huawei.com	没有服务器地理信息.
mp.weixin.qq.com	IP: 140.207.121.14 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
astat.bugly.qcloud.com	IP: 119.28.121.133 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
stat.api.tpns.tencent.com	IP: 42.194.154.20 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
metrics5.dt.dbankcloud.ru	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
	IP: 116.130.224.95

pay.qq.com	所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
android.crashsight.qq.com	IP: 114.222.112.57 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
resolver.msg.xiaomi.net	IP: 110.43.0.169 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
astat.bugly.cros.wr.pvp.net	IP: 170.106.118.26 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
agc-storage-dra.cloud.huawei.asia	IP: 114.119.172.190 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
	IP: 121.36.116.8 所属国家: China

grs.dbankcloud.asia	地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
h.trace.qq.com	IP: 113.56.189.246 所属国家: China 地区: Hubei 城市: Huangshi 纬度: 30.204170 经度: 115.077606
data-drcn.push.dbankcloud.com	IP: 49.4.40.58 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
debugtbs.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
log.tpns.tencent.com	IP: 163.177.1.125 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
graph.qq.com	IP: 60.28.215.27 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
	IP: 35.201.97.85 所属国家: United States of America

maplestory-m-74653852.firebaseio.com	地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
youxi.vip.qq.com	IP: 115.56.90.70 所属国家: China 地区: Henan 城市: Jiaozuo 纬度: 35.239719 经度: 113.233063
grs.dbankcloud.com	IP: 60.28.193.195 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
imgcache.qq.com	IP: 60.28.220.205 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
htrace.wetvinfo.com	IP: 220.194.118.77 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
agc-storage-dre.cloud.huawei.eu	IP: 80.158.32.142 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
	IP: 121.36.83.46 所属国家: China 地区: Beijing

agc-storage-drcn.cloud.huawei.com.cn	城市: Beijing 纬度: 39.907501 经度: 116.397102
api-push.in.meizu.com	IP: 206.161.233.191 所属国家: United States of America 地区: Virginia 城市: Herndon 纬度: 38.978210 经度: -77.386993
119.29.29.29	IP: 119.29.29.29 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
api.translator.voice.gcloudsdk.com	IP: 182.50.13.100 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cfg.imtt.qq.com	IP: 60.28.172.238 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
tbs.imtt.qq.com	IP: 119.188.150.244 所属国家: China 地区: Shandong 城市: Jinan 纬度: 36.668331 经度: 116.997223
htest.tdm.qq.com	IP: 220.196.159.67 所属国家: China 地区: Jiangsu

	城市: Suzhou 纬度: 31.311365 经度: 120.617691
testcloud.tgpa.qq.com	IP: 114.222.114.87 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
pmir.3g.qq.com	IP: 60.28.172.238 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
cgi.connect.qq.com	IP: 60.28.215.27 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
game.weixin.qq.com	IP: 114.112.223.189 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.facebook.com	IP: 103.240.180.117 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
idconfig.gcloudsdk.com	IP: 140.207.124.33 所属国家: China 地区: Shanghai 城市: Shanghai

	纬度: 31.224333 经度: 121.468948
api-push.meizu.com	IP: 221.5.93.66 所属国家: China 地区: Guangdong 城市: Foshan 纬度: 23.026770 经度: 113.131477
harmony.voice.gcloudsdk.com	IP: 112.80.148.71 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
open.weixin.qq.com	IP: 140.207.121.14 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
x.com	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
tun-cos-1258344701.file.myqcloud.com	IP: 124.163.195.73 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
ops-dre.agcstorage.link	IP: 80.158.43.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358

	经度: 10.134532
testversion.tgpa.qq.com	IP: 114.222.114.87 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
appact.qzone.qq.com	IP: 220.194.116.75 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
agc-storage-drru.cloud.huawei.ru	IP: 159.138.197.249 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
test.com	IP: 34.224.149.186 所属国家: United States of America 地区: Virginia 城市: Ashburn 纬度: 39.039474 经度: -77.491806
othstr.beacon.qq.com	IP: 112.65.194.211 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948

metrics-dra.dt.hicloud.com	IP: 94.74.88.100 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
cloudctrl.gcloud.qq.com	IP: 140.207.57.189 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948

 URL线索

URL信息	Url所在文件
http://xml.org/sax/features/namespaces	com/huawei/secure/android/common/xml/DocumentBuilderFactorySecurity.java
http://xml.org/sax/features/validation	com/huawei/secure/android/common/xml/DocumentBuilderFactorySecurity.java
http://xml.org/sax/features/namespaces	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/namespace-prefixes	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/validation	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/external-general-entities	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/external-parameter-entities	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/string-interning	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xmllpull.org/v1/doc/features.html	com/huawei/secure/android/common/xml/XmlPullParserFactorySecurity.java

https://android.crashsight.qq.com/rqd/pb/async	com/ihoc/mgpa/bgdownload/c/b.java
https://testversion.tgpa.qq.com	com/ihoc/mgpa/predownload/PredownloadInfoRequester.java
https://cloud.tgpa.qq.com	com/ihoc/mgpa/a/a.java
https://testcloud.tgpa.qq.com	com/ihoc/mgpa/a/a.java
http://qos.189.cn/qos-api/getToken?appid=TencentCloud	com/ihoc/tgpatask/transceivertool/constant/ConfigConsts.java
http://%s:42000/testdownload	com/ihoc/tgpatask/transceivertool/local/NetworkInfo.java
https://api-push.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.in.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.meizu.com/garcia/api/client/log/upload	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.meizu.com/garcia/api/server/getPublicKey	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://api-push.in.meizu.com	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://api-push.meizu.com	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://norma-external-collect.meizu.com/android/exchange/getpublickey.do	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://norma-external-collect.meizu.com/push/android/external/add.do	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://x.com/MapleStoryM_JP	com/nexon/maplem/module/MapleUnityActivity.java
http://www.facebook.com/PlayMapleM/	com/nexon/maplem/module/MapleUnityActivity.java
http://www.facebook.com/TH.PlayMapleM/	com/nexon/maplem/module/MapleUnityActivity.java
http://www.facebook.com/TW.PlayMapleM/	com/nexon/maplem/module/MapleUnityActivity.java
https://log.tps.tencent.com/device/v4/sdk/list	com/tencent/android/tpush/common/i.java

https://h.trace.qq.com/kv	com/tencent/beacon/a/b/f.java
https://htrace.wetvinfo.com/kv	com/tencent/beacon/a/b/c.java
https://h.trace.qq.com/kv	com/tencent/beacon/a/b/c.java
https://otheve.beacon.qq.com/analytics/v2_upload	com/tencent/beacon/base/net/b/b.java
https://othstr.beacon.qq.com/analytics/v2_upload	com/tencent/beacon/base/net/b/b.java
https://h.trace.qq.com/kv	com/tencent/bugly/proguard/ad.java
https://astat.bugly.qcloud.com/rqd/async	com/tencent/bugly/proguard/ac.java
https://astat.bugly.cros.wr.pvp.net/:8180/rqd/async	com/tencent/bugly/proguard/ac.java
https://android.bugly.qq.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/StrategyBean.java
https://openmobile.qq.com/oauth2.0/me	com/tencent/connect/UnionInfo.java
https://cgi.qplus.com/report/report	com/tencent/connect/avatar/ImageActivity.java
https://imgcache.qq.com/ptlogin/static/qzsjump.html?	com/tencent/connect/auth/AuthDialog.java
https://openmobile.qq.com/user/user_login_statis	com/tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/v3/user/get_info	com/tencent/connect/auth/AuthAgent.java
https://appsupport.qq.com/cgi-bin/qzapps/mapp_addapp.cgi	com/tencent/connect/auth/AuthAgent.java
http://%s/d?dn=%s&clientip=%s&ttl=%s&id=%s&type=aaaa	com/tencent/gcloud/httpdns/v.java
http://%s/d?dn=%s&clientip=%s&ttl=%s&id=%s	com/tencent/gcloud/httpdns/v.java
https://[	com/tencent/gcloud/msdk/tools/MSDKHttp.java
https://game.weixin.qq.com/cgi-bin/h5/static/circle/share_img.html	com/tencent/gcloud/msdk/friend/WeChatFriend.java

https://game.weixin.qq.com/cgi-bin/h5/static/circle/share_img.html?appid=	com.tencent/gcloud/msdk/friend/WeChatFriend.java
http://%s/d?dn=%s&clientip=%s&ttl=%s&id=%s	com.tencent/itop/httpdns/a/a/c.java
http://unipay.sdk.android/?	com.tencent/midas/jsbridge/APWebProtocol.java
http://unipay.sdk.android/?	com.tencent/midas/jsbridge/APWebView.java
http://unipay.sdk.android/?	com.tencent/midas/jsbridge/APX5WebView.java
https://youxi.vip.qq.com/m/act/	com.tencent/midas/jsbridge/APWebJSBridgeActivity.java
https://pay.qq.com/h5/index.shtml?	com.tencent/midas/jsbridge/APWebJSBridgeActivity.java
https://imgcache.qq.com/open/mobile/rate/sdk_rate.html?	com.tencent/open/SocialApiml.java
https://appact.qzone.qq.com/appstore_activity_task_pcpush_sdk	com.tencent/open/TaskGuide.java
https://graph.qq.com/org/bind/query?appid=%s&org_id=%s&word_id=%s&openid=%s&openkey=%s	com.tencent/open/GuildApi.java
https://openmobile.qq.com/cgi-bin/qunopensdk/unbind	com.tencent/open/SocialOperation.java
https://openmobile.qq.com/cgi-bin/qunopensdk/check_group	com.tencent/open/SocialOperation.java
https://appsupport.qq.com/cgi-bin/appstage/mstats_batch_report	com.tencent/open/c/h.java
https://h.trace.qq.com/kv	com.tencent/open/c/b.java
https://openmobile.qq.com/oauth2.0/m_authorize?	com.tencent/open/utils/ServerSetting.java
https://imgcache.qq.com	com.tencent/open/utils/ServerSetting.java
https://imgcache.qq.com/open/mobile/brag/sdk_brag.html?	com.tencent/open/utils/ServerSetting.java
https://imgcache.qq.com/open/mobile/request/sdk_request.html?	com.tencent/open/utils/ServerSetting.java
https://openmobile.qq.com/	com.tencent/open/utils/ServerSetting.java

https://imgcache.qq.com/open/mobile/invite/sdk_invite.html?	com/tencent/open/utils/ServerSetting.java
https://imgcache.qq.com/open/mobile/reactive/sdk_reactive.html?	com/tencent/open/utils/ServerSetting.java
https://imgcache.qq.com/open/mobile/sendstory/sdk_sendstory_v1.3.html?	com/tencent/open/utils/ServerSetting.java
https://imgcache.qq.com/open/mobile/not_support.html?	com/tencent/open/utils/ServerSetting.java
https://imgcache.qq.com/ptlogin/static/qzsjump.html?	com/tencent/open/utils/ServerSetting.java
https://openmobile.qq.com/oauth2.0/m_jump_by_version?	com/tencent/open/utils/ServerSetting.java
https://fusion.qq.com/cgi-bin/prize_sharing/exchange_prize.cgi	com/tencent/open/utils/ServerSetting.java
https://fusion.qq.com/cgi-bin/prize_sharing/get_activity_state.cgi	com/tencent/open/utils/ServerSetting.java
https://fusion.qq.com/cgi-bin/prize_sharing/make_share_url.cgi	com/tencent/open/utils/ServerSetting.java
https://fusion.qq.com/cgi-bin/prize_sharing/query_unexchange_prize.cgi	com/tencent/open/utils/ServerSetting.java
https://cgi.connect.qq.com/qqconnectopen/openapi/policy_conf	com/tencent/open/utils/OpenConfig.java
https://analy.qq.com/cgi-bin/mapp_apptrace	com/tencent/open/yyb/a.java
https://imgcache.qq.com/open/mobile/jsbridge/demo.htm	com/tencent/open/yyb/AppbarJsBridge.java
https://m.wsq.qq.com/direct?	com/tencent/open/yyb/AppbarAgent.java
https://webpresence.qq.com/getonline?Type=1&	com/tencent/open/wpa/WPA.java
https://test.snowflake.qq.com/ola/v2	com/tencent/qimei/v/b.java
https://snowflake.qq.com/ola/v2	com/tencent/qimei/v/b.java
https://tun-cos-1258344701.file.myqcloud.com/fp.js	com/tencent/qimei/au/a.java
https://tun-cos-1258344701.file.myqcloud.com/my.html	com/tencent/qimei/au/a.java

https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuid=%s	com.tencent/mm/opensdk/diffdev/a/c.java
https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s×tamp=%s&scope=%s&signature=%s	com.tencent/mm/opensdk/diffdev/a/b.java
https://mp.weixin.qq.com/publicpoc/opensdkconf?action=GetShareConf&appid=%s&sdkVersion=%s&buffer=%s	com.tencent/mm/opensdk/openapi/WXAPISecurityHelper.java
https://ilinklivelocal	com.tencent/ilinklive/IlinkLiveJsapiBridge.java
https://channels.weixin.qq.com/web/pages/extLive	com.tencent/ilinklive/IlinkLiveImpl.java
https://debugtbs.qq.com	com.tencent/smtt/sdk/WebView.java
https://debugx5.qq.com	com.tencent/smtt/sdk/WebView.java
https://debugtbs.qq.com?10000\	com.tencent/smtt/sdk/WebView.java
https://pms.mb.qq.com/rsp204	com.tencent/smtt/sdk/j.java
https://log.tbs.qq.com/ajax?c=pu&v=2&k=	com.tencent/smtt/utils/o.java
https://log.tbs.qq.com/ajax?c=pu&tk=	com.tencent/smtt/utils/o.java
https://log.tbs.qq.com/ajax?c=dl&k=	com.tencent/smtt/utils/o.java
https://cfg.imtt.qq.com/tbs?v=2&mk=	com.tencent/smtt/utils/o.java
https://log.tbs.qq.com/ajax?c=ul&v=2&k=	com.tencent/smtt/utils/o.java
https://tbs.imtt.qq.com/plugin/DebugPlugin_v2.tbs	com.tencent/smtt/utils/d.java
https://snowflake.qq.com/ola	com.tencent/tdm/qimei/h/b.java
https://test.snowflake.qq.com/ola	com.tencent/tdm/qimei/h/b.java
https://tun-cos-1258344701.file.myqcloud.com/fp.js	com.tencent/tdm/qimei/ae/c.java

https://tun-cos-1258344701.file.myqcloud.com/my.html	com/tencent/tdm/qimei/ae/c.java
https://tun-cos-1258344701.file.myqcloud.com/fp.js	com/tencent/tdm/qimei/ae/a.java
https://test.com	com/tencent/tkd/downloader/utils/e.java
http://119.29.29.29/d?dn=	com/tencent/tkd/downloader/dns/a.java
https://guid.	com/tencent/tpns/baseapi/core/a.java
https://api.tpns.tencent.com/guid/v4/register_device	com/tencent/tpns/baseapi/core/a.java
https://stat.	com/tencent/tpns/baseapi/core/a.java
https://stat.api.tpns.tencent.com/log/v4/statistics/push	com/tencent/tpns/baseapi/core/a.java
https://log.	com/tencent/tpns/baseapi/core/a.java
https://log.tpns.tencent.com/log/v4/statistics/push	com/tencent/tpns/baseapi/core/a.java
https://stat.api.tpns.tencent.com/v3/mobile/log/upload	com/tencent/tpns/baseapi/core/a.java
https://api.tpns.tencent.com/device/v4/account/batch_operate	com/tencent/tpns/baseapi/core/a.java
http://pmir.3g.qq.com	com/tencent/turing/C0192fa.java
http://pmir.3g.qq.com	com/tencent/turing/V.java
https://mazutest.kf0309.3g.qq.com	com/tencent/turing/C0232t.java
https://mazu.m.qq.com	com/tencent/turing/C0232t.java
https://tdid.m.qq.com?mc=2	com/tencent/turingfd/sdk/game/C0268ha.java
https://game.weixin.qq.com/cgi-bin/h5/static/ilink_live_widget/web/shipinhao/index.html	com/tencent/wx/gamelive/WXGameLive.java
http://license.vod2.myqcloud.com/license/v1/4498bcb940051a1ec96243ccfe682f6c/TXLiveSDK.licence	com/tencent/wx/gamelive/util/Constant.java

https://game.weixin.qq.com/cgi-bin/gameliveapi/checkcommgameuserstatus	com/tencent/wx/gamelive/util/NetworkUtil.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fg.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fy.java
https://%1\$s/gslb/?ver=5.0	com/xiaomi/push/bw.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fz.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/et.java
https://resolver.msg.xiaomi.net/psc?t=a	com/xiaomi/push/service/az.java
https://cn.register.xmpush.xiaomi.com	com/xiaomi/push/service/cq.java
https://maplestory-m-74653852.firebaseio.com	摸瓜V1引擎
https://hc.tdm.qq.com:8013/tdm/v1/route	摸瓜V1引擎
https://htest.tdm.qq.com:8013/tdm/v1/route	摸瓜V1引擎
https://cloudctrl.gcloud.qq.com	摸瓜V1引擎
https://cloudctrl.gcloud.qq.com/gtrace/get_traceid_list	摸瓜V1引擎
https://search-drcn.cloud.huawei.com	摸瓜V2引擎
https://agc-storage-dra.cloud.huawei.asia	摸瓜V2引擎
https://agc-storage-drru.cloud.huawei.ru	摸瓜V2引擎
https://agc-storage-dre.cloud.huawei.eu	摸瓜V2引擎
https://ops-dre.agcstorage.link	摸瓜V2引擎
https://agc-storage-drcn.platform.dbankcloud.cn	摸瓜V2引擎

https://ops-dra.agcstorage.link	摸瓜V2引擎
https://agc-storage-drcn.cloud.huawei.com.cn	摸瓜V2引擎
http://defaulturl	摸瓜V2引擎
https://data-drcn.push.dbankcloud.com	摸瓜V2引擎
https://data-dra.push.dbankcloud.com	摸瓜V2引擎
https://data-dre.push.dbankcloud.com	摸瓜V2引擎
https://data-drru.push.dbankcloud.com	摸瓜V2引擎
https://metrics1.data.hicloud.com:6447	摸瓜V2引擎
https://metrics-dra.dt.hicloud.com:6447	摸瓜V2引擎
https://metrics2.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.dt.dbankcloud.ru:6447	摸瓜V2引擎
https://grs.dbankcloud.com	摸瓜V2引擎
https://grs.dbankcloud.cn	摸瓜V2引擎
https://grs.dbankcloud.asia	摸瓜V2引擎
https://grs.platform.dbankcloud.ru	摸瓜V2引擎
https://grs.dbankcloud.eu	摸瓜V2引擎
https://idconfig.gcloudsdk.com:443	摸瓜V2引擎
https://tglog.gcloudsdk.com:443	摸瓜V2引擎

https://harmony.voice.gcloudsdk.com:443	摸瓜V2引擎
https://api.translator.voice.gcloudsdk.com:443	摸瓜V2引擎

邮箱线索

邮箱地址	所在文件
.apk@classes.dex	com/tencent/turingfd/sdk/game/C0279n.java
gameplayer@gmail.com	摸瓜V1引擎

手机线索

签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: False
找到 1 个唯一证书
主题: C=ko, ST=seoul, L=seoul, O=nexon, OU=maplem, CN=maplem_ch
签名算法: rsassa_pkcs1v15
有效期自: 2017-07-24 06:39:34+00:00
有效期至: 2072-04-26 06:39:34+00:00
发行人: C=ko, ST=seoul, L=seoul, O=nexon, OU=maplem, CN=maplem_ch
序列号: 0x12621891
哈希算法: sha256
md5值: 3ee3eb9b38d7c39f892a051828e5b696
sha1值: 9c4ec6cc9e4eb3fe8625ba46d8598da3c699d1bc
sha256值: 2753bfcae6742ecc9fe1f8b2f2b9fb247136aaf85f6492a8054c10d5c007ce81
sha512值: d49195eac67352aae1f14a1df3e832a49949eb89a8a6ed097abeb17105abe2d3eaffabab996ea403ab209e8cdb9a3803a5f06c92bddad9c882bec689288f040f
公钥算法: rsa
密钥长度: 2048

硬编码敏感信息

可能的敏感信息
"facebook_client_token" : "f0dc752e6de19d2a757c330212f134ea"
"firebase_database_url" : "https://maplestory-m-74653852.firebaseio.com"
"gcloud_game_key" : "aad62bcfbab2298bc2641e7395713ae6"
"google_api_key" : "AlzaSyCgBXqfhbODFQMy7w0epL4gIkzROyxpip8"
"google_oauth_client_id" : "208079700073-40mavfbn0h9u4th9egfraqfctovgbiqn.apps.googleusercontent.com"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

☰ 此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.SEND_SMS	危险	发送短信	允许应用程序发送 SMS 消息。恶意应用程序可能会在未经您确认的情况下发送消息，从而使您付出代价
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference
com.huawei.gameassistant.permission.PUBLIC_THIRD_API	未知	Unknown permission	Unknown permission from android reference
android.permission.POST_NOTIFICATIONS	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_IMAGES	未知	Unknown permission	Unknown permission from android reference

android.permission.READ_MEDIA_VIDEO	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_AUDIO	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
com.tencent.tmgp.maple.permission.XGPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
android.permission.SCHEDULE_EXACT_ALARM	正常		允许应用程序使用精确的警报调度 API 来执行对时间敏感的后台工作
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
com.vivo.notification.permission.BADGE_ICON	未知	Unknown permission	Unknown permission from android reference
android.permission.RECEIVE_USER_PRESENT	未知	Unknown permission	Unknown permission from android reference
android.permission.RESTART_PACKAGES	正常	杀死后台进程	允许应用程序杀死其他应用程序的后台进程,即使内存不低
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
		Unknown	

com.hihonor.push.permission.READ_PUSH_NOTIFICATION_INFO	未知	permission	Unknown permission from android reference
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
android.permission.BLUETOOTH_CONNECT	未知	Unknown permission	Unknown permission from android reference
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
com.tencent.tmgp.maplem.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.meizu.flyme.permission.PUSH	未知	Unknown permission	Unknown permission from android reference
com.meizu.flyme.push.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.tencent.tmgp.maplem.push.permission.MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.meizu.c2dm.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.tencent.tmgp.maplem.permission.C2D_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.tencent.tmgp.maplem.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
com.tencent.tmgp.maplem.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference

应用内通信

活动(ACTIVITY)	通信(INTENT)
--------------	------------

com.tencent.tauth.AuthActivity	Schemes: tencent1106231731://,
com.tencent.android.tpush.TpnsActivity	Schemes: tpns://, Hosts: com.tencent.tmgp.maplem,
com.tencent.android.tpush.InnerTpnsActivity	Schemes: stpns://, Hosts: com.tencent.tmgp.maplem,
com.tencent.midas.qq.APMidasQQWalletActivity	Schemes: qwallet100703379://,

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。