




MoGua

豆包 6.2.0.APK 分析报告



APP名称:	豆包
包名:	com.larus.nova
域名线索:	139条
URL线索:	172条
邮箱线索:	8条
分析日期:	2025年9月14日
分析平台:	摸瓜APK反编译平台

文件信息

文件名: 豆包_6.2.0_APKPure.apk
文件大小: 83.91 MB
MD5值: 741a9a4011cb3138376bf6fc7364700e
SHA1值: 38a9ad773e6031b2f4143b20f1ef32e01d43f35a
SHA256值: ba5fdd4cc976b313e310bf44a38c59a43bef9d1ed81b8d7de884a95ab883929e

i APP 信息

App名称: 豆包
包名: com.larus.nova
主活动Activity:
安卓版本名称: 6.2.0
安卓版本: 6020001

🔍 域名线索

域名	服务器信息
adiu.amap.com	IP: 110.253.189.147 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
mon.zijieapi.com	IP: 61.182.131.161 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
	IP: 10.8.7.247 所属国家: -

www.bytedance.net	地区: - 城市: - 纬度: 0.000000 经度: 0.000000
applog.zijieapi.com	IP: 101.72.221.221 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
rc-boe.snssdk.com	IP: 10.225.4.244 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
lf9-cdn-tos.draftstatic.com	IP: 116.196.154.5 所属国家: China 地区: Zhejiang 城市: Jinhua 纬度: 30.013470 经度: 120.288658
p6-webcast.douyinpic.com	IP: 14.205.45.113 所属国家: China 地区: Yunnan 城市: Chuxiong 纬度: 25.045555 经度: 101.528053
dualstack-a.apilocate.amap.com	IP: 106.11.40.50 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
cgi.qplus.com	没有服务器地理信息。
ichannel.snssdk.com	IP: 202.108.12.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.coze.cn	IP: 60.28.247.198 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
lf-dy-sourcedn-tos.bytegecko.com	IP: 124.165.219.215 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508

open-client.douyin.com	IP: 202.108.12.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
polaris.zijieapi.com	IP: 123.125.216.197 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
lf-cdn-tos.bytescm.com	IP: 60.9.1.114 所属国家: China 地区: Hebei 城市: Hengshui 纬度: 37.732220 经度: 115.701157
boe-verify.bytedance.net	IP: 10.225.4.243 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
metrics-dra.dt.hicloud.com	IP: 94.74.88.100 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
alice-boe.bytedance.net	IP: 10.225.4.247 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
cgi.connect.qq.com	IP: 60.28.215.27 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
rc.snssdk.com	IP: 60.222.11.202 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
monsetting.toutiao.com	IP: 125.39.135.111 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181

	经度: 117.176102
mpsapi.amap.com	IP: 203.119.169.143 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
wprd0d.is.autonavi.com	没有服务器地理信息.
open.weixin.qq.com	IP: 220.196.154.28 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349 经度: 120.288788
long.open.weixin.qq.com	IP: 112.65.193.150 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
vcs-boe.bytedance.net	IP: 10.225.4.244 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
restsdk.amap.com	IP: 106.11.43.113 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
metrics5.dt.dbankcloud.ru	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
api-normal.doubao.com	IP: 202.108.12.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
e.189.cn	IP: 42.123.76.65 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 123.125.99.19 所属国家: China

msv6.wosms.cn	地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
ib.snssdk.com	IP: 202.108.12.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
metrics1-drcn.dt.dbankcloud.cn	IP: 111.202.16.252 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
lbs.amap.com	IP: 110.253.188.148 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
mssdk.snssdk.com	IP: 202.108.12.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
lf-webcast-gr-sourcecdn.bytegecko.com	IP: 42.56.65.220 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
www.volcengine.com	IP: 106.74.132.35 所属国家: China 地区: Shandong 城市: Jinan 纬度: 36.668331 经度: 116.997223
open-client-boe.douyin.com	IP: 10.225.4.103 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
www.w3.org	IP: 104.18.22.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
	IP: 184.30.30.137

api-normal-i18n.cicial.com	所属国家: Japan 地区: Osaka 城市: Osaka 纬度: 34.694218 经度: 135.502228
bot-open-api.bytedance.net	IP: 10.8.6.203 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
api-e189.21cn.com	IP: 222.93.106.185 所属国家: China 地区: Jiangsu 城市: Suzhou 纬度: 31.311365 经度: 120.617691
mp.weixin.qq.com	IP: 220.196.139.154 所属国家: China 地区: Jiangsu 城市: Yangzhou 纬度: 32.397221 经度: 119.435600
open-boe.douyin.com	IP: 10.225.4.244 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
rtlog.zijieapi.com	IP: 202.108.12.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
is.snssdk.com	IP: 202.108.12.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
lf26-cdn-tos.draftstatic.com	IP: 218.12.76.219 所属国家: China 地区: Hebei 城市: Tangshan 纬度: 39.633331 经度: 118.183327
mst01.is.autonavi.com	IP: 110.253.188.148 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349

timon.zijieapi.com	IP: 220.194.69.118 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
oladance.cn	IP: 116.196.135.183 所属国家: China 地区: Zhejiang 城市: Jinhua 纬度: 30.013470 经度: 120.288658
reading.snssdk.com	IP: 125.39.135.106 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
ns.adobe.com	没有服务器地理信息.
data-drcn.push.dbankcloud.com	IP: 121.36.117.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
jsb.snssdk.com	IP: 60.222.11.203 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
mps.amap.com	IP: 203.119.169.143 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
open.e.189.cn	IP: 42.123.76.87 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mon.toutiao.com	IP: 123.125.216.196 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mapproxy.bytedance.com	IP: 60.222.11.204 所属国家: China 地区: Shanxi 城市: Taiyuan

	纬度: 37.869438 经度: 112.561508
abroad.apilocate.amap.com	IP: 59.82.44.11 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
h.trace.qq.com	IP: 113.56.189.162 所属国家: China 地区: Hubei 城市: Huangshi 纬度: 30.204170 经度: 115.077606
lf-sourcecdn-tos.bytegecko.com	IP: 120.52.77.223 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
imgcache.qq.com	IP: 116.196.150.209 所属国家: China 地区: Zhejiang 城市: Jinhua 纬度: 30.013470 经度: 120.288658
grs.dbankcloud.eu	没有服务器地理信息.
lf3-static.bytednsdoc.com	IP: 218.12.76.221 所属国家: China 地区: Hebei 城市: Tangshan 纬度: 39.633331 经度: 118.183327
zlink.ugsdk.cn	IP: 123.125.216.193 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
dns.google.com	IP: 8.8.4.4 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
metrics2.data.hicloud.com	IP: 80.158.38.48 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
	IP: 111.161.126.180

z-qishui.douyin.com	所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
i.snssdk.com	IP: 123.125.216.193 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
ocapp-boe.bytedance.net	IP: 10.225.4.247 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
unblock.web.bytedance.net	IP: 10.8.7.220 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
open.douyin.com	IP: 125.39.135.106 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
log.zijieapi.com	IP: 125.38.11.88 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
aweme.snssdk.com	IP: 60.222.11.199 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
data-drru.push.dbankcloud.com	IP: 159.138.202.31 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
cn.register.xmpush.xiaomi.com	IP: 221.194.179.52 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717

grs.platform.dbankcloud.ru	没有服务器地理信息.
app-alpha.bytedance.net	IP: 10.8.7.220 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
qa.web.bytedance.net	IP: 10.8.7.220 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
api.coze.cn	IP: 202.108.12.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
verify.zijieapi.com	IP: 125.39.135.215 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
mssdk.bytedance.com	IP: 60.222.11.204 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
xk01erym.fn.bytedance.net	IP: 10.8.6.194 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
www.doubao.com	IP: 125.38.11.85 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
aiverse-boe.byted.org	没有服务器地理信息.
praisewindow.ugsdk.cn	IP: 202.108.12.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 125.39.135.107

log.snssdk.com	所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
wap.amap.com	IP: 124.95.190.99 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
stream.feedcoopapi.com	IP: 202.108.12.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
data-dra.push.dbankcloud.com	IP: 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
xmlpull.org	IP: 185.199.110.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
tosv.byted.org	没有服务器地理信息.
schemas.android.com	没有服务器地理信息.
maps.testing.amap.com	IP: 59.82.57.204 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mon-v.a.byteoversea.com	IP: 61.213.168.50 所属国家: Japan 地区: Osaka 城市: Osaka 纬度: 34.694218 经度: 135.502228
developer.huawei.com	IP: 120.52.95.238 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
	IP: 127.0.0.1 所属国家: - 地区: -

127.0.0.1	城市:- 纬度: 0.000000 经度: 0.000000
ocean-ota.oceancloudapi.com	IP: 202.108.12.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
official-meeting.bytedance.net	IP: 10.8.7.221 所属国家:- 地区:- 城市:- 纬度: 0.000000 经度: 0.000000
verify.snssdk.com	IP: 125.39.135.101 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
m5.amap.com	IP: 59.82.113.187 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
unpkg.byted-static.com	IP: 120.52.77.226 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
appsupport.qq.com	IP: 60.28.215.27 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
issuetracker.google.com	IP: 142.251.211.238 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
	IP: 10.225.4.244

boe.i.snssdk.com	所属国家:- 地区:- 城市:- 纬度: 0.000000 经度: 0.000000
doubao.com	IP: 220.194.69.116 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
mon.isnssdk.com	IP: 147.160.190.228 所属国家: United States of America 地区: Pennsylvania 城市: Jerome 纬度: 40.207924 经度: -78.989845
security.snssdk.com	IP: 123.125.216.196 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
wap.cmpassport.com	IP: 112.33.111.233 所属国家: China 地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830
hotsoon.snssdk.com	IP: 123.125.216.195 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
resolver.msg.xiaomi.net	IP: 111.206.174.248 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
lf3-cdn-tos.draftstatic.com	IP: 60.9.1.106 所属国家: China 地区: Hebei 城市: Hengshui 纬度: 37.732220 经度: 115.701157

content-open.douyin.com	IP: 60.9.1.105 所属国家: China 地区: Hebei 城市: Hengshui 纬度: 37.732220 经度: 115.701157
openmobile.qq.com	IP: 60.28.215.27 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
scc.bytedance.com	IP: 125.39.135.111 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
mp.oceancloudapi.com	IP: 202.108.12.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mon.snssdk.com	IP: 202.108.12.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
rmc.bytedance.com	IP: 202.108.12.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
vcs.zijieapi.com	IP: 101.73.66.121 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041599 经度: 114.478081
bot-open-api.oceancloudapi.com	IP: 202.108.12.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

grs.dbankcloud.cn	IP: 121.36.117.149 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
captcha.web.bytedance.net	IP: 10.8.7.220 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
grs.dbankcloud.asia	IP: 121.36.116.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
inhouse.doubao.com	IP: 101.72.221.227 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
grs.dbankcloud.com	IP: 60.28.193.195 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
test-aweme.snssdk.com	IP: 10.8.7.222 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
dualstack-arestapi.amap.com	IP: 39.98.22.142 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
10.38.162.35	IP: 10.38.162.35 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
www.cici.ai.com	IP: 23.61.250.34 所属国家: Japan 地区: Osaka 城市: Osaka 纬度: 34.694218

	经度: 135.502228
apilocate.amap.com	IP: 106.11.43.81 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
appcloud.bytedance.net	IP: 10.8.15.230 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
cloudapi.bytedance.net	IP: 10.8.7.220 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
mobile.web.bytedance.net	IP: 10.8.7.220 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
bots.bytedance.net	IP: 10.8.7.222 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
zlink.toutiao.com	IP: 123.125.216.195 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
audio.doubao.com	IP: 125.39.199.38 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102

 URL线索

URL信息	Url所在文件
https://open.e.189.cn/openapi/special/getTimeStamp.do	cn/com/chinatelecom/account/api/e/g.java
https://api-e189.21cn.com/gw/client/accountMsg.do	cn/com/chinatelecom/account/api/e/g.java

https://adiu.amap.com/ws/device/adius	com/amap/api/mapcore/util/gy.java
http://restsdk.amap.com	com/amap/api/mapcore/util/ff.java
https://dualstack-arestapi.amap.com/v3/iasdkauth	com/amap/api/mapcore/util/ew.java
https://restsdk.amap.com/v3/iasdkauth	com/amap/api/mapcore/util/ew.java
http://restsdk.amap.com/v4/grasproad/driving?	com/amap/api/mapcore/util/eq.java
http://restsdk.amap.com/v4	com/amap/api/mapcore/util/i.java
http://restsdk.amap.com/v4/gridmap?	com/amap/api/mapcore/util/cu.java
http://restsdk.amap.com/v4/gridmap?	com/amap/api/mapcore/util/ct.java
http://wprd0%d.is.autonavi.com/appmaptile?	com/amap/api/mapcore/util/ct.java
http://restsdk.amap.com/v4	com/amap/api/mapcore/util/cg.java
http://restsdk.amap.com	com/amap/api/mapcore/util/l.java
https://restsdk.amap.com/sdk/compliance/params	com/amap/api/mapcore/util/gi.java
http://restsdk.amap.com/sdk/compliance/params	com/amap/api/mapcore/util/gi.java
http://mpsapi.amap.com/ws/mps/lyrdata/ugc/\	com/amap/api/mapcore/util/b.java
http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/	com/amap/api/location/AMapLocation.java
http://wap.amap.com/	com/amap/api/maps/AMapUtils.java
http://restsdk.amap.com/rest/lbs/dem/data?z=%d&x=%d&y=%d&type=2	com/autonavi/base/ae/gmap/TerrainOverlayProvider.java
http://mst01.is.autonavi.com/appmaptile?z=%d&x=%d&y=%d&lang=zh_cn&size=1&scale=1&style=6	com/autonavi/base/ae/gmap/TerrainOverlayProvider.java
http://mpsapi.amap.com/	com/autonavi/base/ae/gmap/GLMapEngine.java
http://m5.amap.com/	com/autonavi/base/ae/gmap/GLMapEngine.java
http://m5.amap.com/	com/autonavi/base/amap/mapcore/maploader/AMapLoader.java
https://aiverse-boe.byted.org/	com/bytedance/ai/resource/core/net/AlPackageTTNET\$retrofitApi\$2.java
https://api-normal.doubao.com/	com/bytedance/ai/resource/core/net/AlPackageTTNET\$retrofitApi\$2.java
https://mon-vb.byteoversea.com	com/bytedance/android/monitorV2/hybridSetting/entity/HybridSettingInitConfig.java
https://security.snssdk.com/passport/ticket_guard/get_client_cert/	com/bytedance/android/sdk/bdticketguard/TicketGuardManager.java
https://mon.snssdk.com/monitor/appmonitor/v2/settings	com/bytedance/amap/depend/MonitorDependImpl.java
https://mon.snssdk.com/monitor/collect/	com/bytedance/amap/depend/MonitorDependImpl.java

https://content-open.douyin.com/aweme/open/export_sdk/gen/shorten?belong=aweme&target=	com/bytedance/awemeopen/domain/share/InternalShareDomain\$getShortLinkShare\$1.java
https://content-open.douyin.com/aweme/open/export_sdk/gen/command	com/bytedance/awemeopen/domain/share/InternalShareDomain\$getCommandShare\$1.java
https://content-open.douyin.com/aweme/open/export_sdk/setting/	com/bytedance/awemeopen/infra/plugs/settings/SettingsRequest.java
https://log.snssdk.com	com/bytedance/awemeopen/infra/plugs/aplog/AoAppLogEventCompatServiceImpl.java
https://aweme.snssdk.com/falcon/fe_report/report_v2/report/index.html?pipeline_id=	com/bytedance/awemeopen/appserviceimpl/report/ReportService.java
https://aweme.snssdk.com/aweme/v2/shop/promotion/	com/bytedance/awemeopen/appserviceimpl/shop/ShopService\$getDetailPromotionList\$1.java
https://mon.snssdk.com/monitor/appmonitor/v2/settings	com/bytedance/bdlocation/monitor/LocationMonitorUtil.java
https://mon.snssdk.com/monitor/collect/	com/bytedance/bdlocation/monitor/LocationMonitorUtil.java
https://vcs.zijieapi.com/\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://vcs-boe.bytedance.net/\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://unpkg.byted-static.com/byted/secdk-unpunish/1.7.3/output/index.html\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://unblock.web.bytedance.net/\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://rc.snssdk.com\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://rc-boe.snssdk.com/\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://unpkg.byted-static.com/byted/secdk-qa/1.2.6/build/index.html\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
http://qa.web.bytedance.net\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://unpkg.byted-static.com/byted/secdk-mobile-original/1.9.9/build/index.html\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://mobile.web.bytedance.net/\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://verify.zijieapi.com/\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://boe-verify.bytedance.net/\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://lf-cdn-tos.bytescm.com/obj/static/secdk-captcha/cn2/2.26.18/index.html\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://captcha.web.bytedance.net/\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://unpkg.byted-static.com/byted/secdk-smart-captcha/0.0.8/output/app/smarter/index.html\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://verify.snssdk.com/\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://unpkg.byted-static.com/byted/secdk-smart-captcha/0.0.8/output/app/smartest/index.html\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://verify.zijieapi.com/captcha/reportIdentity\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://boe-verify.bytedance.net/captcha/reportIdentity\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://mon.snssdk.com	com/bytedance/crash/runtime/ConfigManager.java

https://mon.snssdk.com/monitor/collect	com/bytedance/crash/runtime/ConfigManager.java
https://mon.snssdk.com/monitor/collect/c/crash	com/bytedance/crash/runtime/ConfigManager.java
http://schemas.android.com/apk/res-auto	com/bytedance/dux/image/DuxImageView.java
http://schemas.android.com/apk/res/android	com/bytedance/dux/image/DuxImageView.java
https://jsb.snssdk.com/src/server/v2/package	com/bytedance/ies/web/jsbridge2/IBridgePermissionConfigurator.java
https://mon.snssdk.com/monitor/appmonitor/v2/settings	com/bytedance/reparo/secondary/MonitorService.java
https://mon.snssdk.com/monitor/collect/	com/bytedance/reparo/secondary/MonitorService.java
http://open-client-boe.douyin.com	com/bytedance/sdk/open/aweme/common/constants/OpenConstants.java
http://open-boe.douyin.com	com/bytedance/sdk/open/aweme/common/constants/OpenConstants.java
https://open-client.douyin.com	com/bytedance/sdk/open/aweme/common/constants/OpenConstants.java
https://open.douyin.com	com/bytedance/sdk/open/aweme/common/constants/OpenConstants.java
https://ls.snssdk.com/service/settings/v3/	com/bytedance/sdk/open/douyin/settings/g.java
https://timon.zijieapi.com	com/bytedance/timonbase/network/TMNetworkService\$retrofit\$2.java
https://mon.snssdk.com/monitor/appmonitor/v2/settings	com/bytedance/timon/foundation/impl/EventMonitorImp\$monitorInstance\$2.java
https://mon.snssdk.com/monitor/collect/	com/bytedance/timon/foundation/impl/EventMonitorImp\$monitorInstance\$2.java
http://schemas.android.com/apk/res/android	com/hbb20/CountryCodePicker.java
https://official-meeting.bytedance.net/api/v1/flow/meeting/demo/upload	com/larus/audio/ainotes/RecordingFileUploader\$uploadRecordingFile\$1.java
https://mapproxy.bytedance.com	com/larus/bmhome/chat/map/MapWrapper.java
https://www.cici.ai.com/inapp/report?hide_title_bar=1	com/larus/bmhome/social/user/GroupChatSettingFragment\$startMoreMenu\$1\$commonMenu\$1.java
https://www.doubao.com/inapp/report?hide_title_bar=1	com/larus/bmhome/social/user/GroupChatSettingFragment\$startMoreMenu\$1\$commonMenu\$1.java
https://www.doubao.com/inapp/report?hide_title_bar=1&conversationId=	com/larus/bmhome/social/user/SingleChatSettingFragment\$startMoreMenu\$1\$commonMenu\$1.java
https://cloudapi.bytedance.net/faas/services/ttk4eh/invoke/uploadFileAndSendToUser	com/larus/bmhome/debug/ChatDebugFragment.java
https://lf3-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/grace_legal/terms_xiaohe.html	com/larus/bot/impl/service/BotCreateServiceImpl.java
https://lf3-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/xiaohe/f3d11b1a-9af6-4384-9cb3-145200d6ef88.html	com/larus/bot/impl/service/BotCreateServiceImpl.java
https://lf26-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/xiaohe/f561856b-ffa1-46c7-a2c1-4e00b4b0ad56.html	com/larus/bot/impl/service/BotCreateServiceImpl.java
https://api-normal.doubao.com	com/larus/common/location/impl/LocationClient.java
https://audio.doubao.com/internal	com/larus/dora/impl/DoraServiceImpl.java

https://oladance.cn/	com/larus/dora/impl/device/DoraDeviceLayoutScanKt\$show\$2.java
https://ocean-ota.oceancloudapi.com/open/v3/ota/check	com/larus/dora/impl/device/ota/DoraOTAMangement\$checkUpdates\$1.java
https://ocean-ota.oceancloudapi.com/open/v3/ota/event	com/larus/dora/impl/device/ota/DoraOTAReporter\$reportEvent\$1.java
https://api-normal.doubao.com/alice/device/legal/dora_user_experience	com/larus/dora/impl/onboarding2/DoraOnboardingUserExpFragment.java
https://doubao.com	com/larus/dora/impl/core/EffectPlatformProvider\$effectConfig\$2.java
https://tosv.byted.org/obj/dora-website/doubao/realme.png	com/larus/dora/impl/alive/KeepAliveGuideFragment.java
https://tosv.byted.org/obj/dora-website/doubao/samsung.png	com/larus/dora/impl/alive/KeepAliveGuideFragment.java
https://tosv.byted.org/obj/dora-website/doubao/xiaomi.png	com/larus/dora/impl/alive/KeepAliveGuideFragment.java
https://tosv.byted.org/obj/dora-website/doubao/oneplus.png	com/larus/dora/impl/alive/KeepAliveGuideFragment.java
https://tosv.byted.org/obj/dora-website/doubao/oppo.png	com/larus/dora/impl/alive/KeepAliveGuideFragment.java
https://tosv.byted.org/obj/dora-website/doubao/vivo.png	com/larus/dora/impl/alive/KeepAliveGuideFragment.java
https://tosv.byted.org/obj/dora-website/doubao/huawei.png	com/larus/dora/impl/alive/KeepAliveGuideFragment.java
https://tosv.byted.org/obj/lab-speech-di-platform/speech_audio/tts/	com/larus/dora/impl/debug/AudioItemDetailDialog.java
https://api-normal.doubao.com/alice/device/bindv2	com/larus/dora/impl/network/DoraNetworkApi.java
https://api-normal.doubao.com/alice/device/query_user_settings	com/larus/dora/impl/network/DoraNetworkApi.java
https://api-normal.doubao.com/alice/device/replace_bind	com/larus/dora/impl/network/DoraNetworkApi.java
https://api-normal.doubao.com/alice/device/close_banner	com/larus/dora/impl/network/DoraNetworkApi.java
https://api-normal.doubao.com/alice/device/unbind	com/larus/dora/impl/network/DoraNetworkApi.java
https://api-normal.doubao.com/alice/device/update_user_settings	com/larus/dora/impl/network/DoraNetworkApi.java
https://www.bytedance.net	com/larus/ivykit/IvyKitInitializer.java
https://log.zijieapi.com/service/2/app_log/	com/larus/init/task/AppLogInitiator.java
https://applog.zijieapi.com/service/2/app_log/	com/larus/init/task/AppLogInitiator.java
https://rtlog.zijieapi.com/service/2/app_log/	com/larus/init/task/AppLogInitiator.java
https://log.zijieapi.com/service/2/log_settings/	com/larus/init/task/AppLogInitiator.java
https://log.snssdk.com	com/larus/init/task/AppLogInitiator.java
https://is.snssdk.com/service/settings/v3/	com/larus/init/task/InitSettingsTask.java
https://xk01erym.fn.bytedance.net/voice/whisper	com/larus/init/task/firstframe/InitLazyInitAudioTask.java

https://issuetracker.google.com/issues/new?component=413106\n	com/larus/paging/LegacyPagingSource.java
https://issuetracker.google.com/issues/new?component=413106	com/larus/paging/PagingDataDiffer\$collectFrom\$2\$1\$1.java
https://www.doubao.com/inapp/personal-information-list	com/larus/setting/impl/AboutAppFragment\$onViewCreated\$1\$6.java
https://lf3-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/grace_legal/icp.html	com/larus/setting/impl/AboutAppFragment\$onViewCreated\$1\$3.java
https://lf3-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/grace_legal/doubao_license.html	com/larus/setting/impl/AboutAppFragment\$onViewCreated\$1\$4.java
https://api-normal.doubao.com	com/larus/sync/impl/SyncSDKServiceImpl.java
https://mon.snssdk.com	com/larus/sync/impl/SyncSDKServiceImpl.java
https://mon.snssdk.com/monitor/collect/c/crash	com/larus/app/config/ApmConfigs.java
https://mon.snssdk.com/monitor/collect/c/exception	com/larus/app/config/ApmConfigs.java
https://mon.snssdk.com/monitor/collect/c/native_bin_crash	com/larus/app/config/ApmConfigs.java
https://mon.snssdk.com/monitor/collect/c/logcollect	com/larus/app/config/ApmConfigs.java
https://mon.snssdk.com/monitor/appmonitor/v3/settings	com/larus/app/config/ApmConfigs.java
https://mon.zijieapi.com	com/larus/app/config/ApmConfigs.java
https://content-open.douyin.com/	com/larus/api/serviceimpl/AoHostServiceImpl.java
https://open.douyin.com/oauth/	com/larus/api/serviceimpl/AoHostServiceImpl.java
https://aweme.snssdk.com/	com/larus/api/serviceimpl/AoHostServiceImpl.java
https://log.snssdk.com	com/larus/api/serviceimpl/AoEventServiceImpl.java
http://xmlpull.org/v1/doc/features.html	com/lynx/component/svg/parser/SVGParser.java
http://schemas.android.com/apk/res/android	com/ss/android/socialbase/appdownloader/util/parser/manifest/AXmlResourceParser.java
http://schemas.android.com/apk/res-auto	com/ss/android/socialbase/appdownloader/util/parser/manifest/AXmlResourceParser.java
https://dl	com/ss/android/socialbase/downloader/downloader/NetworkFailoverStrategy.java
http://127.0.0.1	com/ss/ttvideoengine/TTVideoEngineHelper.java
http://127.0.0.1	com/ss/ttvideoengine/DataLoaderHelper.java
http://127.0.0.1	com/ss/ttvideoengine/utis/TTHelper.java
https://mp.weixin.qq.com/publicpoc/opensdkconf?action=GetShareConf&appid=%s&sdkVersion=%s&buffer=%s	com/tencent/mm/opensdk/openapi/WXAPISecurityHelper.java
https://long.open.weixin.qq.com/connect/l/qconnect?f=json&uuiid=%s	com/tencent/mm/opensdk/diffdev/a/c.java
https://open.weixin.qq.com/connect/sdk/qconnect?appid=%s&noncestr=%s×tamp=%s&scope=%s&signature=%s	com/tencent/mm/opensdk/diffdev/a/b.java
https://imgcache.qq.com/open/mobile/invite/sdk_invite.html?	com/tencent/open/SocialApiImpl.java

https://imgcache.qq.com/open/mobile/sendstory/sdk_sendstory_v1.3.html?	com/tencent/open/SocialApiml.java
https://imgcache.qq.com	com/tencent/open/SocialApiml.java
https://imgcache.qq.com/open/mobile/request/sdk_request.html?	com/tencent/open/SocialApiml.java
https://openmobile.qq.com/cgi-bin/qunopensdk/check_group	com/tencent/open/SocialOperation.java
https://openmobile.qq.com/cgi-bin/qunopensdk/unbind	com/tencent/open/SocialOperation.java
https://cgi.connect.qq.com/qqconnectopen/openapi/policy_conf	com/tencent/open/Utils/i.java
https://openmobile.qq.com/	com/tencent/open/Utils/HttpUtils.java
https://appsupport.qq.com/cgi-bin/appstage/mstats_batch_report	com/tencent/open/b/h.java
https://h.trace.qq.com/kv	com/tencent/open/b/b.java
https://openmobile.qq.com/oauth2.0/me	com/tencent/connect/UnionInfo.java
https://cgi.qqplus.com/report/report	com/tencent/connect/avatar/ImageActivity.java
https://imgcache.qq.com/ptlogin/static/qzsjump.html?	com/tencent/connect/auth/a.java
https://openmobile.qq.com/v3/user/get_info	com/tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/oauth2.0/m_authorize?	com/tencent/connect/auth/AuthAgent.java
https://appsupport.qq.com/cgi-bin/qzapps/mapp_addapp.cgi	com/tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/user/user_login_statis	com/tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/oauth2.0/m_jump_by_version?	com/tencent/connect/common/BaseApi.java
https://imgcache.qq.com/ptlogin/static/qzsjump.html?	com/tencent/connect/common/BaseApi.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/ff.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fu.java
https://%1\$s/gslb/?ver=5.0	com/xiaomi/push/cf.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fv.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/ev.java
http://10.38.162.35:9085	com/xiaomi/push/service/q.java
https://cn.register.xmpush.xiaomi.com	com/xiaomi/push/service/q.java
https://resolver.msg.xiaomi.net/psc/?t=a	com/xiaomi/push/service/ax.java
https://p6-webcast.douyinpic.com/img/webcast/video_test/company_header_image_dark.png	f/a/a/a/a/e/h/a.java

https://p6-webcast.douyinpic.com/img/webcast/video_test/company_header_image_light.png	f/a/a/a/a/e/h/a.java
https://p6-webcast.douyinpic.com/img/webcast/video_test/company_header_image_dark.png	f/a/a/a/a/e/h/b.java
https://p6-webcast.douyinpic.com/img/webcast/video_test/company_header_image_light.png	f/a/a/a/a/e/h/b.java
https://mon.snssdk.com/monitor/appmonitor/v2/settings	f/a/a/l/a/g/c.java
https://monsetting.toutiao.com/monitor/appmonitor/v2/settings	f/a/a/l/a/g/c.java
https://aweme.snssdk.com/	f/a/a/l/a/h/g/a.java
https://content-open.douyin.com/aweme	f/a/a/l/a/h/g/a.java
http://open-boe.douyin.com/	f/a/a/l/a/h/g/a.java
https://content-open.douyin.com/	f/a/a/l/a/h/g/a.java
https://mon.snssdk.com/monitor/collect/	f/a/a/l/b/e/a.java
http://xmlpull.org/v1/doc/features.html	f/a/a/l/b/c/a/c/a.java
https://lf-webcast-gr-sourcecdn.bytegecko.com/obj/byte-gurd-source-gr/webcast/cdn/api/scheme_config/api.roma.config.json	f/a/d/c/b/f/a.java
https://i.snssdk.com/magic/eco/runtime/release	f/a/d/c/r/a/g1/b.java
https://i.snssdk.com/magic/eco/runtime/beta	f/a/d/c/r/a/g1/b.java
https://aweme.snssdk.com/magic/eco/runtime/release	f/a/d/c/r/a/g1/b.java
https://aweme.snssdk.com/magic/eco/runtime/beta	f/a/d/c/r/a/g1/b.java
https://hotsoon.snssdk.com/magic/eco/runtime/release	f/a/d/c/r/a/g1/b.java
https://hotsoon.snssdk.com/magic/eco/runtime/beta	f/a/d/c/r/a/g1/b.java
https://reading.snssdk.com/magic/eco/runtime/release	f/a/d/c/r/a/g1/b.java
https://reading.snssdk.com/magic/eco/runtime/beta	f/a/d/c/r/a/g1/b.java
https://lf-sourcecdn-tos.bytegecko.com/obj/byte-gurd-source	f/a/d/c/r/a/g1/b.java
https://lf-dy-sourcecdn-tos.bytegecko.com/obj/byte-gurd-source	f/a/d/c/r/a/g1/b.java
https://test-aweme.snssdk.com/falcon/jsb_tester_web/dmt	f/a/d/c/r/a/g1/b.java
https://mon.snssdk.com/monitor/appmonitor/v2/settings	f/a/d/c/i/m/j.java
https://mon.snssdk.com/monitor/collect	f/a/d/c/i/m/j.java
https://is.snssdk.com/service/settings/v3/	f/a/d/c/s/b.java
https://oladance.cn/	f/a/d/h/b/m.java

https://is.snssdk.com/service/settings/v3/	f/a/e/t/e/c.java
https://api.coze.cn/open_api/v2/chat	f/a/e/t/f/c.java
https://api.coze.cn/v3/chat	f/a/e/t/f/c.java
https://api.coze.cn/v1/workflow/run	f/a/e/t/f/c.java
https://www.coze.cn/api/card_builder/agent/api_trigger	f/a/e/t/f/c.java
https://bot-open-api.bytedance.net/v1/workflow/run	f/a/e/t/f/c.java
https://bots.bytedance.net/api/card_builder/agent/api_trigger	f/a/e/t/f/c.java
https://lf-sourcecdn-tos.bytegecko.com/obj/byte-gurd-source	f/a/e/v/a.java
https://tosv.byted.org/obj/gecko-internal	f/a/e/v/a.java
https://is.snssdk.com/	f/a/f2/r/d/b.java
https://is.snssdk.com/service/settings/v3/	f/a/g/f/b0/f.java
https://appcloud.bytedance.net/client-sdk/config]	f/a/h1/d.java
https://mon.snssdk.com/monitor/collect/	f/a/h1/k0/i.java
https://mon.snssdk.com/monitor/appmonitor/v2/settings	f/a/h1/k0/i.java
https://security.snssdk.com/api/plugin/config/v3/	f/a/i1/f.java
https://mon.zijieapi.com/monitor/appmonitor/v5/batch_settings	f/a/j/t/a.java
https://monsetting.toutiao.com/monitor/appmonitor/v5/batch_settings	f/a/j/t/a.java
https://mon.zijieapi.com/monitor/collect/batch/	f/a/j/t/a.java
https://mon.toutiao.com/monitor/collect/batch/	f/a/j/t/a.java
https://mon.zijieapi.com/monitor/collect/c/trace_collect	f/a/j/t/a.java
https://mon.zijieapi.com/monitor/collect/c/exception	f/a/j/t/a.java
https://mon.zijieapi.com/monitor/collect/c/logcollect	f/a/j/p/g/a.java
http://xmlpull.org/v1/doc/features.html	f/a/k/i/d/b.java
https://z-qishui.douyin.com/mo2N	f/a/l/a/l/a.java
https://log.zijieapi.com/service/2/app_log/	f/a/m/c0/j.java
https://applog.zijieapi.com/service/2/app_log/	f/a/m/c0/j.java
https://rtlog.zijieapi.com/service/2/app_log/	f/a/m/c0/j.java
https://log.zijieapi.com/service/2/log_settings/	f/a/m/c0/j.java

https://log.snssdk.com	f/a/p/u.java
https://boe.i.snssdk.com	f/a/p/u.java
https://scc.bytedance.com/scc_sdk/url_scan_v4?scc_mode=coreless&scc_from=Bullet&scc_sdk_version=30'	f/a/s0/b/a/c.java
https://scc.bytedance.com/scc_sdk/url_scan_v4?scc_mode=coreless&scc_from=Bullet&scc_sdk_version=30	f/a/s0/b/a/f/b.java
https://zlink.ugsdk.cn/ug/ad/display/store_referrer	f/a/y1/a/a/i.java
https://polaris.zijieapi.com	f/a/y1/a/a/g.java
https://zlink.toutiao.com/api/get_deeplink_data	f/a/y1/a/a/d.java
https://zlink.ugsdk.cn/service/settings/v3/	f/a/y1/a/a/u/a.java
https://zlink.toutiao.com/api/cb_d	f/a/y1/a/a/t/d.java
https://mon.zijieapi.com/monitor/collect/c/exception	f/a/n/a/a/a/d.java
https://lf-webcast-gr-sourcecdn.bytegecko.com/obj/byte-gurd-source-gr/annie/pro/application/	f/a/h/a/b/a.java
https://adiu.amap.com/ws/device/adius	f/a0/j0.java
http://apilocate.amap.com/mobile/binary	f/a0/h4.java
http://dualstack-a.apilocate.amap.com/mobile/binary	f/a0/h4.java
http://abroad.apilocate.amap.com/mobile/binary	f/a0/h4.java
http://restsdk.amap.com/v3/place/text?	f/a0/a.java
http://restsdk.amap.com/v3/place/around?	f/a0/a.java
http://restsdk.amap.com/v3/config/district?	f/a0/a.java
http://abroad.apilocate.amap.com/mobile/binary	f/a0/k4.java
https://restsdk.amap.com/v3/iasdkauth	f/a0/y4.java
https://dualstack-arestapi.amap.com/v3/iasdkauth	f/a0/y4.java
http://dualstack-arestapi.amap.com/v3/geocode/regeo	f/a0/c4.java
http://restsdk.amap.com/v3/geocode/regeo	f/a0/c4.java
http://abroad.apilocate.amap.com/mobile/binary	f/a0/a4.java
https://restsdk.amap.com/sdk/compliance/params	f/a0/s.java
http://restsdk.amap.com/sdk/compliance/params	f/a0/s.java
http://abroad.apilocate.amap.com/mobile/binary	f/a0/f3.java

http://apilocate.amap.com/mobile/binary	f/a0/f3.java
http://dualstack-a.apilocate.amap.com/mobile/binary	f/a0/f3.java
https://mon.zijieapi.com/monitor/collect/c/cloudcontrol/file	f/c0/a/f/d/a.java
https://ichannel.snssdk.com/check_version/report/	f/k0/c/v/b0.java
http://app-alpha.bytedance.net/ping	f/k0/c/v/m.java
http://ib.snssdk.com/video/play/	f/k0/c/x/d/a.java
http://ib.snssdk.com/video/openapi/v1/	f/k0/c/x/d/a.java
https://jsb.snssdk.com/src/server/v2/package	f/x/b/c/a/b/f/a.java
https://is.snssdk.com/service/settings/v3/	f/x/b/c/a/d/b.java
https://developer.huawei.com/consumer/cn/doc/development/HMS-References/status	f/w/a.java
https://rmc.bytedance.com/verifycenter/authentication	f/z/a/b/c.java
https://alice-boe.bytedance.net	f/z/a0/a/a.java
https://www.doubao.com	f/z/a0/a/d/b.java
https://wap.cmpassport.com/resources/html/contract.html	f/z/a0/a/d/b.java
https://msv6.wosms.cn/html/oauth/protocol2.html	f/z/a0/a/d/b.java
https://e.189.cn/sdk/agreement/detail.do?hidetop=true	f/z/a0/a/d/b.java
https://xk01erym.fn.bytedance.net/voice/whisper	f/z/a0/b/l/o.java
https://mon.isnssdk.com/monitor/appmonitor/v4/settings	f/z/f/d.java
https://mon.snssdk.com/monitor/appmonitor/v4/settings	f/z/f/d.java
https://mon.isnssdk.com/monitor/collect/	f/z/f/d.java
https://mon.snssdk.com/monitor/collect/	f/z/f/d.java
https://api-normal-i18n.cici.ai.com/ukms/kexg	f/z/f/d.java
https://alice-boe.bytedance.net/ukms/kexg	f/z/f/d.java
https://api-normal.doubao.com/ukms/kexg	f/z/f/d.java
https://api-normal-i18n.cici.ai.com	f/z/f/d.java
https://alice-boe.bytedance.net	f/z/f/d.java
https://api-normal.doubao.com	f/z/f/d.java

https://www.doubao.com/inapp/report?hide_title_bar=1&conversationId=	f/z/k/a0/q/e0/c.java
http://restsdk.amap.com	f/z/h1/e.java
https://log.zijieapi.com/service/2/app_log/	f/z/e/b/i.java
https://applog.zijieapi.com/service/2/app_log/	f/z/e/b/i.java
https://rtlog.zijieapi.com/service/2/app_log/	f/z/e/b/i.java
https://log.zijieapi.com/service/2/log_settings/	f/z/e/b/i.java
https://log.snssdk.com	f/z/e/b/i.java
https://api-normal.doubao.com/alice/device/legal/dora_user_experience	f/z/w/n/l0/k.java
https://ocapp-boe.bytedance.net	f/z/m0/h.java
https://praisewindow.ugsdk.cn	f/z/m0/h.java
https://bot-open-api.oceancloudapi.com	f/z/m0/h.java
https://inhouse.doubao.com	f/z/m0/a.java
https://log.snssdk.com	f/z/m0/m/d.java
https://www.volcengine.com/product/yunque? utm_campaign=doubao_app&utm_content=setting_button&utm_medium=setting_button&utm_source=external_cooperation&utm_term=doubao_app_setting_button	f/z/a1/a/b.java
https://mp.oceancloudapi.com/api/gw/plugin/doaction_pass_query	f/z/a1/a/b.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	io/reactivex/exceptions/OnErrorNotImplementedException.java
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	io/reactivex/exceptions/UndeliverableException.java
https://lf3-static.bytednsdoc.com/obj/eden-cn/dvsm/ljhwZthlaukjlkulzlp/bot_background_guide/character_2.png?x-resource-account=public	摸瓜V1引擎
https://lf9-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/grace_legal/Alreplca.html	摸瓜V1引擎
https://data-drcn.push.dbankcloud.com	摸瓜V2引擎
https://data-dra.push.dbankcloud.com	摸瓜V2引擎
https://data-dre.push.dbankcloud.com	摸瓜V2引擎
https://data-drru.push.dbankcloud.com	摸瓜V2引擎
https://metrics1-drcn.dt.dbankcloud.cn:443	摸瓜V2引擎
https://metrics-dra.dt.hicloud.com:6447	摸瓜V2引擎
https://metrics2.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.data.hicloud.com:6447	摸瓜V2引擎

https://metrics5.dt.dbankcloud.ru:6447	摸瓜V2引擎
https://grs.dbankcloud.com	摸瓜V2引擎
https://grs.dbankcloud.cn	摸瓜V2引擎
https://grs.dbankcloud.asia	摸瓜V2引擎
https://grs.platform.dbankcloud.ru	摸瓜V2引擎
https://grs.dbankcloud.eu	摸瓜V2引擎
https://stream.feedcoopapi.com/user/event/log/video/v1/	摸瓜V2引擎
http://ns.adobe.com/xap/1.0/	lib/armeabi-v7a/libimagepipeline.so
https://mssdk.snssdk.com/pilvinen/v1/crash/report	lib/armeabi-v7a/libmetasec_ml.so
https://mssdk.bytedance.com	lib/armeabi-v7a/libmetasec_ml.so
http://ns.adobe.com/xap/1.0/	lib/armeabi-v7a/libttvesdk.so
https://dns.google.com/resolve?name=	lib/armeabi-v7a/libsscronet.so
http://wpad/wpad.dat	lib/armeabi-v7a/libsscronet.so
http://s	lib/armeabi-v7a/libsscronet.so
http://ns.adobe.com/xap/1.0/	lib/armeabi-v7a/libstatic-webp.so
http://mpsapi.amap.com/ws/mps/vmap/	lib/armeabi-v7a/libAMapSDK_MAP_v9_4_0.so
http://mpsapi.amap.com/ws/mps/rtt/	lib/armeabi-v7a/libAMapSDK_MAP_v9_4_0.so
http://mpsapi.amap.com/ws/mps/smap	lib/armeabi-v7a/libAMapSDK_MAP_v9_4_0.so
http://m5.amap.com/ws/transfer/auth/map/indoor_maps	lib/armeabi-v7a/libAMapSDK_MAP_v9_4_0.so
http://mpsapi.amap.com/ws/mps/lyrdata/ugc/	lib/armeabi-v7a/libAMapSDK_MAP_v9_4_0.so
http://mpsapi.amap.com/	lib/armeabi-v7a/libAMapSDK_MAP_v9_4_0.so
http://m5.amap.com	lib/armeabi-v7a/libAMapSDK_MAP_v9_4_0.so
https://mps.amap.com/ws/mps/rtt	lib/armeabi-v7a/libAMapSDK_MAP_v9_4_0.so
https://mps.amap.com/ws/mps/vmap	lib/armeabi-v7a/libAMapSDK_MAP_v9_4_0.so
https://maps.testing.amap.com/ws/transfer/auth/map/indoor_maps	lib/armeabi-v7a/libAMapSDK_MAP_v9_4_0.so
https://mps.amap.com/ws/mps/smap	lib/armeabi-v7a/libAMapSDK_MAP_v9_4_0.so
https://mps.amap.com/ws/mps/spot	lib/armeabi-v7a/libAMapSDK_MAP_v9_4_0.so
https://mps.amap.com/ws/mps/hot	lib/armeabi-v7a/libAMapSDK_MAP_v9_4_0.so

 邮箱线索

邮箱地址	所在文件
yyyy-mm-dd@hh-mm-ss.sss	f/a/y/n0/c.java
subscription@cicial.com	摸瓜V1引擎
light_2@3x.png light_1@3x.png	摸瓜V2引擎
dark_4@3x.png dark_3@3x.png dark_2@3x.png dark_1@3x.png	摸瓜V2引擎
light_4@3x.png light_3@3x.png light_2@3x.png light_1@3x.png	摸瓜V2引擎
dark_2@3x.png dark_1@3x.png	摸瓜V2引擎
ffmpeg-devel@ffmpeg.org	lib/armeabi-v7a/libttvesdk.so
arm64@boot-framework.oat arm@boot-framework.oat	lib/armeabi-v7a/libreparo.so

 手机线索

手机号	所在文件
1922222222	com/bytedance/ies/bullet/lynx/impl/DefaultLynxDelegate.java
17179869184	com/lynx/component/svg/parser/SVGParser.java
14159265359	com/ss/texturerender/effect/vr/GLPanoramaFilter.java
14159265359	com/ss/texturerender/effect/vr/GLPanorama180To360Filter.java
17179869184	f/a/j/f0/e.java
17179869184	f/a/k/j/c.java
17179869184	f/a/k/j/a.java
17179869184	f/b0/c/a/f/e.java
1722222222	f/z/k/o/s0/f.java

15095675534	r0/c/a/v2/c.java
19634136210	r0/c/g/a/b0/c/v1.java

🔐 签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: True
找到 1 个唯一证书
主题: C=china, ST=Beijing, street=Beijing, O=Ocean, OU=Ocean, CN=zaizai
签名算法: rsassa_pkcs1v15
有效期自: 2023-06-12 08:09:37+00:00
有效期至: 2048-06-12 08:09:37+00:00
发行人: C=china, ST=Beijing, street=Beijing, O=Ocean, OU=Ocean, CN=zaizai
序列号: 0xacfa3edeb294ced1c72cc5e3c3e1bc4f4a3ac808
哈希算法: sha256
md5值: f32d2daae92240ffeb6660f5f3325009
sha1值: 2b3ad7544a5e7aff50be29129ad4b6846f2bf048
sha256值: ff04b47ec9dd20b79f758af67a184926db00ac55cfd2a01e03fba9a1dca9de2a
sha512值: 8fb3b11d5157d09fd05e6af6894c2421cf2e1aa7ad128ae3566aaa10e2b8ecccdd5dcb7feed95bd68b8c2a92d52b2c3823b6c9a56e60c3fe7f768210fc1aae52
公钥算法: rsa
密钥长度: 2048
指纹: aa48345a431347d9807cf1b931fbc2ad57be02b9bc3d957a57dbc489c5f666d4

🔑 硬编码敏感信息

可能的敏感信息
"Guest_mode_locallife_douyin_authorization": "授权后，豆包会提供生活服务商家查询、团购推荐等完整功能"
"add_creation_private": "私密作品"
"add_creation_private_to_public": "设置为公开"
"add_creation_private_to_public_toast": "已修改为公开作品"
"add_creation_public_to_private_btn": "设置为私密"
"add_creation_public_to_private_toast": "已修改为私密作品"
"aos_production_private": "私密作品无法收藏"
"aos_profile_private_user_subtitle": "关注账号即可查看内容和喜欢"
"aos_profile_private_user_title": "私密账号"
"asr_azure_model": "Azure"
"aweme_open_auth_title": "抖音登录授权"
"aweme_open_web_auth_cancel": "返回"

"camera_authorization_topbar_title": "相机权限说明"
"ccMob_PreviewPage_toast_madePrivate": "已设置为私密"
"ccMob_popupDesc_private": "不必担心，私密作品仅你自己可见"
"ccMob_popupHeader_private": "默认私密"
"ccMob_profilePage_privateTab_toast_deleted": "已删除"
"ccMob_profilePage_tab_private": "私密"
"cc_edit_session_name_cancel_button": "取消"
"cc_edit_session_name_default": "话题"
"cc_edit_session_name_save_button": "完成"
"cc_edit_session_name_timestamp_now": "现在"
"cc_edit_session_name_title": "编辑话题名称"
"cc_edit_session_searchResults_1year": "近 1 年"
"cc_edit_session_searchResults_30d": "近 30 天"
"cc_edit_session_searchResults_7d": "近 7 天"
"cc_edit_session_searchResults_earlier": "更早"
"cc_edit_session_searchResults_yesterday": "昨天"
"chat_auth_pre_asking_dialog_cancel": "以后再说"
"chat_auth_pre_asking_dialog_title": "豆包App授权申请"
"common_feed_tab_no_auth_desc": "暂未关联抖音账号"
"common_feed_tab_to_auth_btn": "立即关联"
"common_feed_tab_to_auth_desc": "关联抖音，查看你关注的精彩内容"
"created_by_username": "创建人 @%s"
"dy_authorize_pop": "授权后，豆包会提供你更感兴趣的视频，同时也会解锁点赞评论等功能"
"dy_authorize_pop_cancel": "取消"
"dy_authorize_pop_title": "去抖音授权"
"feedback_history_user": "我"
"key_private": "Private"

"location_auth_ins_cn": "用于提供基于地理位置的服务，如推荐周围的吃喝玩乐信息、路线规划服务"
"location_authorization_topbar_title": "地理位置权限说明"
"lunamusic_auth_cancel": "以后再说"
"lunamusic_auth_toast": "豆包申请前往授权汽水音乐"
"memo_record_card_authorize_button": "去授权"
"memo_record_card_authorize_restart_button": "点击按钮重新开始录音"
"microphone_authorization_cancel_noninitial": "取消"
"microphone_authorization_settings_noninitial": "去设置"
"microphone_authorization_topbar_title": "麦克风权限说明"
"music_auth_QQ": "QQ音乐"
"music_auth_detail": "点击授权音乐应用，畅听海量歌曲"
"music_auth_luna": "汽水音乐"
"music_auth_refuse": "未授权的话我不能为你提供相应服务。"
"music_auth_setting": "通过 我的 - 设置 - 第三方服务 可更换默认音乐播放器"
"music_auth_title": "选择你的音乐应用"
"openplatform_auth_cancel": "返回"
"option_private": "私密 · 仅自己可对话"
"photo_authorization_topbar_title": "相册权限说明"
"plugin_name_authorization": "部分对话将被发送给{plugin_name} ,请仅对你信任的服务授权： "
"qqmusic_auth_cancel": "以后再说"
"qqmusic_auth_sign_cancel": "取消"
"qqmusic_auth_sign_toast": "请先前往QQ音乐完成登录"
"qqmusic_auth_toast": "豆包申请前往授权QQ音乐"
"record_voice_authoorization": "若使用他人音色录制，请确保已获得他人音色的授权。"
"reminder_calendar_authorization_dialog_cancel": "取消"
"reminder_calendar_authorization_dialog_subtitle": "您授权日历权限后，豆包会将未来的提醒事件同步到日历中。"
"reminder_calendar_authorization_dialog_title": "开启日历权限"

"reminder_calendar_system_authorization_description": "访问您的日历，设置日程提醒"
"reminder_push_authorization_card_authorize_button": "去授权"
"reminder_push_authorization_card_description": "请授权豆包消息通知权限，用于发送日程提醒"
"reminder_push_authorization_dialog_cancel": "取消"
"reminder_push_authorization_dialog_description": "请授权豆包消息通知权限，用于发送日程提醒"
"reminder_push_authorization_dialog_title": "允许发送通知"
"reminder_push_authorization_vui": "请打开豆包App授权通知权限，豆包才好到时提醒你哦"
"token_host_list_is_not_added": "share token list is not added, please call TTTokenManager.addConfigHost(hostList) or TTTokenConfig.addHostList(hostList)"
"visibility_double_check_private": "私密"
"voice_creation_authorization_1": "录制自己的声音"
"voice_creation_authorization_2": "若使用他人声音，请确认已获取他人授权"
"voice_creation_authorization_3": "找一处安静的地方"
"voice_creation_authorization_4": "按照个人语气和说话习惯，自然流畅地朗读"
"voice_creation_authorization_5": "严格按照文本朗读"
"voice_creation_authorization_6": "请注意严格按照下面文本朗读"
"voice_creation_authorization_title": "克隆我的声音"
"web_search_chat_user_name": "你"
"Guest_mode_locallife_douyin_authorization": "授权后，豆包会提供生活服务商家查询、团购推荐等完整功能"
"add_creation_private": "私密作品"
"add_creation_private_to_public": "设置为公开"
"add_creation_private_to_public_toast": "已修改为公开作品"
"add_creation_public_to_private_btn": "设置为私密"
"add_creation_public_to_private_toast": "已修改为私密作品"
"asr_azure_model": "Azure"
"camera_authorization_topbar_title": "相机权限说明"
"ccMob_PreviewPage_toast_madePrivate": "已设置为私密"
"ccMob_popupDesc_private": "不必担心，私密作品仅你自己可见"

"ccMob_popupHeader_private": "默认私密"
"ccMob_profilePage_privateTab_toast_deleted": "已删除"
"ccMob_profilePage_tab_private": "私密"
"cc_edit_session_name_cancel_button": "取消"
"cc_edit_session_name_default": "话题"
"cc_edit_session_name_save_button": "完成"
"cc_edit_session_name_timestamp_now": "现在"
"cc_edit_session_name_title": "编辑话题名称"
"cc_edit_session_searchResults_1year": "近 1 年"
"cc_edit_session_searchResults_30d": "近 30 天"
"cc_edit_session_searchResults_7d": "近 7 天"
"cc_edit_session_searchResults_earlier": "更早"
"cc_edit_session_searchResults_yesterday": "昨天"
"created_by_username": "创建人 @%s"
"dy_authorize_pop": "授权后， 豆包会提供你更感兴趣的视频，同时也会解锁点赞评论等功能"
"dy_authorize_pop_cancel": "取消"
"dy_authorize_pop_title": "去抖音授权"
"feedback_history_user": "我"
"key_private": "Private"
"location_auth_ins_cn": "用于提供基于地理位置的服务，如推荐周围的吃喝玩乐信息、路线规划服务"
"location_authorization_topbar_title": "地理位置权限说明"
"lunamusic_auth_cancel": "以后再说"
"lunamusic_auth_toast": "豆包申请前往授权汽水音乐"
"memo_record_card_authorize_button": "去授权"
"memo_record_card_authorize_restart_button": "点击按钮重新开始录音"
"microphone_authorization_cancel_noninitial": "取消"
"microphone_authorization_settings_noninitial": "去设置"
"microphone_authorization_topbar_title": "麦克风权限说明"

"music_auth_QQ" : "QQ音乐"
"music_auth_detail" : "点击授权音乐应用，畅听海量歌曲"
"music_auth_luna" : "汽水音乐"
"music_auth_refuse" : "未授权的话我不能为你提供相应服务。"
"music_auth_setting" : "通过 我的 - 设置 - 第三方服务 可更换默认音乐播放器"
"music_auth_title" : "选择你的音乐应用"
"option_private" : "私密 · 仅自己可对话"
"photo_authorization_topbar_title" : "相册权限说明"
"plugin_name_authorization" : "部分对话将被发送给{plugin_name} ,请仅对你信任的服务授权： "
"qqmusic_auth_cancel" : "以后再说"
"qqmusic_auth_sign_cancel" : "取消"
"qqmusic_auth_sign_toast" : "请先前往QQ音乐完成登录"
"qqmusic_auth_toast" : "豆包申请前往授权QQ音乐"
"record_voice_authoorization" : "若使用他人音色录制，请确保已获得他人音色的授权。"
"reminder_calendar_authorization_dialog_cancel" : "取消"
"reminder_calendar_authorization_dialog_subtitle" : "您授权日历权限后，豆包会将未来的提醒事件同步到日历中。"
"reminder_calendar_authorization_dialog_title" : "开启日历权限"
"reminder_calendar_system_authorization_description" : "访问您的日历，设置日程提醒"
"reminder_push_authorization_card_authorize_button" : "去授权"
"reminder_push_authorization_card_description" : "请授权豆包消息通知权限，用于发送日程提醒"
"reminder_push_authorization_dialog_cancel" : "取消"
"reminder_push_authorization_dialog_description" : "请授权豆包消息通知权限，用于发送日程提醒"
"reminder_push_authorization_dialog_title" : "允许发送通知"
"reminder_push_authorization_vui" : "请打开豆包App授权通知权限，豆包才好到时提醒你哦"
"visibility_double_check_private" : "私密"
"voice_creation_authorization_1" : "录制自己的声音"
"voice_creation_authorization_2" : "若使用他人声音，请确认已获取他人授权"

"voice_creation_authorization_3": "找一处安静的地方"
"voice_creation_authorization_4": "按照个人语气和说话习惯，自然流畅地朗读"
"voice_creation_authorization_5": "严格按照文本朗读"
"voice_creation_authorization_6": "请注意严格按照下面文本朗读"
"voice_creation_authorization_title": "克隆我的声音"
"web_search_chat_user_name": "你"

🔒 加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

🔌 第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

☰ 此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
android.permission.BLUETOOTH_CONNECT	未知	Unknown permission	Unknown permission from android reference

android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.POST_NOTIFICATIONS	未知	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE_MEDIA_PLAYBACK	未知	Unknown permission	Unknown permission from android reference
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.READ_MEDIA_IMAGES	未知	Unknown permission	Unknown permission from android reference
com.larus.nova.permission.PRIVACY_BROADCAST	未知	Unknown permission	Unknown permission from android reference
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.ACCESS_FINE_LOCATION	危险	精细定位（GPS）	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_BACKGROUND_LOCATION	危险	后台访问位置	允许应用程序在后台访问位置
android.permission.FOREGROUND_SERVICE_CONNECTED_DEVICE	未知	Unknown permission	Unknown permission from android reference
android.permission.REQUEST_IGNORE_BATTERY_OPTIMIZATIONS	正常		应用程序必须持有的权限才能使用 Settings.ACTION_REQUEST_IGNORE_BATTERY_OPTIMIZATIONS。
android.permission.FOREGROUND_SERVICE_PHONE_CALL	未知	Unknown permission	Unknown permission from android reference
android.permission.MANAGE_OWN_CALLS	正常		允许调用应用程序通过自我管理的 ConnectionService API 管理自己的调用
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.READ_MEDIA_VISUAL_USER_SELECTED	未知	Unknown permission	Unknown permission from android reference
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.BLUETOOTH_SCAN	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH_ADVERTISE	未知	Unknown permission	Unknown permission from android reference
android.pminermission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.hardware.usb.host	未知	Unknown permission	Unknown permission from android reference
com.vivo.aiengine.permission.READ_AWARE_PROVIDER	未知	Unknown permission	Unknown permission from android reference
com.vivo.aiengine.permission.WRITE_AWARE_PROVIDER	未知	Unknown permission	Unknown permission from android reference
com.larus.nova.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference

com.android.launcher.permission.INSTALL_SHORTCUT	未知	Unknown permission	Unknown permission from android reference
com.android.launcher.permission.UNINSTALL_SHORTCUT	未知	Unknown permission	Unknown permission from android reference
com.sec.android.provider.badge.permission.READ	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.sec.android.provider.badge.permission.WRITE	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.UPDATE_SHORTCUT	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.sonyericsson.home.permission.BROADCAST_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.anddoes.launcher.permission.UPDATE_COUNT	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或徽章
com.majeur.launcher.permission.UPDATE_BADGE	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或标记为固体。
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
com.huawei.android.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
com.huawei.android.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
com.hihonor.android.launcher.permission.CHANGE_BADGE	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_APP_BADGE	正常	显示应用程序通知	允许应用程序显示应用程序图标徽章
com.oppo.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
com.oppo.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
com.android.launcher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.android.launcher.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
me.everything.badger.permission.BADGE_COUNT_READ	未知	Unknown permission	Unknown permission from android reference
me.everything.badger.permission.BADGE_COUNT_WRITE	未知	Unknown permission	Unknown permission from android reference
android.permission.UPDATE_APP_BADGE	未知	Unknown permission	Unknown permission from android reference
com.vivo.notification.permission.BADGE_ICON	未知	Unknown permission	Unknown permission from android reference
com.vivo.abe.permission.launcher.notification.num	未知	Unknown permission	Unknown permission from android reference
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度
com.huawei.appmarket.service.commondata.permission.GET_COMMON_DATA	未知	Unknown permission	Unknown permission from android reference

android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒
com.larus.nova.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
com.larus.nova.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
com.hihonor.push.permission.READ_PUSH_NOTIFICATION_INFO	未知	Unknown permission	Unknown permission from android reference

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.tencent.tauth.AuthActivity	Schemes: tencent1112323716://,
com.larus.home.impl.MainActivity	Schemes: doubao://, http://, https://, Hosts: www.doubao.com, inhouse.doubao.com, Mime Types: text/*, audio/*, application/*, Paths: /share,
com.larus.bmhome.AppLinkActivity	Schemes: http://, https://, Hosts: doubao.zlinkurl.cn,
net.openid.appauth.RedirectUriReceiverActivity	Schemes: com.larus.wolf://,
com.larus.music.qq.CallbackActivity	Schemes: qqmusicapilarus://,