



# MoGua

## 廊空间 3.6.7.4.APK 分析报告



APP名称:

廊空间

包名:	com.uusafe.portal
域名线索:	17条
URL线索:	4条
邮箱线索:	0条
分析日期:	2025年6月6日
分析平台:	<a href="#">摸瓜APK反编译平台</a>

文件名: com.uusafe.portal.apk

文件大小: 56.36MB

MD5值: 7a91c086a353aa834de63bea6f244596

SHA1值: 421b2726e7c36d9caa4548dcca0af518eefc8e9

SHA256值: 22973991fc10dc7bc598905e8c895d865662c3830fa4c83b19da851a91d364e0

## i APP 信息

App名称: 廊空间

包名: com.uusafe.portal

主活动Activity: com.uusafe.baseapplication.ui.activity.SplashActivity

安卓版本名称: 3.6.7.4

安卓版本: 2081074292

## 🔍 域名线索

域名	服务器信息
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
grs.platform.dbankcloud.ru	没有服务器地理信息.
metrics-dra.dt.hicloud.com	IP: 94.74.88.100 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281

baidu.com	IP: 110.242.68.66 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
appgallery.cloud.huawei.com	IP: 49.4.35.16 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
metrics2.data.hicloud.com	IP: 80.158.38.48 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
metrics5.dt.dbankcloud.ru	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
grs.dbankcloud.com	IP: 49.4.40.185 所属国家: China 地区: Guangdong 城市: Guangzhou

	纬度: 23.127361 经度: 113.264572
metrics1.data.hicloud.com	IP: 114.115.188.159 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
grs.dbankcloud.asia	IP: 119.8.176.236 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
data-dra.push.dbankcloud.com	IP: 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
grs.dbankcloud.eu	没有服务器地理信息.
data-drcn.push.dbankcloud.com	IP: 118.194.33.160 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
play.google.com	IP: 142.251.42.238 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514

grs.dbankcloud.cn	IP: 49.4.40.185 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
data-drru.push.dbankcloud.com	IP: 159.138.202.31 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499

## URL线索

URL信息	Url所在文件
<a href="https://play.google.com/store/apps/details?id=">https://play.google.com/store/apps/details?id=</a>	Mogua Engine V1
<a href="https://appgallery.cloud.huawei.com">https://appgallery.cloud.huawei.com</a>	Mogua Engine V1
<a href="https://baidu.com">https://baidu.com'</a>	Mogua Engine V1
<a href="https://baidu.com">https://baidu.com</a>	Mogua Engine V1
<a href="https://data-drcn.push.dbankcloud.com">https://data-drcn.push.dbankcloud.com</a>	Mogua Engine V2
<a href="https://data-dra.push.dbankcloud.com">https://data-dra.push.dbankcloud.com</a>	Mogua Engine V2
<a href="https://data-dre.push.dbankcloud.com">https://data-dre.push.dbankcloud.com</a>	Mogua Engine V2
<a href="https://data-drru.push.dbankcloud.com">https://data-drru.push.dbankcloud.com</a>	Mogua Engine V2

https://grs.dbankcloud.com	Mogua Engine V2
https://grs.dbankcloud.cn	Mogua Engine V2
https://grs.dbankcloud.asia	Mogua Engine V2
https://grs.platform.dbankcloud.ru	Mogua Engine V2
https://grs.dbankcloud.eu	Mogua Engine V2
https://metrics1.data.hicloud.com:6447	Mogua Engine V2
https://metrics-dra.dt.hicloud.com:6447	Mogua Engine V2
https://metrics2.data.hicloud.com:6447	Mogua Engine V2
https://metrics5.data.hicloud.com:6447	Mogua Engine V2
https://metrics5.dt.dbankcloud.ru:6447	Mogua Engine V2

## 邮箱线索

## 手机线索

## 签名证书

APK已签名

v1 签名: True

v2 签名: True

v3 签名: False

找到 1 个唯一证书

主题: C=CN, ST=Beijing, L=Beijing, O=UUSafe, OU=UUSafe, CN=UUSafe

签名算法: rsassa\_pkcs1v15

有效期自: 2015-11-19 09:13:46+00:00

有效期至: 2043-04-06 09:13:46+00:00

发行人: C=CN, ST=Beijing, L=Beijing, O=UUSafe, OU=UUSafe, CN=UUSafe

序列号: 0x19005fc3

哈希算法: sha256

md5值: 9e5a270cade8a597cff96661ff4a83af

sha1值: 461b561801981659a8f2fca474828ec39c094757

sha256值: 281ee22a2b743748e76856ae2595f63bdd60cae0a519ef3fcc7456f8cab97aa0

sha512值: 993fa5d3cfd647b14ac375723e3edea854f89f8d3f4350e9345abdb252dd91234fc88d078ea2ffb66e55bcb4ef9dbc44bf3795c3a866d3fd508e4192c9267bdf

公钥算法: rsa

密钥长度: 2048

指纹: 541c9a082814fdcc92f78205378ac46a6e84ad6cb002d96122991ea2c0d0a988

## 硬编码敏感信息

可能的敏感信息
"appLock_gesture_pwd" : "请输入原图形密码"
"appLock_login_authentication" : "安全身份验证"
"appLock_pwd_err_info" : "尝试次数已达上限 请验证登录密码"
"appLock_pwd_reset" : "图形密码已重置"
"appLock_reset_gesture_pwd" : "重置解锁图案"
"appLock_set_gesture_pwd" : "设置密码"
"appLock_verify_gesture_pwd" : "验证图形密码"
"appLock_verify_pwd" : "验证登录密码"
"feature_cddlogin_login_modify_password" : "Force password change"

feature\_sdlogin\_login\_modify\_password : Force password change

"feature\_sdlogin\_login\_resetpwd\_title" : "Reset Password"

"forget\_pwd\_retry" : "%dS后重试"

"forget\_pwd\_sms\_send" : "短信已下发至%s"

"mbs\_config\_authtype" : "UTF8Y3g"

"mbs\_config\_component\_antianantivirus\_appkey" : ""

"mbs\_config\_component\_baidulocation\_appkey" : ""

"mbs\_config\_component\_baidumap\_appkey" : ""

"mbs\_config\_component\_gaodemap\_appkey" : ""

"mbs\_config\_component\_mipush\_appkey" : ""

"mbs\_config\_component\_modifyloginpwd\_type" : "UTF8Y3g"

"mbs\_config\_component\_modifyloginpwd\_url" : ""

"mbs\_config\_component\_mtdantivirus\_publickey" : ""

"mbs\_config\_component\_sandboxsec\_secretkey" : ""

"mbs\_config\_component\_sangforvpn\_publicpassword" : ""

"mbs\_config\_component\_securehttp\_key" : "CmMpNiZuP3RbPCxkIDo9Jlw8fDMnbnm0pCGJ+MXA+Onl"

"mbs\_config\_component\_sslclient\_password" : ""

"mbs\_config\_forgetpwdtype" : "WzVtZXF5eWdZLmZycVJqfFlpeg"

"mbs_config_forgetpwdtype_thirdpartyurl" : ""
"mbs_config_iamforgetpwd" : "SShqZw"
"mbs_config_project_bonree_anhuicaappkey" : ""
"mbs_config_project_bonree_anhuicabgappkey" : ""
"mbs_config_project_bonree_anhuicabgsecretkey" : ""
"mbs_config_project_bonree_anhuicasecretkey" : ""
"mbs_config_project_bonree_anhuiresetpwdurl" : ""
"mbs_config_project_bonree_apmtoken" : ""
"mbs_config_project_bonree_authkey" : ""
"mbs_config_project_bonree_resetpwdurl" : ""
"mbs_config_project_cctv_clientsecret" : ""
"mbs_config_project_jilindx_appsecret" : ""
"mbs_config_project_nmgdl_sm2key" : ""
"mbs_config_project_nmgdl_sm4key" : ""
"mbs_config_project_nmgdx_nmgdx_appSecret" : ""
"mbs_config_project_qinghaidx_appsecret" : ""
"mbs_config_project_ruishu_appsecret" : ""
"mbs_config_project_ruishu_ctappkey" : ""

"mbs_config_project_ruishu_ctappsecret" : ""
"mbs_config_project_ruishu_secretkey" : ""
"mbs_config_project_shdx_appkey" : ""
"mbs_config_project_shdx_authhost" : ""
"mbs_config_project_shdx_authport" : ""
"mbs_config_project_shiwaiedu_clientsecret" : ""
"mbs_config_project_xjdx_appkey" : ""
"mbs_config_project_xjdx_appsecret" : ""
"mbs_config_project_xjyd_appkey" : ""
"mbs_config_project_zjdxsdp_appkey" : ""
"mbs_config_project_zjdxsdp_appsecret" : ""
"monitor_has_user" : "提醒： 存在系统分身！ "
"record_camera_author" : "%1\$s 作品"
"sc_private_album" : "Private Album"
"uu_base_forget_pwd_retry" : "Try again after %dS"
"uu_base_license_secret_popup_segmentation" : ", "
"uu_base_license_secret_title" : "Privacy Policy"

"uu_emm_logout_auth" : "Auth"
"uu_login_forget_password" : "Forget Password"
"uu_login_login_by_username" : "Login by username"
"uu_login_reset_password" : "Password has expired, please reset it"
"uu_mbs_account_auth_title" : "Account Auth"
"uu_mbs_account_password_auth" : "AccountAuth"
"uu_mbs_dynamic_password_auth" : "DynamicAuth"
"uu_mbs_factory_certificate" : "内部证书"
"uu_mbs_select_login_user" : "Choose login account"
"uu_mos_app_detail_detail_author" : "Manager"
"uu_mos_app_detail_developer_author" : "Developer"
"uu_mos_appsetting_gesture_pwd_reset" : "Modify unlock pattern"
"uu_mos_appsetting_gesture_pwd_status" : "Graphical password"
"uu_mos_appsetting_main_item_changepwd" : "Login Password"
"uu_mos_appsetting_modifypwd_forget" : "Forget password"
"uu_mos_appsetting_modifypwd_name" : "Username"
"uu_mos_appsetting_modifypwd_tip_pwd_modify_success" : "Password changed"
"uu_mos_appsetting_modifypwd_tip_pwd_strength_level2" : "The password must two of numerals, letters and symbols."

"uu_mos_appsetting_modifypwd_tip_pwd_strength_level3" : "The password should consist of numerals, letters and symbols."
"uu_mos_appsetting_modifypwd_title" : "Login Password"
"uu_mos_appsetting_resetpwd_title" : "Reset password"
"uu_mos_appsetting_setting_lock_pwd" : "Screen lock password"
"uu_mos_appsetting_userinfo_item_username" : "User name"
"uu_mos_e_user_reset_pwd" : "The password for this account has been reset."
"uu_mos_forget_pwd_auth" : "Identity authentication"
"uu_mos_forget_pwd_china" : "China"
"uu_mos_forget_pwd_country" : "Country/Region"
"uu_mos_forget_pwd_input_tel" : "Enter phone number"
"uu_mos_forget_pwd_not_match_pwd" : "The two passwords you have entered do not match."
"uu_mos_forget_pwd_reset_pwd" : "Reset password"
"uu_mos_forget_pwd_retry" : "Try again after %dS"
"uu_mos_forget_pwd_sms_send" : "SMS has been sent to %s."
"uu_mos_forgetpwd_click_tips" : "Please scan the code first to get the server information."
"uu_mos_modify_pwd_alert" : "Your account's password had been modified. Please auth again."
"uu_mos_perm_safeinput_start_enable_inputpwd" : "Enable password input protection."

"uu_mos_user_name" : "User name"
"uu_mos_username" : "User name"
"uu_sdp_modify_pwd_server_code_other" : "Failed to modify password"
"uu_sdp_modify_pwd_success" : "Successfully change password"
"uusafe_sdk_guard_authorities" : "com.uusafe.emm.android.guard.provider"
"zzy_emm_details_user" : "Device User:"
"zzy_emm_device_function_password" : "Your device password does not meet security policy requirements, please modify it now. Minimum password length: %1\$d Password content: %2\$s"
"zzy_emm_forget_local_pwd" : "Forget the unlock pattern"
"zzy_emm_input_pwd_exit" : "Cancel Login"
"zzy_emm_input_pwd_login_failed" : "Password error, please try again."
"zzy_emm_input_pwd_login_success" : "Correct password"
"zzy_emm_input_pwd_wrong_setting" : "Connect at least 4 points, please try again"
"zzy_emm_login_by_sms_pwd" : "Otp Login"
"zzy_emm_login_by_user_pwd" : "Password Login"
"zzy_emm_login_suspend_user" : "Your account is disabled, please contact the administrator."
"zzy_emm_no_launch_lock_pwd" : "Unable to jump to the authentication password interface, please contact the administrator"
"zzy_emm_pwd_user_identify" : "Resetting the local password requires connecting to the server for authentication."

"zzy_emm_pwd_user_identify_pwd_pass" : "Password verification success"
"zzy_emm_set_local_password" : "Set the password"
"zzy_emm_set_pwd_result" : "Password setting success"
"zzy_emm_setting_local_pwd_msg" : "To secure the enterprise data, please set the local password."
"zzy_emm_setting_local_pwd_title" : "Please set unlock pattern"
"zzy_emm_setting_lock_pwd" : "Screen lock password"
"zzy_emm_skip_setting_local_pwd" : "Skip and set password later on."
"zzy_emm_sure_patten_pwd" : "Please draw again to confirm"
"zzy_emm_token_failure" : "Invalid token"
"feature_sdplogin_login_modify_password" : "强制修改密码"
"feature_sdplogin_login_resetpwd_title" : "修改密码"
"forget_pwd_retry" : "%dS后重试"
"forget_pwd_sms_send" : "短信已下发至%s"
"sc_private_album" : "个人域"
"uu_base_forget_pwd_retry" : "%dS后重新获取"
"uu_base_license_secret_popup_segmentation" : ", "
"uu_base_license_secret_title" : "隐私政策"
"uu_emm_logout_auth" : "认证"

"uu_login_forget_password" : "忘记密码"
"uu_login_login_by_username" : "用户名登录"
"uu_login_reset_password" : "密码已经超期，请重置密码"
"uu_mbs_account_auth_title" : "账号认证"
"uu_mbs_account_password_auth" : "账号密码认证"
"uu_mbs_dynamic_password_auth" : "动态密码认证"
"uu_mbs_factory_certificate" : "内部证书"
"uu_mbs_select_login_user" : "选择登录账号"
"uu_mos_app_detail_detail_author" : "管理者"
"uu_mos_app_detail_developer_author" : "开发者"
"uu_mos_appsetting_gesture_pwd_reset" : "修改解锁图案"
"uu_mos_appsetting_gesture_pwd_status" : "图形密码"
"uu_mos_appsetting_main_item_changepwd" : "登录密码"
"uu_mos_appsetting_modifypwd_forget" : "忘记密码"
"uu_mos_appsetting_modifypwd_name" : "用户名"
"uu_mos_appsetting_modifypwd_tip_pwd_modify_success" : "密码修改成功"
"uu_mos_appsetting_modifypwd_tip_pwd_strength_level2" : "密码需包含数字，字母，符号中的两项"

"uu_mos_appsetting_modifypwd_tip_pwd_strength_level3": "密码需包含数字、字母、符号"
"uu_mos_appsetting_modifypwd_title": "登录密码"
"uu_mos_appsetting_resetpwd_title": "重置密码"
"uu_mos_appsetting_setting_lock_pwd": "锁屏密码"
"uu_mos_appsetting_userinfo_item_username": "用户名"
"uu_mos_e_user_reset_pwd": "该账号的密码已被重置"
"uu_mos_forget_pwd_auth": "身份认证"
"uu_mos_forget_pwd_china": "中国大陆"
"uu_mos_forget_pwd_country": "国家/地区"
"uu_mos_forget_pwd_input_tel": "请填写手机号"
"uu_mos_forget_pwd_not_match_pwd": "密码两次输入不一致"
"uu_mos_forget_pwd_reset_pwd": "密码重置"
"uu_mos_forget_pwd_retry": "%dS后重试"
"uu_mos_forget_pwd_sms_send": "短信已下发至%s"
"uu_mos_forgetpwd_click_tips": "请先扫码获取服务器信息"
"uu_mos_modify_pwd_alert": "您的账户密码已被管理员修改，请重新认证"
"uu_mos_perm_safeinput_start_enable_inputpwd": "已开启密码输入保护"
"uu_mos_user_name": "用户名"

"uu_mos_username" : "用户名"
"uu_sdp_modify_pwd_server_code_other" : "修改密码失败"
"uu_sdp_modify_pwd_success" : "修改密码成功"
"zzy_emm_details_user" : "设备用户"
"zzy_emm_device_function_password" : "您的设备密码不符合安全策略要求, 请立即修改 密码最小长度: %1\$d 密码内容: %2\$s"
"zzy_emm_forget_local_pwd" : "忘记手势密码"
"zzy_emm_input_pwd_exit" : "取消登录"
"zzy_emm_input_pwd_login_failed" : "密码错误, 请重试"
"zzy_emm_input_pwd_login_success" : "密码正确"
"zzy_emm_input_pwd_wrong_setting" : "至少连接4个点, 请重试"
"zzy_emm_login_by_sms_pwd" : "短信密码登录"
"zzy_emm_login_by_user_pwd" : "用户密码登录"
"zzy_emm_login_suspend_user" : "您的帐号被停用, 请联系管理员"
"zzy_emm_no_launch_lock_pwd" : "无法跳转到认证密码界面, 请联系管理员!"
"zzy_emm_pwd_user_identify" : "重置本地密码需要连接服务器进行身份验证"
"zzy_emm_pwd_user_identify_pwd_pass" : "密码验证通过"
"zzy_emm_set_local_password" : "设置密码"

"zzy_emm_set_pwd_result" : "密码设置成功"
"zzy_emm_setting_local_pwd_msg" : "为保证企业数据安全，请设置手势密码"
"zzy_emm_setting_local_pwd_title" : "请设置您的手势密码"
"zzy_emm_setting_lock_pwd" : "锁屏密码"
"zzy_emm_skip_setting_local_pwd" : "跳过此步，暂不设置密码"
"zzy_emm_sure_patten_pwd" : "请再次绘制手势图案"
"zzy_emm_token_failure" : "客户端token失效"
"appLock_gesture_pwd" : "Please draw the original pattern."
"appLock_login_authentication" : "Verify the login id"
"appLock_pwd_err_info" : "Maximum trial times Verify the login password"
"appLock_pwd_reset" : "reset pattern success"
"appLock_reset_gesture_pwd" : "Reset unlock pattern"
"appLock_set_gesture_pwd" : "Set graphic pattern"
"appLock_verify_gesture_pwd" : "Graphic authentication"
"appLock_verify_pwd" : "Verify the login password"
"feature_sdplogin_login_modify_password" : "Force password change"
"feature_sdplogin_login_resetpwd_title" : "Reset Password"
"forget_pwd_retry" : "Try again after %dS"

"forget_pwd_sms_send" : "SMS has been sent to %s."
"sc_private_album" : "Private Album"
"uu_base_forget_pwd_retry" : "Try again after %dS"
"uu_base_license_secret_popup_segmentation" : ", "
"uu_base_license_secret_title" : "Privacy Policy"
"uu_emm_logout_auth" : "Auth"
"uu_login_forget_password" : "Forget Password"
"uu_login_login_by_username" : "Login by username"
"uu_login_reset_password" : "Password has expired, please reset it"
"uu_mbs_account_auth_title" : "Account Auth"
"uu_mbs_account_password_auth" : "AccountAuth"
"uu_mbs_dynamic_password_auth" : "DynamicAuth"
"uu_mbs_factory_certificate" : "Certificate"
"uu_mbs_select_login_user" : "Choose login account"
"uu_mos_app_detail_detail_author" : "Manager"
"uu_mos_app_detail_developer_author" : "Developer"
"uu_mos_appsetting_gesture_pwd_reset" : "Modify unlock pattern"

"uu_mos_appsetting_gesture_pwd_status" : "Graphical password"
"uu_mos_appsetting_main_item_changepwd" : "Login Password"
"uu_mos_appsetting_modifypwd_forget" : "Forget password"
"uu_mos_appsetting_modifypwd_name" : "Username"
"uu_mos_appsetting_modifypwd_tip_pwd_modify_success" : "Password changed"
"uu_mos_appsetting_modifypwd_tip_pwd_strength_level2" : "The password must two of numerals, letters and symbols."
"uu_mos_appsetting_modifypwd_tip_pwd_strength_level3" : "The password should consist of numerals, letters and symbols."
"uu_mos_appsetting_modifypwd_title" : "Login Password"
"uu_mos_appsetting_resetpwd_title" : "Reset password"
"uu_mos_appsetting_setting_lock_pwd" : "Screen lock password"
"uu_mos_appsetting_userinfo_item_username" : "User name"
"uu_mos_e_user_reset_pwd" : "The password for this account has been reset."
"uu_mos_forget_pwd_auth" : "Identity authentication"
"uu_mos_forget_pwd_china" : "China"
"uu_mos_forget_pwd_country" : "Country/Region"
"uu_mos_forget_pwd_input_tel" : "Enter phone number"
"uu_mos_forget_pwd_not_match_pwd" : "The two passwords you have entered do not match."
"uu_mos_forget_pwd_reset_pwd" : "Reset password"

"uu_mos_forget_pwd_retry" : "Try again after %dS"
"uu_mos_forget_pwd_sms_send" : "SMS has been sent to %s."
"uu_mos_forgetpwd_click_tips" : "Please scan the code first to get the server information."
"uu_mos_modify_pwd_alert" : "Your account's password had been modified. Please auth again."
"uu_mos_perm_safeinput_start_enable_inputpwd" : "Enable password input protection."
"uu_mos_user_name" : "User name"
"uu_mos_username" : "User name"
"uu_sdp_modify_pwd_server_code_other" : "Failed to modify password"
"uu_sdp_modify_pwd_success" : "Successfully change password"
"feature_sdplogin_login_modify_password" : "強制修改密碼"
"feature_sdplogin_login_resetpwd_title" : "修改密碼"
"forget_pwd_retry" : "%dS后重试"
"forget_pwd_sms_send" : "短信已下发至%s"
"sc_private_album" : "個人域"
"uu_base_forget_pwd_retry" : "%dS後重新獲取"
"uu_base_license_secret_popup_segmentation" : ", "
"uu_base_license_secret_title" : "隱私政策"

"uu_emm_logout_auth" : "認證"
"uu_login_forget_password" : "忘記密碼"
"uu_login_login_by_username" : "用戶名登錄"
"uu_login_reset_password" : "密碼已經超期，請重置密碼"
"uu_mbs_account_auth_title" : "賬號認證"
"uu_mbs_account_password_auth" : "賬號密碼認證"
"uu_mbs_dynamic_password_auth" : "動態密碼認證"
"uu_mbs_factory_certificate" : "內部证书"
"uu_mbs_select_login_user" : "選擇登錄賬號"
"uu_mos_app_detail_detail_author" : "管理者"
"uu_mos_app_detail_developer_author" : "開發者"
"uu_mos_appsetting_gesture_pwd_reset" : "修改解鎖圖案"
"uu_mos_appsetting_gesture_pwd_status" : "圖形密碼"
"uu_mos_appsetting_main_item_changepwd" : "登錄密碼"
"uu_mos_appsetting_modifypwd_forget" : "忘記密碼"
"uu_mos_appsetting_modifypwd_name" : "用戶名"
"uu_mos_appsetting_modifypwd_tip_pwd_modify_success" : "密碼修改成功"
"uu_mos_appsetting_modifypwd_tip_pwd_strength_level2" : "密碼需包含數字，字母，符號中的兩項"

"uu_mos_appsetting_modifypwd_tip_pwd_strength_level3" : "密碼需包含數字、字母、符號"
"uu_mos_appsetting_modifypwd_title" : "登錄密碼"
"uu_mos_appsetting_resetpwd_title" : "重置密碼"
"uu_mos_appsetting_setting_lock_pwd" : "鎖屏密碼"
"uu_mos_appsetting_userinfo_item_username" : "用戶名"
"uu_mos_e_user_reset_pwd" : "該賬號的密碼已被重置"
"uu_mos_forget_pwd_auth" : "身份認證"
"uu_mos_forget_pwd_china" : "中國大陸"
"uu_mos_forget_pwd_country" : "國家/地區"
"uu_mos_forget_pwd_input_tel" : "請填寫手機號"
"uu_mos_forget_pwd_not_match_pwd" : "密碼兩次輸入不壹致"
"uu_mos_forget_pwd_reset_pwd" : "密碼重置"
"uu_mos_forget_pwd_retry" : "%dS後重試"
"uu_mos_forget_pwd_sms_send" : "短信已下發至%s"
"uu_mos_forgetpwd_click_tips" : "請先掃碼獲取服務器資訊"
"uu_mos_modify_pwd_alert" : "您的賬戶密碼已被管理員修改，請重新認證"
"uu_mos_perm_safeinput_start_enable_inputpwd" : "已開啟密碼輸入保護"

"uu_mos_user_name" : "用户名"
"uu_mos_username" : "用户名"
"uu_sdp_modify_pwd_server_code_other" : "修改密码失败"
"uu_sdp_modify_pwd_success" : "修改密码成功"
"zzy_emm_details_user" : "设备用户"
"zzy_emm_device_function_password" : "您的设备密码不符合安全策略要求, 请立即修改 密码最小长度: %1\$d 密码内容: %2\$s"
"zzy_emm_forget_local_pwd" : "忘记手势密码"
"zzy_emm_input_pwd_exit" : "取消登录"
"zzy_emm_input_pwd_login_failed" : "密码错误, 请重试"
"zzy_emm_input_pwd_login_success" : "密码正确"
"zzy_emm_input_pwd_wrong_setting" : "至少连接4个点, 请重试"
"zzy_emm_login_by_sms_pwd" : "短信密码登录"
"zzy_emm_login_by_user_pwd" : "用户密码登录"
"zzy_emm_login_suspend_user" : "您的帐号被停用, 请联系管理员"
"zzy_emm_pwd_user_identify" : "重置本地密码需要连接服务器进行身份验证"
"zzy_emm_pwd_user_identify_pwd_pass" : "密码验证通过"
"zzy_emm_set_local_password" : "设置密码"
"zzy_emm_set_pwd_result" : "密码设置成功"

"zzy_emm_setting_local_pwd_msg" : "为保证企业数据安全, 请设置手势密码"
"zzy_emm_setting_local_pwd_title" : "请设置您的手势密码"
"zzy_emm_setting_lock_pwd" : "鎖屏密碼"
"zzy_emm_skip_setting_local_pwd" : "跳过此步, 暂不设置密码"
"zzy_emm_sure_patten_pwd" : "请再次绘制手势图案"
"zzy_emm_token_failure" : "客户端token失效"

## 加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

## 第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

## 此APP的危险动作

--	--	--

向手机申请的权限	是否危险	类型	详细情况
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.USE_FINGERPRINT	正常	allow use of指纹	该常量在 API 级别 28 中已被弃用。应用程序应改为请求 USE_BIOMETRIC
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.REORDER_TASKS	正常	重新排序正在运行的应用程序	允许应用程序将任务移动到前台和后台。恶意应用程序可以在不受您控制的情况下将自己强加于前
com.uusafe.portal.permission.PERMISSION_AUTH_SEND	未知	Unknown permission	Unknown permission from android reference
com.uusafe.portal.permission.PERMISSION_AUTH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.uusafe.portal.permission.MOS_PERMISSION	未知	Unknown permission	Unknown permission from android reference

android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
com.android.alarm.permission.SET_ALARM	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
com.uusafe.safe.filemanager.permission.SHOW_DOWNLOAD_FILE	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置(如果可用)。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_FINE_LOCATION	危险	精细定位(GPS)	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.REQUEST_DELETE_PACKAGES	正常		允许应用程序请求删除包
android.permission.ACCESS_BACKGROUND_LOCATION	危险	后台访问位置	允许应用程序在后台访问位置

com.uusafe.portal.ALLOW_ACCESS_PROVIDER	未知	Unknown permission	Unknown permission from android reference
android.permission.DISABLE_KEYGUARD	正常		如果键盘不安全,允许应用程序禁用它。
android.permission.DOWNLOAD_WITHOUT_NOTIFICATION	未知	Unknown permission	Unknown permission from android reference
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.KILL_BACKGROUND_PROCESSES	正常	杀死后台进程	允许应用程序杀死其他应用程序的后台进程,即使内存不低
android.permission.READ_LOGS	危险	读取敏感日志数据	允许应用程序从系统读取各种日志文件。这使它发现有关您使用手机做什么的一般信息,可能包括个人或私人信息
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
android.permission.BLUETOOTH_PRIVILEGED	系统需要		允许应用程序在没有用户交互的情况下配对蓝牙设备,并允许或禁止电话簿访问或消息访问。这不适用于第三方应用程序
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由

android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.MOUNT_FORMAT_FILESYSTEMS	危险	格式化外部存储器	允许应用程序格式化可移动存储
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.SYSTEM_OVERLAY_WINDOW	未知	Unknown permission	Unknown permission from android reference
android.permission.PACKAGE_USAGE_STATS	合法	更新组件使用统计	允许修改收集的组件使用统计。不供普通应用程序使用
com.uusafe.portal.permission.ZZY_SIGN_PERMISSION	未知	Unknown permission	Unknown permission from android reference
com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.heytao.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.uusafe.portal.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.uusafe.portal.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
android.permission.AUTHENTICATE_ACCOUNTS	危险	充当帐户验证器	允许应用程序使用帐户管理器的帐户验证器功能,包括创建帐户以及获取和设置其密码
	正		

android.permission.WRITE_SYNC_SETTINGS	常	写入同步设置	允许应用程序修改同步设置,例如是否为联系人启用同步
com.uusafe.portal.launcher.permission.INSTALL_SHORTCUT	未知	Unknown permission	Unknown permission from android reference
android.permission.RESTART_PACKAGES	正常	杀死后台进程	允许应用程序杀死其他应用程序的后台进程,即使内存不低
android.permission.READ_PRIVILEGED_PHONE_STATE	未知	Unknown permission	Unknown permission from android reference
android.permission.SET_WALLPAPER	正常	设置壁纸	允许应用程序设置系统壁纸
android.permission.ACTIVITY_RECOGNITION	危险	允许应用程序识别身体活动	允许应用程序识别身体活动
android.permission.BODY_SENSORS	危险		允许应用程序访问来自传感器的数据,用户使用这些数据来测量他/她体内发生的事情,例如心率
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
com.vivo.custom.permission.PLUG_IN	未知	Unknown permission	Unknown permission from android reference
com.vivo.custom.permission.SECOND_PLUG_IN	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_APP_MANAGEMENT	未知	Unknown permission	Unknown permission from android reference
	未	Unknown	

com.huawei.permission.sec.MDM_BLUETOOTH	知	permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_CAMERA	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.PERMISSION_MDM_DEVICE_MANAGER	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.PERMISSION_MDM_LOCATION	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.PERMISSION_MDM_KEYGUARD	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_CONNECTIVITY	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_NETWORK_MANAGER	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_EMAIL	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.PERMISSION_MDM_EMAIL	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_FIREWALL	未知	Unknown permission	Unknown permission from android reference
com.huawei.systemmanager.permission.ACCESS_INTERFACE	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_LOCATION	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.PERMISSION_MDM_APN	未	Unknown	Unknown permission from android reference

	知	permission	
com.huawei.permission.sec.MDM_KEYGUARD	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_PHONE	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_WIFI	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_USB	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_SDCARD	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_NFC	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_MMS	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_DEVICE_MANAGER	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_CAPTURE_SCREEN	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_UPDATESTATE_MANAGER	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_CLIPBOARD	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_GOOGLE_ACCOUNT	未知	Unknown permission	Unknown permission from android reference

com.huawei.permission.sec.MDM_FINGERPRINT	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_SETTINGS_RESTRICTION	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.PERMISSION_MDM_DEVICE_SETTINGS_MANAGER	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_TELEPHONY	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.PERMISSION_MDM_SDCARD	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_VPN	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_PHONE_MANAGER	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.MDM_APN	未知	Unknown permission	Unknown permission from android reference
com.huawei.permission.sec.SDK_LAUNCHER	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_SURFACE_FLINGER	合法	访问 SurfaceFlinger	允许应用程序使用 SurfaceFlinger 低级功能
android.permission.BACKUP	系统需要	控制系统备份和恢复	允许应用来控制系统的背部向上和恢复机制。不供普通应用程序使用
android.permission.BATTERY_STATS	合	修改电池统计	允许修改收集的电池统计信息。不供普通应用程序使用

	法	信息	
android.permission.BIND_DEVICE_ADMIN	合法	与设备管理员交互	允许持有者向设备管理员发送意图。普通应用程序永远不需要
android.permission.CHANGE_BACKGROUND_DATA_SETTING	合法	更改后台数据使用设置	允许应用程序更改后台数据使用设置
android.permission.CHANGE_COMPONENT_ENABLED_STATE	系统需要	启用或禁用应用程序组件	允许应用程序更改是否启用另一个应用程序的组件。恶意应用程序可以使用它来禁用重要的电话功能。重要的是要小心许可,因为它可能使应用程序组件进入不可用,不一致或不稳定的状态
android.permission.CHANGE_CONFIGURATION	系统需要	更改您的 UI 设置	允许应用程序更改当前配置,例如语言环境或整体字体大小
android.permission.CLEAR_APP_USER_DATA	合法	删除其他应用程序数据	允许应用程序清除用户数据
android.permission.CONNECTIVITY_INTERNAL	未知	Unknown permission	Unknown permission from android reference
android.permission.CRYPT_KEEPER	未知	Unknown permission	Unknown permission from android reference
android.permission.DELETE_PACKAGES	系统需要	删除应用程序	允许应用程序删除 Android 包。恶意应用程序可以使用它来删除重要的应用程序
android.permission.DEVICE_POWER	合法	打开或关闭手机	允许应用程序打开或关闭手机
android.permission.FORCE_STOP_PACKAGES	合法	强制停止其他应用程序	允许一个应用程序强行停止其他应用程序

android.permission.GET_APP_OPS_STATS	未知	Unknown permission	Unknown permission from android reference
android.permission.INJECT_EVENTS	合法	按键和控制按钮	允许应用程序将其自己的输入事件（按键等）传递给其他应用程序。恶意应用程序可以利用它来接管电话
android.permission.INSTALL_PACKAGES	系统需要	直接安装应用程序	允许应用程序安装新的或更新的 Android 包。恶意应用程序可以使用它来添加具有任意强大权限的新应用程序
android.permission.INTERACT_ACROSS_USERS_FULL	未知	Unknown permission	Unknown permission from android reference
android.permission.MANAGE_DEVICE_ADMINS	未知	Unknown permission	Unknown permission from android reference
android.permission.MANAGE_NETWORK_POLICY	未知	Unknown permission	Unknown permission from android reference
android.permission.MANAGE_USB	未知	Unknown permission	Unknown permission from android reference
android.permission.MANAGE_USERS	未知	Unknown permission	Unknown permission from android reference
android.permission.MASTER_CLEAR	系统需要	将系统重置为出厂默认值	允许应用程序将系统完全重置为其出厂设置,擦除所有数据,配置和已安装的应用程序
android.permission.MODIFY_NETWORK_ACCOUNTING	未知	Unknown permission	Unknown permission from android reference
android.permission.MODIFY_PHONE_STATE	系统需	修改电话状态	允许应用程序控制设备的电话功能。具有此权限的应用程序可以切换网络,打开和关闭电话收音机等,而无需通知您

	要		
android.permission.READ_FRAME_BUFFER	合法	读取帧缓冲区	允许应用程序读取帧缓冲区的内容
android.permission.READ_NETWORK_USAGE_HISTORY	未知	Unknown permission	Unknown permission from android reference
android.permission.REAL_GET_TASKS	未知	Unknown permission	Unknown permission from android reference
android.permission.REBOOT	系统需要	强制手机重启	允许应用强制手机重启
android.permission.REMOVE_TASKS	未知	Unknown permission	Unknown permission from android reference
android.permission.SET_PREFERRED_APPLICATIONS	合法	设置首选应用程序	允许应用程序修改您的首选应用程序。这可能允许恶意应用程序悄悄地更改正在运行的应用程序,欺骗您现有的应用程序以从您那里收集私人数据
android.permission.SET_TIME	系统需要	设定时间	允许应用程序更改手机的时钟时间
android.permission.SET_TIME_ZONE	系统需要	设置时区	允许应用程序更改手机的时区
android.permission.SHUTDOWN	合法	部分关闭	将活动管理器置于关闭状态。不执行完全关闭
	系		

android.permission.STATUS_BAR	统 需 要	禁用或修改状态栏	允许应用程序禁用状态栏或添加和删除系统图标
android.permission.UPDATE_APP_OPS_STATS	未知	Unknown permission	Unknown permission from android reference
android.permission.WRITE_APN_SETTINGS	危 险	写入访问点名 称设置	允许应用程序修改 APN 设置,例如任何 APN 的代理和端口
android.permission.WRITE_MEDIA_STORAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.WRITE_SECURE_SETTINGS	系 统 需 要	修改安全系统 设置	允许应用程序修改系统固定好设置数据。不供普通应用程序使用
android.permission.WRITE_SETTINGS	危 险	修改全局系统 设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
com.android.email.permission.ACCESS_PROVIDER	未知	Unknown permission	Unknown permission from android reference
android.permission.CONTROL_VPN	未知	Unknown permission	Unknown permission from android reference
com.uusafe.portal.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference

## 应用内通信

活动(ACTIVITY)	通信(INTENT)
	Schemes: uimhs://

com.uusafe.baseapplication.ui.activity.SplashActivity	Schemes: uumbs://, Hosts: worktable, Paths: /openapp,
com.uusafe.portal.push.activity.DeepLinkActivity	Schemes: pushscheme://, Hosts: com.uusafe.mbs, Paths: /push,

---

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。