



# MoGua

## FacePro 1.0.5.APK 分析报告



APP名称:	FacePro
包名:	io.facedaopro.facedao
域名线索:	47条
URL线索:	39条
邮箱线索:	4条
分析日期:	2023年3月23日

分析平台:

[摸瓜反编译平台](#)

## 文件信息

文件名: facepro-1.0.5-8.apk

文件大小: 65.33MB

MD5值: 7b159f0fa300ad30369a10283f686428

SHA1值: 5d2585d17d174917af44849ccab65659ccc2bb96

SHA256值: 17d3ff1b80dc3b368ffd575d5dd868bbff0739e7e7162206661e9443b8afe97f

## APP 信息

App名称: FacePro

包名: io.facedaopro.facedao

主活动Activity: io.facedaopro.facedao.MainActivity

安卓版本名称: 1.0.5

安卓版本: 8

## 域名线索

域名	服务器信息
open.res.flyme.cn	IP: 14.152.79.186 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000

域名	服务器信息
cn.register.xmpush.xiaomi.com	<b>IP:</b> 220.181.106.176 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
xmlpull.org	<b>IP:</b> 185.199.109.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065632 经度: -79.891708
accounts.google.com	<b>IP:</b> 93.46.8.90 所属国家: Italy 地区: Lombardia 城市: Milan 纬度: 45.464272 经度: 9.189510
metrics5.data.hicloud.com	<b>IP:</b> 159.138.203.215 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559
www.tensorflow.org	<b>IP:</b> 172.217.163.46 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
119.29.29.98	<b>IP:</b> 119.29.29.98 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
cloud.tencent.com	<b>IP:</b> 42.81.15.45 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666

域名	服务器信息
developer.mozilla.org	<b>IP:</b> 18.65.185.69 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.627499 经度: -122.346199
resolver.msg.xiaomi.net	<b>IP:</b> 120.92.96.13 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
www.w3.org	<b>IP:</b> 104.18.22.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
grs.dbankcloud.eu	没有服务器地理信息.
data-drru.push.dbankcloud.com	<b>IP:</b> 159.138.202.31 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559
exoplayer.dev	<b>IP:</b> 185.199.111.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065632 经度: -79.891708
play.google.com	<b>IP:</b> 93.46.8.90 所属国家: Italy 地区: Lombardia 城市: Milan 纬度: 45.464272 经度: 9.189510
api-push.meizu.com	<b>IP:</b> 125.94.213.129 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000

域名	服务器信息
playvideo.qcloud.com	<b>IP:</b> 42.81.114.53 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
aomedia.org	<b>IP:</b> 185.199.109.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065632 经度: -79.891708
dashif.org	<b>IP:</b> 185.199.111.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065632 经度: -79.891708
metrics1.data.hicloud.com	<b>IP:</b> 114.115.188.112 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
vodreport.qcloud.com	<b>IP:</b> 42.81.114.54 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
162.14.6.247	<b>IP:</b> 162.14.6.247 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
schemas.microsoft.com	<b>IP:</b> 13.107.238.49 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903

域名	服务器信息
github.com	<b>IP:</b> 20.205.243.166 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
metrics2.data.hicloud.com	<b>IP:</b> 80.158.38.48 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321331 经度: 10.134890
162.14.19.114	<b>IP:</b> 162.14.19.114 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
norma-external-collect.meizu.com	<b>IP:</b> 113.106.27.98 所属国家: China 地区: Guangdong 城市: Zhongshan 纬度: 22.520580 经度: 113.382317
1255566655.vod2.myqcloud.com	<b>IP:</b> 121.51.64.177 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545540 经度: 114.068298
en.wikipedia.org	<b>IP:</b> 128.242.245.93 所属国家: United States of America 地区: California 城市: Milpitas 纬度: 37.428268 经度: -121.906616
data-drcn.push.dbankcloud.com	<b>IP:</b> 49.4.40.58 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

域名	服务器信息
metrics5.dt.dbankcloud.ru	<b>IP:</b> 159.138.203.215 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559
grs.platform.dbankcloud.ru	没有服务器地理信息.
data-dra.push.dbankcloud.com	<b>IP:</b> 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
appgallery.cloud.huawei.com	<b>IP:</b> 49.4.35.16 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
developer.apple.com	<b>IP:</b> 17.253.87.206 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
www.jsdelivr.com	<b>IP:</b> 216.24.57.253 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
api-push.in.meizu.com	<b>IP:</b> 206.161.233.191 所属国家: United States of America 地区: Virginia 城市: Herndon 纬度: 38.978210 经度: -77.386993
plus.google.com	<b>IP:</b> 114.43.24.59 所属国家: Taiwan (Province of China) 地区: Keelung 城市: Keelung 纬度: 25.128250 经度: 121.741898

域名	服务器信息
developer.android.com	<b>IP:</b> 142.251.42.238 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
grs.dbankcloud.cn	<b>IP:</b> 49.4.41.160 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
ns.adobe.com	没有服务器地理信息.
grs.dbankcloud.asia	没有服务器地理信息.
www.googleapis.com	<b>IP:</b> 172.217.160.74 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
grs.dbankcloud.com	<b>IP:</b> 121.36.119.243 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
www.example.com	<b>IP:</b> 93.184.216.34 所属国家: United States of America 地区: Virginia 城市: Ashburn 纬度: 39.043720 经度: -77.487488
metrics-dra.dt.hicloud.com	<b>IP:</b> 94.74.88.100 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
data-dre.push.dbankcloud.com	<b>IP:</b> 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321331 经度: 10.134890



URL信息	Url所在文件
<a href="https://exoplayer.dev/issues/player-accessed-on-wrong-thread">https://exoplayer.dev/issues/player-accessed-on-wrong-thread</a>	s5/w0.java
<a href="https://developer.android.com/guide/topics/permissions/overview">https://developer.android.com/guide/topics/permissions/overview</a>	io/flutter/plugin/platform/b.java
<a href="https://accounts.google.com/o/oauth2/revoke?token=">https://accounts.google.com/o/oauth2/revoke?token=</a>	y7/f.java
<a href="http://dashif.org/guidelines/last-segment-number">http://dashif.org/guidelines/last-segment-number</a>	z6/d.java
<a href="http://dashif.org/guidelines/trickmode">http://dashif.org/guidelines/trickmode</a>	z6/d.java
<a href="http://xmlpull.org/v1/doc/features.html">http://xmlpull.org/v1/doc/features.html</a>	eg/g6.java
<a href="http://xmlpull.org/v1/doc/features.html">http://xmlpull.org/v1/doc/features.html</a>	eg/b5.java
<a href="http://xmlpull.org/v1/doc/features.html">http://xmlpull.org/v1/doc/features.html</a>	eg/h6.java
<a href="https://%1\$s/gslb/?ver=5.0">https://%1\$s/gslb/?ver=5.0</a>	eg/v1.java
<a href="http://xmlpull.org/v1/doc/features.html">http://xmlpull.org/v1/doc/features.html</a>	eg/o5.java
<a href="http://www.w3.org/ns/ttml">http://www.w3.org/ns/ttml</a>	l7/c.java
<a href="https://api-push.meizu.com/garcia/api/client/">https://api-push.meizu.com/garcia/api/client/</a>	hf/a.java
<a href="https://api-push.in.meizu.com/garcia/api/client/">https://api-push.in.meizu.com/garcia/api/client/</a>	hf/a.java
<a href="https://api-push.meizu.com/garcia/api/client/log/upload">https://api-push.meizu.com/garcia/api/client/log/upload</a>	hf/a.java
<a href="https://developer.android.com/reference/javax/net/ssl/SSLSocket">https://developer.android.com/reference/javax/net/ssl/SSLSocket</a>	xh/s.java
<a href="http://ns.adobe.com/xap/1.0/">http://ns.adobe.com/xap/1.0/</a>	c6/a.java
<a href="https://exoplayer.dev/issues/cleartext-not-permitted">https://exoplayer.dev/issues/cleartext-not-permitted</a>	p7/x.java
<a href="https://plus.google.com/">https://plus.google.com/</a>	e8/q1.java
<a href="https://aomedia.org/emsg/ID3">https://aomedia.org/emsg/ID3</a>	m6/a.java
<a href="https://developer.apple.com/streaming/emsg-id3">https://developer.apple.com/streaming/emsg-id3</a>	m6/a.java
<a href="http://www.example.com">http://www.example.com</a>	com/pichillilorenzo/flutter_inappwebview/chrome_custom_tabs/CustomTabsHelper.java
<a href="https://cn.register.xmpush.xiaomi.com">https://cn.register.xmpush.xiaomi.com</a>	com/xiaomi/push/service/p2.java

URL信息	Url所在文件
https://resolver.msg.xiaomi.net/psc/?t=a	com/xiaomi/push/service/y0.java
https://api-push.meizu.com/garcia/api/server/getPublicKey	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://api-push.in.meizu.com	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://api-push.meizu.com	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://norma-external-collect.meizu.com/android/exchange/getpublickey.do	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://norma-external-collect.meizu.com/push/android/external/add.do	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://www.googleapis.com/certificateprovisioning/v1/devicecertificates/create?key=AlzaSyB-5OLKTx2iU5mko18DfdwK5611JjibUhE	com/tencent/rtmp/TXPlayerDrmBuilder.java
http://open.res.flyme.cn/filesserver/upload/file/202109/7bf101e2843642709c7a11f4b57861cd.pdf	com/tencent/flutter/tim_ui_kit_push_plugin/channelUtils/MeizuUtils.java
https://en.wikipedia.org/wiki/Blend_modes\n//	com/tencent/ugc/processor/transitions/StereoViewerFilter.java
https://cloud.tencent.com/act/event/License	com/tencent/liteav/a.java
https://vodreport.qcloud.com/describeControllInfos/v1/	com/tencent/liteav/txcvodplayer/a/b.java
https://playvideo.qcloud.com/getplayinfo/v4	com/tencent/liteav/txcvodplayer/b/c.java
http://playvideo.qcloud.com/getplayinfo/v2	com/tencent/liteav/txcvodplayer/b/d.java
https://playvideo.qcloud.com/getplayinfo/v2	com/tencent/liteav/txcvodplayer/b/d.java
http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/coverBySnapshot/1513156403_1311093072.100_0.jpg?t=5c08d9fa&us=someus&sign=95f34beb353fe32cfe7f8b5e79cc28b1\	com/tencent/liteav/txcvodplayer/b/d.java
http://1255566655.vod2.myqcloud.com/ca754badvodgzp1255566655/8f5fbff14564972818519602447/imageSprite/1513156058_533711271_00001.jpg?t=5c08d9fa&us=someus&sign=79449db4e1fb05a3becfa096613659c3\	com/tencent/liteav/txcvodplayer/b/d.java
http://1255566655.vod2.myqcloud.com/ca754badvodgzp1255566655/8f5fbff14564972818519602447/imageSprite/1513156058_533711271.vtt?t=5c08d9fa&us=someus&sign=79449db4e1fb05a3becfa096613659c3\	com/tencent/liteav/txcvodplayer/b/d.java
http://1255566655.vod2.myqcloud.com/ca754badvodgzp1255566655/8f5fbff14564972818519602447/uAnXXO0MLSA.wmv?t=5c08d9fa&us=someus&sign=659af5dd3f27eb92dc4ed74eb561daa4\	com/tencent/liteav/txcvodplayer/b/d.java
http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/master_playlist.m3u8?t=5c08d9fa&us=someus&sign=66290475b7182c89193f03b8f74a979d\	com/tencent/liteav/txcvodplayer/b/d.java
http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/v.f220.m3u8?t=5c08d9fa&us=someus&sign=66290475b7182c89193f03b8f74a979d\	com/tencent/liteav/txcvodplayer/b/d.java
http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/v.f230.m3u8?t=5c08d9fa&us=someus&sign=66290475b7182c89193f03b8f74a979d\	com/tencent/liteav/txcvodplayer/b/d.java

URL信息	Url所在文件
<a href="http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/v.f240.m3u8?t=5c08d9fa&amp;us=someus&amp;sign=66290475b7182c89193f03b8f74a979d">http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/v.f240.m3u8?t=5c08d9fa&amp;us=someus&amp;sign=66290475b7182c89193f03b8f74a979d</a>	com/tencent/liteav/txcvodplayer/b/d.java
<a href="http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/v.f210.m3u8?t=5c08d9fa&amp;us=someus&amp;sign=66290475b7182c89193f03b8f74a979d">http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/v.f210.m3u8?t=5c08d9fa&amp;us=someus&amp;sign=66290475b7182c89193f03b8f74a979d</a>	com/tencent/liteav/txcvodplayer/b/d.java
<a href="http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/v.f10.mp4?t=5c08d9fa&amp;us=someus&amp;sign=66290475b7182c89193f03b8f74a979d">http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/v.f10.mp4?t=5c08d9fa&amp;us=someus&amp;sign=66290475b7182c89193f03b8f74a979d</a>	com/tencent/liteav/txcvodplayer/b/d.java
<a href="http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/v.f20.mp4?t=5c08d9fa&amp;us=someus&amp;sign=66290475b7182c89193f03b8f74a979d">http://1255566655.vod2.myqcloud.com/7e9cee55vodtransgzp1255566655/8f5fbff14564972818519602447/v.f20.mp4?t=5c08d9fa&amp;us=someus&amp;sign=66290475b7182c89193f03b8f74a979d</a>	com/tencent/liteav/txcvodplayer/b/d.java
<a href="http://schemas.microsoft.com/DRM/2007/03/protocols/AcquireLicense">http://schemas.microsoft.com/DRM/2007/03/protocols/AcquireLicense</a>	w5/g0.java
<a href="https://x&lt;/LA_URL&gt;">https://x&lt;/LA_URL&gt;</a>	w5/f0.java
<a href="https://x">https://x</a>	w5/f0.java
<a href="https://play.google.com/store/apps/details?id=">https://play.google.com/store/apps/details?id=</a>	Mogua Engine V1
<a href="https://appgallery.cloud.huawei.com">https://appgallery.cloud.huawei.com</a>	Mogua Engine V1
<a href="https://data-drcn.push.dbankcloud.com">https://data-drcn.push.dbankcloud.com</a>	Mogua Engine V2
<a href="https://data-dra.push.dbankcloud.com">https://data-dra.push.dbankcloud.com</a>	Mogua Engine V2
<a href="https://data-dre.push.dbankcloud.com">https://data-dre.push.dbankcloud.com</a>	Mogua Engine V2
<a href="https://data-drru.push.dbankcloud.com">https://data-drru.push.dbankcloud.com</a>	Mogua Engine V2
<a href="https://grs.dbankcloud.com">https://grs.dbankcloud.com</a>	Mogua Engine V2
<a href="https://grs.dbankcloud.cn">https://grs.dbankcloud.cn</a>	Mogua Engine V2
<a href="https://grs.dbankcloud.asia">https://grs.dbankcloud.asia</a>	Mogua Engine V2
<a href="https://grs.platform.dbankcloud.ru">https://grs.platform.dbankcloud.ru</a>	Mogua Engine V2
<a href="https://grs.dbankcloud.eu">https://grs.dbankcloud.eu</a>	Mogua Engine V2
<a href="https://metrics1.data.hicloud.com:6447">https://metrics1.data.hicloud.com:6447</a>	Mogua Engine V2
<a href="https://metrics-dra.dt.hicloud.com:6447">https://metrics-dra.dt.hicloud.com:6447</a>	Mogua Engine V2
<a href="https://metrics2.data.hicloud.com:6447">https://metrics2.data.hicloud.com:6447</a>	Mogua Engine V2
<a href="https://metrics5.data.hicloud.com:6447">https://metrics5.data.hicloud.com:6447</a>	Mogua Engine V2

URL信息	Url所在文件
https://metrics5.dt.dbankcloud.ru:6447	Mogua Engine V2
https://www.jsdelivr.com/using-sri-with-dynamic-files	Mogua Engine V2
https://github.com/apvarun/toastify-js	Mogua Engine V2
https://github.com/richtr/NoSleep.js/issues/15	Mogua Engine V2
https://developer.mozilla.org/en-US/docs/Web/API/WakeLockSentinel/released)	Mogua Engine V2
http://162.14.6.247/v4/ConfigGetSvc/GetOpenSSOIPList	lib/arm64-v8a/libImSDK.so
http://119.29.98/d?id=39662	lib/arm64-v8a/libImSDK.so
http://162.14.19.114/	lib/arm64-v8a/libImSDK.so
http://www.w3.org/XML/1998/namespace	lib/arm64-v8a/libflutter.so
http://www.w3.org/2000/xmlns/	lib/arm64-v8a/libflutter.so
https://www.w3.org/Style/CSS/Test/Fonts/Ahem/.	lib/arm64-v8a/libflutter.so
https://github.com/flutter/flutter/issues.	lib/arm64-v8a/libflutter.so
https://www.tensorflow.org/lite/guide/ops_select	lib/arm64-v8a/libbarhopper_v3.so
http://http	lib/arm64-v8a/libbarhopper_v3.so
https://www.tensorflow.org/lite/guide/ops_custom	lib/arm64-v8a/libbarhopper_v3.so

## ✉ 邮箱线索

邮箱地址	所在文件
u0013android@android.com0 u0013android@android.com	b8/q.java
xxx@email.elided	com/tencent/liteav/base/PiiElider.java
appro@openssl.org	lib/arm64-v8a/libflutter.so
android-sdk-releaser@vopo7.prod	lib/arm64-v8a/libbarhopper_v3.so

## ☰ 手机线索

手机号	所在文件
17222222222	d6/e.java
17512775099	f9/a.java
14159265358	com/tencent/ugc/processor/transitions/BounceFilter.java

## 🌸 签名证书

APK已签名

v1 签名: True

v2 签名: True

v3 签名: False

找到 1 个唯一证书

主题: C=86, ST=YunNan, L=KunMing, O=FacePro, OU=FacePro, CN=Lei

签名算法: rsassa\_pkcs1v15

有效期自: 2022-12-19 03:08:36+00:00

有效期至: 2050-05-06 03:08:36+00:00

发行人: C=86, ST=YunNan, L=KunMing, O=FacePro, OU=FacePro, CN=Lei

序列号: 0x34e2187d

哈希算法: sha256

md5值: babbf59881b2cb2c1ab95a11a25bf4ce

sha1值: c46da312391345f2d586b4e73243fe04dc315b68

sha256值: 394ceb26edd3a61c2c31df0c2dcf2fbb23b9bdb66fb7f5e9f6762a5a7f2f30cb

sha512值: 46a9b4c465fe852936cf886b38611ea77798f9441f5347550d48d476bca9d2bce20ab1d2760ada4631aa739bcd36fdc52bfec7d2f2e411ae04fc6882969a1dc

公钥算法: rsa

密钥长度: 2048

指纹: 1311adbd6a6470e4c2d41dc84f66835fbccf015edde9c85fe9c914e248e84eae

## 🔑 硬编码敏感信息

可能的敏感信息
"google_api_key" : "AlzaSyBKjGuBF6lFE0qhjf3a7zU0E3_TmfDeyll"
"google_crash_reporting_api_key" : "AlzaSyBKjGuBF6lFE0qhjf3a7zU0E3_TmfDeyll"

## 🔗 加壳分析

## 🛠️ 第三方SDK

名称	分类	URL链接
Flutter	加壳加固, 开发辅助	<a href="https://reports.exodus-privacy.eu.org/trackers/449">https://reports.exodus-privacy.eu.org/trackers/449</a>

名称	分类	URL链接
华为移动服务	数据分析, 广告管理, 位置服务	<a href="https://reports.exodus-privacy.eu.org/trackers/333">https://reports.exodus-privacy.eu.org/trackers/333</a>

## ☰ 此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.ACCESS_BACKGROUND_LOCATION	危险	后台访问位置	允许应用程序在后台访问位置
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.POST_NOTIFICATIONS	未知	Unknown permission	Unknown permission from android reference
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度
android.permission.USE_FULL_SCREEN_INTENT	正常		针对想要使用通知全屏意图的 Build.VERSION_CODES.Q 的应用程序是必需的
android.permission.SCHEDULE_EXACT_ALARM	正常		允许应用程序使用精确的警报调度 API 来执行对时间敏感的后台工作
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
com.google.android.c2dm.permission.RECEIVE	合法	C2DM 权限	云到设备消息传递的权限

向手机申请的权限	是否危险	类型	详细情况
com.meizu.flyme.permission.PUSH	未知	Unknown permission	Unknown permission from android reference
io.facedaopro.facedao.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
io.facedaopro.facedao.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
io.facedaopro.facedao.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.hihonor.push.permission.READ_PUSH_NOTIFICATION_INFO	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。

## 应用内通信

活动(ACTIVITY)	通信(INTENT)
io.facedaopro.facedao.MainActivity	Schemes: io.facedaopro.facedao://, Hosts: login-callback,
com.tencent.flutter.tim_ui_kit_push_plugin.pushActivity.VIVOMessageActivity	Schemes:.tencent_im_push://, Hosts: io.facedaopro.facedao, Paths: /message,
com.tencent.flutter.tim_ui_kit_push_plugin.pushActivity.HONORMessageActivity	Schemes:.tencent_im_push://, Hosts: io.facedaopro.facedao, Paths: /honorMessage,