



MoGua

AnyDesk 7.1.8.APK 分析报告



APP名称:

AnyDesk

包名: `com.anydesk.anydeskandroid`

域名线索: 8条

URL线索: 9条

邮箱线索: 1条

分析日期: 2025年7月2日

分析平台: [摸瓜APK反编译平台](#)

文件名: anydesk.apk
文件大小: 20.42MB
MD5值: 7c949f97a7b422230ee38f6e824ebd06
SHA1值: 0a4d03d030446e439cc9bfee28849e1315c45270
SHA256值: 585de84378f227f9fabb44ea282c54097c05fa56ea992bc028c3853e2ef17b28

i APP 信息

App名称: AnyDesk
包名: com.anydesk.anydeskandroid
主活动Activity: com.anydesk.anydeskandroid.gui.activity.MainActivity
安卓版本名称: 7.1.8
安卓版本: 70108

🔍 域名线索

域名	服务器信息
relay-4cbf8fdb.net.anydesk.com	IP: 141.95.65.94 所属国家: France 地区: Hauts-de-France 城市: Roubaix 纬度: 50.693710 经度: 3.174439
help.anydesk.com	IP: 159.69.88.100 所属国家: Germany 地区: Bayern 城市: Gunzenhausen 纬度: 48.323860 经度: 11.601019
relay-7360779b.net.anydesk.com	IP: 89.187.179.162 所属国家: United States of America 地区: New York

	城市: New York City 纬度: 40.713192 经度: -74.006065
my.anydesk.com	IP: 51.83.35.189 所属国家: France 地区: Hauts-de-France 城市: Roubaix 纬度: 50.693710 经度: 3.174439
www.openssl.org	IP: 34.49.79.89 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
www.example.com	IP: 93.184.215.14 所属国家: United States of America 地区: California 城市: Los Angeles 纬度: 34.052570 经度: -118.243904
boot.net.anydesk.com	IP: 195.181.174.173 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.110882 经度: 8.681996
play.google.com	IP: 142.250.217.78 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514

URL信息	Url所在文件
https://help.anydesk.com/	com/anydesk/anydeskandroid/t.java
https://www.example.com	com/anydesk/anydeskandroid/d0.java
https://play.google.com/store/apps/	com/anydesk/anydeskandroid/gui/activity/WebViewActivity.java
https://my.anydesk.com/password-generator	摸瓜V1引擎
http://schemas.android.com/apk/res/androidAAm16	摸瓜V3引擎
relay-4cbf8fdb.net.anydesk.com	摸瓜V3引擎
relay-7360779b.net.anydesk.com	摸瓜V3引擎
http://schemas.android.com/apk/res/android99m5	摸瓜V3引擎
http://schemas.android.com/apk/res/androidWWm12.008	摸瓜V3引擎
http://schemas.android.com/apk/res-auto	摸瓜V3引擎
http://schemas.android.com/aapt	摸瓜V3引擎
http://schemas.android.com/apk/res/android((m8.5	摸瓜V3引擎
http://schemas.android.com/apk/res/android	摸瓜V3引擎
boot.net.anydesk.com	摸瓜V3引擎
http://schemas.android.com/apk/res/android;;m4	摸瓜V3引擎

www.googleapis.com	摸瓜V3引擎
http://schemas.android.com/apk/res/android22m11.36	摸瓜V3引擎
https://help.anydesk.com/	摸瓜V3引擎
http://www.openssl.org/support/faq.html	lib/arm64-v8a/libadext.so
http://www.openssl.org/support/faq.html	lib/armeabi-v7a/libadext.so
http://www.openssl.org/support/faq.html	lib/x86/libadext.so
http://www.openssl.org/support/faq.html	lib/x86_64/libadext.so

 邮箱线索

邮箱地址	所在文件
info@domain.com reports@anydesk.com	com/anydesk/anydeskandroid/gui/fragment/SupportFragment.java

 手机线索

手机号	所在文件
15222222222	com/anydesk/anydeskandroid/gui/element/n.java
16222222222	com/anydesk/anydeskandroid/gui/element/n.java

1722222222	com/anydesk/anydeskandroid/gui/element/n.java
1822222222	com/anydesk/anydeskandroid/gui/element/n.java
1922222222	com/anydesk/anydeskandroid/gui/element/n.java

🌸 签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: False
找到 1 个唯一证书
主题: C=DE, ST=BW, L=Stuttgart, O=philandro Software GmbH, CN=philandro Software GmbH
签名算法: rsassa_pkcs1v15
有效期自: 2016-10-17 13:46:38+00:00
有效期至: 2057-11-11 13:46:38+00:00
发行人: C=DE, ST=BW, L=Stuttgart, O=philandro Software GmbH, CN=philandro Software GmbH
序列号: 0x5318c934
哈希算法: sha256
md5值: 3c5c98a01c21c8bdf40460c644871cdf
sha1值: 91d3f68e3e90260358dc3491ee34ec1b6cf51fe8
sha256值: 74dc8452007ccdfefc366b65ad5361a255745d1f962a3565e6cf0f78762db316
sha512值: 9fa70fb2baa84c5cb1ff3b9a201662ad809d7eca9f281f540ec9f40f25180105527c8729122c60b03d2bb363211e8c5de25f5714809e5807f225c7fd080fb8eb
公钥算法: rsa
密钥长度: 4096
指纹: 96ec6aa04ced0611cdd7e81f8a131d34ec6cefcf8cca9929a1b1916b8bfd33e4

🔑 硬编码敏感信息

可能的敏感信息
"restriction_description.ac.defaults.ad.anynet.proxy.user" : "Proxy-User"

"restriction_description.ac.defaults.ad.features.two_factor_auth" : "Disable/enable two factor authentication"
"restriction_description.ac.defaults.ad.license.register_key" : "License key"
"restriction_description.ac.defaults.ad.security.allow_logon_token" : "Allow other computers to save login information for this computer. When activated, other computers may save authentication data for this desk. All following connections can then be established without re-typing the password. The password itself is not saved on the computer using this feature."
"restriction_description.ac.defaults.ad.security.permission_profiles._default.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.defaults.ad.security.permission_profiles._default.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.defaults.ad.security.permission_profiles._default.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.defaults.ad.security.permission_profiles._full_access.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.defaults.ad.security.permission_profiles._screen_sharing.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.defaults.ad.security.permission_profiles._unattended_access.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.defaults.ad.security.permission_profiles._unattended_access.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.defaults.ad.security.permission_profiles._unattended_access.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.defaults.ad.security.permission_profiles.changeable_in_accept_window.record_session" : "Defines if the user can change this permission during a session across all profiles. However, this key has lower priority than the ones for a specific profile. (0: not changeable, 1: changeable)"
"restriction_description.ac.defaults.ad.security.permission_profiles.enable_previous_session" : "Disable/Enable previous session profile. If disabled, no "previous session" profile will be used. If enabled, the previous session profile will be used. (0: Disabled, 1: Enabled)"

ofile will appear in the accept panel. (0: Disabled, 1: Enabled)"
"restriction_description.ac.defaults.ad.security.permission_profiles.permissions.record_session" : "Set permission for remote users to record sessions for all profiles. However, this key has lower priority than the ones for a specific profile. (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.defaults.ad.security.permission_profiles.profile1.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.defaults.ad.security.permission_profiles.profile1.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.defaults.ad.security.permission_profiles.profile1.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.defaults.ad.security.permission_profiles.profile10.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.defaults.ad.security.permission_profiles.profile10.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.defaults.ad.security.permission_profiles.profile10.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.defaults.ad.security.permission_profiles.profile2.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.defaults.ad.security.permission_profiles.profile2.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.defaults.ad.security.permission_profiles.profile2.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.defaults.ad.security.permission_profiles.profile3.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.defaults.ad.security.permission_profiles.profile3.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"

"restriction_description.ac.defaults.ad.security.permission_profiles.profile3.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.defaults.ad.security.permission_profiles.profile4.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.defaults.ad.security.permission_profiles.profile4.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.defaults.ad.security.permission_profiles.profile4.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.defaults.ad.security.permission_profiles.profile5.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.defaults.ad.security.permission_profiles.profile5.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.defaults.ad.security.permission_profiles.profile5.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.defaults.ad.security.permission_profiles.profile6.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.defaults.ad.security.permission_profiles.profile6.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.defaults.ad.security.permission_profiles.profile6.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.defaults.ad.security.permission_profiles.profile7.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.defaults.ad.security.permission_profiles.profile7.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"

"restriction_description.ac.defaults.ad.security.permission_profiles.profile7.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.defaults.ad.security.permission_profiles.profile8.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.defaults.ad.security.permission_profiles.profile8.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.defaults.ad.security.permission_profiles.profile8.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.defaults.ad.security.permission_profiles.profile9.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.defaults.ad.security.permission_profiles.profile9.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.defaults.ad.security.permission_profiles.profile9.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.defaults.ad.security.record_session" : "Permission (interactive access) for remote users to record the session (Deprecated - replaced by permission profiles)"
"restriction_description.ac.defaults.ad.security.uaccess.record_session" : "Permission (unattended access) for remote users to record the session (Deprecated - replaced by permission profiles)"
"restriction_description.ac.defaults.ad.session.remember_settings" : "Disable/enable session settings"
"restriction_description.ac.overrides.ad.anynet.proxy.user" : "Proxy-User"
"restriction_description.ac.overrides.ad.features.two_factor_auth" : "Disable/enable two factor authentication"
"restriction_description.ac.overrides.ad.license.register_key" : "License key"
"restriction_description.ac.overrides.ad.security.allow_logon_token" : "Allow other computers to save login information for this computer. When activated, other computers

may save authentication data for this desk. All following connections can then be established without re-typing the password. The password itself is not saved on the computer using this feature."
"restriction_description.ac.overrides.ad.security.permission_profiles._default.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.overrides.ad.security.permission_profiles._default.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.overrides.ad.security.permission_profiles._default.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.overrides.ad.security.permission_profiles._full_access.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.overrides.ad.security.permission_profiles._screen_sharing.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.overrides.ad.security.permission_profiles._unattended_access.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.overrides.ad.security.permission_profiles._unattended_access.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.overrides.ad.security.permission_profiles._unattended_access.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.overrides.ad.security.permission_profiles.changeable_in_accept_window.record_session" : "Defines if the user can change this permission during a session across all profiles. However, this key has lower priority than the ones for a specific profile. (0: not changeable, 1: changeable)"
"restriction_description.ac.overrides.ad.security.permission_profiles.enable_previous_session" : "Disable/Enable previous session profile. If disabled, no "previous session" profile will appear in the accept panel. (0: Disabled, 1: Enabled)"
"restriction_description.ac.overrides.ad.security.permission_profiles.permissions.record_session" : "Set permission for remote users to record sessions for all profiles. However, this key has lower priority than the ones for a specific profile. (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.overrides.ad.security.permission_profiles.profile1.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"

of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.overrides.ad.security.permission_profiles.profile1.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.overrides.ad.security.permission_profiles.profile1.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.overrides.ad.security.permission_profiles.profile10.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.overrides.ad.security.permission_profiles.profile10.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.overrides.ad.security.permission_profiles.profile10.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.overrides.ad.security.permission_profiles.profile2.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.overrides.ad.security.permission_profiles.profile2.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.overrides.ad.security.permission_profiles.profile2.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.overrides.ad.security.permission_profiles.profile3.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.overrides.ad.security.permission_profiles.profile3.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.overrides.ad.security.permission_profiles.profile3.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.overrides.ad.security.permission_profiles.profile4.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"

"restriction_description.ac.overrides.ad.security.permission_profiles.profile4.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.overrides.ad.security.permission_profiles.profile4.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.overrides.ad.security.permission_profiles.profile5.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.overrides.ad.security.permission_profiles.profile5.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.overrides.ad.security.permission_profiles.profile5.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.overrides.ad.security.permission_profiles.profile6.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.overrides.ad.security.permission_profiles.profile6.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.overrides.ad.security.permission_profiles.profile6.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.overrides.ad.security.permission_profiles.profile7.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.overrides.ad.security.permission_profiles.profile7.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.overrides.ad.security.permission_profiles.profile7.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.overrides.ad.security.permission_profiles.profile8.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.overrides.ad.security.permission_profiles.profile8.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"

"restriction_description.ac.overrides.ad.security.permission_profiles.profile8.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.overrides.ad.security.permission_profiles.profile8.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.overrides.ad.security.permission_profiles.profile9.changeable_in_accept_window.record_session" : "Defines if the user can change this permission of this profile during a session (0: not changeable, 1: changeable)"
"restriction_description.ac.overrides.ad.security.permission_profiles.profile9.permissions.record_session" : "Set permission in this profile for remote users to record sessions (0: Permission not granted, 1: Permission granted)"
"restriction_description.ac.overrides.ad.security.permission_profiles.profile9.pwd" : "Defines the hash of the unattended access password for this specific profile. Please note that both a valid hash and salt, is required for the password to work. See https://my.anydesk.com/password-generator "
"restriction_description.ac.overrides.ad.security.record_session" : "Permission (interactive access) for remote users to record the session (Deprecated - replaced by permission profiles)"
"restriction_description.ac.overrides.ad.security.uaccess.record_session" : "Permission (unattended access) for remote users to record the session (Deprecated - replaced by permission profiles)"
"restriction_description.ac.overrides.ad.session.remember_settings" : "Disable/enable session settings"
"restriction_title.ac.defaults.ad.anynet.proxy.user" : "defaults.ad.anynet.proxy.user"
"restriction_title.ac.defaults.ad.features.two_factor_auth" : "defaults.ad.features.two_factor_auth"
"restriction_title.ac.defaults.ad.license.register_key" : "defaults.ad.license.register_key"
"restriction_title.ac.defaults.ad.security.allow_logon_token" : "defaults.ad.security.allow_logon_token"
"restriction_title.ac.defaults.ad.security.permission_profiles._default.changeable_in_accept_window.record_session" : "defaults.ad.security.permission_profiles._default.changeable_in_accept_window.record_session"
"restriction_title.ac.defaults.ad.security.permission_profiles._default.permissions.record_session" : "defaults.ad.security.permission_profiles._default.permissions.record_session"
"restriction_title.ac.defaults.ad.security.permission_profiles._default.pwd" : "defaults.ad.security.permission_profiles._default.pwd"

"restriction_title.ac.defaults.ad.security.permission_profiles._default.pwd" : "defaults.ad.security.permission_profiles._default.pwd"
"restriction_title.ac.defaults.ad.security.permission_profiles._full_access.pwd" : "defaults.ad.security.permission_profiles._full_access.pwd"
"restriction_title.ac.defaults.ad.security.permission_profiles._screen_sharing.pwd" : "defaults.ad.security.permission_profiles._screen_sharing.pwd"
"restriction_title.ac.defaults.ad.security.permission_profiles._unattended_access.changeable_in_accept_window.record_session" : "defaults.ad.security.permission_profiles._unattended_access.changeable_in_accept_window.record_session"
"restriction_title.ac.defaults.ad.security.permission_profiles._unattended_access.permissions.record_session" : "defaults.ad.security.permission_profiles._unattended_access.permissions.record_session"
"restriction_title.ac.defaults.ad.security.permission_profiles._unattended_access.pwd" : "defaults.ad.security.permission_profiles._unattended_access.pwd"
"restriction_title.ac.defaults.ad.security.permission_profiles.changeable_in_accept_window.record_session" : "defaults.ad.security.permission_profiles.changeable_in_accept_window.record_session"
"restriction_title.ac.defaults.ad.security.permission_profiles.enable_previous_session" : "defaults.ad.security.permission_profiles.enable_previous_session"
"restriction_title.ac.defaults.ad.security.permission_profiles.permissions.record_session" : "defaults.ad.security.permission_profiles.permissions.record_session"
"restriction_title.ac.defaults.ad.security.permission_profiles.profile1.changeable_in_accept_window.record_session" : "defaults.ad.security.permission_profiles.profile1.changeable_in_accept_window.record_session"
"restriction_title.ac.defaults.ad.security.permission_profiles.profile1.permissions.record_session" : "defaults.ad.security.permission_profiles.profile1.permissions.record_session"
"restriction_title.ac.defaults.ad.security.permission_profiles.profile1.pwd" : "defaults.ad.security.permission_profiles.profile1.pwd"
"restriction_title.ac.defaults.ad.security.permission_profiles.profile10.changeable_in_accept_window.record_session" : "defaults.ad.security.permission_profiles.profile10.changeable_in_accept_window.record_session"
"restriction_title.ac.defaults.ad.security.permission_profiles.profile10.permissions.record_session" : "defaults.ad.security.permission_profiles.profile10.permissions.record_session"
"restriction_title.ac.defaults.ad.security.permission_profiles.profile10.pwd" : "defaults.ad.security.permission_profiles.profile10.pwd"

[illegible]

ion"
"restriction_title.ac.defaults.ad.security.permission_profiles.profile6.pwd" : "defaults.ad.security.permission_profiles.profile6.pwd"
"restriction_title.ac.defaults.ad.security.permission_profiles.profile7.changeable_in_accept_window.record_session" : "defaults.ad.security.permission_profiles.profile7.changeable_in_accept_window.record_session"
"restriction_title.ac.defaults.ad.security.permission_profiles.profile7.permissions.record_session" : "defaults.ad.security.permission_profiles.profile7.permissions.record_session"
"restriction_title.ac.defaults.ad.security.permission_profiles.profile7.pwd" : "defaults.ad.security.permission_profiles.profile7.pwd"
"restriction_title.ac.defaults.ad.security.permission_profiles.profile8.changeable_in_accept_window.record_session" : "defaults.ad.security.permission_profiles.profile8.changeable_in_accept_window.record_session"
"restriction_title.ac.defaults.ad.security.permission_profiles.profile8.permissions.record_session" : "defaults.ad.security.permission_profiles.profile8.permissions.record_session"
"restriction_title.ac.defaults.ad.security.permission_profiles.profile8.pwd" : "defaults.ad.security.permission_profiles.profile8.pwd"
"restriction_title.ac.defaults.ad.security.permission_profiles.profile9.changeable_in_accept_window.record_session" : "defaults.ad.security.permission_profiles.profile9.changeable_in_accept_window.record_session"
"restriction_title.ac.defaults.ad.security.permission_profiles.profile9.permissions.record_session" : "defaults.ad.security.permission_profiles.profile9.permissions.record_session"
"restriction_title.ac.defaults.ad.security.permission_profiles.profile9.pwd" : "defaults.ad.security.permission_profiles.profile9.pwd"
"restriction_title.ac.defaults.ad.security.record_session" : "defaults.ad.security.record_session"
"restriction_title.ac.defaults.ad.security.uaccess.record_session" : "defaults.ad.security.uaccess.record_session"
"restriction_title.ac.defaults.ad.session.remember_settings" : "defaults.ad.session.remember_settings"
"restriction_title.ac.overrides.ad.anynet.proxy.user" : "overrides.ad.anynet.proxy.user"

"restriction_title.ac.overrides.ad.features.two_factor_auth" : "overrides.ad.features.two_factor_auth"
"restriction_title.ac.overrides.ad.license.register_key" : "overrides.ad.license.register_key"
"restriction_title.ac.overrides.ad.security.allow_logon_token" : "overrides.ad.security.allow_logon_token"
"restriction_title.ac.overrides.ad.security.permission_profiles._default.changeable_in_accept_window.record_session" : "overrides.ad.security.permission_profiles._default.changeable_in_accept_window.record_session"
"restriction_title.ac.overrides.ad.security.permission_profiles._default.permissions.record_session" : "overrides.ad.security.permission_profiles._default.permissions.record_session"
"restriction_title.ac.overrides.ad.security.permission_profiles._default.pwd" : "overrides.ad.security.permission_profiles._default.pwd"
"restriction_title.ac.overrides.ad.security.permission_profiles._full_access.pwd" : "overrides.ad.security.permission_profiles._full_access.pwd"
"restriction_title.ac.overrides.ad.security.permission_profiles._screen_sharing.pwd" : "overrides.ad.security.permission_profiles._screen_sharing.pwd"
"restriction_title.ac.overrides.ad.security.permission_profiles._unattended_access.changeable_in_accept_window.record_session" : "overrides.ad.security.permission_profiles._unattended_access.changeable_in_accept_window.record_session"
"restriction_title.ac.overrides.ad.security.permission_profiles._unattended_access.permissions.record_session" : "overrides.ad.security.permission_profiles._unattended_access.permissions.record_session"
"restriction_title.ac.overrides.ad.security.permission_profiles._unattended_access.pwd" : "overrides.ad.security.permission_profiles._unattended_access.pwd"
"restriction_title.ac.overrides.ad.security.permission_profiles.changeable_in_accept_window.record_session" : "overrides.ad.security.permission_profiles.changeable_in_accept_window.record_session"
"restriction_title.ac.overrides.ad.security.permission_profiles.enable_previous_session" : "overrides.ad.security.permission_profiles.enable_previous_session"
"restriction_title.ac.overrides.ad.security.permission_profiles.permissions.record_session" : "overrides.ad.security.permission_profiles.permissions.record_session"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile1.changeable_in_accept_window.record_session" : "overrides.ad.security.permission_profiles.profile1.changeable_in_accept_window.record_session"

"restriction_title.ac.overrides.ad.security.permission_profiles.profile1.permissions.record_session" : "overrides.ad.security.permission_profiles.profile1.permissions.record_session"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile1.pwd" : "overrides.ad.security.permission_profiles.profile1.pwd"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile10.changeable_in_accept_window.record_session" : "overrides.ad.security.permission_profiles.profile10.changeable_in_accept_window.record_session"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile10.permissions.record_session" : "overrides.ad.security.permission_profiles.profile10.permissions.record_session"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile10.pwd" : "overrides.ad.security.permission_profiles.profile10.pwd"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile2.changeable_in_accept_window.record_session" : "overrides.ad.security.permission_profiles.profile2.changeable_in_accept_window.record_session"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile2.permissions.record_session" : "overrides.ad.security.permission_profiles.profile2.permissions.record_session"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile2.pwd" : "overrides.ad.security.permission_profiles.profile2.pwd"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile3.changeable_in_accept_window.record_session" : "overrides.ad.security.permission_profiles.profile3.changeable_in_accept_window.record_session"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile3.permissions.record_session" : "overrides.ad.security.permission_profiles.profile3.permissions.record_session"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile3.pwd" : "overrides.ad.security.permission_profiles.profile3.pwd"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile4.changeable_in_accept_window.record_session" : "overrides.ad.security.permission_profiles.profile4.changeable_in_accept_window.record_session"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile4.permissions.record_session" : "overrides.ad.security.permission_profiles.profile4.permissions.record_session"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile4.pwd" : "overrides.ad.security.permission_profiles.profile4.pwd"

"restriction_title.ac.overrides.ad.security.permission_profiles.profile5.changeable_in_accept_window.record_session" : "overrides.ad.security.permission_profiles.profile5.ch angeable_in_accept_window.record_session"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile5.permissions.record_session" : "overrides.ad.security.permission_profiles.profile5.permissions.record_s ession"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile5.pwd" : "overrides.ad.security.permission_profiles.profile5.pwd"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile6.changeable_in_accept_window.record_session" : "overrides.ad.security.permission_profiles.profile6.cha ngeable_in_accept_window.record_session"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile6.permissions.record_session" : "overrides.ad.security.permission_profiles.profile6.permissions.record_s ession"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile6.pwd" : "overrides.ad.security.permission_profiles.profile6.pwd"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile7.changeable_in_accept_window.record_session" : "overrides.ad.security.permission_profiles.profile7.cha ngeable_in_accept_window.record_session"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile7.permissions.record_session" : "overrides.ad.security.permission_profiles.profile7.permissions.record_s ession"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile7.pwd" : "overrides.ad.security.permission_profiles.profile7.pwd"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile8.changeable_in_accept_window.record_session" : "overrides.ad.security.permission_profiles.profile8.cha ngeable_in_accept_window.record_session"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile8.permissions.record_session" : "overrides.ad.security.permission_profiles.profile8.permissions.record_s ession"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile8.pwd" : "overrides.ad.security.permission_profiles.profile8.pwd"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile9.changeable_in_accept_window.record_session" : "overrides.ad.security.permission_profiles.profile9.cha ngeable_in_accept_window.record_session"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile9.permissions.record_session" : "overrides.ad.security.permission_profiles.profile9.permissions.record_s

ession"
"restriction_title.ac.overrides.ad.security.permission_profiles.profile9.pwd" : "overrides.ad.security.permission_profiles.profile9.pwd"
"restriction_title.ac.overrides.ad.security.record_session" : "overrides.ad.security.record_session"
"restriction_title.ac.overrides.ad.security.uaccess.record_session" : "overrides.ad.security.uaccess.record_session"
"restriction_title.ac.overrides.ad.session.remember_settings" : "overrides.ad.session.remember_settings"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危	类型	详细情况

	险		
com.samsung.android.knox.permission.KNOX_REMOTE_CONTROL	未知	Unknown permission	Unknown permission from android reference
android.permission.sec.MDM_REMOTE_CONTROL	未知	Unknown permission	Unknown permission from android reference
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.POST_NOTIFICATIONS	未知	Unknown permission	Unknown permission from android reference
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.MANAGE_EXTERNAL_STORAGE	危险	允许应用程序广泛访问范围存储中的外部存储	允许应用程序广泛访问范围存储中的外部存储。旨在供少数需要代表用户管理文件的应用程序使用
android.permission.QUERY_ALL_PACKAGES	正常		允许查询设备上的任何普通应用程序,无论清单声明如何
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
com.android.launcher.permission.INSTALL_SHORTCUT	未	Unknown permission	Unknown permission from android reference

	知		
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.FOREGROUND_SERVICE_MEDIA_PROJECTION	未知	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE_SPECIAL_USE	未知	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE_DATA_SYNC	未知	Unknown permission	Unknown permission from android reference
android.permission.INJECT_EVENTS	合法	按键和控制按钮	允许应用程序将其自己的输入事件（按键等）传递给其他应用程序。恶意应用程序可以利用它来接管电话
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.USE_BIOMETRIC	正常		允许应用使用设备支持的生物识别模式。
android.permission.USE_FINGERPRINT	正常	allow use of指纹	该常量在 API 级别 28 中已被弃用。应用程序应改为请求 USE_BIOMETRIC

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.anydesk.anydeskandroid.gui.activity.MainActivity	Schemes: anydesk://, file://, content://, Hosts: *, Mime Types: application/anydesk, Path Patterns: .*\\..anydesk, .*\\..*\\..anydesk, .*\\..*\\..*\\..anydesk, .*\\..*\\..*\\..*\\..anydesk, .*\\..*\\..*\\..*\\..*\\..anydesk, .*\\..*\\..*\\..*\\..*\\..*\\..anydesk, .*\\..*\\..*\\..*\\..*\\..*\\..anydesk,