



# MoGua

## Ai办公助手 null.APK 分析报告



APP名称:	Ai办公助手
包名:	com.Kzfugghhf0oQjGKhb.DLFzKPMYoSbbgghv
域名线索:	67条
URL线索:	73条
邮箱线索:	3条

分析日期:

2024年12月22日

分析平台:

[摸瓜APK反编译平台](#)

## 文件信息

文件名: bgzs.apk

文件大小: 40.49MB

MD5值: 7f3a095027021d5530d83dc2549daac0

SHA1值: 8c8be9205635726d41b5b49ad367fec9042900f2

SHA256值: 3fce4c14a14091e6c48a93a8b1011e5438de6e152303ae66048c7bbfc2349ae6

## i APP 信息

App名称: Ai办公助手

包名: com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghv

主活动Activity: com.KzfOoQjGKhb.DLFzKPMYoR.rliwfpActivity

安卓版本名称: null

安卓版本:

## 域名线索

域名	服务器信息
	IP: 60.28.172.238

cfg.imtt.qq.com	所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
ru.register.xmpush.global.xiaomi.com	IP: 107.155.52.56 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752258 经度: 37.615471
p.bmob.cn	没有服务器地理信息.
resolver.msg.global.xiaomi.net	IP: 8.219.211.108 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
imtest6.netease.im	没有服务器地理信息.
file.bmob.cn	没有服务器地理信息.
debugx5.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
resolver.msg.xiaomi.net	IP: 111.206.174.194 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
long.open.weixin.qq.com	IP: 112.65.193.170 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
register.xmpush.global.xiaomi.com	IP: 47.88.199.5 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281

dr.netease.im	IP: 101.71.139.136 所属国家: China 地区: Zhejiang 城市: Ningbo 纬度: 29.878410 经度: 121.549767
io.codenow.cn	IP: 106.75.70.127 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
app.bmob.iwyttc.com	没有服务器地理信息.
open3.bmob.cn	没有服务器地理信息.
soft.tbs.imtt.qq.com	IP: 119.167.147.86 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
play.google.com	IP: 93.46.8.90 所属国家: Italy 地区: Lombardia 城市: Milan 纬度: 45.464336 经度: 9.188547
cn.register.xmpush.xiaomi.com	IP: 123.125.102.39 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
nrtc.netease.im	IP: 45.254.48.99 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
opentest.bmob.cn	没有服务器地理信息.
	IP: 59.111.110.241 所属国家: China 地区: Zhejiang

59.111.110.241	城市: Hangzhou 纬度: 30.293650 经度: 120.161583
wannos.127.net	IP: 223.252.196.42 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
m0.api.upyun.com	IP: 218.28.104.157 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
imtest.netease.im	IP: 111.124.202.79 所属国家: China 地区: Guizhou 城市: Zunyi 纬度: 27.686441 经度: 106.907135
www.baidu.com	IP: 110.242.68.3 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
ns.adobe.com	没有服务器地理信息.
mdc.html5.qq.com	IP: 116.130.223.178 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
debugtbs.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin

	纬度: 39.142181 经度: 117.176102
fr.register.xmpush.global.xiaomi.com	IP: 98.64.182.160 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.378502 经度: 4.899980
api-push.in.meizu.com	IP: 206.161.233.191 所属国家: United States of America 地区: Virginia 城市: Herndon 纬度: 38.978210 经度: -77.386993
pms.mb.qq.com	IP: 60.29.240.17 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
h.trace.qq.com	IP: 113.56.189.162 所属国家: China 地区: Hubei 城市: Huangshi 纬度: 30.204170 经度: 115.077606
open.weixin.qq.com	IP: 220.196.154.28 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349 经度: 120.288788
log.tbs.qq.com	IP: 124.95.224.248 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
qqq.netease.com	IP: 59.111.96.241 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
	IP: 119.28.121.133

astat.bugly.qcloud.com	所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
www.bjtime.cn	IP: 192.168.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
ip-api.com	IP: 208.95.112.1 所属国家: United States of America 地区: North Carolina 城市: Skyland 纬度: 35.483757 经度: -82.521996
maps.google.cn	IP: 114.250.70.34 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
roomserver.netease.im	IP: 47.96.10.89 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
wup.imtt.qq.com	IP: 125.39.196.183 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
m.toutiao.com	IP: 27.221.96.225 所属国家: China 地区: Shandong 城市: jinan 纬度: 36.668331 经度: 116.997223
nosup-hz1.127.net	IP: 45.127.129.9 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572

www.taobao.com	IP: 183.204.244.141 所属国家: China 地区: Henan 城市: Nanyang 纬度: 32.994720 经度: 112.532784
127.0.0.1	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
www.qq.com	IP: 221.198.70.47 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
imtest4.netease.im	IP: 59.111.241.163 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
api-push.meizu.com	IP: 221.5.93.66 所属国家: China 地区: Guangdong 城市: Foshan 纬度: 23.026770 经度: 113.131477
schemas.android.com	没有服务器地理信息.
xml.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
goo.gl	IP: 142.251.42.238 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514



idmb.register.xmpush.global.xiaomi.com	IP: 20.219.205.9 所属国家: India 地区: Maharashtra 城市: Pune 纬度: 18.519663 经度: 73.854507
mqqad.html5.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
v0.api.upyun.com	IP: 218.28.104.157 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
statistic.live.126.net	IP: 101.71.139.161 所属国家: China 地区: Zhejiang 城市: Ningbo 纬度: 29.878410 经度: 121.549767
lbs.netease.im	IP: 45.254.49.32 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
astat.bugly.cros.wr.pvp.net	IP: 170.106.118.26 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
p0.api.upyun.com	IP: 101.251.144.15 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.jivesoftware.com	IP: 23.235.209.143 所属国家: United States of America 地区: Virginia 城市: Virginia Beach

	纬度: 36.837925 经度: -76.093918
www.bouncycastle.org	IP: 203.32.61.103 所属国家: Australia 地区: Victoria 城市: Drouin 纬度: -38.136581 经度: 145.858383
www.time.ac.cn	IP: 210.72.145.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
android.bugly.qq.com	IP: 124.95.225.146 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
xmlpull.org	IP: 185.199.111.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
www.jd.com	IP: 60.9.5.193 所属国家: China 地区: Hebei 城市: Hengshui 纬度: 37.732220 经度: 115.701157
api.weixin.qq.com	IP: 116.128.184.169 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
www.ntsc.ac.cn	IP: 159.226.242.43 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 183.60.176.112

norma-external-collect.meizu.com

所属国家: China  
地区: Guangdong  
城市: Guangzhou  
纬度: 23.127361  
经度: 113.264572

## URL线索

URL信息	Url所在文件
http://127.0.0.1	MoEaC447HmjgnUpWswfB/FkFl2adbgkQLWz9TyCn7/SCJjnOEjZePL5txX1uMa/SCJjnOEjZePL5txX1uMa/MoEaC447HmjgnUpWswfB/AbstractC0141.java
https://play.google.com/store/apps/details?id=	MoEaC447HmjgnUpWswfB/SOjCjA9PRz9jdf7hOKBy/SCJjnOEjZePL5txX1uMa/NulidbJNHUTUk2c2uCu7/C1193.java
http://xml.apache.org/xslt	MoEaC447HmjgnUpWswfB/NulidbJNHUTUk2c2uCu7/SCJjnOEjZePL5txX1uMa/C0939.java
http://xml.apache.org/xslt	MoEaC447HmjgnUpWswfB/Z3LFTfXNzdUlj3rgN4w1/SCJjnOEjZePL5txX1uMa/C1487.java
http://m.toutiao.com	MoEaC447HmjgnUpWswfB/tq6HoYa7JbXjvmlLPug/SCJjnOEjZePL5txX1uMa/C2348.java
http://maps.google.cn/maps/api/staticmap?size=200x100&zoom=13&markers=color:red	MoEaC447HmjgnUpWswfB/tq6HoYa7JbXjvmlLPug/SCJjnOEjZePL5txX1uMa/VJGuSIhW1WYZdpuhCYwr/SCJjnOEjZePL5txX1uMa/InterfaceC2194.java
https://h.trace.qq.com/kv	MoEaC447HmjgnUpWswfB/wfleidGd8ju4lhS9poUD/SCJjnOEjZePL5txX1uMa/MoEaC447HmjgnUpWswfB/C2439.java
https://astat.bugly.qcloud.com/rqd/async	MoEaC447HmjgnUpWswfB/wfleidGd8ju4lhS9poUD/SCJjnOEjZePL5txX1uMa/MoEaC447HmjgnUpWswfB/C2501.java
https://astat.bugly.cros.wr.pvp.net/:8180/rqd/async	MoEaC447HmjgnUpWswfB/wfleidGd8ju4lhS9poUD/SCJjnOEjZePL5txX1uMa/MoEaC447HmjgnUpWswfB/C2501.java
http://www.bjtime.cn	MoEaC447HmjgnUpWswfB/x8EfIMCwxSmAp3g95RCz/SCJjnOEjZePL5txX1uMa/SPHXXagz2yrOHL08fG9x/C2542.java
http://www.baidu.com	MoEaC447HmjgnUpWswfB/x8EfIMCwxSmAp3g95RCz/SCJjnOEjZePL5txX1uMa/SPHXXagz2yrOHL08fG9x/C2542.java
http://www.taobao.com	MoEaC447HmjgnUpWswfB/x8EfIMCwxSmAp3g95RCz/SCJjnOEjZePL5txX1uMa/SPHXXagz2yrOHL08fG9x/C2542.java
http://www.ntsac.ac.cn	MoEaC447HmjgnUpWswfB/x8EfIMCwxSmAp3g95RCz/SCJjnOEjZePL5txX1uMa/SPHXXagz2yrOHL08fG9x/C2542.java
http://www.time.ac.cn/	MoEaC447HmjgnUpWswfB/x8EfIMCwxSmAp3g95RCz/SCJjnOEjZePL5txX1uMa/SPHXXagz2yrOHL08fG9x/C2542.java
http://schemas.android.com/apk/res/android	RxZTLiVoQHwh647gFzur/DQBm84gpyNO7etPXwrjp/MoEaC447HmjgnUpWswfB/Y61n94r1BqrlSwbiCziV/C2626.java
http://ns.adobe.com/xap/1.0/\u0000	RxZTLiVoQHwh647gFzur/O5FcVWpv6Ym7vi5665OV/RxZTLiVoQHwh647gFzur/C3297.java
http://...	SBWSUBHC9IsZdWX1eLuE/tq6HoYa7JbXjvmlLPug/SCJjnOEjZePL5txX1uMa/SCJjnOEjZePL5txX1uMa/C4661.java

http://www.bouncycastle.org)	SBWSUBHC9IsZdWX1eLuE/x8EfIMCwxSmAp3g95RCz/C5994.java
http://m0.api.upyun.com	cn/bmob/v3/datatype/up/UpConfig.java
http://v0.api.upyun.com	cn/bmob/v3/datatype/up/UpConfig.java
http://v0.api.upyun.com/	cn/bmob/v3/datatype/up/FormUploader.java
http://m0.api.upyun.com/	cn/bmob/v3/datatype/up/BlockUploader.java
https://v0.api.upyun.com	cn/bmob/v3/datatype/up/ParallelUploader.java
http://p0.api.upyun.com/pretreatment/	cn/bmob/v3/datatype/up/ParallelUploader.java
http://p.bmob.cn/8/	cn/bmob/v3/http/BmobURL.java
https://opentest.bmob.cn/8/	cn/bmob/v3/http/BmobURL.java
https://open3.bmob.cn/8/	cn/bmob/v3/http/BmobURL.java
http://file.bmob.cn	cn/bmob/v3/http/BmobURL.java
http://io.codenow.cn:3010	cn/bmob/v3/http/BmobURL.java
http://io.codenow.cn:3010/socket.io/1/	cn/bmob/v3/realtime/Client.java
http://io.codenow.cn:3010/socket.io/1/websocket/	cn/bmob/v3/realtime/Client.java
http://io.codenow.cn	cn/bmob/v3/realtime/Client.java
http://app.bmob.iwyttc.com/8/	com/ddtx/dingdatacontact/Entity/AppData.java
http://qqqa.netease.com	com/ddtx/dingdatacontact/main/activity/PrivatizationConfigActivity.java
http://59.111.110.241:10081/lbs/demoConfig.jsp	com/ddtx/dingdatacontact/main/activity/PrivatizationConfigActivity.java
https://api.weixin.qq.com/sns/userinfo?access_token=	com/ddtx/dingdatacontact/login/LoginActivity.java
http://ip-api.com/json/?lang=zh-CN	com/ddtx/dingdatacontact/login/LoginActivity.java
https://api-push.meizu.com	com/meizu/cloud/pushsdk/b/c/e.java
https://api-push.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.in.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
http://norma-external-collect.meizu.com/android/exchange/getpublickey.do	com/meizu/cloud/pushsdk/a/a/a.java

http://norma-external-collect.meizu.com/push/android/external/add.do	com/meizu/cloud/pushsdk/a/a/b.java
http://schemas.android.com/apk/res/android	com/flyco/tablayout/SegmentTabLayout.java
http://schemas.android.com/apk/res/android	com/flyco/tablayout/CommonTabLayout.java
http://schemas.android.com/apk/res/android	com/flyco/tablayout/SlidingTabLayout.java
https://www.baidu.com/index.php?tn=25017023_10_pg&ssl_s=1&ssl_c=ssl1_171a56a2313&prec=1	com/netease/nim/uikit/business/session/activity/fragment/BaiFragment.java
https://www.qq.com/	com/netease/nim/uikit/business/session/activity/fragment/TengFragment.java
https://www.jd.com/	com/netease/nim/uikit/business/session/activity/fragment/JingFragment.java
https://api.weixin.qq.com/sns/oauth2/access_token	com/netease/nim/uikit/rest/Host.java
http://statistic.live.126.net/statics/report/common/form	com/netease/nimlib/c/ff/a.java
http://statistic.live.126.net/statics/report/im/sdk/msgreceived	com/netease/nimlib/session/h.java
https://imtest.netease.im/lbs/conf.jsp	com/netease/nimlib/e/e.java
https://imtest.netease.im/1.gif	com/netease/nimlib/e/e.java
https://imtest4.netease.im/test	com/netease/nimlib/e/e.java
https://imtest6.netease.im:8012/	com/netease/nimlib/e/e.java
https://imtest.netease.im/lbsrc/conf.jsp	com/netease/nimlib/e/e.java
https://lbs.netease.im/lbs/conf.jsp	com/netease/nimlib/e/e.java
https://dr.netease.im/1.gif	com/netease/nimlib/e/e.java
http://wannos.127.net/lbs;http://wannos-hz.127.net/lbs;http://wannos-bj.127.net/lbs;http://wannos-oversea.127.net/lbs;http://223.252.196.38/lbs	com/netease/nimlib/e/g.java
https://nrtc.netease.im/nrtc/detect.action	com/netease/nrtc/NetDetector.java
https://nrtc.netease.im/nrtc/rejoin.action	com/netease/nrtc/a.java
https://nrtc.netease.im/nrtc/getChannelInfos.action	com/netease/nrtc/b.java
https://roomserver.netease.im/v1/sdk/command/rooms	com/netease/nrtc/engine/impl/h.java
https://statistic.live.126.net/statistic/realtime/sdkinfo	com/netease/nrtc/engine/impl/e.java

https://lbs.netease.im/cc/nrtc/v2	com/netease/nrtc/engine/impl/e.java
https://lbs.netease.im/cc/nrtc/v2	com/netease/nrtc/engine/rawapi/IRtcEngine.java
https://statistic.live.126.net/statistic/realtime/sdkFunctionInfo	com/netease/nrtc/monitor/d.java
https://statistic.live.126.net/statistic/realtime/sdkinfo	com/netease/nrtc/monitor/j.java
https://goo.gl/FE5SeB	com/netease/nrtc/utility/l.java
https://nrtc.netease.im/nrtc/uploadSdkLog.action	com/netease/nrtc/utility/b/a.java
https://wannos.127.net/lbs	com/netease/yunxin/nos/sdk/NosComponent.java
https://statistic.live.126.net/sdklog/getToken	com/netease/yunxin/nos/sdk/NosComponent.java
https://nosup-hz1.127.net	com/netease/yunxin/nos/sdk/NosComponent.java
https://statistic.live.126.net/statics/report/common/form	com/netease/yunxin/report/sdk/ReportComponent.java
https://android.bugly.qq.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/StrategyBean.java
http://debugtbs.qq.com	com/tencent/smtt/sdk/WebView.java
http://debugx5.qq.com	com/tencent/smtt/sdk/WebView.java
http://debugtbs.qq.com?10000\	com/tencent/smtt/sdk/WebView.java
http://pms.mb.qq.com/rsp204	com/tencent/smtt/sdk/j.java
http://mdc.html5.qq.com/mh?channel_id=50079&u=	com/tencent/smtt/sdk/a/c.java
http://mdc.html5.qq.com/d/directdown.jsp?channel_id=11047	com/tencent/smtt/sdk/b/a/a.java
http://mdc.html5.qq.com/d/directdown.jsp?channel_id=11041	com/tencent/smtt/sdk/b/a/a.java
http://log.tbs.qq.com/ajax?c=pu&v=2&k=	com/tencent/smtt/utills/n.java
http://log.tbs.qq.com/ajax?c=pu&tk=	com/tencent/smtt/utills/n.java
http://wup.imtt.qq.com:8080	com/tencent/smtt/utills/n.java
http://log.tbs.qq.com/ajax?c=dl&k=	com/tencent/smtt/utills/n.java
http://cfg.imtt.qq.com/tbs?v=2&mk=	com/tencent/smtt/utills/n.java

http://log.tbs.qq.com/ajax?c=ul&v=2&k=	com.tencent/smtt/utills/n.java
http://mqqqad.html5.qq.com/ads	com.tencent/smtt/utills/n.java
http://log.tbs.qq.com/ajax?c=ucfu&k=	com.tencent/smtt/utills/n.java
http://soft.tbs.imtt.qq.com/17421/tbs_res_imtt_tbs_DebugPlugin_DebugPlugin.tbs	com.tencent/smtt/utills/d.java
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuiid=%s	com.tencent/mm/opensdk/diffdev/a/c.java
https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s&timestamp=%s&scope=%s&signature=%s	com.tencent/mm/opensdk/diffdev/a/b.java
http://xmlpull.org/v1/doc/features.html	com.xiaomi/push/fr.java
http://www.jivesoftware.com/xmlns/xmpp/properties\	com.xiaomi/push/gc.java
http://xmlpull.org/v1/doc/features.html	com.xiaomi/push/gj.java
https://%1\$s/gslb/?ver=4.0	com.xiaomi/push/cs.java
http://xmlpull.org/v1/doc/features.html	com.xiaomi/push/gk.java
http://xmlpull.org/v1/doc/features.html	com.xiaomi/push/ff.java
https://resolver.msg.global.xiaomi.net/psc?t=a	com.xiaomi/push/service/bj.java
https://resolver.msg.xiaomi.net/psc?t=a	com.xiaomi/push/service/bj.java
https://cn.register.xmpush.xiaomi.com	com.xiaomi/push/service/m.java
https://register.xmpush.global.xiaomi.com	com.xiaomi/push/service/m.java
https://fr.register.xmpush.global.xiaomi.com	com.xiaomi/push/service/m.java
https://ru.register.xmpush.global.xiaomi.com	com.xiaomi/push/service/m.java
https://idmb.register.xmpush.global.xiaomi.com	com.xiaomi/push/service/m.java
https://github.com/ReactiveX/Rxjava/wiki/Plugins	tq6HoYa7JbXjvlmLPug/SCJjnOEjZePL5txX1uMa/AbstractC9701.java
https://github.com/ReactiveX/Rxjava/wiki/Plugins	tq6HoYa7JbXjvlmLPug/SCJjnOEjZePL5txX1uMa/AbstractC9696.java
https://github.com/ReactiveX/Rxjava/wiki/Plugins	tq6HoYa7JbXjvlmLPug/SCJjnOEjZePL5txX1uMa/AbstractC9698.java
https://github.com/ReactiveX/Rxjava/wiki/Plugins	tq6HoYa7JbXjvlmLPug/SCJjnOEjZePL5txX1uMa/AbstractC9725.java

https://github.com/ReactiveX/RxJava/wiki/Plugins	tq6HoYa7JbXjVmlLPug/SCJjnOEjZePL5txX1uMa/AbstractC9705.java
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	tq6HoYa7JbXjVmlLPug/SCJjnOEjZePL5txX1uMa/EtiMj3t6ESCcA6mKW3gc/C8098.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	tq6HoYa7JbXjVmlLPug/SCJjnOEjZePL5txX1uMa/EtiMj3t6ESCcA6mKW3gc/C8104.java

## ✉ 邮箱线索

邮箱地址	所在文件
hyy@189.cn hyy@sohu.com hyy@139.com hyy-123@163.com hyy12@qq.com hyy@gmail.com 732662@sina.com hyy@hotmail.com	MoEaC447HmjgnUpWswfB/SOjCjA9PRz9jdf7hOKBy/SCJjnOEjZePL5txX1uMa/J7yIWnxayGHdBleHZO94/C1164.java
rubin@rubindemacbook-pro.local	com/netease/yunxin/nos/sdk/NosFacade.java
rubin@rubindemacbook-pro.local	com/netease/yunxin/report/sdk/ReportManager.java

## ☎ 手机线索

手机号	所在文件
17179869184	SBWSUBHC9IsZdWX1eLuE/x8EfIMCwxSmAp3g95RCz/NulidbjNHUTUk2c2uCu7/x8EfIMCwxSmAp3g95RCz/SCJjnOEjZePL5txX1uMa/C4816.java
17179869183	SBWSUBHC9IsZdWX1eLuE/x8EfIMCwxSmAp3g95RCz/NulidbjNHUTUk2c2uCu7/x8EfIMCwxSmAp3g95RCz/SCJjnOEjZePL5txX1uMa/C4816.java
15095675534	SBWSUBHC9IsZdWX1eLuE/x8EfIMCwxSmAp3g95RCz/RxZTLiVoQHwh647gFZur/NRsl8QwpcvCavwzAvq34/C4899.java
13000000000	com/ddtx/dingdatacontact/main/activity/FeedBackActivity.java
13000000000	com/netease/nim/uikit/complaint/ReportActivity.java

## ✿ 签名证书

APK已签名  
v1 签名: False



v2 签名: True  
v3 签名: False  
找到 1 个唯一证书  
主题: C=TG@apksigner, ST=TG@apksigner, L=TG@apksigner, O=gb1723628374706, OU=gb1723628374706, CN=dqtk  
签名算法: rsassa\_pkcs1v15  
有效期自: 2024-08-14 09:39:34+00:00  
有效期至: 2074-08-02 09:39:34+00:00  
发行人: C=TG@apksigner, ST=TG@apksigner, L=TG@apksigner, O=gb1723628374706, OU=gb1723628374706, CN=dqtk  
序列号: 0x61f90146  
哈希算法: sha1  
md5值: 16457bea4d2e9d8d7cc661bc3d40f9b1  
sha1值: 9c7f1302d917bf123d868ec82266e288153653bd  
sha256值: 3f19d476f2ae4bd7329863fc3c5bed8acf677a45689e5b4dc707b5bb57d0bc4d  
sha512值: 191aca9e3144bd83981010aa08230e8c13b101598ac9915ed89cc2cc81e9d1cf8189ce8872d531a93134c983eba872b5505834df059de7c74da71cf49d84841a  
公钥算法: rsa  
密钥长度: 1024  
指纹: 5a559793d96d0b7bc00d076b657297bcb7f101f47e6fea58ab84e914c8d38036

## 🔑 硬编码敏感信息

## 🔒 加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

## 🧩 第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

## ☰ 此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.GET_TASKS	危险	检索正在运行	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序

		的应用程序	发现有关其他应用程序的私人信息
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令, 恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.CHANGE_CONFIGURATION	系统需要	更改您的 UI 设置	允许应用程序更改当前配置,例如语言环境或整体字体大小
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.DISABLE_KEYGUARD	正常		如果键盘不安全,允许应用程序禁用它。

android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv.permission.RECEIVE_MSG	未知	Unknown permission	Unknown permission from android reference
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv.permission.C2D_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv_com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv_com.heytao.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv_com.meizu.flyme.push.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv.push.permission.MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv_com.meizu.c2dm.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
android.permission.PROCESS_OUTGOING_CALLS	危险	拦截拨出电话	允许应用程序处理拨出电话并更改要拨打的号码。恶意应用程序可能会监控,重定向或阻止拨出电话
android.permission.CALL_PHONE	危险	直接拨打电话号码	允许应用程序在没有您干预的情况下拨打电话号码。恶意应用程序可能会导致您的电话账单出现意外呼叫。请注意,这不允许应用程序拨打紧急电话号码
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.ANSWER_PHONE_CALLS	危险		允许应用接听来电。
android.permission.READ_CALL_LOG	危险		允许应用程序读取用户的通话日志
android.permission.WRITE_CALL_LOG	危		允许应用程序写入 (但不读取) 用户号召日志数据。

	险		
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.KILL_BACKGROUND_PROCESSES	正常	杀死后台进程	允许应用程序杀死其他应用程序的后台进程,即使内存不低
android.permission.READ_PRIVILEGED_PHONE_STATE	未知	Unknown permission	Unknown permission from android reference
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv_com.sec.android.provider.badge.permission.READ	未知	Unknown permission	Unknown permission from android reference
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv_com.sec.android.provider.badge.permission.WRITE	未知	Unknown permission	Unknown permission from android reference
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv_com.htc.launcher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv_com.htc.launcher.permission.UPDATE_SHORTCUT	未知	Unknown permission	Unknown permission from android reference
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv_com.sonyericsson.home.permission.BROADCAST_BADGE	未知	Unknown permission	Unknown permission from android reference
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv_com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	未知	Unknown permission	Unknown permission from android reference
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv_com.anddoes.launcher.permission.UPDATE_COUNT	未知	Unknown permission	Unknown permission from android reference
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv_com.majeur.launcher.permission.UPDATE_BADGE	未知	Unknown permission	Unknown permission from android reference
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv_com.huawei.android.launcher.permission.CHANGE_BADGE	未知	Unknown permission	Unknown permission from android reference
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv_com.huawei.android.launcher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv_com.huawei.android.launcher.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_APP_BADGE	正常	显示应用程序通知	允许应用程序显示应用程序图标徽章
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv_com.oppo.launcher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference

com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv_com.oppo.launcher.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv_me.everything.badger.permission.BADGE_COUNT_READ	未知	Unknown permission	Unknown permission from android reference
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv_me.everything.badger.permission.BADGE_COUNT_WRITE	未知	Unknown permission	Unknown permission from android reference
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
com.KzfugghhfOoQjGKhb.DLFzKPMYoSbbgghhv_com.huawei.appmarket.service.commondata.permission.GET_COMMON_DATA	未知	Unknown permission	Unknown permission from android reference

## 应用内通信

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。