



# MoGua

## 专家宝 1.0.0.APK 分析报告

专家宝

APP名称:	专家宝
包名:	com.kaihuibao.khbzjbb
域名线索:	141条
URL线索:	126条
邮箱线索:	7条
分析日期:	2024年9月8日
分析平台:	<a href="#">摸瓜APK反编译平台</a>

## 📁 文件信息

文件名: 81337d27e7227aa69dc4aa4aeb6fb384.apk  
文件大小: 66.11MB  
MD5值: 81337d27e7227aa69dc4aa4aeb6fb384  
SHA1值: e7f194d5f85d808d4a6c9df5fb3bbb54d1301df0  
SHA256值: c29c3a731fc47b522c0e2b474d17c695a1ae84d4248377891253635205b089b7

## 📱 APP 信息

App名称: 专家宝  
包名: com.kaihuibao.khbzjbb  
主活动Activity: com.kaihuibao.khbnew.ui.login.ShowActivity  
安卓版本名称: 1.0.0  
安卓版本: 100

## 🔍 域名线索

域名	服务器信息
store.hispace.hicloud.com	IP: 49.4.47.241 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
kaihuibao.net	IP: 39.98.184.80 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
metok.sys.miui.com	IP: 111.206.101.98 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

www.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
register.xmpush.global.xiaomi.com	IP: 47.88.199.5 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
layer.layui.com	没有服务器地理信息.
wappaygw.alipay.com	IP: 183.204.244.199 所属国家: China 地区: Henan 城市: Nanyang 纬度: 32.994720 经度: 112.532784
bugzilla.mozilla.org	IP: 34.110.178.183 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
registry.npm.taobao.org	IP: 116.153.66.116 所属国家: China 地区: Jiangxi 城市: Nanchang 纬度: 28.683331 经度: 115.883331
api.xmpush.xiaomi.com	IP: 123.125.102.209 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
webrd0d.is.autonavi.com	没有服务器地理信息.
ccc.sys.miui.com	IP: 111.202.1.119 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
wspeed.qq.com	没有服务器地理信息.
	IP: 172.217.163.46

encrypted-tbn0.gstatic.com	所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
adiu.amap.com	IP: 203.119.238.14 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
ulogs.umeng.com	IP: 223.109.148.177 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
cms-bucket.nosdn.127.net	IP: 60.222.12.196 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
mclient.alipay.com	IP: 125.39.135.56 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
wke.openspeech.cn	没有服务器地理信息.
openmobile.qq.com	IP: 60.28.215.27 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
www.webrtc.org	IP: 142.251.42.238 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
alogsus.umeng.com	IP: 223.109.148.177 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
121.15.180.66	IP: 121.15.180.66 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545673 经度: 114.068108

redux.js.org	IP: 13.251.96.10 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
mcgw.alipay.com	IP: 183.204.244.199 所属国家: China 地区: Henan 城市: Nanyang 纬度: 32.994720 经度: 112.532784
mobilegw.alipaydev.com	IP: 110.75.132.131 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
sharesdk.cn	IP: 115.227.43.65 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000
restapi.amap.com	IP: 59.82.132.217 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
wb.amap.com	IP: 110.253.189.212 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
app.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
www.jivesoftware.com	IP: 23.235.209.143 所属国家: United States of America 地区: Virginia 城市: Virginia Beach 纬度: 36.837925 经度: -76.093918
msdn.microsoft.com	IP: 13.107.246.73 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903

cxhuiyi.cheng-xun.cn	没有服务器地理信息.
openapi.openspeech.cn	IP: 114.118.65.76 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
hmls.hfbank.com.cn	没有服务器地理信息.
yuntuapi.amap.com	没有服务器地理信息.
m.jdpay.com	IP: 111.202.65.30 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
fb.me	IP: 157.240.15.35 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
h5pay.jd.com	IP: 111.206.228.124 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
fr.register.xmpush.global.xiaomi.com	IP: 98.64.182.160 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.378502 经度: 4.899980
fusion.qq.com	IP: 116.130.228.157 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
ouplog.umeng.com	IP: 47.246.110.93 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
tm.amap.com	IP: 110.253.189.212 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
	IP: 220.196.139.154

open.weixin.qq.com	所属国家: China 地区: Jiangsu 城市: Yangzhou 纬度: 32.397221 经度: 119.435600
www.mob.com	IP: 45.113.201.237 所属国家: China 地区: Jiangsu 城市: Yangzhou 纬度: 32.397221 经度: 119.435600
www.ietf.org	IP: 104.16.44.99 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
appsupport.qq.com	IP: 60.28.215.27 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
vytalks.com	IP: 39.100.91.61 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
scs.openspeech.cn	IP: 117.48.148.47 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
apilocate.amap.com	IP: 106.11.43.81 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
schemas.xmlsoap.org	IP: 13.107.246.73 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
iss.openspeech.cn	IP: 42.62.43.145 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 112.26.156.111 所属国家: China

wap.amap.com	地区: Anhui 城市: Lu'an 纬度: 31.650000 经度: 118.525002
www.vymeeet.com	IP: 39.100.236.242 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
wprd0d.is.autonavi.com	没有服务器地理信息.
data.openspeech.cn	IP: 117.48.148.47 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
perfectionkills.com	IP: 192.30.252.153 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
webtorrent.io	IP: 23.92.26.245 所属国家: United States of America 地区: California 城市: Fremont 纬度: 37.548271 经度: -121.988571
gimg2.baidu.com	IP: 60.6.196.36 所属国家: China 地区: Hebei 城市: Xingtai 纬度: 37.062309 经度: 114.494209
lh3.googleusercontent.com	IP: 142.251.142.225 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
dev.dcloud.net.cn	IP: 115.56.90.192 所属国家: China 地区: Henan 城市: Jiaozuo 纬度: 35.239719 经度: 113.233063
cdn.webrtc-experiment.com	IP: 185.199.111.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724



ask.dcloud.net.cn	IP: 116.136.170.251 所属国家: China 地区: Nei Mongol 城市: Hohhot 纬度: 40.810650 经度: 111.650665
xmipull.org	IP: 185.199.111.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
resolver.msg.xiaomi.net	IP: 111.202.1.252 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
dev.voicecloud.cn	IP: 114.118.65.97 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
edgedl.me.gvt1.com	IP: 34.104.35.123 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
47.92.29.183	IP: 47.92.29.183 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
long.open.weixin.qq.com	IP: 112.65.193.170 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
reactjs.org	IP: 76.76.21.21 所属国家: United States of America 地区: California 城市: Walnut 纬度: 34.015400 经度: -117.858223
graph.qq.com	IP: 60.28.215.27 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102

w.kaihuibao.net	IP: 39.98.184.80 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
shouyin.yeepay.com	IP: 103.143.19.4 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
qzs.qq.com	IP: 119.188.155.60 所属国家: China 地区: Shandong 城市: Jinan 纬度: 36.668331 经度: 116.997223
statistics.pingxx.com	IP: 121.43.73.154 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.openssl.org	IP: 34.36.58.177 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
www.kaihuibao.net	IP: 39.98.184.80 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.w3.org	IP: 104.18.23.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
www.jdpay.com	IP: 111.202.65.19 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
render.alipay.com	IP: 182.40.59.241 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941

pest.w3.org	没有服务器地理信息.
huatuocode.huatuo.qq.com	没有服务器地理信息.
m5.amap.com	IP: 106.11.43.74 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.xunfei.cn	IP: 123.126.74.194 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
yun.tim.qq.com	IP: 60.29.232.36 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
android.bugly.qq.com	IP: 124.95.225.169 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
mobilegw.alipay.com	IP: 203.209.255.248 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
a.vmall.com	IP: 121.36.118.247 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
iws.openspeech.cn	IP: 36.7.109.160 所属国家: China 地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830
p.share.mob.com	没有服务器地理信息.
doc.kaihuibao.net	IP: 0.0.0.0 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
	IP: 203.209.238.2

loggw-exsdk.alipay.com	所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
ulogs.umengcloud.com	IP: 223.109.148.177 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
bit.ly	IP: 67.199.248.11 所属国家: United States of America 地区: New York 城市: New York City 纬度: 40.750134 经度: -73.997009
lbs.amap.com	IP: 110.253.189.212 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
api.cognitive.microsofttranslator.com	IP: 20.43.67.0 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
chrome.google.com	IP: 142.251.42.238 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
developer.umeng.com	IP: 59.82.60.43 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
hk.vytalk.com	IP: 39.107.195.175 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
abroad.apilocate.amap.com	IP: 59.82.44.11 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
	IP: 36.156.202.78

plbslog.umeng.com	所属国家: China 地区: Jiangsu 城市: Yangzhou 纬度: 32.397221 经度: 119.435600
api.weixin.qq.com	IP: 112.65.193.153 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
www.p-y.xyz	没有服务器地理信息.
m.baifubao.com	没有服务器地理信息.
www.baifubao.com	没有服务器地理信息.
vymeet.xuegeba.com	IP: 39.107.195.175 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
metrics1.data.hicloud.com	IP: 111.202.16.252 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
netpay.cmbchina.com	IP: 58.33.159.101 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
sissi.pingxx.com	IP: 118.31.129.67 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
ok.yeepay.com	IP: 218.11.1.246 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041599 经度: 114.478081
192.168.4.48	IP: 192.168.4.48 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
	IP: 110.253.189.211 所属国家: China

grid.amap.com	地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
192.168.4.71	IP: 192.168.4.71 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
wappass.baidu.com	IP: 110.242.70.196 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
cgi.connect.qq.com	IP: 60.28.215.27 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
astat.bugly.qcloud.com	IP: 119.28.121.133 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
mobiletest.yeepay.com	IP: 58.83.141.72 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
a.app.qq.com	IP: 60.28.219.32 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
astat.bugly.cros.wr.pvp.net	IP: 170.106.118.26 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
h.trace.qq.com	IP: 113.56.189.246 所属国家: China 地区: Hubei 城市: Huangshi 纬度: 30.204170 经度: 115.077606
	IP: 223.109.148.130 所属国家: China

alogus.umeng.com	地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
m.alipay.com	IP: 203.209.245.120 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
unpkg.com	IP: 104.17.245.203 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
cmnsguider.yunos.com	IP: 203.119.175.235 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
umefit.com	IP: 39.107.195.175 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
example.com	IP: 93.184.215.14 所属国家: United States of America 地区: California 城市: Los Angeles 纬度: 34.052570 经度: -118.243904
play.google.com	IP: 172.217.163.46 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
cn.register.xmpush.xiaomi.com	IP: 221.194.179.52 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
mst0d.is.autonavi.com	没有服务器地理信息.
apiinit.amap.com	IP: 59.82.132.217 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

h5.m.taobao.com	IP: 140.249.226.214 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
ru.register.xmpush.global.xiaomi.com	IP: 107.155.52.56 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752258 经度: 37.615471
opensource.org	IP: 199.16.173.137 所属国家: United States of America 地区: Texas 城市: San Antonio 纬度: 29.425426 经度: -98.489349
idmb.register.xmpush.global.xiaomi.com	IP: 20.219.205.9 所属国家: India 地区: Maharashtra 城市: Pune 纬度: 18.519663 经度: 73.854507
www.zhuanjiabao.cn	IP: 8.142.151.120 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
picsum.photos	IP: 104.26.4.30 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
logs.amap.com	IP: 60.222.200.221 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
metrics.data.hicloud.com	IP: 111.202.16.252 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.cs.caltech.edu	IP: 131.215.140.31 所属国家: United States of America 地区: California 城市: Pasadena 纬度: 34.135864 经度: -118.123734
	IP: 192.168.4.69



192.168.4.69

所属国家:-  
地区:-  
城市:-  
纬度: 0.000000  
经度: 0.000000

## URL线索

URL信息	Url所在文件
http://p.share.mob.com/tags/getTagList	cn/sharesdk/framework/authorize/f.java
https://)	cn/sharesdk/framework/b/a.java
http://qzs.qq.com/open/mobile/login/qzsjump.html?sdkv=3.3.0.lite&display=mobile	cn/sharesdk/tencent/qq/a.java
http://app.qq.com/detail/com.tencent.mobileqq?autodownload=1&norecommend=1&rootvia=opensdk	cn/sharesdk/tencent/qq/a.java
https://graph.qq.com/oauth2.0/m_authorize?response_type=token&client_id=	cn/sharesdk/tencent/qq/c.java
https://graph.qq.com/user/get_simple_userinfo	cn/sharesdk/tencent/qq/c.java
https://graph.qq.com	cn/sharesdk/tencent/qq/c.java
https://api.weixin.qq.com/sns/oauth2/access_token	cn/sharesdk/wechat/utills/h.java
https://api.weixin.qq.com/sns/oauth2/refresh_token	cn/sharesdk/wechat/utills/h.java
https://api.weixin.qq.com/sns/userinfo	cn/sharesdk/wechat/utills/h.java
https://render.alipay.com/p/s/i?scheme=%s	com/alipay/sdk/app/OpenAuthTask.java
https://mobilegw.alipay.com/mgw.htm	com/alipay/sdk/cons/a.java
https://mobilegw.alipaydev.com/mgw.htm	com/alipay/sdk/cons/a.java
https://mcgw.alipay.com/sdklog.do	com/alipay/sdk/cons/a.java
https://loggw-exsdk.alipay.com/loggw/logUpload.do	com/alipay/sdk/cons/a.java
http://m.alipay.com/?action=h5quit	com/alipay/sdk/cons/a.java
https://wappaygw.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/cons/a.java
https://mclient.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/cons/a.java
https://h5.m.taobao.com/mlapp/olist.html	com/alipay/sdk/data/a.java
http://logs.amap.com/ws/log/upload?product=%s&type=%s&platform=%s&channel=%s&sign=%s	com/amap/api/mapcore2d/db.java
http://tm.amap.com	com/amap/api/mapcore2d/ax.java
http://wprd0%d.is.autonavi.com	com/amap/api/mapcore2d/ax.java

http://webrd0%is.autonavi.com	com/amap/api/mapcore2d/ax.java
http://grid.amap.com/grid/%d/%d/%d?ds=	com/amap/api/mapcore2d/ax.java
http://mst0%is.autonavi.com	com/amap/api/mapcore2d/ax.java
http://apilocate.amap.com/mobile/binary	com/amap/api/mapcore2d/gc.java
http://restapi.amap.com	com/amap/api/mapcore2d/cw.java
http://apiinit.amap.com/v3/log/init	com/amap/api/mapcore2d/cr.java
https://restapi.amap.com/v3/iasdkauth	com/amap/api/mapcore2d/cq.java
http://restapi.amap.com/v3/iasdkauth	com/amap/api/mapcore2d/cq.java
http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/	com/amap/api/location/AMapLocation.java
http://wap.amap.com/	com/amap/api/maps2d/AMapUtils.java
https://adiu.amap.com/ws/device/adius	com/amap/api/services/a/de.java
http://apiinit.amap.com/v3/log/init	com/amap/api/services/a/bi.java
http://restapi.amap.com/v3	com/amap/api/services/a/i.java
https://restapi.amap.com/v3	com/amap/api/services/a/i.java
http://restapi.amap.com/v4	com/amap/api/services/a/i.java
https://restapi.amap.com/v4	com/amap/api/services/a/i.java
http://yuntuapi.amap.com	com/amap/api/services/a/i.java
https://yuntuapi.amap.com	com/amap/api/services/a/i.java
http://m5.amap.com/ws/mapapi/shortaddress/transform	com/amap/api/services/a/i.java
https://m5.amap.com/ws/mapapi/shortaddress/transform	com/amap/api/services/a/i.java
http://restapi.amap.com	com/amap/api/services/a/bo.java
https://restapi.amap.com/v3/iasdkauth	com/amap/api/services/a/bh.java
http://restapi.amap.com/v3/iasdkauth	com/amap/api/services/a/bh.java
http://wb.amap.com/?r=%f,%f,%s,%f,%s,%d,%d,%s,%s,%s&sourceapplication=openapi/0	com/amap/api/services/a/bb.java
http://wb.amap.com/?q=%f,%f,%s&sourceapplication=openapi/0	com/amap/api/services/a/bb.java
http://wb.amap.com/?n=%f,%f,%f,%d&sourceapplication=openapi/0	com/amap/api/services/a/bb.java
http://wb.amap.com/?p=%s,%f,%f,%s,%s&sourceapplication=openapi/0	com/amap/api/services/a/bb.java
http://47.92.29.183:4443	com/cinlan/khbuilib/ui/DialogUserList.java

http://47.92.29.183:4443	com/cinlan/khbuilib/ui/KHBWaitActivity.java
https://gimg2.baidu.com/image_search/src=http%3A%2F%2Fi.nibaku.com%2Fimg_0_1574810549x840951061_26.jpg&refer=http%3A%2F%2Fi.nibaku.com&app=2002&size=f9999,10000&q=a80&n=0&g=0n&fmt=jpeg?sec=1622858525&t=e81521324f3b56240bd7731235d0b237	com/cinlan/khbuilib/ui/KHBWaitActivity.java
http://47.92.29.183:4443	com/cinlan/khbuilib/ui/KHBActivity.java
https://www.vymeet.com	com/cinlan/khbuilib/ui/KHBActivity.java
https://cms-bucket.nosdn.127.net/eb411c2810f04ffa8aaafc42052b233820180418095416.jpeg	com/cinlan/khbuilib/ui/VideoPlayer.java
https://api.cognitive.microsofttranslator.com/translate?api-version=3.0&to=	com/cinlan/khbuilib/network/TranslateNetUtil.java
http://www.ietf.org/id/draft-holmer-rmcat-transport-wide-cc-extensions-01	com/cinlan/media/v3/Ortc.java
http://www.webrtc.org/experiments/rtp-hdrext/abs-send-time	com/cinlan/media/v3/Ortc.java
https://github.com/danikula/AndroidVideoCache/issues/88.	com/danikula/videocache/HttpUrlSource.java
https://github.com/danikula/AndroidVideoCache/issues/43.	com/danikula/videocache/HttpUrlSource.java
https://github.com/danikula/AndroidVideoCache/issues.	com/danikula/videocache/HttpUrlSource.java
https://github.com/danikula/AndroidVideoCache/issues/134.	com/danikula/videocache/Pinger.java
http://%s:%d/%s	com/danikula/videocache/Pinger.java
http://%s:%d/%s	com/danikula/videocache/HttpProxyCacheServer.java
https://)[a-zA-Z0-9-]+[\.\a-zA-Z0-9_]*(\.\hcloud\.com)(\d)	com/huawei/hianalytics/log/f/b.java
https://metrics.data.hicloud.com:6447	com/huawei/hianalytics/f/f/k.java
https://)[a-zA-Z0-9-]+[\.\a-zA-Z0-9_]*(\.\hcloud\.com)(\d)	com/huawei/hianalytics/process/HiAnalyticsLogConfig.java
https://)[a-zA-Z0-9-]+[\.\a-zA-Z0-9_]*(\.\hcloud\.com)(\d)	com/huawei/hianalytics/process/HiAnalyticsConfig.java
https://play.google.com/store/apps/details?id=	com/huawei/hms/support/api/push/a/a/a.java
http://a.vmall.com/	com/huawei/hms/support/api/push/a/a/a.java
https://metrics1.data.hicloud.com:6447	com/huawei/hms/api/HuaweiApiClient.java
http://a.vmall.com/app/	com/huawei/hms/update/e/k.java
https://store.hispace.hicloud.com/hwmarket/api/	com/huawei/updatesdk/service/a/e.java
http://dev.voicecloud.cn/msc/help.html\	com/iflytek/cloud/resource/a.java
http://dev.voicecloud.cn/msc/help.html	com/iflytek/cloud/resource/a.java
http://dev.voicecloud.cn/msc/help.html\	com/iflytek/cloud/resource/b.java
http://dev.voicecloud.cn/msc/help.html	com/iflytek/cloud/resource/b.java
http://dev.voicecloud.cn/msc/help.html\	com/iflytek/cloud/resource/c.java

http://dev.voicecloud.cn/msc/help.html	com/iflytek/cloud/resource/c.java
http://openapi.openspeech.cn/webapi/wfr.do	com/iflytek/cloud/thirdparty/bb.java
http://data.openspeech.cn/index.php/clientrequest/clientcollect/isCollect	com/iflytek/cloud/thirdparty/aw.java
http://scs.openspeech.cn/scs	com/iflytek/cloud/thirdparty/aw.java
http://wke.openspeech.cn/wakeup/	com/iflytek/cloud/thirdparty/l.java
http://www.xunfei.cn/?appid=	com/iflytek/cloud/ui/a.java
http://scs.openspeech.cn/scs	com/iflytek/sunflower/config/a.java
http://iws.openspeech.cn/online_param/config_update.php	com/iflytek/sunflower/config/a.java
http://data.openspeech.cn/index.php/clientrequest/clientcollect/isCollect	com/iflytek/sunflower/task/b.java
http://iss.openspeech.cn/v?	com/iflytek/speech/UtilityConfig.java
http://sharesdk.cn	com/kaihuibao/khbnew/ui/CommonWebFragment.java
https://hmls.hfbank.com.cn/hfapp-api/9.png	com/kaihuibao/khbnew/ui/CommonWebFragment.java
https://a.app.qq.com/o/simple.jsp?pkgname=com.kaihuibao.khb	com/kaihuibao/khbnew/ui/home_all/ShareErweimaFragment.java
https://www.zhuanjiabao.cn:443//admin/index/apphome	com/kaihuibao/khbnew/ui/login/ShowActivity.java
https://cms-bucket.nosdn.127.net/eb411c2810f04ffa8aaafc42052b233820180418095416.jpeg	com/kaihuibao/khbnew/ui/file/VideoPlayerActivity.java
https://cms-bucket.nosdn.127.net/eb411c2810f04ffa8aaafc42052b233820180418095416.jpeg	com/kaihuibao/khbnew/ui/file/VideoActivity.java
http://sharesdk.cn	com/kaihuibao/khbnew/ui/file/VideoActivity.java
https://hmls.hfbank.com.cn/hfapp-api/9.png	com/kaihuibao/khbnew/ui/file/VideoActivity.java
https://umefit.com/	com/kaihuibao/khbnew/ui/file/VideoActivity.java
https://www.zhuanjiabao.cn	com/kaihuibao/khbnew/ui/set/ActivitySet.java
http://cxhuiyi.cheng-xun.cn/assets/img/chengxun/share.png	com/kaihuibao/khbnew/utlis/OneShareUtils.java
https://www.zhuanjiabao.cn:443//api/index/cloud_address	com/kaihuibao/khbnew/api/ApiManager.java
https://www.zhuanjiabao.cn:443//	com/kaihuibao/khbnew/base/DownloadService.java
https://www.zhuanjiabao.cn	com/kaihuibao/khbnew/model/RegisterModel.java
https://vymeet.xuegeba.com/	com/kaihuibao/khbnew/model/RegisterModel.java
https://www.vymeet.com	com/kaihuibao/khbnew/model/RegisterModel.java
https://vytalks.com/	com/kaihuibao/khbnew/model/RegisterModel.java
https://adiu.amap.com/ws/device/adius	com/loc/bl.java

http://apilocate.amap.com/mobile/binary	com/loc/di.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/di.java
http://restapi.amap.com	com/loc/t.java
http://restapi.amap.com/v3/place/text?	com/loc/a.java
http://restapi.amap.com/v3/config/district?	com/loc/a.java
http://restapi.amap.com/v3/place/around?	com/loc/a.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/Cdo.java
http://restapi.amap.com/v3/geocode/regeo	com/loc/dd.java
https://restapi.amap.com/v3/iasdkauth	com/loc/m.java
http://restapi.amap.com/v3/iasdkauth	com/loc/m.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/db.java
https://android.bugly.qq.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/StrategyBean
https://astat.bugly.qcloud.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/a.java
https://astat.bugly.cros.wr.pvp.net:8180/rqd/async	com/tencent/bugly/crashreport/common/strategy/a.java
https://h.trace.qq.com/kv	com/tencent/bugly/proguard/r.java
https://graph.qq.com/oauth2.0/me	com/tencent/connect/UnionInfo.java
http://openmobile.qq.com/oauth2.0/m_jump_by_version?	com/tencent/connect/common/BaseApi.java
http://qzs.qq.com/open/mobile/login/qzsjump.html?	com/tencent/connect/common/BaseApi.java
http://qzs.qq.com/open/mobile/login/qzsjump.html?	com/tencent/connect/auth/a.java
https://openmobile.qq.com/oauth2.0/m_authorize?	com/tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/user/user_login_statis	com/tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/v3/user/get_info	com/tencent/connect/auth/AuthAgent.java
http://appsupport.qq.com/cgi-bin/qzapps/mapp_addapp.cgi	com/tencent/connect/auth/AuthAgent.java
http://fusion.qq.com/cgi-bin/qzapps/unified_jump?appid=%1\$s&from=%2\$s&isOpenAppID=1	com/tencent/connect/share/QQShare.java
http://fusion.qq.com/cgi-bin/qzapps/unified_jump?appid=%1\$s&from=%2\$s&isOpenAppID=1	com/tencent/connect/share/QzoneShare.java
http://qzs.qq.com/open/mobile/request/sdk_request.html?	com/tencent/open/SocialApiImpl.java
http://qzs.qq.com/open/mobile/invite/sdk_invite.html?	com/tencent/open/SocialApiImpl.java
http://qzs.qq.com/open/mobile/sendstory/sdk_sendstory_v1.3.html?	com/tencent/open/SocialApiImpl.java

http://qzs.qq.com	com.tencent/open/SocialApiml.java
http://cgi.connect.qq.com/qqconnectopen/openapi/policy_conf	com.tencent/open/utis/f.java
https://huatuocode.huatuo.qq.com	com.tencent/open/b/d.java
https://long.open.weixin.qq.com/connect//qrconnect?f=json&uuiid=%s	com.tencent/mm/opensdk/diffdev/a/f.java
https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s&timestamp=%s&scope=%s&signature=%s	com.tencent/mm/opensdk/diffdev/a/d.java
https://hk.vytalk.com	com.tencent/qcloud/tim/uikit/khbuse/CommonDataUrl.java
https://www.kaihuihao.net	com.tencent/qcloud/tim/uikit/khbuse/CommonDataUrl.java
https://www.zhuanjiabao.cn:443/	com.tencent/qcloud/tim/uikit/khbuse/CommonDataUrl.java
https://www.zhuanjiabao.cn	com.tencent/qcloud/tim/uikit/khbuse/CommonDataUrl.java
https://picsum.photos/id/%d/200/200	com.tencent/qcloud/tim/uikit/modules/group/info/GroupInfoLa
https://developer.umeng.com/docs/66632/detail/	com/umeng/commonsdk/debug/UMLogUtils.java
https://ulogs.umeng.com/unify_logs	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogus.umeng.com/unify_logs	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogsus.umeng.com/unify_logs	com/umeng/commonsdk/statistics/UMServerURL.java
https://ulogs.umengcloud.com/unify_logs	com/umeng/commonsdk/statistics/UMServerURL.java
https://cmnsguider.yunos.com:443/genDeviceToken	com/umeng/commonsdk/statistics/idtracking/s.java
https://plbslog.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ouplog.umeng.com	com/umeng/commonsdk/stateless/a.java
http://developer.umeng.com/docs/66650/cate/66650	com/umeng/analytics/pro/h.java
https://api.xmpush.xiaomi.com/upload/xmsf_log?file=	com/xiaomi/mipush/sdk/w.java
https://api.xmpush.xiaomi.com/upload/app_log?file=	com/xiaomi/mipush/sdk/w.java
https://api.xmpush.xiaomi.com/upload/crash_log?file=	com/xiaomi/mipush/sdk/y.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gu.java
http://ccc.sys.miui.com	com/xiaomi/push/br.java
http://www.jivesoftware.com/xmlns/xmpp/properties\	com/xiaomi/push/hf.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/hm.java
https://metok.sys.miui.com	com/xiaomi/push/bl.java
http://%1\$s/gslb/?ver=4.0	com/xiaomi/push/ds.java

<a href="http://xmlpull.org/v1/doc/features.html">http://xmlpull.org/v1/doc/features.html</a>	com/xiaomi/push/hn.java
<a href="http://xmlpull.org/v1/doc/features.html">http://xmlpull.org/v1/doc/features.html</a>	com/xiaomi/push/gk.java
<a href="http://resolver.msg.xiaomi.net/psc/?t=a">http://resolver.msg.xiaomi.net/psc/?t=a</a>	com/xiaomi/push/service/bb.java
<a href="https://cn.register.xmpush.xiaomi.com">https://cn.register.xmpush.xiaomi.com</a>	com/xiaomi/push/service/l.java
<a href="https://register.xmpush.global.xiaomi.com">https://register.xmpush.global.xiaomi.com</a>	com/xiaomi/push/service/l.java
<a href="https://fr.register.xmpush.global.xiaomi.com">https://fr.register.xmpush.global.xiaomi.com</a>	com/xiaomi/push/service/l.java
<a href="https://ru.register.xmpush.global.xiaomi.com">https://ru.register.xmpush.global.xiaomi.com</a>	com/xiaomi/push/service/l.java
<a href="https://idmb.register.xmpush.global.xiaomi.com">https://idmb.register.xmpush.global.xiaomi.com</a>	com/xiaomi/push/service/l.java
<a href="https://statistics.pingxx.com/report">https://statistics.pingxx.com/report</a>	com/pingplusplus/android/PingppDataCollection.java
<a href="https://netpay.cmbchina.com/netpayment/BaseHttp.dll?H5PayJsonSDK">https://netpay.cmbchina.com/netpayment/BaseHttp.dll?H5PayJsonSDK</a>	com/pingplusplus/android/b.java
<a href="http://121.15.180.66:801/netpayment/BaseHttp.dll?H5PayJsonSDK">http://121.15.180.66:801/netpayment/BaseHttp.dll?H5PayJsonSDK</a>	com/pingplusplus/android/b.java
<a href="https://sissi.pingxx.com/mock.php?ch_id=%s&amp;channel=%s">https://sissi.pingxx.com/mock.php?ch_id=%s&amp;channel=%s</a>	com/pingplusplus/android/j.java
<a href="https://sissi.pingxx.com/mock.php?ch_id=%s&amp;channel=%s&amp;or_id=%s">https://sissi.pingxx.com/mock.php?ch_id=%s&amp;channel=%s&amp;or_id=%s</a>	com/pingplusplus/android/j.java
<a href="https://www.jdpay.com/">https://www.jdpay.com/</a>	com/pingplusplus/android/n/b.java
<a href="https://h5pay.jd.com/jdpay/payResult?">https://h5pay.jd.com/jdpay/payResult?</a>	com/pingplusplus/android/n/b.java
<a href="https://m.jdpay.com/wepay/web/pay">https://m.jdpay.com/wepay/web/pay</a>	com/pingplusplus/android/n/b.java
<a href="https://www.baifubao.com/wap/0/wallet/0/transaction/0">https://www.baifubao.com/wap/0/wallet/0/transaction/0</a>	com/pingplusplus/android/n/a.java
<a href="https://m.baifubao.com/">https://m.baifubao.com/</a>	com/pingplusplus/android/n/a.java
<a href="http://wappass.baidu.com/passport/reg?">http://wappass.baidu.com/passport/reg?</a>	com/pingplusplus/android/n/a.java
<a href="http://wappass.baidu.com/passport/getpass?">http://wappass.baidu.com/passport/getpass?</a>	com/pingplusplus/android/n/a.java
<a href="http://wappass.baidu.com/passport/agreement?">http://wappass.baidu.com/passport/agreement?</a>	com/pingplusplus/android/n/a.java
<a href="http://shouyin.yeepay.com/nc-cashier-wap/wap/query/result">http://shouyin.yeepay.com/nc-cashier-wap/wap/query/result</a>	com/pingplusplus/android/n/c.java
<a href="https://ok.yeepay.com/paymobile/query/pay/success?">https://ok.yeepay.com/paymobile/query/pay/success?</a>	com/pingplusplus/android/n/c.java
<a href="http://mobiletest.yeepay.com/paymobile/query/pay/success?">http://mobiletest.yeepay.com/paymobile/query/pay/success?</a>	com/pingplusplus/android/n/c.java
<a href="https://ok.yeepay.com/paymobile/api/pay/request?merchantaccount=%s&amp;encryptkey=%s&amp;data=%s">https://ok.yeepay.com/paymobile/api/pay/request?merchantaccount=%s&amp;encryptkey=%s&amp;data=%s</a>	com/pingplusplus/android/n/c.java
<a href="http://mobiletest.yeepay.com/paymobile/api/pay/request?merchantaccount=%s&amp;encryptkey=%s&amp;data=%s">http://mobiletest.yeepay.com/paymobile/api/pay/request?merchantaccount=%s&amp;encryptkey=%s&amp;data=%s</a>	com/pingplusplus/android/n/c.java
<a href="http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/">http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/</a>	com/autonavi/amap/mapcore2d/Inner_3dMap_location.java
<a href="https://github.com/TooTallNate/Java-WebSocket/wiki/Lost-connection-detection">https://github.com/TooTallNate/Java-WebSocket/wiki/Lost-connection-detection</a>	org/java_websocket/AbstractWebSocket.java

<a href="http://www.cs.caltech.edu/">http://www.cs.caltech.edu/</a>	org/json/Test.java
<a href="http://schemas.xmlsoap.org/soap/envelope/">http://schemas.xmlsoap.org/soap/envelope/</a>	org/json/Test.java
<a href="http://schemas.xmlsoap.org/soap/encoding/">http://schemas.xmlsoap.org/soap/encoding/</a>	org/json/Test.java
<a href="http://www.mob.com/policy/en">http://www.mob.com/policy/en</a> > <a href="http://www.mob.com/policy/en">http://www.mob.com/policy/en</a> </a>.	摸瓜V1引擎
<a href="http://www.mob.com/about/policy">http://www.mob.com/about/policy</a> > <a href="http://www.mob.com/about/policy">http://www.mob.com/about/policy</a> </a>	摸瓜V1引擎
<a href="http://www.mob.com">http://www.mob.com</a>	摸瓜V1引擎
<a href="http://www.mob.com/about/policy/en">http://www.mob.com/about/policy/en</a> > <a href="http://www.mob.com/about/policy/en">http://www.mob.com/about/policy/en</a> </a>.	摸瓜V1引擎
<a href="http://www.mob.com/policy/zh">http://www.mob.com/policy/zh</a> > <a href="http://www.mob.com/policy/zh">http://www.mob.com/policy/zh</a> </a>	摸瓜V1引擎
<a href="https://unpkg.com/pdfjs-dist@1.9.426/cmaps/">https://unpkg.com/pdfjs-dist@1.9.426/cmaps/</a> ;	摸瓜V2引擎
<a href="http://www.apache.org/licenses/LICENSE-2.0">http://www.apache.org/licenses/LICENSE-2.0</a>	摸瓜V2引擎
<a href="https://github.com/davidchambers/Base64.js">https://github.com/davidchambers/Base64.js</a>	摸瓜V2引擎
<a href="https://github.com/mozilla/pdf.js/issues/3260">https://github.com/mozilla/pdf.js/issues/3260</a>	摸瓜V2引擎
<a href="https://github.com/mozilla/pdf.js/issues/3381">https://github.com/mozilla/pdf.js/issues/3381</a> .	摸瓜V2引擎
<a href="https://www.p-y.xyz/car.pdf">https://www.p-y.xyz/car.pdf</a> ;	摸瓜V2引擎
<a href="https://github.com/ftlabs/fastclick/issues/251">https://github.com/ftlabs/fastclick/issues/251</a>	摸瓜V2引擎
<a href="https://bugzilla.mozilla.org/show_bug.cgi?id=922896">https://bugzilla.mozilla.org/show_bug.cgi?id=922896</a>	摸瓜V2引擎
<a href="http://msdn.microsoft.com/en-us/library/windows/apps/Hh767313.aspx">http://msdn.microsoft.com/en-us/library/windows/apps/Hh767313.aspx</a>	摸瓜V2引擎
<a href="http://w.kaihuibao.net">http://w.kaihuibao.net</a> ;	摸瓜V2引擎
<a href="https://192.168.4.69:443">https://192.168.4.69:443</a> ;	摸瓜V2引擎
<a href="http://192.168.4.69:90">http://192.168.4.69:90</a> ;	摸瓜V2引擎
<a href="https://doc.kaihuibao.net">https://doc.kaihuibao.net</a> ;	摸瓜V2引擎
<a href="https://w.kaihuibao.net">https://w.kaihuibao.net</a> ,	摸瓜V2引擎
<a href="http://192.168.4.48:90">http://192.168.4.48:90</a> ;	摸瓜V2引擎
<a href="https://kaihuibao.net">https://kaihuibao.net</a> ,	摸瓜V2引擎
<a href="https://github.com/oampo">https://github.com/oampo</a>	摸瓜V2引擎
<a href="http://dev.dcloud.net.cn/mui">http://dev.dcloud.net.cn/mui</a>	摸瓜V2引擎
<a href="http://ask.dcloud.net.cn/article/113">http://ask.dcloud.net.cn/article/113</a> ;	摸瓜V2引擎
<a href="http://perfectionkills.com/global-eval-what-are-the-options/">http://perfectionkills.com/global-eval-what-are-the-options/</a>	摸瓜V2引擎



<a href="http://dev.dcloud.net.cn/mui">http://dev.dcloud.net.cn/mui</a>	摸瓜V2引擎
<a href="http://a">http://a</a>	摸瓜V2引擎
<a href="http://a/c%20d">http://a/c%20d</a>	摸瓜V2引擎
<a href="http://www.apache.org/licenses/LICENSE-2.0">http://www.apache.org/licenses/LICENSE-2.0</a>	摸瓜V2引擎
<a href="http://a');">http://a');</a>	摸瓜V2引擎
<a href="http://a/c%20d;">http://a/c%20d;</a>	摸瓜V2引擎
<a href="https://github.com/Tencent/vConsole">https://github.com/Tencent/vConsole</a> )	摸瓜V2引擎
<a href="http://opensource.org/licenses/MIT">http://opensource.org/licenses/MIT</a>	摸瓜V2引擎
<a href="https://github.com/webpack-contrib/style-loader">https://github.com/webpack-contrib/style-loader</a>	摸瓜V2引擎
<a href="https://github.com/Tencent/vConsole">https://github.com/Tencent/vConsole</a>	摸瓜V2引擎
<a href="https://github.com/Tencent/vConsole.git">https://github.com/Tencent/vConsole.git</a>	摸瓜V2引擎
<a href="http://layer.layui.com/mobile">http://layer.layui.com/mobile</a>	摸瓜V2引擎
<a href="https://chrome.google.com/webstore/detail/fckajcjdaabdnbdcmhhebdglogifodi">https://chrome.google.com/webstore/detail/fckajcjdaabdnbdcmhhebdglogifodi</a>	摸瓜V2引擎
<a href="http://192.168.4.71/index.php">http://192.168.4.71/index.php</a>	摸瓜V2引擎
<a href="http://www.ietf.org/id/draft-holmer-rmcat-transport-wide-cc-extensions-01">http://www.ietf.org/id/draft-holmer-rmcat-transport-wide-cc-extensions-01</a>	摸瓜V2引擎
<a href="http://www.webrtc.org/experiments/rtp-hdrext/abs-send-time">http://www.webrtc.org/experiments/rtp-hdrext/abs-send-time</a>	摸瓜V2引擎
<a href="https://cdn.webrtc-experiment.com/EBML.js">https://cdn.webrtc-experiment.com/EBML.js</a>	摸瓜V2引擎
<a href="https://cdn.webrtc-experiment.com/screenshot.js">https://cdn.webrtc-experiment.com/screenshot.js</a>	摸瓜V2引擎
<a href="https://cdn.webrtc-experiment.com/gif-recorder.js">https://cdn.webrtc-experiment.com/gif-recorder.js</a>	摸瓜V2引擎
<a href="https://unpkg.com/@mattiasbuelens/web-streams-polyfill/dist/polyfill.min.js">https://unpkg.com/@mattiasbuelens/web-streams-polyfill/dist/polyfill.min.js</a>	摸瓜V2引擎
<a href="https://unpkg.com/webm-wasm@latest/dist/webm-wasm.wasm">https://unpkg.com/webm-wasm@latest/dist/webm-wasm.wasm</a>	摸瓜V2引擎
<a href="https://unpkg.com/webm-wasm@latest/dist/webm-worker.js">https://unpkg.com/webm-wasm@latest/dist/webm-worker.js</a>	摸瓜V2引擎
<a href="https://redux.js.org/api-reference/store">https://redux.js.org/api-reference/store</a>	摸瓜V2引擎
<a href="https://webtorrent.io">https://webtorrent.io</a> )	摸瓜V2引擎
<a href="http://fb.me/use-check-prop-types">http://fb.me/use-check-prop-types</a>	摸瓜V2引擎
<a href="https://reactjs.org/docs/error-decoder.html?invariant=">https://reactjs.org/docs/error-decoder.html?invariant=</a>	摸瓜V2引擎
<a href="https://fb.me/react-async-component-lifecycle-hooks">https://fb.me/react-async-component-lifecycle-hooks</a>	摸瓜V2引擎
<a href="http://bit.ly/redux-logger-options\nimport">http://bit.ly/redux-logger-options\nimport</a>	摸瓜V2引擎

https://fb.me/react-polyfills	摸瓜V2引擎
https://example.com	摸瓜V2引擎
https://registry.npm.taobao.org/webtorrent/download/webtorrent-0.102.4.tgz	摸瓜V2引擎
https://webtorrent.io	摸瓜V2引擎
https://github.com/webtorrent/webtorrent/issues	摸瓜V2引擎
https://47.92.29.183:4443	摸瓜V2引擎
https://doc.kaihuibao.net/;	摸瓜V2引擎
http://yuntuapi.amap.com	摸瓜V3引擎
https://yuntuapi.amap.com	摸瓜V3引擎
http://schemas.android.com/aapt	摸瓜V3引擎
https://hk.vytalk.com	摸瓜V3引擎
https://mobilegw.alipaydev.com/mgw.htm	摸瓜V3引擎
http://schemas.xmlsoap.org/soap/encoding/	摸瓜V3引擎
http://p.share.mob.com/tags/getTagList	摸瓜V3引擎
http://mobiletest.yeepay.com/paymobile/api/pay/request?merchantaccount=%s&encryptkey=%s&data=%s	摸瓜V3引擎
https://developer.umeng.com/docs/66632/detail/	摸瓜V3引擎
http://dev.voicecloud.cn/msc/help.html	摸瓜V3引擎
encrypted-tbn0.gstatic.com	摸瓜V3引擎
http://cgi.connect.qq.com/qqconnectopen/openapi/policy_conf	摸瓜V3引擎
https://h5pay.jd.com/jdpay/payResult?	摸瓜V3引擎
http://wap.amap.com/	摸瓜V3引擎
http://restapi.amap.com/v3/place/around?	摸瓜V3引擎
https://www.zhuanjiabao.cn:443//	摸瓜V3引擎
https://cn.register.xmpush.xiaomi.com	摸瓜V3引擎
http://openapi.openspeech.cn/webapi/wfr.do	摸瓜V3引擎
https://sissi.pingxx.com/mock.php?ch_id=%s&channel=%s	摸瓜V3引擎
http://schemas.xmlsoap.org/soap/envelope/	摸瓜V3引擎
https://render.alipay.com/p/s/i/?scheme=%s	摸瓜V3引擎

http://restapi.amap.com/v4	摸瓜V3引擎
https://appsupport.qq.com/cgi-bin/appstage/mstats_batch_report	摸瓜V3引擎
https://metrics.data.hicloud.com:6447	摸瓜V3引擎
http://www.jivesoftware.com/xmlns/xmpp/properties	摸瓜V3引擎
https://openmobile.qq.com/user/user_login_statis	摸瓜V3引擎
http://www.xunfei.cn?appid=	摸瓜V3引擎
https://github.com/TooTallNate/Java-WebSocket/wiki/Lost-connection-detection	摸瓜V3引擎
www.googleapis.com	摸瓜V3引擎
http://restapi.amap.com/v3/geocode/regeo	摸瓜V3引擎
http://schemas.android.com/apk/res-auto	摸瓜V3引擎
https://www.zhuanjiabao.cn:443//api/index/cloud_address	摸瓜V3引擎
http://wappass.baidu.com/passport/reg?	摸瓜V3引擎
http://openmobile.qq.com/oauth2.0/m_jump_by_version?	摸瓜V3引擎
http://a.vmall.com/	摸瓜V3引擎
lh3.googleusercontent.com	摸瓜V3引擎
http://apilocate.amap.com/mobile/binary	摸瓜V3引擎
https://api.weixin.qq.com/sns/oauth2/access_token	摸瓜V3引擎
https://a.app.qq.com/o/simple.jsp?pkgname=com.kaihuibao.khb	摸瓜V3引擎
https://www.zhuanjiabao.cn:443//admin/index/apphome	摸瓜V3引擎
http://47.92.29.183:4443	摸瓜V3引擎
http://restapi.amap.com/v3/iasdkauth	摸瓜V3引擎
https://cmnsguider.yunos.com:443/genDeviceToken	摸瓜V3引擎
http://appsupport.qq.com/cgi-bin/qzapps/mapp_addapp.cgi	摸瓜V3引擎
https://h5.m.taobao.com/mlapp/olist.html	摸瓜V3引擎
edgedl.me.gvt1.com	摸瓜V3引擎
http://www.openssl.org/support/faq.html#dual	摸瓜V3引擎
http://restapi.amap.com/v3	摸瓜V3引擎
https://openmobile.qq.com/oauth2.0/m_authorize?	摸瓜V3引擎

http://restapi.amap.com	摸瓜V3引擎
https://openmobile.qq.com/v3/user/get_info	摸瓜V3引擎
https://fr.register.xmpush.global.xiaomi.com	摸瓜V3引擎
http://qzs.qq.com/open/mobile/sendstory/sdk_sendstory_v1.3.html?	摸瓜V3引擎
https://astat.bugly.qcloud.com/rqd/async	摸瓜V3引擎
http://iss.openspeech.cn/v?	摸瓜V3引擎
https://astat.bugly.cros.wr.pvp.net/8180/rqd/async	摸瓜V3引擎
http://qzs.qq.com/open/mobile/login/qzsjump.html?sdkv=3.3.0.lite&display=mobile	摸瓜V3引擎
https://www.baifubao.com/wap/0/wallet/0/transaction/0	摸瓜V3引擎
https://metok.sys.miui.com	摸瓜V3引擎
http://app.qq.com/detail/com.tencent.mobileqq?autodownload=1&norecommend=1&rootvia=opendsk	摸瓜V3引擎
https://mclient.alipay.com/home/exterfaceAssign.htm?	摸瓜V3引擎
http://www.openssl.org/support/faq.html	摸瓜V3引擎
https://graph.qq.com/oauth2.0/m_authorize?response_type=token&client_id=	摸瓜V3引擎
https://hmls.hfbank.com.cn/hfapp-api/9.png	摸瓜V3引擎
https://graph.qq.com/oauth2.0/me	摸瓜V3引擎
https://restapi.amap.com/v4	摸瓜V3引擎
https://statistics.pingxx.com/report	摸瓜V3引擎
https://huatuocode.huatuo.qq.com	摸瓜V3引擎
http://iws.openspeech.cn/online_param/config_update.php	摸瓜V3引擎
http://mst0%d.is.autonavi.com	摸瓜V3引擎
https://ok.yeepay.com/paymobile/api/pay/request?merchantaccount=%s&encryptkey=%s&data=%s	摸瓜V3引擎
http://m5.amap.com/ws/mapapi/shortaddress/transform	摸瓜V3引擎
https://idmb.register.xmpush.global.xiaomi.com	摸瓜V3引擎
https://yun.tim.qq.com/v4/im_cos_sign_svr/cos?sdkappid=&identifier=&usersig=	摸瓜V3引擎
http://wappass.baidu.com/passport/getpass?	摸瓜V3引擎
https://netpay.cmbchina.com/netpayment/BaseHttp.dll?H5PayJsonSDK	摸瓜V3引擎
https://m.jdpay.com/wepay/web/pay	摸瓜V3引擎

<a href="http://sharesdk.cn">http://sharesdk.cn</a>	摸瓜V3引擎
<a href="https://www.jdpay.com/">https://www.jdpay.com/</a>	摸瓜V3引擎
<a href="https://store.hispace.hicloud.com/hwmarket/api/">https://store.hispace.hicloud.com/hwmarket/api/</a>	摸瓜V3引擎
<a href="https://wspeed.qq.com/w.cgi">https://wspeed.qq.com/w.cgi</a>	摸瓜V3引擎
<a href="http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/">http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/</a>	摸瓜V3引擎
<a href="https://picsum.photos/id/%d/200/200">https://picsum.photos/id/%d/200/200</a>	摸瓜V3引擎
<a href="https://openmobile.qq.com/">https://openmobile.qq.com/</a>	摸瓜V3引擎
<a href="https://adiu.amap.com/ws/device/adius">https://adiu.amap.com/ws/device/adius</a>	摸瓜V3引擎
<a href="https://m5.amap.com/ws/mapapi/shortaddress/transform">https://m5.amap.com/ws/mapapi/shortaddress/transform</a>	摸瓜V3引擎
<a href="https://api.xmpush.xiaomi.com/upload/app_log?file=">https://api.xmpush.xiaomi.com/upload/app_log?file=</a>	摸瓜V3引擎
<a href="http://tm.amap.com">http://tm.amap.com</a>	摸瓜V3引擎
<a href="http://www.cs.caltech.edu/~adam/schemas/bCard">http://www.cs.caltech.edu/~adam/schemas/bCard</a>	摸瓜V3引擎
<a href="http://121.15.180.66:801/netpayment/BaseHttp.dll?H5PayJsonSDK">http://121.15.180.66:801/netpayment/BaseHttp.dll?H5PayJsonSDK</a>	摸瓜V3引擎
<a href="https://api.xmpush.xiaomi.com/upload/xmsf_log?file=">https://api.xmpush.xiaomi.com/upload/xmsf_log?file=</a>	摸瓜V3引擎
<a href="http://restapi.amap.com/v3/place/text?">http://restapi.amap.com/v3/place/text?</a>	摸瓜V3引擎
<a href="http://data.openspeech.cn/index.php/clientrequest/clientcollect/isCollect">http://data.openspeech.cn/index.php/clientrequest/clientcollect/isCollect</a>	摸瓜V3引擎
<a href="https://www.zhuanjiabao.cn">https://www.zhuanjiabao.cn</a>	摸瓜V3引擎
<a href="http://mobiletest.yeepay.com/paymobile/query/pay/success?">http://mobiletest.yeepay.com/paymobile/query/pay/success?</a>	摸瓜V3引擎
<a href="https://h.trace.qq.com/kv">https://h.trace.qq.com/kv</a>	摸瓜V3引擎
<a href="https://graph.qq.com/user/get_simple_userinfo">https://graph.qq.com/user/get_simple_userinfo</a>	摸瓜V3引擎
<a href="https://www.vymeet.com">https://www.vymeet.com</a>	摸瓜V3引擎
<a href="http://fusion.qq.com/cgi-bin/qzapps/unified_jump?appid=%1\$s&amp;from=%2\$s&amp;isOpenAppID=1">http://fusion.qq.com/cgi-bin/qzapps/unified_jump?appid=%1\$s&amp;from=%2\$s&amp;isOpenAppID=1</a>	摸瓜V3引擎
<a href="http://webrd0%d.is.autonavi.com">http://webrd0%d.is.autonavi.com</a>	摸瓜V3引擎
<a href="https://gimg2.baidu.com/image_search/src=http%3A%2F%2Ffi.nibaku.com%2Fimg_0_1574810549x840951061_26.j">https://gimg2.baidu.com/image_search/src=http%3A%2F%2Ffi.nibaku.com%2Fimg_0_1574810549x840951061_26.j</a>	摸瓜V3引擎
<a href="https://restapi.amap.com/v3">https://restapi.amap.com/v3</a>	摸瓜V3引擎
<a href="http://xmlpull.org/v1/doc/features.html#process-namespaces">http://xmlpull.org/v1/doc/features.html#process-namespaces</a>	摸瓜V3引擎
<a href="http://restapi.amap.com/v3/config/district?">http://restapi.amap.com/v3/config/district?</a>	摸瓜V3引擎

## ✉ 邮箱线索

邮箱地址	所在文件
danikula@gmail.com	com/danikula/ideocache/HttpUrlSource.java
xxxx@xxxx.com	com/huawei/hms/support/api/push/a/d/a.java
tt01@2x.png	com/kaihuibao/khbnew/chat/ConfigHelper.java
permission@gmail.com	com/yanzhenjie/permission/checker/CalendarWriteTest.java
khare@mcl.net adam@cs.caltech	org/json/Test.java
houfeng@dcloud.io	摸瓜V2引擎
webtorrent@0.102 feross@webtorrent.io	摸瓜V2引擎

## 📱 手机线索

手机号	所在文件
19222222222	com/mob/commons/a/e.java
17179869184	tv/danmaku/ijk/media/player/IjkMediaMeta.java

## 🌟 签名证书

APK已签名  
v1 签名: True  
v2 签名: True  
v3 签名: False  
找到 1 个唯一证书  
主题: ST=cinlan, L=cinlan, O=cinlan, OU=cinlan, CN=cinlan  
签名算法: rsassa\_pkcs1v15  
有效期自: 2020-01-14 09:56:30+00:00  
有效期至: 2045-01-07 09:56:30+00:00  
发行人: ST=cinlan, L=cinlan, O=cinlan, OU=cinlan, CN=cinlan  
序列号: 0x3d59a921  
哈希算法: sha256  
md5值: a9bed8e8312c0b0dd9d10791bfd7c8e3  
sha1值: 9fab9a2ee3a94b0030c9ccf8e462b488d4504d  
sha256值: 93c11cbfe3b86a119c83a36384d2aedcf13b2fbc17826ad339f867315ce3ff04  
sha512值: 5df83328c9cc4b05520ad2fac50beb56338b58859c16c6b452282cd06b1a3ef358a7d6efca45bd0c45379dc87293abc4f5dfe7c978658382ea09fdd0a8a4b9e4  
公钥算法: rsa  
密钥长度: 2048  
指纹: ad1de695dd98346532ba4b57667b0deef19a415bf980c39c05d9d5ba15e98fcc

## 🔑 硬编码敏感信息

可能的敏感信息
"centain_password": "确认密码"
"certain_password": "确认密码"
"chair_pwd_tips": "主持人密码"
"conf_password": "会议密码"
"forget_password": "忘记密码? "
"host_password": "主持人密码"
"living_room_pwd": "直播间密码"
"login_password": "登录密码"
"mobcommon_authorize_dialog_accept": "Accept"
"mobcommon_authorize_dialog_content": "In order to provide you with Mobservice, please check our service policy. For details, please click <a href=http://www.mob.com/policy/en>http://www.mob.com/policy/en</a>. If you agree with our service policy, please click accept, if you do not agree with our service policy, please click reject"
"mobcommon_authorize_dialog_reject": "Reject"
"mobcommon_authorize_dialog_title": "Terms of Use"
"mobdemo_authorize_dialog_content": "为了给您提供Mobservice相关产品服务, 请您详细查看我们的隐私政策, 详见<a href=http://www.mob.com/about/policy>http://www.mob.com/about/policy</a>. 如您同意我们的隐私政策, 请点击“接受”, 如您不同意我们的隐私政策, 请点击“拒绝”。
"mobdemo_authorize_dialog_title": "服务授权"
"password": "密码"
"please_input_host_password": "请输入主持人密码"
"please_input_login_password": "请输入6位以上的登录密码"
"please_input_password": "请输入密码"
"please_set_password": "请设置您的密码"
"reset_password": "重置密码"
"seacher_key": "请输入搜索关键字"
"set_password": "设置密码"
"ssdk_cmcc_auth": "手机认证服务由中国移动提供"
"ssdk_cmcc_login_one_key": "本机号码一键登录"
"ssdk_instapaper_pwd": "密码"
"ssdk_weibo_oauth_regiseter": "应用授权"

"centain_password" : "Confirm the password"
"certain_password" : "Confirm the password"
"chair_pwd_tips" : "Host Password"
"conf_password" : "Password"
"forget_password" : "Forgot password? "
"host_password" : "Host Code"
"living_room_pwd" : "Live room password"
"login_password" : "Sign-In Password"
"mobcommon_authorize_dialog_accept" : "Accept"
"mobcommon_authorize_dialog_content" : "In order to provide you with Mobservice, please check our service policy. For details, please click <a href=http://www.mob.com/policy/en>http://www.mob.com/policy/en</a>. If you agree with our service policy, please click accept, if you do not agree with our service policy, please click reject"
"mobcommon_authorize_dialog_reject" : "Reject"
"mobcommon_authorize_dialog_title" : "Terms of Use"
"mobdemo_authorize_dialog_content" : "In order to provide you with Mobservice related products and services, please check our privacy policy in detail, see details<a href=http://www.mob.com/about/policy/en>http://www.mob.com/about/policy/en</a>.If you agree with our privacy policy, please click accept. If you disagree with our privacy policy, please click reject."
"mobdemo_authorize_dialog_title" : "service authority"
"password" : "Password"
"please_input_host_password" : "Please enter the host password"
"please_input_login_password" : "Please enter 6 or more login passwords"
"please_input_password" : "Password"
"please_set_password" : "Please set your password"
"reset_password" : "reset password"
"seacher_key" : "please enter keyword to search"
"set_password" : "Set the password"
"ssdk_cmcc_auth" : "Provided by China Mobile"
"ssdk_cmcc_login_one_key" : "PhoneNum Login"
"ssdk_instapaper_pwd" : "password"
"ssdk_weibo_oauth_regiseter" : "Application authorization"
"mobcommon_authorize_dialog_accept" : "同意"
"mobcommon_authorize_dialog_content" : "为了给您提供Mobservice相关产品服务，请您详细查看我们的隐私政策，详见<a href=http://www.mob.com/policy/zh>http://www.mob.com/policy/zh</a>。如您同意我们的隐私政策，请点击“接受”，如您不同意我们的隐私政策，请点击“拒绝”。"



"mobcommon_authorize_dialog_reject": "拒绝"
"mobcommon_authorize_dialog_title": "服务授权"
"centain_password": "確認密碼"
"certain_password": "確認密碼"
"chair_pwd_tips": "主持人密碼"
"conf_password": "會議密碼"
"forget_password": "忘記密碼? "
"host_password": "主持人密碼"
"living_room_pwd": "直播間密碼"
"login_password": "登入密碼"
"password": "密碼"
"please_input_host_password": "請輸入主持人密碼"
"please_input_login_password": "請輸入6位以上的登入密碼"
"please_input_password": "請輸入密碼"
"please_set_password": "請設置您的密碼"
"reset_password": "重置密碼"
"seacher_key": "請輸入搜索關鍵字"
"set_password": "設置密碼"
"ssdk_instapaper_pwd": "密碼"
"ssdk_weibo_oauth_regiseter": "應用授權"

## 加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

## 第三方插件

名称	分类	URL链接

## ☰ 此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
cn.com.westone.cx.platform.permission.host	未知	Unknown permission	Unknown permission from android reference
android.permission.CALL_PHONE	危险	直接拨打电话号码	允许应用程序在没有您干预的情况下拨打电话号码。恶意应用程序可能会导致您的电话账单出现意外呼叫。请注意,这不允许应用程序拨打紧急电话号码
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.KILL_BACKGROUND_PROCESSES	正常	杀死后台进程	允许应用程序杀死其他应用程序的后台进程,即使内存不低
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.SYSTEM_OVERLAY_WINDOW	未知	Unknown permission	Unknown permission from android reference
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令,恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作
android.permission.READ_CONTACTS	危险	读取联系人数据	允许应用程序读取您手机上存储的所有联系人(地址)数据。恶意应用程序可以借此将您的数据发送给其他人
android.permission.WRITE_CONTACTS	危险	写入联系人数据	允许应用程序修改您手机上存储的联系人(地址)数据。恶意应用程序可以使用它来删除或修改您的联系人数据
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置(如果可用)。恶意应用程序可以使用它来确定您的大致位置
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.DISABLE_KEYGUARD	正常		如果键盘不安全,允许应用程序禁用它。
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备

android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
android.permission.ACCESS_FINE_LOCATION	危险	精细定位 (GPS)	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
com.kaihuibao.khbzjbb.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.kaihuibao.khbzjbb.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。

## 应用内通信

活动(ACTIVITY)	通信(INTENT)
com.kaihuibao.khbnew.ui.login.ShowActivity	Schemes: zjbhome://,
com.kaihuibao.khbnew.ui.login.JoinConfActivity	Schemes: zjbjoin://,
com.kaihuibao.khbnew.ui.shuiwuju.LoadingActivity	Schemes: entercall://,
com.kaihuibao.khbnew.web.WebActivity	Schemes: znzjb://,
cn.sharesdk.tencent.qq.ReceiveActivity	Schemes: tencent101699047://,