



MoGua

My BMW 5.5.0.APK 分析报告



APP名称:

My BMW

包名:

de.bmw.connected.mobile20.cn

域名线索:

130条

URL线索:	127条
邮箱线索:	4条
分析日期:	2025年6月18日
分析平台:	摸瓜APK反编译平台

文件信息

文件名: 20250523110944874692789349.apk
文件大小: 443.07MB
MD5值: 814309ff6a5a5bf25dea7ec1975197d5
SHA1值: 6baf869608d49d8c5fb8eafaedd30ee12fac0984
SHA256值: 3b27bc296b3fecbac24152a0b5d4fff01bed52a60238e26e97c0a4d2571cc15b

APP 信息

App名称: My BMW

包名: de.bmw.connected.mobile20.cn
主活动Activity: com.mobileconnected.MainActivity
安卓版本名称: 5.5.0
安卓版本: 43024

🔍 域名线索

域名	服务器信息
ichannel.snssdk.com	IP: 111.202.5.195 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
xmlpull.org	IP: 185.199.109.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
logback.qos.ch	IP: 195.15.222.169 所属国家: Switzerland 地区: Geneve 城市: Carouge 纬度: 46.180931 经度: 6.138709
oss-cn-.aliyuncs.comor	没有服务器地理信息.
sdk.faceid.qq.com	IP: 221.198.69.152 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
www.google.com	IP: 199.16.158.182 所属国家: United States of America 地区: California 城市: San Francisco

	纬度: 37.773968 经度: -122.410446
api.ximalaya.com	IP: 101.91.133.50 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
10.38.162.35	IP: 10.38.162.35 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
metrics2.data.hicloud.com	IP: 80.158.2.190 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
applog.snssdk.com	IP: 106.74.132.32 所属国家: China 地区: Shandong 城市: Jinan 纬度: 36.668331 经度: 116.997223
othstr.beacon.qq.com	IP: 140.206.162.29 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
data-drru.push.dbankcloud.com	IP: 159.138.202.31 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
	IP: 119.28.121.133

astat.bugly.qcloud.com	所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
zxid-m.mobileservice.cn	IP: 101.69.207.68 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
gtc.getui.nethttps	没有服务器地理信息.
rttgpsreport.map.qq.com	IP: 60.28.215.71 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
journeyapps.com	IP: 18.65.168.85 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
image.cnamedomain.com	没有服务器地理信息.
android.bugly.qq.com	IP: 124.95.225.146 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
testlogin.kuwo.cn	IP: 111.206.98.20 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 119.188.44.168

kyccdn.tencentcloudapi.com	所属国家: China 地区: Shandong 城市: Jinan 纬度: 36.668331 经度: 116.997223
mobilegwpre.alipay.com	IP: 110.75.138.35 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
data-dra.push.dbankcloud.com	IP: 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
api.countly-preprod.bmwusa.com	IP: 172.212.144.58 所属国家: United Kingdom of Great Britain and Northern Ireland 地区: England 城市: London 纬度: 51.508530 经度: -0.125740
loggw-exsdk.alipay.com	IP: 110.76.6.82 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
corssdk.map.qq.com	IP: 116.130.220.64 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
developer.android.com	IP: 142.250.217.78 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514

grs.platform.dbankcloud.ru	没有服务器地理信息.
realm.io	IP: 3.173.219.44 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.627499 经度: -122.346199
mclient.alipay.com	IP: 218.61.164.134 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
toblog-alink.ctobsnssdk.com	IP: 42.56.93.211 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
mt.map.qq.com	IP: 116.130.223.114 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
b-gtc.getui.nethttps	没有服务器地理信息.
idasc-kyc-test.tencentcloudapi.com	IP: 123.207.114.133 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
111.230.161.197	IP: 111.230.161.197 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501

	经度: 116.397102
www.opengis.net	IP: 217.154.231.107 所属国家: United Kingdom of Great Britain and Northern Ireland 地区: England 城市: Brighton 纬度: 50.828381 经度: -0.139470
api.countly-preprod.bmwgroup.com	IP: 4.184.156.158 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.110882 经度: 8.681996
docs.mongodb.com	IP: 15.197.167.90 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.627499 经度: -122.346199
www.example.com	IP: 92.122.244.33 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.110882 经度: 8.681996
ocr.tencentcloudapi.com	IP: 120.53.72.73 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mp.weixin.qq.com	IP: 140.207.176.25 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
	IP: 112.65.193.150 所属国家: China

long.open.weixin.qq.com	地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
cs.map.qq.com	IP: 125.36.181.143 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
xml.org	IP: 104.239.142.8 所属国家: United States of America 地区: Texas 城市: Windcrest 纬度: 29.499678 经度: -98.399246
apis.map.qq.com	IP: 116.130.223.114 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
api.test.ximalaya.com	IP: 10.146.3.40 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
cn.register.xmpush.xiaomi.com	IP: 221.194.179.52 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
grs.dbankcloud.com	IP: 60.28.200.159 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102

sdk-open-phone.getui.com	IP: 124.160.155.42 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000
zxid.mobileservice.cn	IP: 101.69.207.69 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
oss-cn-hangzhou.aliyuncs.com	IP: 118.31.219.236 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
api.flutter.dev	IP: 199.36.158.100 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
www.w3.org	IP: 104.18.22.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
mobilegw.dl.alipaydev.com	IP: 110.75.132.25 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
pub.dev	IP: 34.36.0.14 所属国家: United States of America 地区: Missouri 城市: Kansas City

	纬度: 39.099731 经度: -94.578568
metrics5.dt.dbankcloud.ru	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
databyterangers.com.cn	没有服务器地理信息.
miniprogram-kyc.tencentcloudapi.com	IP: 193.112.232.253 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
tdid.m.qq.com	IP: 60.29.240.40 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
metrics-dra.dt.hicloud.com	IP: 94.74.88.100 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
int-b2vapi.bmwgroup.com	IP: 160.46.225.136 所属国家: Germany 地区: Bayern 城市: Munich 纬度: 48.137428 经度: 11.575490

open.weixin.qq.com	IP: 140.207.176.25 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
testdatalbs.sparta.html5.qq.com	IP: 157.255.4.30 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
h5app.kuwo.cn	IP: 116.196.151.15 所属国家: China 地区: Zhejiang 城市: Jinhua 纬度: 30.013470 经度: 120.288658
ltest.map.qq.com	IP: 220.194.120.95 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
metrics1-drcn.dt.dbankcloud.cn	IP: 111.202.16.252 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
api.countly.bmw.com.cn	IP: 143.64.73.11 所属国家: China 地区: Hebei

	城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
play.google.com	IP: 46.82.174.69 所属国家: Germany 地区: Niedersachsen 城市: Braunschweig 纬度: 52.266121 经度: 10.526730
en.wikipedia.org	IP: 31.13.94.37 所属国家: Argentina 地区: Ciudad Autonoma de Buenos Aires 城市: Buenos Aires 纬度: -34.603600 经度: -58.381554
grs.dbankcloud.cn	IP: 49.4.40.185 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
kycwa.tencentcloudapi.com	IP: 42.193.129.244 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
log.snssdk.com	IP: 42.56.93.209 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
c-gtc.getui.nethttps	没有服务器地理信息.
test-wbd.kuwo.cn	IP: 111.206.98.20 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501

	经度: 116.397102
m.test.ximalaya.com	IP: 10.146.3.14 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
digitalkeypairing.org	IP: 34.210.173.62 所属国家: United States of America 地区: Oregon 城市: Portland 纬度: 45.523460 经度: -122.676468
music.163.com	IP: 220.197.30.65 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
www.tencentcloud.com	IP: 43.175.52.13 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
mobilegw.alipay.com	IP: 203.209.243.27 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
issuetracker.google.com	IP: 142.250.217.110 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
	IP: 118.194.33.160 所属国家: China

data-drcn.push.dbankcloud.com	地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
i.y.qq.com	IP: 140.206.162.227 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
rtapplog.snssdk.com	IP: 123.6.21.191 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
manual.sensorsdata.cn	IP: 61.182.131.226 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
astat.bugly.cros.wr.pvp.net	IP: 170.106.118.26 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
m.ximalaya.com	IP: 101.91.133.109 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
h5app-test.kuwo.cn	IP: 119.188.149.190 所属国家: China 地区: Shandong 城市: Jinan 纬度: 36.668331 经度: 116.997223

rtlog.snssdk.com	IP: 106.74.132.32 所属国家: China 地区: Shandong 城市: Jinan 纬度: 36.668331 经度: 116.997223
www.hyphenation.org	IP: 46.4.94.215 所属国家: Germany 地区: Bayern 城市: Gunzenhausen 纬度: 48.323860 经度: 11.601019
analytics.map.qq.com	IP: 125.36.181.143 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
miniprogram-kyc-test.tencentcloudapi.com	IP: 123.207.114.133 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
eadrax-bmw-na-dly-65732.firebaseio.com55https	没有服务器地理信息.
b2vapi.bmwgroup.com	IP: 160.46.245.252 所属国家: Germany 地区: Bayern 城市: Munich 纬度: 48.137428 经度: 11.575490
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
	IP: 4.184.67.169 所属国家: Germany

api.countly.bmwgroup.com	地区: Hessen 城市: Frankfurt am Main 纬度: 50.110882 经度: 8.681996
apmplus.volces.com	IP: 125.39.135.101 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
lbs-trpc.map.qq.com	IP: 116.130.224.82 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
confinfo.map.qq.com	IP: 116.130.223.83 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
h.trace.qq.com	IP: 113.56.189.246 所属国家: China 地区: Hubei 城市: Huangshi 纬度: 30.204170 经度: 115.077606
wbd.kuwo.cn	IP: 111.206.98.20 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
docs.flutter.dev	IP: 199.36.158.100 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514

mcgw.alipay.com	IP: 111.202.5.210 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
wappaygw.alipay.com	IP: 111.202.5.209 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
lbs6.map.qq.com	IP: 116.130.220.102 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
grs.dbankcloud.asia	IP: 49.4.40.185 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
otheve.beacon.qq.com	IP: 113.56.189.125 所属国家: China 地区: Hubei 城市: Huangshi 纬度: 30.204170 经度: 115.077606
d-gt.getui.com	没有服务器地理信息.
oss.aliyuncs.com	IP: 118.178.29.5 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

eadrax-bmw-na-dly-65732.firebaseio.com	IP: 35.201.97.85 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
c-hzgt2.getui.com	IP: 124.160.155.59 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000
api.countly.bmwusa.com	IP: 172.212.178.219 所属国家: United Kingdom of Great Britain and Northern Ireland 地区: England 城市: London 纬度: 51.508530 经度: -0.125740
nisportal.10010.com	IP: 124.64.196.20 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
api.countly-preprod.bmw.com.cn	IP: 143.64.49.130 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
idasc-kyc.tencentcloudapi.com	IP: 193.112.232.253 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700

	经度: -122.395203
apm.volccdn.com	IP: 123.6.149.140 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
127.0.0.1	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
resolver.msg.xiaomi.net	IP: 110.43.0.169 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
attest.approoval.com	IP: 34.49.166.75 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
h5.m.taobao.com	IP: 60.9.1.94 所属国家: China 地区: Hebei 城市: Hengshui 纬度: 37.732220 经度: 115.701157
nlp.map.qq.com	IP: 116.130.220.102 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 59.110.247.198 所属国家: China

im-int-api.lingyue-digital.com	地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
grs.dbankcloud.eu	没有服务器地理信息.
mon.snssdk.com	IP: 111.161.204.190 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
i.kuwo.cn	IP: 111.206.98.20 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
developer.mozilla.org	IP: 34.111.97.67 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
mobilegw.alipaydev.com	IP: 110.75.132.131 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.sl4j.org	IP: 195.15.222.169 所属国家: Switzerland 地区: Geneve 城市: Carouge 纬度: 46.180931 经度: 6.138709

URL信息	Uri所在文件
https://api.countly.bmwusa.com	ab/b.java
https://api.countly-preprod.bmwusa.com	ab/b.java
https://api.countly.bmwgroup.com	ab/b.java
https://api.countly-preprod.bmwgroup.com	ab/b.java
https://api.countly.bmw.com.cn	ab/b.java
https://api.countly-preprod.bmw.com.cn	ab/b.java
https://tdid.m.qq.com?mc=2	bv/c1.java
https://rttgsreport.map.qq.com/report	c/t/m/g/f3.java
https://cs.map.qq.com/key	c/t/m/g/f3.java
https://analytics.map.qq.com/	c/t/m/g/f3.java
https://analytics.map.qq.com/tr	c/t/m/g/f3.java
https://nlp.map.qq.com/	c/t/m/g/f3.java
https://lbs6.map.qq.com/k	c/t/m/g/f3.java
https://lbs6.map.qq.com/loc	c/t/m/g/f3.java
https://lbs-trpc.map.qq.com/k	c/t/m/g/f3.java
https://mt.map.qq.com/key	c/t/m/g/f3.java
https://corssdk.map.qq.com/key	c/t/m/g/f3.java
https://ltest.map.qq.com/nlpdr?sf	c/t/m/g/l.java
https://testdatalbs.sparta.html5.qq.com/tr?sf	c/t/m/g/l.java

https://testdatalbs.sparta.html5.qq.com/tr?wf4	c/t/m/g/j.java
https://testdatalbs.sparta.html5.qq.com/tr?utr	c/t/m/g/i.java
https://apis.map.qq.com/ws/geocoder/v1/?location=	c/t/m/g/g5.java
https://testlogin.kuwo.cn	cn/kuwo/auth/kwauthsdk/utls/e.java
https://i.kuwo.cn	cn/kuwo/auth/kwauthsdk/utls/e.java
https://test-wbd.kuwo.cn	cn/kuwo/auth/kwauthsdk/utls/e.java
https://wbd.kuwo.cn	cn/kuwo/auth/kwauthsdk/utls/e.java
https://h5app-test.kuwo.cn	cn/kuwo/auth/kwauthsdk/utls/e.java
https://h5app.kuwo.cn	cn/kuwo/auth/kwauthsdk/utls/e.java
https://ip.	com/alibaba/sdk/android/oss/OSSImpl.java
http://oss-cn-****.aliyuncs.com',or	com/alibaba/sdk/android/oss/OSSImpl.java
http://image.cnamedomain.com!	com/alibaba/sdk/android/oss/OSSImpl.java
http://oss-cn-hangzhou.aliyuncs.com	com/alibaba/sdk/android/oss/common/OSSConstants.java
http://oss.aliyuncs.com	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java
http://127.0.0.1	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java
http://oss-cn-****.aliyuncs.com',or	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java
http://image.cnamedomain.com!	com/alibaba/sdk/android/oss/internal/InternalRequestOperation.java
https://wappaygw.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/app/PayTask.java
https://wappaygw.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
http://wappaygw.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java

https://mclient.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/home/exterfaceAssign.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/home/exterfaceAssign.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/cashier/mobilepay.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/cashier/mobilepay.htm	com/alipay/sdk/app/PayTask.java
https://mobilegwpre.alipay.com/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
https://mobilegw.alipay.com/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
https://apmplus.volces.com/monitor/collect/c/cloudcontrol/file	com/apm/insight/runtime/ConfigManager.java
https://apmplus.volces.com/monitor/collect/c/native_bin_crash	com/apm/insight/runtime/ConfigManager.java
https://apmplus.volces.com/settings/get	com/apm/insight/runtime/ConfigManager.java
https://apmplus.volces.com/monitor/collect/c/core_dump_collect	com/apm/insight/runtime/ConfigManager.java
https://apmplus.volces.com/monitor/collect/c/crash_portrait	com/apm/insight/runtime/ConfigManager.java
https://apmplus.volces.com/monitor/collect/c/exception	com/apm/insight/runtime/ConfigManager.java
https://apmplus.volces.com/monitor/collect/c/logcollect	com/apm/insight/runtime/ConfigManager.java
https://apmplus.volces.com/monitor/collect/c/crash	com/apm/insight/runtime/ConfigManager.java
https://apmplus.volces.com/monitor/collect/c/exception/dump_collection	com/apm/insight/runtime/ConfigManager.java
https://apmplus.volces.com/monitor/collect/c/rapheal_file_collect	com/apm/insight/runtime/ConfigManager.java
https://apmplus.volces.com	com/apm/applog/UriConfig.java
https://int-b2vapi.bmwgroup.com	com/bmwgroup/connected/util/token/TokenConstants.java

https://b2vapi.bmwgroup.com	com/bmwgroup/connected/util/token/TokenConstants.java
http://www.google.com/kml/ext/2.2	com/bmwgroup/connected/util/kmz/KmzHelper.java
http://www.opengis.net/kml/2.2	com/bmwgroup/connected/util/kmz/KmzHelper.java
http://xmlpull.org/v1/doc/features.html	com/bmwgroup/connected/util/kmz/KmzHelper.java
https://attest.approval.com/token	com/criticalblue/approovsdk/h.java
https://miniprogram-kyc.tencentcloudapi.com/api/server/getAdvFacelId?orderNo=	com/example/face_live/FaceLivePlugin.java
https://miniprogram-kyc.tencentcloudapi.com/api/oauth2/api_ticket?app_id=	com/example/face_live/FaceLivePlugin.java
https://miniprogram-kyc.tencentcloudapi.com/api/oauth2/access_token?app_id=TIDA7OKt&secret=&grant_type=client_credential&version=1.0.0	com/example/face_live/SignUseCase.java
https://miniprogram-kyc.tencentcloudapi.com	com/example/face_live/SignUseCase.java
https://miniprogram-kyc.tencentcloudapi.com/api/oauth2/api_ticket?app_id=TIDA7OKt&access_token=	com/example/face_live/SignUseCase.java
https://c-gtc.getui.net,https://c-gtc.gepush.com	com/getui/gtc/c/b.java
https://gtc.getui.net,https://gtc.gepush.com	com/getui/gtc/c/b.java
https://b-gtc.getui.net,https://b-gtc.gepush.com	com/getui/gtc/c/b.java
https://sdk-open-phone.getui.com/api.php	com/igexin/push/a.java
https://c-hzgt2.getui.com/api.php	com/igexin/push/a.java
https://d-gt.getui.com/api.htm	com/igexin/push/a.java
https://bi.	com/igexin/push/config/b.java
https://config.	com/igexin/push/config/b.java
https://bi.	com/igexin/push/config/h.java
https://config.	com/igexin/push/config/h.java

http://www.example.com	com/pichillilorenzo/flutter_inappwebview/chrome_custom_tabs/CustomTabsHelper.java
https://en.wikipedia.org/wiki/Hostname	com/sensorsdata/analytics/android/sdk/SensorsDataAPI.java
https://manual.sensorsdata.cn/sa/latest/flutter-22257963.html\	com/sensorsdata/analytics/android/sdk/visual/utils/AlertMessageUtils.java
https://manual.sensorsdata.cn/sa/latest/tech_sdk_client_web_use-7545346.html\	com/sensorsdata/analytics/android/sdk/visual/utils/AlertMessageUtils.java
https://h.trace.qq.com/kv	com/tencent/bugly/idasc/proguard/ad.java
https://astat.bugly.qcloud.com/rqd/async	com/tencent/bugly/idasc/proguard/ac.java
https://astat.bugly.cros.wr.pvp.net/:8180/rqd/async	com/tencent/bugly/idasc/proguard/ac.java
https://android.bugly.qq.com/rqd/async	com/tencent/bugly/idasc/crashreport/common/strategy/StrategyBean.java
https://apis.map.qq.com/ws/	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/distance/v1/matrix	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/district/v1/getchildren	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/district/v1/list	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/district/v1/search	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/place/v1/explore	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/customapi/mobike/geocoder	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/geocoder/v1	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/streetview/v1/getpano	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/direction/v1/bicycling	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/direction/v1/driving	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/direction/v1/transit	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/direction/v1/trucking	com/tencent/lbssearch/httpresponse/UrlConstant.java

https://apis.map.qq.com/ws/direction/v1/walking	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/place/v1/detail	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/place/v1/search	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/place/v1/suggestion	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://apis.map.qq.com/ws/coord/v1/translate	com/tencent/lbssearch/httpresponse/UrlConstant.java
https://confinfo.map.qq.com/confinfo?	com/tencent/mapsdk/internal/qz.java
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuid=%s	com/tencent/mm/opensdk/diffdev/a/c.java
https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s×tamp=%s&scope=%s&signature=%s	com/tencent/mm/opensdk/diffdev/a/b.java
https://mp.weixin.qq.com/publicpoc/opensdkconf?action=GetShareConf&appid=%s&sdkVersion=%s&buffer=%s	com/tencent/mm/opensdk/openapi/WXAPISecurityHelper.java
https://ocr.tencentcloudapi.com	com/tencent/ocr/sdk/entity/OcrSetting.java
https://sdk.faceid.qq.com/api/v1/data/device-info	com/tencent/ocr/sdk/common/g.java
https://sdk.faceid.qq.com/api/common/error-report	com/tencent/ocr/sdk/common/g.java
https://111.230.161.197	com/tencent/ocr/sdk/net/c.java
https://www.tencentcloud.com/zh/document/product/1005/50444?!editLang=en	com/tencent/ocr/sdk/component/d.java
https://otheve.beacon.qq.com/analytics/v2_upload	com/tencent/tmsbeacon/base/net/b/b.java
https://othstr.beacon.qq.com/analytics/v2_upload	com/tencent/tmsbeacon/base/net/b/b.java
https://h.trace.qq.com/kv	com/tencent/tmsbeacon/a/b/d.java
https://im-int-api.lingyue-digital.com/api/tcbusApi/api/sdk/v1	com/tinet/timclientlib/common/consts/TUrlConstants.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fh.java

http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fw.java
https://%1\$/gslb/?ver=5.0	com/xiaomi/push/ch.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fx.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/ex.java
http://10.38.162.35:9085	com/xiaomi/push/service/q.java
https://cn.register.xmpush.xiaomi.com	com/xiaomi/push/service/q.java
https://resolver.msg.xiaomi.net/psc/?t=a	com/xiaomi/push/service/ax.java
https://nisportal.10010.com:9001	com/zx/a/l8b7/h1.java
https://zxid-m.mobileservice.cn/sdk/config/v2/init	com/zx/a/l8b7/p.java
https://zxid-m.mobileservice.cn/sdk/config/init	com/zx/a/l8b7/m.java
https://zxid-m.mobileservice.cn/sdk/app/depAnalysis	com/zx/a/l8b7/f1.java
https://zxid-m.mobileservice.cn/sdk/module/getCoreModule	com/zx/a/l8b7/h0.java
https://zxid-m.mobileservice.cn/sdk/uaid/reportAuthToken	com/zx/a/l8b7/x1.java
https://zxid.mobileservice.cn/privacy	com/zx/a/l8b7/n3.java
https://zxid-m.mobileservice.cn/sdk/config/token	com/zx/a/l8b7/n.java
https://zxid-m.mobileservice.cn/sdk/uaid/get	com/zx/a/l8b7/y1.java
https://zxid-m.mobileservice.cn/sdk/extend/tag	com/zx/a/l8b7/e2.java
https://zxid-m.mobileservice.cn/sdk/ext/pconfig	com/zx/a/l8b7/g.java
https://zxid-m.mobileservice.cn/sdk/channel/report	com/zx/a/l8b7/r1.java
https://api.ximalaya.com/oauth2/v2/authorize?	com/ximalaya/ting/android/opensdk/auth/component/XmlyBrowserComponent.java
https://api.test.ximalaya.com/oauth2/v2/authorize?	com/ximalaya/ting/android/opensdk/auth/component/XmlyBrowserComponent.java

http://www.slf4j.org/codes.html	ca0/d.java
http://www.slf4j.org/codes.html	ca0/c.java
http://logback.qos.ch/codes.html	f6/g.java
https://mobilegw.alipay.com/mgw.htm	f8/a.java
https://github.com/Baseflow/flutter-permission-handler/issues	h9/o.java
https://docs.flutter.dev/deployment/android	io/flutter/embedding/engine/loader/FlutterLoader.java
https://developer.android.com/guide/topics/permissions/overview	io/flutter/plugin/platform/PlatformPlugin.java
https://realm.io/docs/java/latest/	io/realm/r0.java
https://docs.mongodb.com/realm/sdk/android/install/	io/realm/k0.java
https://github.com/realm/realm-java/tree/master/examples/rxjavaExample	io/realm/k0.java
https://issuetracker.google.com/issues/36918154	io/realm/d0.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/j.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/f.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/w.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/b.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/n.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/b.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/h.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/z.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/f.java

https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/rxjava3/core/q.java
https://developer.android.com/reference/com/google/android/play/core/review/model/ReviewErrorCode.html	km/a.java
https://invalidURLmyBMW	jb/f.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	lz/d.java
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	lz/f.java
http://xml.org/sax/features/validation	o6/e.java
http://xml.org/sax/features/namespace	o6/e.java
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	oy/f.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	oy/d.java
https://invalidURLmyBMW	pb/b.java
http://logback.qos.ch/codes.html	t6/f.java
https://kyccdn.tencentcloudapi.com	us/c.java
https://log.snssdk.com/apm/device_register	v/s.java
https://ichannel.snssdk.com/service/2/app_alert_check/	v/s.java
https://log.snssdk.com/monitor/collect/c/session	v/s.java
https://applog.snssdk.com/monitor/collect/c/session	v/s.java
https://rtlog.snssdk.com/monitor/collect/c/session	v/s.java
https://rtapplog.snssdk.com/monitor/collect/c/session	v/s.java
https://log.snssdk.com/service/2/log_settings/	v/s.java
https://toblog-alink.ctobsnssdk.com/service/2/attribution_data	v/s.java

https://toblog-alink.ctobsnssdk.com/service/2/alink_data	v/s.java
https://apmplus.volces.com/apm/device_register	v/s.java
https://apmplus.volces.com/monitor/collect/c/session	v/s.java
https://mobilegw.alipaydev.com/mgw.htm	u8/l.java
https://mobilegw.dl.alipaydev.com/mgw.htm	u8/l.java
https://digitalkeypairing.org/v1/%s?friendlyName=%s&technology=%s&graphics=%s&fromWallet=%s	wq/e.java
https://kycwa.tencentcloudapi.com/rcrm-codcs/mob-data-collect	vt/b.java
http://logback.qos.ch/codes.html	x6/t.java
https://github.com/bluefireteam/audioplayers/blob/main/troubleshooting.md	za0/m.java
https://github.com/grpc/grpc-java/issues/11492	ze/j.java
https://kycwa.tencentcloudapi.com/rcrm-codcs/mob-data-collect	ys/e.java
https://idasc-kyc.tencentcloudapi.com	ys/c.java
https://idasc-kyc-test.tencentcloudapi.com	ys/c.java
https://miniprogram-kyc.tencentcloudapi.com	ys/c.java
https://miniprogram-kyc-test.tencentcloudapi.com	ys/c.java
http://logback.qos.ch/codes.html	w6/h.java
http://logback.qos.ch/codes.html	w6/b.java
http://logback.qos.ch/codes.html	w6/g.java
http://logback.qos.ch/codes.html	fa0/a.java
https://i.y.qq.com/n2/m/	ja/l.java
https://github.com/bluefireteam/audioplayers/blob/main/troubleshooting.md	ab0/n.java

https://invalidURLmyBMW	sc/a.java
http://logback.qos.ch/codes.html	n6/e.java
https://h5.m.taobao.com/mlapp/olist.html	h8/a.java
https://m.ximalaya.com/login?	xw/c.java
http://m.test.ximalaya.com/login?	xw/c.java
https://m.ximalaya.com/xiaoya/login?	xw/c.java
http://m.test.ximalaya.com/xiaoya/login?	xw/c.java
https://api.ximalaya.com/oauth2/v2/authorize?	xw/c.java
http://api.test.ximalaya.com/oauth2/v2/authorize?	xw/c.java
https://mon.snssdk.com/monitor/collect/c/cloudcontrol/file	k5/a.java
https://mcgw.alipay.com/sdklog.do	o8/c.java
https://loggw-exsdk.alipay.com/loggw/logUpload.do	o8/d.java
https://databyterangers.com.cn	n/a.java
https://invalidURLmyBMW	kb/b.java
https://music.163.com/st/platform/oauth/authorize?clientId=	ia/b.java
https://pub.dev/packages/in_app_review	cx/d.java
https://play.google.com/store/apps/details?id=	cx/d.java
https://eadrax-bmw-na-dly-65732.firebaseio.com	摸瓜V1引擎
https://journeyapps.com/	摸瓜V1引擎
https://github.com/journeyapps/zxing-android-embedded	摸瓜V1引擎

https://data-drcn.push.dbankcloud.com	摸瓜V2引擎
https://data-dra.push.dbankcloud.com	摸瓜V2引擎
https://data-dre.push.dbankcloud.com	摸瓜V2引擎
https://data-drru.push.dbankcloud.com	摸瓜V2引擎
https://metrics1-drcn.dt.dbankcloud.cn:443	摸瓜V2引擎
https://metrics-dra.dt.hicloud.com:6447	摸瓜V2引擎
https://metrics2.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.dt.dbankcloud.ru:6447	摸瓜V2引擎
https://grs.dbankcloud.com	摸瓜V2引擎
https://grs.dbankcloud.cn	摸瓜V2引擎
https://grs.dbankcloud.asia	摸瓜V2引擎
https://grs.platform.dbankcloud.ru	摸瓜V2引擎
https://grs.dbankcloud.eu	摸瓜V2引擎
https://apm.volccdn.com/mars-web/apmplus/web/browser.cn.js?aid=0&globalName=	摸瓜V2引擎
https://github.com/richttr/NoSleep.js/issues/15	摸瓜V2引擎
https://developer.mozilla.org/en-US/docs/Web/API/WakeLockSentinel/released	摸瓜V2引擎
https://eadrax-bmw-na-dly-65732.firebaseio.com	摸瓜V3引擎
https://github.com/journeyapps/zxing-android-embedded	摸瓜V3引擎
http://www.hyphenation.org/tex	摸瓜V3引擎
https://eadrax-bmw-na-dly-65732.firebaseio.com55https://github.com/journeyapps/zxing-android-embedde	摸瓜V3引擎

https://data-drcn.push.dbankcloud.com	摸瓜V3引擎
https://journeyapps.com/	摸瓜V3引擎
http://schemas.android.com/apk/res-auto	摸瓜V3引擎
https://data-dra.push.dbankcloud.com	摸瓜V3引擎
https://data-drru.push.dbankcloud.com	摸瓜V3引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V3引擎
http://schemas.android.com/aapt	摸瓜V3引擎
https://data-dre.push.dbankcloud.com	摸瓜V3引擎
http://schemas.android.com/apk/res/android	摸瓜V3引擎
https://api.flutter.dev/flutter/material/Scaffold/of.html	lib/arm64-v8a/libapp.so

 邮箱线索

邮箱地址	所在文件
poi_icon@2x.png poi_icon_indoor_ex@2x.png icon_indoor_ex_night@2x.png	com/tencent/mapsdk/internal/em.java
try_loyalty_purchase@3x.webp phone-rsu-darkmode@3x.webp phone-rsu-lightmode@3x.webp ent-modal-banner-bmw@3x.webp nt-modal-banner-mini@3x.webp interiorid7@2x.webp interiorid8c@2x.webp map_icon_driver@2x.png caextendedwarranty@2x.webp cawarranty@2x.webp	摸瓜V2引擎

18@2x.webp 1@2x.webp 2@2x.webp 3@2x.webp 4@2x.webp 5@2x.webp 6@2x.webp 7@2x.webp 8@2x.webp 9@2x.webp 10@2x.webp 11@2x.webp 12@2x.webp 13@2x.webp 14@2x.webp 15@2x.webp 16@2x.webp 17@2x.webp 19@2x.webp 20@2x.webp 21@2x.webp 22@2x.webp 23@2x.webp 24@2x.webp 25@2x.webp 26@2x.webp 27@2x.webp 28@2x.webp	摸瓜V2引擎
cheng.cui@partner.bmw siman.chuan@partner.bmw	摸瓜V2引擎

手机线索

手机号	所在文件
13222222222	bv/p2.java
14222222222	bv/p2.java
17146314752	j70/j.java
17512775099	pm/a.java

13129340006	v70/g.java
15311520693	lib/arm64-v8a/libYTImageRefinerPub.so
15713703727	lib/arm64-v8a/libYTImageRefinerPub.so
13755503429	lib/arm64-v8a/libYTImageRefinerPub.so
18988633568	lib/arm64-v8a/libYTImageRefinerPub.so
15735274653	lib/arm64-v8a/libapp.so
14736395667	lib/arm64-v8a/libapp.so
14603134346	lib/arm64-v8a/libapp.so
17461238838	lib/arm64-v8a/libapp.so
14083424482	lib/arm64-v8a/libapp.so
14054271516	lib/arm64-v8a/libapp.so
16360377347	lib/arm64-v8a/libapp.so
15866282137	lib/arm64-v8a/libapp.so
13272299608	lib/arm64-v8a/libapp.so
14521158961	lib/arm64-v8a/libapp.so
15220060793	lib/arm64-v8a/libapp.so
16634220692	lib/arm64-v8a/libapp.so
18303205052	lib/arm64-v8a/libapp.so
18219420711	lib/arm64-v8a/libapp.so
13866236427	lib/arm64-v8a/libapp.so

14463071505	lib/arm64-v8a/libapp.so
17050179402	lib/arm64-v8a/libapp.so
17842439106	lib/arm64-v8a/libapp.so
13526311248	lib/arm64-v8a/libapp.so
13928158214	lib/arm64-v8a/libapp.so
16773195083	lib/arm64-v8a/libapp.so
17307014824	lib/arm64-v8a/libapp.so
18291378369	lib/arm64-v8a/libapp.so
15612168314	lib/arm64-v8a/libapp.so
15402316060	lib/arm64-v8a/libapp.so
14948291004	lib/arm64-v8a/libapp.so
18038034181	lib/arm64-v8a/libapp.so
17940498824	lib/arm64-v8a/libapp.so
16541071428	lib/arm64-v8a/libapp.so
13616389093	lib/arm64-v8a/libapp.so
13581355212	lib/arm64-v8a/libapp.so
15607138198	lib/arm64-v8a/libapp.so

签名证书

APK已签名

v1 签名: True

v2 签名: True

v3 签名: False
找到 1 个唯一证书
主题: C=Unknown, ST=Unknown, L=Unknown, O=Unknown, OU=Unknown, CN=Unknown
签名算法: rsassa_pkcs1v15
有效期自: 2020-07-02 10:04:52+00:00
有效期至: 2047-11-18 10:04:52+00:00
发行人: C=Unknown, ST=Unknown, L=Unknown, O=Unknown, OU=Unknown, CN=Unknown
序列号: 0x4a8d0ac3
哈希算法: sha256
md5值: 7b2de4f9952910daa92313fbe89f03f2
sha1值: 767d9ed693b4ce11cd5c399b2da395c1a95044ef
sha256值: 2416a50735c83d18dd7589ac76b2521b3cf88286a15afecd998dd8dbc4f9893c
sha512值: 09ea13e52992c0346e2524a12173b3e219f6ca3f459a35b8996c0072cf5950fd11562d09eafff40141e4f838cd30ebef63199459ace70983a59eaaf8bc693f12
公钥算法: rsa
密钥长度: 2048
指纹: 408d7cef296779e6c3208f3a42630cd49bf8136a7c4b49dc15f566dde96ca17b

🔑 硬编码敏感信息

可能的敏感信息
"auth_failure_token_failuer" : "The network is unstable, please retry."
"firebase_database_url" : "https://eadrax-bmw-na-dly-65732.firebaseio.com"
"google_api_key" : "AlzaSyAICUWiGaWXA2eWeTJlHrgiqClJco9T_2c"
"google_crash_reporting_api_key" : "AlzaSyAICUWiGaWXA2eWeTJlHrgiqClJco9T_2c"
"library_zxingandroidembedded_author" : "JourneyApps"
"library_zxingandroidembedded_authorWebsite" : "https://journeyapps.com/"
"auth_failure_token_failuer" : "网络异常，请重试。"

🔒 加壳分析

加壳类型	所属文件

登陆摸瓜网站后查看	
-----------	--

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.USE_BIOMETRIC	正常		允许应用使用设备支持的生物识别模式。
android.permission.ACCESS_FINE_LOCATION	危险	精细定位（GPS）	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
		...	

android.permission.POST_NOTIFICATIONS	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_IMAGES	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
android.permission.BLUETOOTH_CONNECT	未知	Unknown permission	Unknown permission from android reference
com.google.android.gms.dck.permission.DIGITAL_KEY_READ	未知	Unknown permission	Unknown permission from android reference
com.google.android.gms.dck.permission.DIGITAL_KEY_WRITE	未知	Unknown permission	Unknown permission from android reference
org.carconnectivity.android.digitalkey.permission.DIGITAL_KEY_WRITE	未知	Unknown permission	Unknown permission from android reference
org.carconnectivity.android.digitalkey.permission.DIGITAL_KEY_READ	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH_SCAN	未知	Unknown permission	Unknown permission from android reference
android.permission.NFC	正常	控制近场通信	允许应用程序与近场通信 (NFC) 标签、卡和读卡器进行通信
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.READ_MEDIA_VIDEO	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_AUDIO	未知	Unknown permission	Unknown permission from android reference
ANDROID.PERMISSION.CAMERA	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_WIFI_STATE	正常	查看 Wi-Fi 状态	允许应用程序查看有关 Wi-Fi 状态的信息

android.permission.ACCESS_MEDIA_LOCATION	危险	访问的任何地理位置	允许应用程序访问的任何地理位置持久保存在用户的共享集合
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令，恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.FOREGROUND_SERVICE_CONNECTED_DEVICE	未知	Unknown permission	Unknown permission from android reference
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.FOREGROUND_SERVICE_MEDIA_PLAYBACK	未知	Unknown permission	Unknown permission from android reference
android.permission.USE_FINGERPRINT	正常	allow use of指纹	该常量在 API 级别 28 中已被弃用。应用程序应改为请求 USE_BIOMETRIC
de.bmw.connected.mobile20.cn.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	未知	Unknown permission	Unknown permission from android reference
com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.heytap.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.SCHEDULE_EXACT_ALARM	正常		允许应用程序使用精确的警报调度 API 来执行对时间敏感的后台工作
getui.permission.GetuiService.de.bmw.connected.mobile20.cn	未知	Unknown permission	Unknown permission from android reference
com.vivo.notification.permission.BADGE_ICON	未知	Unknown permission	Unknown permission from android reference
de.bmw.connected.mobile20.cn.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference

		permission	
de.bmw.connected.mobile20.cn.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
de.bmw.connected.mobile20.cn.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
org.carconnectivity.android.digitalkey.permission.DIGITAL_KEY_PRIVILEGED	未知	Unknown permission	Unknown permission from android reference
com.hihonor.push.permission.READ_PUSH_NOTIFICATION_INFO	未知	Unknown permission	Unknown permission from android reference
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.mobileconnected.MainActivity	Schemes: https://, de.bmw.connected.mobile20.cn://, com.bmw.connected://, wechatextmsg://, de.bmw.connected.mobile20.cn.bmw.qqmusic://, gtpushscheme://, mybmwmobile://, Hosts: mobile20-express.bmw.com.cn, @string/lwa_host, @string/incarlogin_host, @string/customer_host, registerComplete, @string/deeplink_host, @string/digital_key_first_host, esim, route, de.bmw.connected.mobile20.cn, com.mobile.connected, Mime Types: text/*, Paths: /, /main, Path Patterns: @string/lwa_pathPattern, @string/incarlogin_pathPattern, @string/customer_pathPattern, @string/deeplink_pathPattern, @string/digital_key_first_short_pathPattern, @string/digital_key_first_pathPattern,