



MoGua

湾沚防汛巡查 1.0.9.APK 分析报告



APP名称:	湾沚防汛巡查
包名:	com.jinhe.newwanzhang
域名线索:	58条
URL线索:	71条
邮箱线索:	2条
分析日期:	2025年6月27日
分析平台:	摸瓜APK反编译平台

📁 文件信息

文件名: app.apk
文件大小: 104.2MB
MD5值: 87832d5c274813cde9257481fab6e467
SHA1值: 79f581e07736388fbd8bb3413b7925157972751a
SHA256值: 85bc0c3ea5d156de0b77524069291345168fbbd1ece4e0280b56ef4f85336541

i APP 信息

App名称: 湾沚防汛巡查
包名: com.jinhe.newwanzhang
主活动Activity: com.jinhe.newwanzhang.activity.SplashActivity
安卓版本名称: 1.0.9
安卓版本: 9

🔍 域名线索

域名	服务器信息
abroad.apilocate.amap.com	IP: 59.82.44.11 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
wz.njningtu.com	IP: 223.240.82.123 所属国家: China 地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830

adiu.amap.com	IP: 110.253.189.146 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
api.mapbox.com	IP: 13.35.37.129 所属国家: Taiwan (Province of China) 地区: Taipei 城市: Taipei 纬度: 25.038172 经度: 121.563599
wprd0d.is.autonavi.com	没有服务器地理信息.
mdc.html5.qq.com	IP: 125.39.196.199 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
debugtbs.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
debugx5.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
www.zhihu.com	IP: 116.196.155.61 所属国家: China 地区: Zhejiang 城市: jinhua 纬度: 30.013470 经度: 120.288658
211.141.223.166	IP: 211.141.223.166 所属国家: China 地区: Anhui 城市: Ma'anshan 纬度: 31.695681 经度: 118.498253
wzq.wzswj.top	没有服务器地理信息.
apps.mapbox.com	IP: 3.166.205.110 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.627499 经度: -122.346199
	IP: 59.82.31.183 所属国家: China 地区: Zhejiang

dualstack-a.apilocate.amap.com	城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.jianshu.com	IP: 39.98.74.233 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
api.tianditu.gov.cn	IP: 218.12.76.154 所属国家: China 地区: Hebei 城市: Tangshan 纬度: 39.633331 经度: 118.183327
www.mapbox.com	IP: 151.101.40.143 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
cfg.imtt.qq.com	IP: 60.29.240.17 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
restsdk.amap.com	IP: 106.11.43.113 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
pms.mb.qq.com	IP: 60.29.240.17 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
lbs.amap.com	IP: 110.253.189.212 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
yuntuapi.amap.com	没有服务器地理信息.
m5.amap.com	IP: 106.11.43.74 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 38.14.95.188

cw.gzyunjuchuang.com	所属国家: United States of America 地区: District of Columbia 城市: Washington 纬度: 38.901566 经度: -77.050781
segmentfault.com	IP: 8.152.202.66 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
juejin.im	IP: 103.136.220.205 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
www.baidu.com	IP: 110.242.70.57 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
photocdn.sohu.com	IP: 61.49.23.101 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mqqad.html5.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
p6-juejin.byteimg.com	IP: 116.136.185.7 所属国家: China 地区: Nei Mongol 城市: Hohhot 纬度: 40.810650 经度: 111.650665
wup.imtt.qq.com	IP: 125.39.104.63 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
apiinit.amap.com	IP: 59.82.132.217 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
	IP: 119.167.147.86 所属国家: China

soft.tbs.imtt.qq.com	地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
schemas.android.com	没有服务器地理信息.
log.tbs.qq.com	IP: 124.95.224.248 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
qm.qq.com	IP: 116.130.223.44 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
t0.tianditu.gov.cn	IP: 49.4.56.26 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
223.240.82.123	IP: 223.240.82.123 所属国家: China 地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830
t.1yb.co	IP: 111.230.191.217 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
xml.org	IP: 104.239.142.8 所属国家: United States of America 地区: Texas 城市: Windcrest 纬度: 29.499678 经度: -98.399246
www.w3.org	IP: 104.18.22.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
wap.amap.com	IP: 116.142.235.227 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

mpsapi.amap.com	IP: 106.11.43.68 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mp.weixin.qq.com	IP: 220.196.132.78 所属国家: China 地区: Jiangsu 城市: Zhenjiang 纬度: 32.209366 经度: 119.434372
cgicol.amap.com	IP: 110.253.189.211 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
gitee.com	IP: 180.76.199.13 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
user-gold-cdn.xitu.io	没有服务器地理信息.
mst01.is.autonavi.com	IP: 110.253.189.211 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
www.toutiao.com	IP: 124.95.172.18 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
apilocate.amap.com	IP: 59.82.31.183 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
wthrcdn.etch.cn	没有服务器地理信息.
xml.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco

	纬度: 37.775700 经度: -122.395203
space.bilibili.com	IP: 221.204.56.95 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
www.unkownwebsiteblog.me	IP: 103.224.182.215 所属国家: Australia 地区: Victoria 城市: Beaumaris 纬度: -37.982201 经度: 145.038940
dualstack.apilocate.amap.com	IP: 59.82.31.183 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
wb.amap.com	IP: 110.253.189.212 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
dualstack-arestapi.amap.com	IP: 59.82.132.217 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

 URL线索

URL信息	Url所在文件
http://apache.org/xml/features/disallow-doctype-decl	cn/hutool/core/util/XmlUtil.java
http://xml.org/sax/features/external-general-entities	cn/hutool/core/util/XmlUtil.java
http://xml.org/sax/features/external-parameter-entities	cn/hutool/core/util/XmlUtil.java
http://apache.org/xml/features/nonvalidating/load-external-dtd	cn/hutool/core/util/XmlUtil.java
http://xml.apache.org/xslt	cn/hutool/core/util/XmlUtil.java
http://apilocate.amap.com/mobile/binary	com/amap/api/col/p0003nstrl/so.java
http://dualstack.apilocate.amap.com/mobile/binary	com/amap/api/col/p0003nstrl/so.java
https://adiu.amap.com/ws/device/adius	com/amap/api/col/p0003nstrl/ou.java

http://cgicol.amap.com/collection/collectData?src=baseCol&ver=v74&	com/amap/api/col/p0003nstrl/qp.java
http://restsdk.amap.com/v3	com/amap/api/col/p0003nstrl/is.java
https://restsdk.amap.com/v3	com/amap/api/col/p0003nstrl/is.java
http://restsdk.amap.com/v4	com/amap/api/col/p0003nstrl/is.java
https://restsdk.amap.com/v4	com/amap/api/col/p0003nstrl/is.java
http://yuntuapi.amap.com	com/amap/api/col/p0003nstrl/is.java
https://yuntuapi.amap.com	com/amap/api/col/p0003nstrl/is.java
http://restsdk.amap.com/rest/me/cpoint	com/amap/api/col/p0003nstrl/is.java
https://restsdk.amap.com/rest/me/cpoint	com/amap/api/col/p0003nstrl/is.java
http://m5.amap.com/ws/mapapi/shortaddress/transform	com/amap/api/col/p0003nstrl/is.java
https://m5.amap.com/ws/mapapi/shortaddress/transform	com/amap/api/col/p0003nstrl/is.java
https://restsdk.amap.com/sdk/compliance/params	com/amap/api/col/p0003nstrl/ny.java
http://restsdk.amap.com/sdk/compliance/params	com/amap/api/col/p0003nstrl/ny.java
http://restsdk.amap.com	com/amap/api/col/p0003nstrl/my.java
http://restsdk.amap.com/v3/assistant/inputtips?	com/amap/api/col/p0003nstrl/fm.java
http://apiinit.amap.com/v3/log/init	com/amap/api/col/p0003nstrl/mp.java
http://restsdk.amap.com/v3/place/text?	com/amap/api/col/p0003nstrl/a.java
http://restsdk.amap.com/v3/config/district?	com/amap/api/col/p0003nstrl/a.java
http://restsdk.amap.com/v3/place/around?	com/amap/api/col/p0003nstrl/a.java
https://dualstack-arestapi.amap.com/v3/iasdkauth	com/amap/api/col/p0003nstrl/mo.java
https://restsdk.amap.com/v3/iasdkauth	com/amap/api/col/p0003nstrl/mo.java
http://restsdk.amap.com/v3/batch?key=	com/amap/api/col/p0003nstrl/fn.java
http://restsdk.amap.com/v4/grasroad/driving?	com/amap/api/col/p0003nstrl/kw.java
http://restsdk.amap.com/v4/gridmap?	com/amap/api/col/p0003nstrl/dc.java
http://restsdk.amap.com/v4/gridmap?	com/amap/api/col/p0003nstrl/db.java
http://wprd0%d.is.autonavi.com/appmaptile?	com/amap/api/col/p0003nstrl/db.java
http://restsdk.amap.com/v4	com/amap/api/col/p0003nstrl/r.java
http://restsdk.amap.com	com/amap/api/col/p0003nstrl/hd.java

http://restsdk.amap.com/v4	com/amap/api/col/p0003nstrl/co.java
http://wb.amap.com/?r=%f,%f,%s,%f,%f,%s,%d,%d,%s,%s,%s&sourceapplication=openapi/0	com/amap/api/col/p0003nstrl/kq.java
http://wb.amap.com/?q=%f,%f,%s&sourceapplication=openapi/0	com/amap/api/col/p0003nstrl/kq.java
http://wb.amap.com/?n=%f,%f,%f,%d&sourceapplication=openapi/0	com/amap/api/col/p0003nstrl/kq.java
http://wb.amap.com/?p=%s,%f,%f,%s,%s&sourceapplication=openapi/0	com/amap/api/col/p0003nstrl/kq.java
http://mpsapi.amap.com/ws/mps/lyrdata/ugc/\	com/amap/api/col/p0003nstrl/k.java
http://wap.amap.com/	com/amap/api/maps/AMapUtils.java
http://restsdk.amap.com/v4/stats/alitts	com/amap/api/navi/core/network/h.java
http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/	com/amap/api/location/AMapLocation.java
http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/	com/autonavi/amap/mapcore/Inner_3dMap_lo
http://restsdk.amap.com/rest/lbs/dem/dataservice?z=%d&x=%d&y=%d&type=2	com/autonavi/base/ae/gmap/TerrainOverlayPr
http://mst01.is.autonavi.com/appmaptile?z=%d&x=%d&y=%d&lang=zh_cn&size=1&scale=1&style=6	com/autonavi/base/ae/gmap/TerrainOverlayPr
http://mpsapi.amap.com/	com/autonavi/base/ae/gmap/GLMapEngine.jav
http://m5.amap.com/	com/autonavi/base/ae/gmap/GLMapEngine.jav
http://m5.amap.com/	com/autonavi/base/amap/mapcore/maploade
http://apilocate.amap.com/mobile/binary	com/autonavi/aps/amapapi/utills/b.java
http://dualstack-a.apilocate.amap.com/mobile/binary	com/autonavi/aps/amapapi/utills/b.java
http://abroad.apilocate.amap.com/mobile/binary	com/autonavi/aps/amapapi/utills/b.java
http://abroad.apilocate.amap.com/mobile/binary	com/autonavi/aps/amapapi/utills/g.java
http://abroad.apilocate.amap.com/mobile/binary	com/autonavi/aps/amapapi/trans/a.java
http://dualstack-arestapi.amap.com/v3/geocode/regeo	com/autonavi/aps/amapapi/trans/c.java
http://restsdk.amap.com/v3/geocode/regeo	com/autonavi/aps/amapapi/trans/c.java
http://photocdn.sohu.com/tvmobilemvms/20150907/144160323071011277.jpg	com/jinhe/newwanzhang/utills/DemoDataProvi
http://photocdn.sohu.com/tvmobilemvms/20150907/144158380433341332.jpg	com/jinhe/newwanzhang/utills/DemoDataProvi
http://photocdn.sohu.com/tvmobilemvms/20150907/144160286644953923.jpg	com/jinhe/newwanzhang/utills/DemoDataProvi
http://photocdn.sohu.com/tvmobilemvms/20150902/144115156939164801.jpg	com/jinhe/newwanzhang/utills/DemoDataProvi
http://photocdn.sohu.com/tvmobilemvms/20150907/144159406950245847.jpg	com/jinhe/newwanzhang/utills/DemoDataProvi
http://mp.weixin.qq.com/mp/homepage?__biz=Mzg2NjA3NDIyMA==&hid=5&sn=bdee5aafe9cc2e0a618d055117c84139&scene=18	com/jinhe/newwanzhang/utills/DemoDataProvi

https://p6-juejin.byteimg.com/tos-cn-i-k3u1fbpfcp/463930705a844f638433d1b26273a7cf	com/jinhe/newwanzhang/utis/DemoDataProvi
https://juejin.im/post/5c3ed1dae51d4543805ea48d	com/jinhe/newwanzhang/utis/DemoDataProvi
https://user-gold-cdn.xitu.io/2019/1/16/1685563ae5456408?imageView2/0/w/1280/h/960/format/webp/ignore-error/1	com/jinhe/newwanzhang/utis/DemoDataProvi
https://juejin.im/post/5b480b79e51d45190905ef44	com/jinhe/newwanzhang/utis/DemoDataProvi
https://user-gold-cdn.xitu.io/2018/7/13/16492d9b7877dc21?imageView2/0/w/1280/h/960/format/webp/ignore-error/1	com/jinhe/newwanzhang/utis/DemoDataProvi
https://juejin.im/post/5b6b9b49e51d4576b828978d	com/jinhe/newwanzhang/utis/DemoDataProvi
https://user-gold-cdn.xitu.io/2018/8/9/1651c568a7e30e02?imageView2/0/w/1280/h/960/format/webp/ignore-error/1	com/jinhe/newwanzhang/utis/DemoDataProvi
https://juejin.im/post/5c6fc0cdf265da2dda694f05	com/jinhe/newwanzhang/utis/DemoDataProvi
https://user-gold-cdn.xitu.io/2019/2/22/16914891cd8a950a?imageView2/0/w/1280/h/960/format/webp/ignore-error/1	com/jinhe/newwanzhang/utis/DemoDataProvi
https://gitee.com/xuexiangjys/TemplateAppProject/raw/master/LICENSE	com/jinhe/newwanzhang/utis/Utils.java
https://gitee.com/	com/jinhe/newwanzhang/utis/sdkinit/XBasicLi
http://api.tianditu.gov.cn/geocoder?postStr=	com/jinhe/newwanzhang/modules/river/Quest
http://223.240.82.123:6080/arcgis/rest/services/WZHZZ/MapServer/40/query?where=riverid%3D%27	com/jinhe/newwanzhang/modules/river/Inspe
http://api.tianditu.gov.cn/geocoder?postStr=	com/jinhe/newwanzhang/modules/web/Custoi
http://223.240.82.123:6080/arcgis/rest/services/WZHZZ/MapServer/40/query?where=riverid%3D%27	com/jinhe/newwanzhang/modules/Area/Inspe
http://api.tianditu.gov.cn/geocoder?postStr=	com/jinhe/newwanzhang/modules/Area/AreaC
http://api.tianditu.gov.cn/geocoder?postStr=	com/jinhe/newwanzhang/modules/dike/DikeM
https://wz.njningtu.com:8086/api/	com/jinhe/newwanzhang/config/Api.java
https://wzq.wzswj.top:8085	com/jinhe/newwanzhang/config/Api.java
http://223.240.82.123:9015	com/jinhe/newwanzhang/config/Api.java
https://wz.njningtu.com:8086/newArcgis	com/jinhe/newwanzhang/config/Api.java
http://223.240.82.123:6080/arcgis/rest/services/WZHZZ/MapServer/41/query?returnGeometry=true&where=1=1&outSR=4326&outFields=*&inSr=4326&geometry=undefined&geometryType=esriGeometryEnvelope&spatialRel=esriSpatialRelIntersects&geometryPrecision=6&f=json&callback=jsonCallBack471024	com/jinhe/newwanzhang/config/Api.java
https://www.baidu.com/	com/jinhe/newwanzhang/core/webview/BaseA
http://www.unkownwebsiteblog.me	com/jinhe/newwanzhang/core/webview/Agent
http://cw.gzyunjuchuang.com/	com/jinhe/newwanzhang/core/webview/Agent
https://www.baidu.com/	com/jinhe/newwanzhang/core/webview/XPage
http://api.tianditu.gov.cn/geocoder?postStr=	com/jinhe/newwanzhang/fragment/utilFragme
http://wthrcdn.etouch.cn/weather_mini?city=	com/jinhe/newwanzhang/fragment/utilFragme

http://api.tianditu.gov.cn/geocoder?postStr=	com/jinhe/newwanzhang/fragment/main/Main
http://211.141.223.166:6080/arcgis/rest/services/js wz/MapServer/export?dpi=96&transparent=true&format=png8&layers=&bbox=	com/jinhe/newwanzhang/mapbox/layer/LayerI
http://t0.tianditu.gov.cn/DataServer?tk=ac3c69d0b0f1b7aafc7d946ef387ae61&T=cia_w&x=	com/jinhe/newwanzhang/mapbox/layer/layerC
http://t0.tianditu.gov.cn/DataServer?tk=ac3c69d0b0f1b7aafc7d946ef387ae61&T=cva_w&x=	com/jinhe/newwanzhang/mapbox/layer/layerC
http://t0.tianditu.gov.cn/DataServer?tk=ac3c69d0b0f1b7aafc7d946ef387ae61&T=img_w&X=	com/jinhe/newwanzhang/mapbox/layer/layerC
http://t0.tianditu.gov.cn/DataServer?tk=ac3c69d0b0f1b7aafc7d946ef387ae61&T=vec_w&X=	com/jinhe/newwanzhang/mapbox/layer/layerC
http://211.141.223.166:6080/arcgis/rest/services/js wz/MapServer/export?dpi=96&transparent=true&format=png8&layers=&bbox=	com/jinhe/newwanzhang/mapbox/layer/layerC
https://api.mapbox.com	com/mapbox/core/constants/Constants.java
https://www.mapbox.com/help/create-api-access-token/	com/mapbox/mapboxsdk/Mapbox.java
https://www.mapbox.com/help/first-steps-android-sdk/	com/mapbox/mapboxsdk/Mapbox.java
https://www.mapbox.com/help/create-api-access-token/	com/mapbox/mapboxsdk/exceptions/Mapbox
https://www.mapbox.com/help/first-steps-android-sdk/	com/mapbox/mapboxsdk/exceptions/Mapbox
https://apps.mapbox.com/feedback	com/mapbox/mapboxsdk/maps/AttributionDi
https://www.mapbox.com/map-feedback	com/mapbox/mapboxsdk/maps/AttributionDi
https://www.mapbox.com/about/maps/	com/mapbox/mapboxsdk/attribution/Attributi
https://www.mapbox.com/telemetry/	com/mapbox/mapboxsdk/attribution/Attributi
https://www.mapbox.com/feedback/	com/mapbox/mapboxsdk/attribution/Attributi
https://www.mapbox.com/map-feedback/	com/mapbox/mapboxsdk/attribution/Attributi
https://apps.mapbox.com/feedback/	com/mapbox/mapboxsdk/attribution/Attributi
https://www.mapbox.com/telemetry/	com/mapbox/mapboxsdk/attribution/Attributi
https://www.mapbox.com/about/maps/	com/mapbox/mapboxsdk/attribution/Attributi
http://pms.mb.qq.com/rsp204	com/tencent/smtt/sdk/ak.java
http://debugtbs.qq.com	com/tencent/smtt/sdk/WebView.java
http://debugx5.qq.com	com/tencent/smtt/sdk/WebView.java
http://debugtbs.qq.com/?10000\	com/tencent/smtt/sdk/WebView.java
http://mdc.html5.qq.com/mh?channel_id=50079&u=	com/tencent/smtt/sdk/a/d.java
http://mdc.html5.qq.com/d/directdown.jsp?channel_id=11041	com/tencent/smtt/sdk/b/a/d.java
http://mdc.html5.qq.com/d/directdown.jsp?channel_id=11047	com/tencent/smtt/sdk/b/a/d.java

http://log.tbs.qq.com/ajax?c=pu&v=2&k=	com/tencent/smtt/utlis/v.java
http://log.tbs.qq.com/ajax?c=pu&tk=	com/tencent/smtt/utlis/v.java
http://wup.imtt.qq.com:8080	com/tencent/smtt/utlis/v.java
http://log.tbs.qq.com/ajax?c=dl&k=	com/tencent/smtt/utlis/v.java
http://cfg.imtt.qq.com/tbs?v=2&mk=	com/tencent/smtt/utlis/v.java
http://log.tbs.qq.com/ajax?c=ul&v=2&k=	com/tencent/smtt/utlis/v.java
http://mqqad.html5.qq.com/adjs	com/tencent/smtt/utlis/v.java
http://log.tbs.qq.com/ajax?c=ucfu&k=	com/tencent/smtt/utlis/v.java
http://soft.tbs.imtt.qq.com/17421/tbs_res_imtt_tbs_DebugPlugin_DebugPlugin.tbs	com/tencent/smtt/utlis/l.java
http://schemas.android.com/apk/res/android	com/xuexiang/xui/widget/banner/widget/bann
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Completable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Maybe.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Single.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Observable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Flowable.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	io/reactivex/exceptions/OnErrorNotImplement
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	io/reactivex/exceptions/UndeliverableExceptio
https://www.mapbox.com/telemetry/	摸瓜V1引擎
http://qm.qq.com/cgi-bin/qm/qr?k=tiP-E6rDf0y77PRNfp2INVcc9RsglPCM	摸瓜V1引擎
https://gitee.com/xuexiangjys/xuexiangjys	摸瓜V1引擎
https://gitee.com/xuexiangjys/Resource/blob/master/doc/sponsor.md	摸瓜V1引擎
https://github.com/xuexiangjys/TemplateAppProject	摸瓜V1引擎
https://t.1yb.co/71xZ\	摸瓜V2引擎
https://github.com/xuexiangjys\	摸瓜V2引擎
https://www.zhihu.com/people/xuexiangjys/posts\	摸瓜V2引擎
https://juejin.im/user/598feef55188257d592e56ed/posts\	摸瓜V2引擎
https://www.jianshu.com/u/6bf605575337\	摸瓜V2引擎
https://segmentfault.com/blog/openAndroidX\	摸瓜V2引擎

https://space.bilibili.com/483850585/video\	摸瓜V2引擎
https://www.toutiao.com/c/user/token/MS4wLjABAAAAQD0Pe01AhT2Hgi3w7HzboVuq57gntoAJJURwAkM3Elv0-EA9WSKUSy1DujlYLAEm\	摸瓜V2引擎
https://gitee.com/xuexiangjys/Resource/blob/master/doc/sponsor.md\	摸瓜V2引擎
https://qm.qq.com/cgi-bin/qm/qr?k=i1rhgvRxIJlJzigL0QemlCtkk0H6g3\	摸瓜V2引擎
https://qm.qq.com/cgi-bin/qm/qr?k=_0lhSCvLxdsgxAlBtTXr__bwsxZl4Eva\	摸瓜V2引擎
https://qm.qq.com/cgi-bin/qm/qr?k=GRVNTA4ehFulUhQwqiZkjQYeQoxRBqC\	摸瓜V2引擎
https://qm.qq.com/cgi-bin/qm/qr?k=0OHp7JgMiF9SsfzrmOaxcauxMP9fZjc3\	摸瓜V2引擎

✉ 邮箱线索

邮箱地址	所在文件
auth-agent@openssh.com	cn/hutool/extra/ssh/ChannelType.java
support@mapbox.com	com/mapbox/services/android/navigation/v5/navigation/TarResponseErrorMap.java

☎ 手机线索

手机号	所在文件
16222222222	com/amap/api/col/p0003nstrl/mo.java

✿ 签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: False
找到 1 个唯一证书
主题: C=CN, ST=Jiangsu, L=Nanjing, O=TemplateApp, OU=TemplateApp, CN=TemplateAppProject
签名算法: rsassa_pkcs1v15
有效期自: 2019-07-29 14:27:49+00:00
有效期至: 2044-07-22 14:27:49+00:00
发行人: C=CN, ST=Jiangsu, L=Nanjing, O=TemplateApp, OU=TemplateApp, CN=TemplateAppProject
序列号: 0x16a3aa5c
哈希算法: sha256
md5值: 97670f380d68b8f5fa64135d2ca9f2d7
sha1值: 5f837bc434658976cc146e687d5e02fe523de45c
sha256值: 23e09e40eeb2875df29c4770f65a3f9e6e12d22a726ade04918efd7fd4329bf7
sha512值: 0cbddd036fe0828005f8465de0ee4a6f85b3f6174ee3ecee8c09fb5b6719cce9ab770810f06ddd8e6cd76f1708e960f011cc846acefc4b2fc2277aaef7d29425
公钥算法: rsa
密钥长度: 2048
指纹: a4e7e9008e72b6f23fcf58e37ad1053137e537bb53994f22454792b0d206138a

🔑 硬编码敏感信息

可能的敏感信息
"about_item_author_github": "联系作者"
"lab_forget_password": "忘记密码?"
"lab_login_by_password": "密码登录"
"mapbox_access_token": "sk.eyJ1IjoINDA3MTg1MDMzliwiYSI6ImNrM3RnODJrNjAyY2szbW8zcDhuc25jcjgifQ.HKwpj5fddwWGUiW6laviBA"
"regex_password": "^(?:[?=.*[a-zA-Z])(?=[0-9])).{8,18}\$"
"regex_user_name": "^(13[0-9]) (14[5,7]) (15[0-3,5-9]) (16[6]) (17[0,1,3,5-8]) (18[0-9]) (19[8,9]))\vd{8}\$"
"tip_please_input_user_name": "请输入用户名"
"url_author_github": "https://gitee.com/xuexiangjys/xuexiangjys"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.KILL_BACKGROUND_PROCESSES	正常	杀死后台进程	允许应用程序杀死其他应用程序的后台进程,即使内存不低
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.READ_PRIVILEGED_PHONE_STATE	未知	Unknown permission	Unknown permission from android reference
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.ACCESS_FINE_LOCATION	危险	精细定位（GPS）	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态

com.android.launcher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.GET_ACCOUNTS	危险	列出帐户	允许访问账户服务中的账户列表
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.READ_CONTACTS	危险	读取联系人数据	允许应用程序读取您手机上存储的所有联系人（地址）数据。恶意应用程序可以借此将您的数据发送给其他人
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.ACCESS_BACKGROUND_LOCATION	危险	后台访问位置	允许应用程序在后台访问位置
android.permission.REORDER_TASKS	正常	重新排序正在运行的应用程序	允许应用程序将任务移动到前台和后台。恶意应用程序可以在不受您控制的情况下将自己强加于前
android.permission.DISABLE_KEYGUARD	正常		如果键盘不安全,允许应用程序禁用它。
android.permission.REQUEST_IGNORE_BATTERY_OPTIMIZATIONS	正常		应用程序必须持有的权限才能使用 Settings.ACTION_REQUEST_IGNORE_BATTERY_OPTIMIZATIONS。
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令, 恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作
android.permission.USES_POLICY_FORCE_LOCK	未知	Unknown permission	Unknown permission from android reference
android.permission.USE_FULL_SCREEN_INTENT	正常		针对想要使用通知全屏意图的 Build.VERSION_CODES.Q 的应用程序是必需的
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度
android.permission.INSTALL_PACKAGES	系统需要	直接安装应用程序	允许应用程序安装新的或更新的 Android 包。恶意应用程序可以使用它来添加具有任意强大权限的新应用程序

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.jinhe.newwanzhang.core.webview.AgentWebActivity	Schemes: http://, https://, about://, javascript://, inline://, Mime Types: text/html, text/plain, application/xhtml+xml, application/vnd.wap.xhtml+xml,

报告由 [傻瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。