



MoGua

曹妃甸核酸检测平台 1.0.6-6p.APK 分析报告



APP名称:	曹妃甸核酸检测平台
包名:	com.hbstss.cfdhsjfwpt
域名线索:	99条
URL线索:	138条

邮箱线索: 2条

分析日期: 2025年7月2日

分析平台: [摸瓜APK反编译平台](#)

文件信息

文件名: REL_Doctor_1.0.6-6p-2022.05.18.apk
文件大小: 25.2MB
MD5值: 87e86dde00a2a5ec7a4fe4faa3ace5ed
SHA1值: 59d740cd3580f41e08fd4cf0d5e6d2e8ccb992a1
SHA256值: 197dd0b44badb8ee0c47329e92b339e975ec214fc590dbe13f2af8540df9862d

APP 信息

App名称: 曹妃甸核酸检测平台
包名: com.hbstss.cfdhsjyfwpt
主活动Activity: com.health.doctor.start.LoadingActivity
安卓版本名称: 1.0.6-6p
安卓版本: 6

域名线索

域名	服务器信息
101.231.114.224	IP: 101.231.114.224 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.222219 经度: 121.458061
sv0.map.bdimg.com	IP: 111.206.209.186 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
roomserver.netease.im	IP: 59.111.248.65 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
imtest4.netease.im	IP: 59.111.241.163 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
mobilegw.aaa.alipay.net	没有服务器地理信息.
itsdata.map.baidu.com	IP: 111.206.209.180 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
sissi.pingxx.com	IP: 118.31.129.67 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
ulogs.umeng.com	IP: 223.109.148.176 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397232
wappaygw.alipay.com	IP: 124.239.239.237 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
imtest.netease.im	IP: 59.111.241.163 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
goo.gl	IP: 172.217.160.78 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
myipad.dccnet.com.cn	IP: 114.255.225.27 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
mta.oa.com	IP: 193.123.33.15 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.374031 经度: 4.889690
mywap2.dccnet.com.cn	IP: 60.247.121.179 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
sv.map.baidu.com	IP: 111.206.209.186 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501

	经度: 116.397232
101.231.204.80	IP: 101.231.204.80 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.222219 经度: 121.458061
www.163.com	IP: 61.136.232.157 所属国家: China 地区: Hubei 城市: Shiyan 纬度: 32.566669 经度: 110.783333
www.w3.org	IP: 128.30.52.100 所属国家: United States of America 地区: Massachusetts 城市: Cambridge 纬度: 42.365078 经度: -71.104523
service.weibo.com	IP: 49.7.40.132 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
140.207.168.45	IP: 140.207.168.45 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.222219 经度: 121.458061
statistic.live.126.net	IP: 183.136.182.46 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
lbs.netease.im	IP: 59.111.211.9 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000

cgi.connect.qq.com	IP: 175.27.9.43 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
mobilegw.alipaydev.com	IP: 110.75.132.131 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
mobiletest.yeepay.com	IP: 58.83.141.73 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
sdk.open.inc2.igexin.com	没有服务器地理信息.
wannos.127.net	IP: 223.252.196.42 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
jabber.org	IP: 208.68.163.218 所属国家: United States of America 地区: Iowa 城市: Monticello 纬度: 42.238514 经度: -91.189705
api.weibo.com	IP: 49.7.37.118 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
api.weixin.qq.com	IP: 81.69.216.43 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

v.map.baidu.com	IP: 111.206.209.185 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
appsupport.qq.com	IP: 175.27.9.43 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
api.map.baidu.com	IP: 111.206.209.166 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
101.231.114.238	IP: 101.231.114.238 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.222219 经度: 121.458061
plbslog.umeng.com	IP: 36.156.202.73 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
jivesoftware.org	IP: 216.146.46.11 所属国家: United States of America 地区: California 城市: Belmont 纬度: 37.532440 经度: -122.248833
pslog.umeng.com	IP: 59.82.29.163 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423

imtest.91taogu.com	IP: 121.42.24.173 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
aaaid.umeng.com	IP: 218.91.197.67 所属国家: China 地区: Jiangsu 城市: Nantong 纬度: 32.030281 经度: 120.874718
long.open.weixin.qq.com	IP: 109.244.217.35 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
sdk.open.amp.igexin.com	IP: 183.134.98.71 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
pingma.qq.com	IP: 119.45.78.184 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
mobile.unionpay.com	没有服务器地理信息.
mcgw.alipay.com	IP: 124.239.239.236 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
media.weibo.cn	IP: 49.7.40.144 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

mclient.alipay.com	IP: 124.239.239.236 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
wspeed.qq.com	没有服务器地理信息.
www.igniterealtime.org	IP: 52.58.216.59 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.115520 经度: 8.684170
master.91taogu.com	IP: 47.105.86.31 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
mobilegw.alipay.com	IP: 203.209.247.65 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
www.jivesoftware.com	IP: 35.238.7.255 所属国家: United States of America 地区: Iowa 城市: Council Bluffs 纬度: 41.261940 经度: -95.860832
test.91taogu.com	IP: 121.42.24.173 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
wp.map.baidu.com	IP: 111.206.209.185 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

its.map.baidu.com	IP: 153.37.235.49 所属国家: China 地区: Jiangsu 城市: Suzhou 纬度: 31.311390 经度: 120.618057
alogsus.umeng.com	IP: 223.109.148.130 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
aip.baidubce.com	IP: 111.206.210.12 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
im.91taogu.com	IP: 121.42.29.230 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
m.alipay.com	IP: 203.209.245.74 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
mobilegw-1-64.test.alipay.net	没有服务器地理信息.
120.204.69.182	IP: 120.204.69.182 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.222219 经度: 121.458061
verify.baidubce.com	IP: 110.242.69.180 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109

	经度: 115.490280
mywap2.icbc.com.cn	IP: 123.127.121.51 所属国家: China 地区: Hainan 城市: Donglu 纬度: 19.738689 经度: 110.677971
ok.yeepay.com	IP: 101.36.145.90 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
202.101.25.178	IP: 202.101.25.178 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.222219 经度: 121.458061
mobilegw.stable.alipay.net	没有服务器地理信息.
h5.m.taobao.com	IP: 220.181.135.232 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
mta.qq.com	IP: 61.54.7.126 所属国家: China 地区: Henan 城市: Anyang 纬度: 36.099442 经度: 114.328888
open.weixin.qq.com	IP: 175.24.209.30 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
developer.umeng.com	IP: 59.82.29.162 所属国家: China 地区: Zhejiang 城市: Hangzhou

	纬度: 30.293650 经度: 120.161423
ibsbjstar.ccb.com.cn	IP: 114.251.28.2 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
health91.oss-cn-qingdao.aliyuncs.com	IP: 47.104.36.39 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
schemas.polites.com	IP: 192.0.78.25 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.748425 经度: -122.413673
ulogs.umengcloud.com	IP: 223.109.148.141 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
ouplog.umeng.com	IP: 47.246.110.93 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
etherx.jabber.org	IP: 208.68.163.210 所属国家: United States of America 地区: Iowa 城市: Monticello 纬度: 42.238514 经度: -91.189705
101.231.114.217	IP: 101.231.114.217 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.222219

	经度: 121.458061
fe-beta1.91taogu.com	IP: 114.215.131.191 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
apia.91taogu.com	IP: 47.105.86.31 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
api.91taogu.com	IP: 47.105.86.31 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
nosup-hz1.127.net	IP: 45.127.129.16 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
alogus.umeng.com	IP: 223.109.148.178 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
imtest6.netease.im	没有服务器地理信息.
xmlpull.org	IP: 74.50.61.58 所属国家: United States of America 地区: Texas 城市: Dallas 纬度: 32.814899 经度: -96.879204
open.weibo.cn	IP: 49.7.37.118 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397232
maps.google.com	IP: 142.251.42.238 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
daup.map.baidu.com	IP: 110.242.69.98 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
www.jivesoftware.org	IP: 216.146.46.11 所属国家: United States of America 地区: California 城市: Belmont 纬度: 37.532440 经度: -122.248833
sdk.open.phone.igexin.com	IP: 183.131.7.116 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
test2.91taogu.com	IP: 121.42.194.84 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
dr.netease.im	IP: 59.111.238.11 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
master-test.91taogu.com	IP: 121.42.24.173 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423

m.weibo.cn	IP: 218.30.115.44 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
loc.map.baidu.com	IP: 111.206.209.175 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
client.map.baidu.com	IP: 111.206.209.120 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
www.openssl.org	IP: 104.100.76.250 所属国家: United States of America 地区: California 城市: San Jose 纬度: 37.339390 经度: -121.894958
nrtc.netease.im	IP: 59.111.248.65 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
app.91taogu.com	IP: 47.104.203.83 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
172.17.236.169	IP: 172.17.236.169 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000

URL线索

URL信息	Url所在文件
https://mobile.unionpay.com/getclient?platform=android&type=securepayplugin	com/unionpay/C0441a.java
http://140.207.168.45/g/d	com/unionpay/c/l.java
https://api.weixin.qq.com/sns/oauth2/access_token?appid=	com/toogoo/appbase/share/AbstractWXEntryActivity.java
http://www.w3.org/2000/svg	com/toogoo/appbase/e/a/c.java
https://wappaygw.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/app/PayTask.java
https://mobilegw.alipaydev.com/mgw.htm	com/alipay/sdk/util/n.java
http://m.alipay.com/?action=h5quit	com/alipay/sdk/util/o.java
https://mobilegw.alipay.com/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw.aaa.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw-1-64.test.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw.stable.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
https://pslog.umeng.com	com/umeng/commonsdk/vchannel/a.java
https://pslog.umeng.com/	com/umeng/commonsdk/vchannel/a.java
https://ulogs.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogsus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://ulogs.umengcloud.com	com/umeng/commonsdk/statistics/UMServerURL.java

https://developer.umeng.com/docs/66632/detail/	com/umeng/commonsdk/debug/UMLogUtils.java
https://plbslog.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ulogs.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ouplog.umeng.com	com/umeng/commonsdk/stateless/a.java
http://developer.umeng.com/docs/66650/cate/66650	com/umeng/analytics/pro/i.java
https://aaaid.umeng.com/api/postZdata	com/umeng/umzid/ZIDManager.java
https://aaaid.umeng.com/api/updateZdata	com/umeng/umzid/ZIDManager.java
http://jabber.org/protocol/disco#info	com/xbcx/im/IMSystem.java
http://jabber.org/protocol/nick+notify	com/xbcx/im/IMSystem.java
http://jabber.org/protocol/xhtml-im	com/xbcx/im/IMSystem.java
http://jabber.org/protocol/muc	com/xbcx/im/IMSystem.java
http://jabber.org/protocol/si/profile/file-transfer	com/xbcx/im/IMSystem.java
http://jabber.org/protocol/si	com/xbcx/im/IMSystem.java
http://jabber.org/protocol/ibb	com/xbcx/im/IMSystem.java
http://jabber.org/protocol/feature-neg	com/xbcx/im/IMSystem.java
http://jabber.org/protocol/muc#user	com/xbcx/im/IMSystem.java
http://jabber.org/protocol/disco#items	com/xbcx/im/IMSystem.java
http://jabber.org/protocol/offline	com/xbcx/im/IMSystem.java
http://jabber.org/protocol/muc#admin	com/xbcx/im/IMSystem.java
http://jabber.org/protocol/muc#owner	com/xbcx/im/IMSystem.java
http://jabber.org/protocol/chatstates	com/xbcx/im/IMSystem.java
http://xmlpull.org/v1/doc/features.html#process-namespaces	com/xbcx/im/p.java

http://jabber.org/protocol/muc#user	com/xbcx/im/XIMSystem.java
http://maps.google.com/maps/api/staticmap?center=%f,%f&zoom=%d&size=%dx%d&mapttype=roadmap&markers=color:red%7Clabel:%7C%f,%f&sensor=false&language=zh-Hans	com/xbcx/core/XApplication.java
http://test2.91taogu.com/api	com/xbcx/core/n.java
https://health91.oss-cn-qingdao.aliyuncs.com/	com/yht/util/z.java
https://apia.91taogu.com	com/yht/util/HostUtils.java
https://app.91taogu.com	com/yht/util/HostUtils.java
http://im.91taogu.com	com/yht/util/HostUtils.java
https://master-test.91taogu.com/	com/yht/util/HostUtils.java
https://master.91taogu.com/	com/yht/util/HostUtils.java
https://fe-beta1.91taogu.com	com/yht/util/HostUtils.java
https://test.91taogu.com	com/yht/util/HostUtils.java
https://api.91taogu.com	com/yht/util/HostUtils.java
http://api.91taogu.com	com/yht/util/HostUtils.java
https://im.91taogu.com	com/yht/util/HostUtils.java
http://imtest.91taogu.com:4080	com/yht/util/HostUtils.java
http://im.91taogu.com/SDKapi	com/example/xbcxim_demo/app/HttpUrl.java
http://im.91taogu.com/SDKapi/index.php?a=_department_getlist	com/example/xbcxim_demo/app/HttpUrl.java
http://im.91taogu.com/SDKapi/index.php?a=_user_info	com/example/xbcxim_demo/app/HttpUrl.java
http://im.91taogu.com/SDKapi/index.php?a=_start_login	com/example/xbcxim_demo/app/HttpUrl.java
http://im.91taogu.com/SDKapi/index.php?a=_start_reg	com/example/xbcxim_demo/app/HttpUrl.java
http://im.91taogu.com/SDKapi/index.php?a=_user_search	com/example/xbcxim_demo/app/HttpUrl.java
http://im.91taogu.com/SDKapi/index.php?a=_user_setinfo	com/example/xbcxim_demo/app/HttpUrl.java

http://im.91taogu.com/SDKapi/index.php?a=_upfile	com/example/xbcxim_demo/app/HttpUrl.java
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuiid=%s	com/tencent/mm/opensdk/diffdev/a/f.java
https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s×tamp=%s&scope=%s&signature=%s	com/tencent/mm/opensdk/diffdev/a/d.java
http://appsupport.qq.com/cgi-bin/appstage/mstats_batch_report	com/tencent/open/b/k.java
http://wspeed.qq.com/w.cgi	com/tencent/open/b/j.java
http://cgi.connect.qq.com/qqconnectopen/openapi/policy_conf	com/tencent/open/utills/c.java
http://mta.qq.com/	com/tencent/wxop/stat/e.java
http://mta.oa.com/	com/tencent/wxop/stat/e.java
http://pingma.qq.com:80/mstat/report	com/tencent/wxop/stat/c.java
https://aip.baidubce.com/rest/2.0/ocr/v1/bankcard?	com/baidu/ocr/sdk/OCR.java
https://aip.baidubce.com/rest/2.0/ocr/v1/idcard?	com/baidu/ocr/sdk/OCR.java
https://verify.baidubce.com/verify/1.0/token/sk?sdkVersion=1_4_4	com/baidu/ocr/sdk/OCR.java
https://verify.baidubce.com/verify/1.0/token/bin?sdkVersion=1_4_4	com/baidu/ocr/sdk/OCR.java
https://aip.baidubce.com/rest/2.0/ocr/v1/accurate_basic?	com/baidu/ocr/sdk/OCR.java
https://aip.baidubce.com/rest/2.0/ocr/v1/accurate?	com/baidu/ocr/sdk/OCR.java
https://aip.baidubce.com/rest/2.0/ocr/v1/business_card?	com/baidu/ocr/sdk/OCR.java
https://aip.baidubce.com/rest/2.0/ocr/v1/business_license?	com/baidu/ocr/sdk/OCR.java
https://aip.baidubce.com/rest/2.0/solution/v1/iocr/recognise?	com/baidu/ocr/sdk/OCR.java
https://aip.baidubce.com/rest/2.0/ocr/v1/driving_license?	com/baidu/ocr/sdk/OCR.java
https://aip.baidubce.com/rest/2.0/ocr/v1/general_basic?	com/baidu/ocr/sdk/OCR.java
https://aip.baidubce.com/rest/2.0/ocr/v1/general_enhanced?	com/baidu/ocr/sdk/OCR.java
https://aip.baidubce.com/rest/2.0/ocr/v1/general?	com/baidu/ocr/sdk/OCR.java

https://aip.baidubce.com/rest/2.0/ocr/v1/webimage?	com/baidu/ocr/sdk/OCR.java
https://aip.baidubce.com/rest/2.0/ocr/v1/handwriting?	com/baidu/ocr/sdk/OCR.java
https://aip.baidubce.com/rest/2.0/ocr/v1/license_plate?	com/baidu/ocr/sdk/OCR.java
https://aip.baidubce.com/rest/2.0/ocr/v1/lottery?	com/baidu/ocr/sdk/OCR.java
https://aip.baidubce.com/rest/2.0/ocr/v1/numbers?	com/baidu/ocr/sdk/OCR.java
https://aip.baidubce.com/rest/2.0/ocr/v1/passport?	com/baidu/ocr/sdk/OCR.java
https://aip.baidubce.com/rest/2.0/ocr/v1/qrcode?	com/baidu/ocr/sdk/OCR.java
https://aip.baidubce.com/rest/2.0/ocr/v1/receipt?	com/baidu/ocr/sdk/OCR.java
https://aip.baidubce.com/rest/2.0/ocr/v1/vat_invoice?	com/baidu/ocr/sdk/OCR.java
https://aip.baidubce.com/rest/2.0/ocr/v1/vehicle_license?	com/baidu/ocr/sdk/OCR.java
https://verify.baidubce.com/verify/1.0/sdk/report	com/baidu/ocr/sdk/utils/CrashReporterHandler.java
https://itsdata.map.baidu.com/long-conn-gps/sdk.php	com/baidu/location/b/f.java
http://loc.map.baidu.com/cc.php	com/baidu/location/b/d.java
http://loc.map.baidu.com/user_err.php	com/baidu/location/e/k.java
http://loc.map.baidu.com/oqur.php	com/baidu/location/e/k.java
https://loc.map.baidu.com/tcu.php	com/baidu/location/e/k.java
http://loc.map.baidu.com/rtbu.php	com/baidu/location/e/k.java
http://loc.map.baidu.com/iofd.php	com/baidu/location/e/k.java
http://loc.map.baidu.com/wloc	com/baidu/location/e/k.java
http://loc.map.baidu.com/sdk.php	com/baidu/location/e/k.java
http://loc.map.baidu.com/sdk_ep.php	com/baidu/location/e/k.java
https://loc.map.baidu.com/sdk.php	com/baidu/location/e/k.java

https://daup.map.baidu.com/cltr/rcvr	com/baidu/location/e/k.java
https://api.map.baidu.com/sdkcs/verify	com/baidu/lbsapi/auth/LBSAuthManager.java
http://sdk.open.phone.igexin.com/api.php	com/igexin/sdk/PushBuildConfig.java
http://sdk.open.inc2.igexin.com/api.php	com/igexin/getuiext/data/Consts.java
http://sdk.open.phone.igexin.com/api.php	com/igexin/getuiext/data/Consts.java
http://sdk.open.phone.igexin.com/api.php?format=json&t=1	com/igexin/getuiext/service/i.java
http://sdk.open.phone.igexin.com/api.php	com/igexin/push/a/k.java
http://sdk.open.phone.igexin.com:8003/api.php	com/igexin/push/a/k.java
http://sdk.open.phone.igexin.com/api.php	com/igexin/push/core/g.java
http://sdk.open.amp.igexin.com/api.htm	com/igexin/push/core/a/f.java
http://m.weibo.cn/u/	com/sina/weibo/sdk/web/WeiboPageUtils.java
http://media.weibo.cn/article?	com/sina/weibo/sdk/web/WeiboPageUtils.java
http://m.weibo.cn/comment?	com/sina/weibo/sdk/web/WeiboPageUtils.java
http://m.weibo.cn/	com/sina/weibo/sdk/web/WeiboPageUtils.java
http://m.weibo.cn/index/router?	com/sina/weibo/sdk/web/WeiboPageUtils.java
https://m.weibo.cn/p/100103type=1&	com/sina/weibo/sdk/web/WeiboPageUtils.java
http://m.weibo.cn/mblog?	com/sina/weibo/sdk/web/WeiboPageUtils.java
http://service.weibo.com/share/mobilesdk.php	com/sina/weibo/sdk/web/param/ShareWebViewRequestParam.java
http://service.weibo.com/share/mobilesdk_uppic.php	com/sina/weibo/sdk/web/param/ShareWebViewRequestParam.java
https://api.weibo.com/oauth2/access_token	com/sina/weibo/sdk/auth/AccessTokenKeeper.java
https://open.weibo.cn/oauth2/authorize?	com/sina/weibo/sdk/auth/BaseSsoHandler.java
https://api.weibo.com/oauth2/getaid.json	com/sina/weibo/sdk/utills/AidTask4Plug.java

https://api.weibo.com/oauth2/getaid.json	com/sina/weibo/sdk/utills/AidTask.java
https://api.weibo.com/2/proxy/sdk/statistic.json	com/sina/weibo/sdk/statistic/LogReport.java
https://nrtc.netease.im/nrtc/getChannelInfos.action	com/netease/nrtc/b.java
https://nrtc.netease.im/nrtc/detect.action	com/netease/nrtc/NetDetector.java
https://nrtc.netease.im/nrtc/rejoin.action	com/netease/nrtc/a.java
https://roomserver.netease.im/v1/sdk/command/rooms	com/netease/nrtc/engine/impl/h.java
http://statistic.live.126.net/statistic/realtime/sdkinfo	com/netease/nrtc/engine/impl/e.java
https://lbs.netease.im/cc/nrtc/v2	com/netease/nrtc/engine/impl/e.java
https://lbs.netease.im/cc/nrtc/v2	com/netease/nrtc/engine/rawapi/IRtcEngine.java
https://goo.gl/FE5SeB	com/netease/nrtc/utility/l.java
https://nrtc.netease.im/nrtc/uploadSdkLog.action	com/netease/nrtc/utility/b/a.java
http://statistic.live.126.net/statistic/realtime/sdkinfo	com/netease/nrtc/monitor/j.java
http://statistic.live.126.net/statistic/realtime/sdkFunctioninfo	com/netease/nrtc/monitor/d.java
https://statistic.live.126.net/statics/report/common/form	com/netease/yunxin/report/sdk/ReportComponent.java
https://wannos.127.net/lbs	com/netease/yunxin/nos/sdk/NosComponent.java
https://statistic.live.126.net/sdklog/getToken	com/netease/yunxin/nos/sdk/NosComponent.java
https://nosup-hz1.127.net	com/netease/yunxin/nos/sdk/NosComponent.java
http://wannos.127.net/lbs;http://wannos-hz.127.net/lbs;http://wannos-bj.127.net/lbs;http://wannos-oversea.127.net/lbs;http://223.252.196.38/lbs	com/netease/nimlib/f/g.java
https://imtest.netease.im/lbs/conf.jsp	com/netease/nimlib/f/e.java
https://imtest.netease.im/1.gif	com/netease/nimlib/f/e.java
https://imtest4.netease.im/test	com/netease/nimlib/f/e.java
https://imtest6.netease.im:8012/	com/netease/nimlib/f/e.java

https://imtest.netease.im/lbsrc/conf.jsp	com/netease/nimlib/ff/e.java
https://lbs.netease.im/lbs/conf.jsp	com/netease/nimlib/ff/e.java
https://dr.netease.im/1.gif	com/netease/nimlib/ff/e.java
www.163.com	com/netease/nimlib/s/k.java
http://statistic.live.126.net/statics/report/common/form	com/netease/nimlib/d/ff/a.java
http://schemas.android.com/apk/res/android	com/polites/android/GestureImageView.java
http://schemas.polites.com/android	com/polites/android/GestureImageView.java
http://sissi.pingxx.com/mock.php?ch_id=%s&channel=%s	com/pingplusplus/android/PaymentActivity.java
https://ok.yeepay.com/paymobile/api/pay/request?merchantaccount=%s&encryptkey=%s&data=%s	com/pingplusplus/android/PaymentActivity.java
http://mobiletest.yeepay.com/paymobile/api/pay/request?merchantaccount=%s&encryptkey=%s&data=%s	com/pingplusplus/android/PaymentActivity.java
https://ok.yeepay.com/paymobile/query/pay/success?	com/pingplusplus/android/e.java
http://mobiletest.yeepay.com/paymobile/query/pay/success?	com/pingplusplus/android/e.java
http://xmlpull.org/v1/doc/features.html#indent-output	com/ta/utdid2/b/a/e.java
http://xmlpull.org/v1/doc/features.html#indent-output	com/ta/utdid2/b/a/a.java
https://myipad.dccnet.com.cn	com/icbc/paysdk/a/a.java
https://mywap2.dccnet.com.cn:447	com/icbc/paysdk/a/a.java
https://mywap2.icbc.com.cn	com/icbc/paysdk/a/a.java
https://ibsjstar.ccb.com.cn/	c/b/a/a.java
https://ibsjstar.ccb.com.cn/CCBIS/ccbMain?	c/b/a/c/d.java
https://ibsjstar.ccb.com.cn/CCBIS/ccbMain	c/b/a/c/d.java
https://h5.m.taobao.com/mlapp/olist.html	c/a/b/b/a.java
https://mcgw.alipay.com/sdklog.do	c/a/b/e/a/c.java

https://mobilegw.alipay.com/mgw.htm	c/a/b/a/a.java
http://www.w3.org/XML/1998/namespace	asmack/com/kenai/jbosh/r.java
http://www.w3.org/XML/1998/namespace	asmack/com/kenai/jbosh/F.java
http://jabber.org/protocol/compress	asmack/org/jivesoftware/smack/PacketReader.java
http://xmllpull.org/v1/doc/features.html#process-namespaces	asmack/org/jivesoftware/smack/PacketReader.java
http://jabber.org/protocol/httpbind	asmack/org/jivesoftware/smack/BOSHConnection.java
http://etherx.jabber.org/streams	asmack/org/jivesoftware/smack/PacketWriter.java
http://xmllpull.org/v1/doc/features.html#process-namespaces	asmack/org/jivesoftware/smack/SmackConfiguration.java
http://jabber.org/protocol/compress'	asmack/org/jivesoftware/smack/XMPPConnection.java
http://xmllpull.org/v1/doc/features.html#process-namespaces	asmack/org/jivesoftware/smack/BOSHPacketReader.java
http://www.jivesoftware.com/xmlns/xmpp/properties	asmack/org/jivesoftware/smack/packet/Packet.java
http://www.jivesoftware.com/xmlns/xmpp/properties	asmack/org/jivesoftware/smack/util/PacketParserUtils.java
http://xmllpull.org/v1/doc/features.html#process-namespaces	asmack/org/jivesoftware/smack/provider/ProviderManager.java
http://www.igniterealtime.org/projects/smack/	asmack/org/jivesoftware/smackx/EntityCapsManager.java
http://jabber.org/protocol/offline	asmack/org/jivesoftware/smackx/OfflineMessageManager.java
http://jabber.org/protocol/address	asmack/org/jivesoftware/smackx/MultipleRecipientManager.java
http://jabber.org/protocol/xhtml-im	asmack/org/jivesoftware/smackx/XHTMLManager.java
http://jabber.org/protocol/chatstates	asmack/org/jivesoftware/smackx/ChatStateManager.java
http://jabber.org/protocol/pubsub#event	asmack/org/jivesoftware/smackx/PEPManager.java
http://www.igniterealtime.org/projects/smack/	asmack/org/jivesoftware/smackx/ServiceDiscoveryManager.java
http://jabber.org/protocol/disco#publish	asmack/org/jivesoftware/smackx/ServiceDiscoveryManager.java
http://jabber.org/protocol/xhtml-im	asmack/org/jivesoftware/smackx/packet/XHTMLExtension.java

http://jabber.org/protocol/pubsub	asmack/org/jivesoftware/smackx/packet/PEPItem.java
http://jabber.org/protocol/feature-neg	asmack/org/jivesoftware/smackx/packet/StreamInitiation.java
http://jabber.org/protocol/si/profile/file-transfer	asmack/org/jivesoftware/smackx/packet/StreamInitiation.java
http://jabber.org/protocol/si	asmack/org/jivesoftware/smackx/packet/StreamInitiation.java
http://jabber.org/protocol/offline	asmack/org/jivesoftware/smackx/packet/OfflineMessageInfo.java
http://jabber.org/protocol/shim	asmack/org/jivesoftware/smackx/packet/HeadersExtension.java
http://jabber.org/protocol/pubsub	asmack/org/jivesoftware/smackx/packet/PEPEvent.java
http://jabber.org/protocol/address	asmack/org/jivesoftware/smackx/packet/MultipleAddresses.java
http://jabber.org/protocol/muc#admin	asmack/org/jivesoftware/smackx/packet/MUCAdmin.java
http://jabber.org/protocol/disco#info	asmack/org/jivesoftware/smackx/packet/DiscoverInfo.java
http://jabber.org/protocol/ibb	asmack/org/jivesoftware/smackx/packet/IBBExtensions.java
http://jabber.org/protocol/disco#items	asmack/org/jivesoftware/smackx/packet/DiscoverItems.java
http://jabber.org/protocol/caps	asmack/org/jivesoftware/smackx/packet/CapsExtension.java
http://jabber.org/protocol/caps'	asmack/org/jivesoftware/smackx/packet/CapsExtension.java
http://jabber.org/protocol/nick	asmack/org/jivesoftware/smackx/packet/Nick.java
http://jabber.org/protocol/commands	asmack/org/jivesoftware/smackx/packet/AdHocCommandData.java
http://jabber.org/protocol/bytestreams	asmack/org/jivesoftware/smackx/packet/Bytestream.java
http://jabber.org/protocol/pubsub	asmack/org/jivesoftware/smackx/packet/PEPPubSub.java
http://www.jivesoftware.org/protocol/sharedgroup	asmack/org/jivesoftware/smackx/packet/SharedGroupsInfo.java
http://jabber.org/protocol/chatstates	asmack/org/jivesoftware/smackx/packet/ChatStateExtension.java
http://jabber.org/protocol/muc	asmack/org/jivesoftware/smackx/packet/MUCInitialPresence.java
http://jabber.org/protocol/muc#user	asmack/org/jivesoftware/smackx/packet/MUCUser.java

http://jabber.org/protocol/muc#owner	asmack/org/jivesoftware/smackx/packet/MUCOwner.java
http://jabber.org/protocol/offline	asmack/org/jivesoftware/smackx/packet/OfflineMessageRequest.java
http://jabber.org/protocol/muc#user	asmack/org/jivesoftware/smackx/muc/Occupant.java
http://jivesoftware.org/protocol/muc	asmack/org/jivesoftware/smackx/muc/DeafOccupantInterceptor.java
http://jabber.org/protocol/muc	asmack/org/jivesoftware/smackx/muc/DeafOccupantInterceptor.java
http://jabber.org/protocol/muc#user	asmack/org/jivesoftware/smackx/muc/PacketMultiplexListener.java
http://jabber.org/protocol/muc	asmack/org/jivesoftware/smackx/muc/MultiUserChat.java
http://jabber.org/protocol/muc#rooms	asmack/org/jivesoftware/smackx/muc/MultiUserChat.java
http://jabber.org/protocol/muc#user	asmack/org/jivesoftware/smackx/muc/MultiUserChat.java
http://jabber.org/protocol/commands	asmack/org/jivesoftware/smackx/commands/AdHocCommandManager.java
http://jabber.org/protocol/ibb	asmack/org/jivesoftware/smackx/filetransfer/IBBTransferNegotiator.java
http://jabber.org/protocol/bytestreams	asmack/org/jivesoftware/smackx/filetransfer/Socks5TransferNegotiator.java
http://jabber.org/protocol/bytestreams	asmack/org/jivesoftware/smackx/filetransfer/FileTransferNegotiator.java
http://jabber.org/protocol/ibb	asmack/org/jivesoftware/smackx/filetransfer/FileTransferNegotiator.java
http://jabber.org/protocol/si/profile/file-transfer	asmack/org/jivesoftware/smackx/filetransfer/FileTransferNegotiator.java
http://jabber.org/protocol/si	asmack/org/jivesoftware/smackx/filetransfer/FileTransferNegotiator.java
http://jabber.org/protocol/bytestreams	asmack/org/jivesoftware/smackx/filetransfer/Socks5TransferNegotiatorManager.java
http://www.openssl.org/support/faq.html	lib/armeabi-v7a/libuptsmaddon.so
http://client.map.baidu.com/imap/sdk/tj?qt=vmap	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_1.so
http://v.map.baidu.com/low/	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_1.so
http://v.map.baidu.com/indoorinside/	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_1.so
http://v.map.baidu.com/high/	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_1.so

http://its.map.baidu.com:8003/its.php	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_1.so
http://wp.map.baidu.com/	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_1.so
http://api.map.baidu.com/sdkws/heatmap?	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_1.so
http://sv.map.baidu.com/	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_1.so
http://sv0.map.bdimg.com/	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_1.so
http://client.map.baidu.com/?qt=rg&mmproxyver=1&url=	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_1.so
http://client.map.baidu.com/rchksdk.dat?	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_1.so
http://client.map.baidu.com/	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_1.so
http://client.map.baidu.com/phpui2/	lib/armeabi-v7a/libBaiduMapSDK_v3_5_0_1.so
http://www.openssl.org/support/faq.html	lib/armeabi-v7a/librts_network.so
http://www.openssl.org/support/faq.html	lib/armeabi-v7a/libnrtc_sdk.so
http://101.231.114.238:5089/app/mobile/json	lib/armeabi-v7a/libentryexpro.so
http://101.231.204.80:16005/app/mobile/conf	lib/armeabi-v7a/libentryexpro.so
http://101.231.114.224:11000/app/mobile/conf	lib/armeabi-v7a/libentryexpro.so
http://172.17.236.169:8081/app/mobile/conf	lib/armeabi-v7a/libentryexpro.so
http://101.231.114.217:8080/app/mobile/conf	lib/armeabi-v7a/libentryexpro.so
http://101.231.204.80:16005/app/mobile/json	lib/armeabi-v7a/libentryexpro.so
http://101.231.114.224:11000/app/mobile/json	lib/armeabi-v7a/libentryexpro.so
http://101.231.114.217:8080/app/mobile/json	lib/armeabi-v7a/libentryexpro.so
http://172.17.236.169:8081/app/mobile/json	lib/armeabi-v7a/libentryexpro.so
http://202.101.25.178:8080/gateway/mobile/json	lib/armeabi-v7a/libentryexpro.so
http://101.231.114.224:11000/gateway/mobile/json	lib/armeabi-v7a/libentryexpro.so

http://101.231.114.217:8080/gateway/mobile/json	lib/armeabi-v7a/libentryexpro.so
http://120.204.69.182:8080/gateway/mobile/json	lib/armeabi-v7a/libentryexpro.so
http://www.openssl.org/support/faq.html	lib/armeabi/libuptsmaddon.so
http://101.231.114.238:5089/app/mobile/json	lib/armeabi/libentryexpro.so
http://101.231.204.80:16005/app/mobile/conf	lib/armeabi/libentryexpro.so
http://101.231.114.224:11000/app/mobile/conf	lib/armeabi/libentryexpro.so
http://172.17.236.169:8081/app/mobile/conf	lib/armeabi/libentryexpro.so
http://101.231.114.217:8080/app/mobile/conf	lib/armeabi/libentryexpro.so
http://101.231.204.80:16005/app/mobile/json	lib/armeabi/libentryexpro.so
http://101.231.114.224:11000/app/mobile/json	lib/armeabi/libentryexpro.so
http://101.231.114.217:8080/app/mobile/json	lib/armeabi/libentryexpro.so
http://172.17.236.169:8081/app/mobile/json	lib/armeabi/libentryexpro.so
http://202.101.25.178:8080/gateway/mobile/json	lib/armeabi/libentryexpro.so
http://101.231.114.224:11000/gateway/mobile/json	lib/armeabi/libentryexpro.so
http://101.231.114.217:8080/gateway/mobile/json	lib/armeabi/libentryexpro.so
http://120.204.69.182:8080/gateway/mobile/json	lib/armeabi/libentryexpro.so

邮箱线索

邮箱地址	所在文件
rubin@rubindemacbook-pro.local	com/netease/yunxin/report/sdk/ReportManager.java
rubin@rubindemacbook-pro.local	com/netease/yunxin/nos/sdk/NosFacade.java

手机线索

手机号	所在文件
14299905835	lib/armeabi-v7a/libbd_wsp_v1_0.so
15330246164	lib/armeabi-v7a/libbd_wsp_v1_0.so
14299905835	lib/armeabi/libbd_wsp_v1_0.so
15330246164	lib/armeabi/libbd_wsp_v1_0.so

签名证书

APK is signed
v1 signature: True
v2 signature: True
v3 signature: False
Found 1 unique certificates
Subject: C=cn, ST=beijing, L=haidian, O=taogu, OU=taogu, CN=taogu
Signature Algorithm: rsassa_pkcs1v15
Valid From: 2015-03-31 05:50:47+00:00
Valid To: 2070-01-01 05:50:47+00:00
Issuer: C=cn, ST=beijing, L=haidian, O=taogu, OU=taogu, CN=taogu
Serial Number: 0x3fbd26ae
Hash Algorithm: sha256
md5: 4fe3b5a9aaa5b4304cc665268b9d6b36
sha1: c415115548daddef41a71d7bdabba4e09cefb4ea
sha256: 302b31d8b633ba7a2f34371ff57ce104d187eb7e8be7727644806be9494d8555
sha512: 11d03fceca85d0860cb34f60efa05788658483fb2e337916f19aef6284d8ab30be163c3ce896881434ad243bf3b79aa70d7269da1eae30c6d6ffac51da0c1746
PublicKey Algorithm: rsa
Bit Size: 2048
Fingerprint: 734f14d4f13a21c3f44cee82bac439f3c100c398b91ce75d8db652eba6c9e2d4

硬编码敏感信息

可能的敏感信息

"Please_enter_a_username": "请输入用户名"

"Two_input_password": "两次输入的密码不一致，请重新输入!"

"bd_wallet_forget_phone_pwd" : "忘记手机支付密码"
"bd_wallet_modify_phone_pwd" : "修改手机支付密码"
"bd_wallet_pay_security_set_pay_pwd_tip" : "您尚未设置手机支付密码, 请设置后开启隐私安全保护"
"bd_wallet_phone_pwd" : "手机支付密码"
"bd_wallet_set_phone_pwd" : "设置手机支付密码"
"des_key" : "543141324f33473455354b3645374a38493931"
"doctor_delete_user" : "删除当前用户"
"ebpay_check_pwd" : "验证手机支付密码"
"ebpay_input_mobile_pwd" : "输入手机支付密码"
"ebpay_modified_pwd" : "修改手机支付密码"
"ebpay_no_pwd_complete_tip" : "您尚未设置手机支付密码, 为了您的账户安全, 请重新填写银行卡信息"
"ebpay_nobalance_pwd" : "使用余额必须先设置手机支付密码"
"ebpay_noscroe_pwd" : "使用百赚分必须先设置手机支付密码"
"ebpay_pwd_changed" : "密码不一致请重新输入"
"ebpay_pwd_check_tip" : "请输入手机支付密码以验证身份"
"ebpay_pwd_check_tip2" : "请输入旧手机支付密码以验证身份"
"ebpay_pwd_confirm_tip" : "请确认手机支付密码"
"ebpay_pwd_done" : "完成"
"ebpay_pwd_forget" : "忘记密码? "
"ebpay_pwd_forget_success" : "密码找回成功"
"ebpay_pwd_set_tip" : "仅用于手机支付的数字密码, 以后凭该密码安全支付, 请勿与登录密码设置一致"
"ebpay_pwdpay_balance_pay" : "余额支付"

"ebpay_pwdpay_balance_pre": "余额%1\$s元(本单可用%2\$s元)"
"ebpay_pwdpay_bankcard": "银行卡"
"ebpay_pwdpay_continue": "继续"
"ebpay_pwdpay_first_launch_tip": "百赚分/余额/银行卡, 更多组合选择 ↗"
"ebpay_pwdpay_payment_pre": "支付方式:%1\$s"
"ebpay_pwdpay_payment_select": "选择支付方式"
"ebpay_pwdpay_score_pre": "百赚分%1\$s点(本单可用%2\$s元,扣减%3\$s点)"
"ebpay_set_pwd_success": "新密码设置成功"
"ebpay_tip_find_pwd": "请重新绑定本人银行卡以找回密码"
"ebpay_tobe_active_set_pwd_tips": "为了您的账户安全, 设置手机支付密码前请绑定本人银行卡以验证身份"
"nrtc_setting_other_device_default_rotation_key": "nrtc_setting_other_device_default_rotation_key"
"nrtc_setting_other_device_rotation_fixed_offset_key": "nrtc_setting_other_device_rotation_fixed_offset_key"
"nrtc_setting_other_server_record_audio_key": "nrtc_setting_other_server_record_audio_key"
"nrtc_setting_other_server_record_video_key": "nrtc_setting_other_server_record_video_key"
"nrtc_setting_vie_crop_key": "nrtc_setting_vie_crop_key"
"nrtc_setting_vie_crop_ratio_key": "nrtc_setting_vie_crop_ratio_key"
"nrtc_setting_vie_default_front_camera_key": "nrtc_setting_vie_default_front_camera_key"
"nrtc_setting_vie_fps_reported_key": "nrtc_setting_vie_fps_reported_key"
"nrtc_setting_vie_hw_decoder_key": "nrtc_setting_vie_hw_decoder_key"
"nrtc_setting_vie_hw_encoder_key": "nrtc_setting_vie_hw_encoder_key"
"nrtc_setting_vie_max_bitrate_key": "nrtc_setting_vie_max_bitrate_key"
"nrtc_setting_vie_quality_key": "nrtc_setting_vie_quality_key"

"nrtc_setting_vie_rotation_key" : "nrtc_setting_vie_rotation_key"
"nrtc_setting_voe_audio_aec_key" : "nrtc_setting_voe_audio_aec_key"
"nrtc_setting_voe_audio_ns_key" : "nrtc_setting_voe_audio_ns_key"
"nrtc_setting_voe_call_proximity_key" : "nrtc_setting_voe_call_proximity_key"
"nrtc_setting_voe_dtx_key" : "nrtc_setting_voe_dtx_key"
"nrtc_setting_voe_high_quality_key" : "nrtc_setting_voe_high_quality_key"
"phone_authentication" : "手机号认证"
"private_allowjoinme" : "允许别人加我为好友"
"private_joinmeneedverify" : "加我为好友时需要验证"
"real_auth_ID_card" : "请拍摄/上传您的身份证"
"reset_password" : "忘记密码"
"reset_pwd_is_null" : "确认密码不能为空"
"session" : "信息"
"session_with_count" : "信息(%1\$s)"
"set_private" : "隐私"
"set_pwd_is_null" : "请输入新密码"
"two_pwd_diff" : "两次输入的密码不一致"
"verify_password" : "确认密码"
"wallet_base_set_pwd_tips" : "你还没有设置六位支付密码，暂时不能使用余额支付，点我开启"
"yb_pwd" : "请输入医保密码"

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.MANAGE_DOCUMENTS	合法		允许应用程序管理对文档的访问,通常作为文档选择器的一部分
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
		...	

android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置(如果可用)。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_FINE_LOCATION	危险	精细定位(GPS)	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.READ_LOGS	危险	读取敏感日志数据	允许应用程序从系统读小号各种日志文件。这使它能够发现有关您使用手机做什么的一般信息,可能包括个人或私人信息
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.CALL_PHONE	危险	直接拨打电话号码	允许应用程序在没有您干预的情况下拨打电话号码。恶意应用程序可能会导致您的电话账单出现意外呼叫。请注意,这不允许应用程序拨打紧急电话号码
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度
android.permission.GET_ACCOUNTS	危险	列出帐户	允许访问账户服务中的账户列表
android.permission.USE_CREDENTIALS	危险	使用帐户的身份验证凭据	允许应用程序请求身份验证令牌
android.permission.MANAGE_ACCOUNTS	危险	管理帐户列表	允许应用程序执行添加和删除帐户以及删除其密码等操作
android.permission.AUTHENTICATE_ACCOUNTS	危险	充当帐户验证器	允许应用程序使用帐户管理器的帐户验证器功能,包括创建帐户以及获取和设置其密码
com.android.launcher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
android.permission.BROADCAST_STICKY	正常	发送粘性广播	允许应用程序发送粘性广播,在广播结束后保留。恶意应用程序会导致手机使用过多内存,从而使手机运行缓慢或不稳定
getui.permission.GetuiService.com.hbstss.cfdhsjfwpt	未知	Unknown permission	Unknown permission from android reference
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒

android.permission.DISABLE_KEYGUARD	正常		如果键盘不安全,允许应用程序禁用它。
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
com.hbstss.cfdhsjyfwpt.permission.RECEIVE_MSG	未知	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
android.permission.KILL_BACKGROUND_PROCESSES	正常	杀死后台进程	允许应用程序杀死其他应用程序的后台进程,即使内存不低
com.sec.android.provider.badge.permission.READ	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.sec.android.provider.badge.permission.WRITE	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.UPDATE_SHORTCUT	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.sonyericsson.home.permission.BROADCAST_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.anddoes.launcher.permission.UPDATE_COUNT	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或徽章
com.majeur.launcher.permission.UPDATE_BADGE	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或标记为固体。
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
com.huawei.android.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
com.huawei.android.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章

android.permission.READ_APP_BADGE	正常	显示应用程序通知	允许应用程序显示应用程序图标徽章
com.oppo.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
com.oppo.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
me.everything.badger.permission.BADGE_COUNT_READ	未知	Unknown permission	Unknown permission from android reference
me.everything.badger.permission.BADGE_COUNT_WRITE	未知	Unknown permission	Unknown permission from android reference

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.toogoo.appbase.webview.SchemeActivity	Schemes: taogu://,
com.toogoo.appbase.h5link.H5LinkActivity	Schemes: com.hbstss.cfdhsjyfwp://,

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。