



MoGua

随拨 1.0.3.APK 分析报告



APP名称:

随拨

包名:	com.xinbo.suibo
域名线索:	39条
URL线索:	38条
邮箱线索:	3条
分析日期:	2025年6月21日
分析平台:	摸瓜APK反编译平台

文件名: suibo.apk
文件大小: 147.93MB
MD5值: 8b8ada7aaac687ee616e35e42e67b87f
SHA1值: 8bd1652db00fb075d369d393a2d24a67cac87a00
SHA256值: 0316681af31ffdfd9f21c231f0b9486a51af9f1534fa056bf352c312a3d7b1e8

i APP 信息

App名称: 随拨
包名: com.xinbo.suibo
主活动Activity: com.xinbo.suibo.activity.MainActivity
安卓版本名称: 1.0.3
安卓版本: 5

🔍 域名线索

域名	服务器信息
grs.dbankcloud.cn	IP: 121.36.117.149 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.webrtc.org	IP: 74.125.195.138 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
xml.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California

	城市: San Francisco 纬度: 37.775700 经度: -122.395203
errlog.umeng.com	IP: 223.109.148.142 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
open.weixin.qq.com	IP: 116.128.171.214 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
alogsus.umeng.com	IP: 223.109.148.141 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
metrics1-drcn.dt.dbankcloud.cn	IP: 111.202.16.252 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
face.baidu.com	IP: 112.34.111.253 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 106.14.228.186

agreement.suibo.cc	所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
grs.dbankcloud.com	IP: 60.28.200.159 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
errlogos.umeng.com	IP: 47.246.110.96 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
grs.platform.dbankcloud.ru	没有服务器地理信息.
metrics5.dt.dbankcloud.ru	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
schemas.android.com	没有服务器地理信息.
metrics2.data.hicloud.com	IP: 80.158.2.190 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
	IP: 59.82.29.162

pslog.umeng.com	所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
ouplog.umeng.com	IP: 47.246.110.93 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
data-drru.push.dbankcloud.com	IP: 159.138.202.31 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
beian.miit.gov.cn	IP: 112.84.222.56 所属国家: China 地区: Jiangsu 城市: Huai'an 纬度: 33.588612 经度: 119.019173
brain.baidu.com	IP: 110.242.69.34 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
aaaid.umeng.com	IP: 223.109.148.139 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992

ai.baidu.com	IP: 110.242.69.34 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
www.baidu.com	IP: 110.242.70.57 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
developer.umeng.com	IP: 59.82.60.43 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
ulogs.umengcloud.com	IP: 223.109.148.177 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
api.suiibo.cc	IP: 139.196.50.230 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
mp.weixin.qq.com	IP: 140.207.121.14 所属国家: China 地区: Shanghai 城市: Shanghai

	纬度: 31.224333 经度: 121.468948
grs.dbankcloud.asia	IP: 121.36.116.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
grs.dbankcloud.eu	没有服务器地理信息.
alogus.umeng.com	IP: 223.109.148.177 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
ulogs.umeng.com	IP: 223.109.148.179 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992

data-dra.push.dbankcloud.com	IP: 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
metrics-dra.dt.hicloud.com	IP: 94.74.88.100 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
long.open.weixin.qq.com	IP: 112.65.193.150 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
data-drcn.push.dbankcloud.com	IP: 118.194.33.160 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
plbslog.umeng.com	IP: 36.156.202.75 所属国家: China 地区: Jiangsu 城市: Yangzhou 纬度: 32.397221

 URL线索

URL信息	Url所在文件
https://github.com/airbnb/epoxy/wiki/Avoiding-Memory-Leaks	com/airbnb/epoxy/l.java
http://schemas.android.com/apk/res/android	com/aries/ui/view/tab/SegmentTabLayout.java
http://schemas.android.com/apk/res/android	com/aries/ui/view/tab/CommonTabLayout.java
http://schemas.android.com/apk/res/android	com/aries/ui/view/tab/SlidingTabLayout.java
https://brain.baidu.com/record/api	com/baidu/idl/face/platform/stat/Ast.java
http://face.baidu.com/openapi/v2/stat/sdkdata	com/baidu/idl/face/platform/network/LogRequest.java
http://face.baidu.com/gate/api/userverifydemo	com/baidu/idl/face/platform/network/NoMotionRequest.java
https://ai.baidu.com/activation/key/activate	com/baidu/idl/main/facesdk/FaceAuth.java
http://brain.baidu.com/record/api	com/baidu/idl/main/facesdk/statistic/PostDeviceInfo.java
https://ai.baidu.com/activation/key/activate	com/baidu/vis/unified/license/BDLicenseActivator.java
http://schemas.android.com/apk/res/android	com/baidu/liantian/g/d.java
http://xml.apache.org/xslt	com/blankj/utilcode/util/r.java
https://errlog.umeng.com/api/crashsdk/logcollect	com/efs/sdk/base/a/i/c.java

https://errlogos.umeng.com/api/crashsdk/logcollect	com/efs/sdk/base/a/d/a.java
https://errlog.umeng.com/api/crashsdk/logcollect	com/efs/sdk/base/a/d/a.java
https://mp.weixin.qq.com/publicpoc/opensdkconf?action=GetShareConf&appid=%s&sdkVersion=%s&buffer=%s	com/tencent/mm/opensdk/openapi/WXAPISecurityHelper.java
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuiid=%s	com/tencent/mm/opensdk/diffdev/a/c.java
https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s×tamp=%s&scope=%s&signature=%s	com/tencent/mm/opensdk/diffdev/a/b.java
http://developer.umeng.com/docs/66650/cate/66650	com/umeng/analytics/pro/j.java
https://plbslog.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ulogs.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ouplog.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ulogs.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogsus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://ulogs.umengcloud.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://developer.umeng.com/docs/66632/detail/	com/umeng/commonsdk/debug/UMLogUtils.java
https://pslog.umeng.com	com/umeng/commonsdk/vchannel/a.java
https://pslog.umeng.com/	com/umeng/commonsdk/vchannel/a.java
https://aaid.umeng.com/api/postZdata	com/umeng/umzid/ZIDManager.java

https://aaid.umeng.com/api/updateZdata	com/umeng/umzid/ZIDManager.java
https://errlogos.umeng.com/upload	com/uc/crashsdk/e.java
https://errlog.umeng.com/upload	com/uc/crashsdk/e.java
https://errlogos.umeng.com/api/crashsdk/logcollect	com/uc/crashsdk/a/h.java
https://errlog.umeng.com/api/crashsdk/logcollect	com/uc/crashsdk/a/h.java
https://errlogos.umeng.com	com/uc/crashsdk/a/d.java
https://errlog.umeng.com	com/uc/crashsdk/a/d.java
https://agreement.suibo.cc/service-agreement-phone.html	com/xinbo/component/account/b.java
https://agreement.suibo.cc/privacy-agreement-phone.html	com/xinbo/component/account/c.java
https://api.suibo.cc	com/xinbo/component/account/viewmodel/AccountLotteryViewModel.java
https://www.baidu.com	com/xinbo/component/account/viewmodel/AccountLotteryViewModel.java
https://api.suibo.cc	com/xinbo/component/account/viewmodel/AccountLotteryDetailViewModel.java
https://www.baidu.com	com/xinbo/component/account/viewmodel/AccountLotteryDetailViewModel.java
https://agreement.suibo.cc/service-lottery.html	com/xinbo/component/account/lottery/AccountLotteryFragment.java
https://agreement.suibo.cc/privacy-agreement.html	com/xinbo/component/xpopup/ext/instance/PrivacyXPopup.java
https://beian.miit.gov.cn	com/xinbo/component/xpopup/ext/instance/PrivacyXPopup.java
https://api.suibo.cc/api/	k6/i0.java

https://data-drcn.push.dbankcloud.com	摸瓜V2引擎
https://data-dra.push.dbankcloud.com	摸瓜V2引擎
https://data-dre.push.dbankcloud.com	摸瓜V2引擎
https://data-drru.push.dbankcloud.com	摸瓜V2引擎
https://metrics1-drcn.dt.dbankcloud.cn:443	摸瓜V2引擎
https://metrics-dra.dt.hicloud.com:6447	摸瓜V2引擎
https://metrics2.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.dt.dbankcloud.ru:6447	摸瓜V2引擎
https://grs.dbankcloud.com	摸瓜V2引擎
https://grs.dbankcloud.cn	摸瓜V2引擎
https://grs.dbankcloud.asia	摸瓜V2引擎
https://grs.platform.dbankcloud.ru	摸瓜V2引擎
https://grs.dbankcloud.eu	摸瓜V2引擎
http://s?	lib/arm64-v8a/libagora-rtc-sdk.so
http://www.webrtc.org/experiments/rtp-hdrext/abs-capture-time	lib/arm64-v8a/libagora-rtc-sdk.so
http://www.webrtc.org/experiments/rtp-hdrext/generic-frame-descriptor	lib/arm64-v8a/libagora-rtc-sdk.so
http://sCaching	lib/arm64-v8a/libagora-rtm-sdk-jni.so

邮箱线索

邮箱地址	所在文件
1@suibo.cc	摸瓜V1引擎
appro@openssl.org	lib/arm64-v8a/libagora-rtc-sdk.so
appro@openssl.org	lib/arm64-v8a/libagora_video_decoder_extension.so

手机线索

签名证书

APK已签名
v1 签名: False
v2 签名: True
v3 签名: False
找到 1 个唯一证书
主题: OU=XinBo, CN=SuiBo
签名算法: rsassa_pkcs1v15
有效期自: 2021-05-25 03:16:32+00:00
有效期至: 3020-09-25 03:16:32+00:00
发行人: OU=XinBo, CN=SuiBo
序列号: 0x76e2e3e4
哈希算法: sha256
md5值: f0af600f021ca0d2dba5448a9fd59d83
sha1值: 0710abbb7b2e34ae33727796a2f39c125c914099
sha256值: 3a6acb0458cf6ec0a49f61605a8fc017debd9d96bfa01a00cc99c284a361a00
sha512值: 1ba7b214fc6f4135adedead6b7eaab5fec051baf41c44f3f59d8c73497195cb337ab5ad97d27629e2f6faa426aa2b76d7846100364d8a5207088598beec5d8b8
公钥算法: rsa

密钥长度: 2048
指纹: 393c6e34ae8d1a29cad81d8e43dff7f6ae5f00192953e252931287856e65357d

硬编码敏感信息

可能的敏感信息
"string_account_auth": "实名认证"
"string_account_auth_cancellation_tips": "请输入您的身份信息，再点击右上角“下一步”去完成验证后即可注销随拨。"
"string_account_auth_ed": "已认证"
"string_account_auth_face_role": "接受《个人信息使用授权书》开始识别"
"string_account_auth_face_tips": "请对准镜头"
"string_account_auth_face_title": "人脸识别"
"string_account_auth_idcard": "身份证号"
"string_account_auth_illegal": "您的ID存在骚扰或其他违法违规行为，要完成 实名认证才能继续使用。"
"string_account_auth_info_idcard": "身份证号码"
"string_account_auth_info_name": "姓名"
"string_account_auth_info_tips": "实名信息认证后不可更改。"
"string_account_auth_info_title": "身份认证"
"string_account_auth_manager": "认证绑定"
"string_account_auth_name": "真实姓名"

string_account_auth_name : 具头姓名
"string_account_auth_tips": "请输入您的身份信息，再点击右上角“下一步”去完成验证后即可。"
"string_account_auth_title": "身份校验"
"string_account_auth_un": "未认证"
"string_account_manager_auth": "身份信息"
"string_account_manager_auth_bind": "已绑定"
"string_account_manager_auth_bind_sub": "恭喜您绑定成功"
"string_account_manager_auth_tips": "暂不支持更换认证或绑定"
"string_account_manager_auth_un": "未认证"
"string_account_manager_auth_unbind": "未绑定"
"string_account_manager_auth_wx": "微信"
"string_account_manager_auth_zfb": "支付宝"
"string_account_safe_password": "更改登录密码"
"string_account_safe_secret_password": "设置秘聊口令"
"string_account_safe_secret_password_change": "更改秘聊口令"
"string_account_safe_secret_password_tips": "用于拨友与您秘聊。"
"string_account_secret_auth_title": "请选择验证方式"
"string_account_secret_check": "验证登录密码"

"string_account_secret_check_tips": "完成登录密码验证即可找回秘聊口令。"
"string_account_secret_forget": "更改口令"
"string_account_secret_forget_tips_format": "请先设置您的新秘聊口令，然后再完成人脸验证通过后即可。"
"string_account_secret_forget_title": "找回"
"string_account_secret_lock_detail_unlock": "解除秘聊锁定"
"string_account_secret_lock_tips": "请找回您的秘聊口令后再试"
"string_account_secret_password_check": "输入秘聊口令"
"string_account_secret_password_check_tips": "请输入您的秘聊口令，以解锁被锁定的拨友。"
"string_account_secret_retry": "重新再试"
"string_account_secret_set": "设置口令"
"string_account_secret_set_tips": "请设置您的秘聊口令，用于拨友与您秘聊。"
"string_auth_face_back_cancell": "身份校验"
"string_auth_face_back_normal": "随拨"
"string_auth_face_close_tip": "请距离屏幕远一点"
"string_auth_face_far_tip": "请距离屏幕近一点"
"string_auth_face_loading": "正在校验..."
"string_auth_face_look_tip": "[请正视镜头]"

"string_auth_face_timeout_content": "由于人脸验证超时，请重新认证。"
"string_auth_face_timeout_title": "刷脸超时"
"string_auth_face_tip": "[请对准镜头眨眨眼]"
"string_auth_face_title": "人脸验证"
"string_common_authorization": "去授权"
"string_common_password": "登录密码"
"string_common_secret": "秘聊"
"string_common_secret_clear": "对方清除了秘聊室聊天记录。"
"string_conversation_secret_both": "双向清除此前所有秘聊记录"
"string_conversation_secret_clear_both": "双向清除"
"string_conversation_secret_clear_single": "单向清空"
"string_conversation_secret_clear_title": "秘聊纪录处置"
"string_conversation_secret_loading_tips": "正在校验对方的口令，通过后即可与对方进行秘聊..."
"string_conversation_secret_lock_tips": "对方解锁后可再次尝试进入"
"string_conversation_secret_room": "[{0}的秘聊室]"
"string_conversation_secret_tips": "请输入对方的秘聊口令，验证后即可与对方进行秘聊。"
"string_conversation_single_secret_tips": "此对话已进行加密处理，您随时可以清除双方秘聊记录，请尽情享受轻松私密的沟通方式。"
"string_main_setting_account_info_username": "名字"

"string_main_setting_privacy_secret_limit_tips" : "您的更改密码次数已达到今天上限，明天再试。"
"string_main_setting_privacy_secret_lock" : "锁定的拨友"
"string_main_setting_privacy_secret_lock_content" : "您的解除锁定次数已达到今天上限，可明天再试。"
"string_main_setting_privacy_secret_lock_friend_tips" : "需要您解锁后，被锁定的拨友才能再次尝试进入您的秘聊室。"
"string_main_setting_privacy_secret_lock_none" : "无锁定的拨友"
"string_main_setting_privacy_secret_lock_none_sub" : "被锁定在这里的拨友，需要您解锁后，对方才能再次尝试进入您的秘聊室。"
"string_main_setting_privacy_secret_lock_tips" : "秘聊管理已锁定，重置后可再次尝试进入。"
"string_main_setting_privacy_secret_lock_title" : "解除锁定"
"string_main_setting_privacy_secret_manager" : "秘聊管理"
"string_main_setting_privacy_secret_manager_change" : "更改口令"
"string_main_setting_privacy_secret_manager_lock" : "锁定的拨友"
"string_main_setting_privacy_secret_manager_lock_tip" : "需要您解锁后，对方才能再次尝试进入您的秘聊室。"
"string_main_setting_privacy_secret_password_change" : "更改秘聊室密码"
"string_main_setting_privacy_secret_tips" : "请输入您的秘聊口令"
"string_third_auth_idcard" : "实名"
"string_third_auth_title" : "请选择登录方式"
"string_third_auth_wx" : "微信"

"string_third_auth_zfb" : "支付宝"
"string_xpopup_image_viewer_send_to_user" : "发给拨友"
"string_account_auth" : "实名认证"
"string_account_auth_cancellation_tips" : "请输入您的身份信息，再点击右上角“下一步”去完成验证后即可注销随拨。"
"string_account_auth_ed" : "已认证"
"string_account_auth_face_role" : "接受《个人信息使用授权书》开始识别"
"string_account_auth_face_tips" : "请对准镜头"
"string_account_auth_face_title" : "人脸识别"
"string_account_auth_idcard" : "身份证号"
"string_account_auth_illegal" : "您的ID存在骚扰或其他违法违规行，要完成 实名认证才能继续使用。"
"string_account_auth_info_idcard" : "身份证号码"
"string_account_auth_info_name" : "姓名"
"string_account_auth_info_tips" : "实名信息认证后不可更改。"
"string_account_auth_info_title" : "身份认证"
"string_account_auth_manager" : "认证绑定"
"string_account_auth_name" : "真实姓名"
"string_account_auth_tips" : "请输入您的身份信息，再点击右上角“下一步”去完成验证后即可。"
"string_account_auth_title" : "实名认证"

"string_account_auth_un" : "未认证"
"string_account_manager_auth" : "身份信息"
"string_account_manager_auth_bind" : "已绑定"
"string_account_manager_auth_bind_sub" : "恭喜您绑定成功"
"string_account_manager_auth_tips" : "暂不支持更换认证或绑定"
"string_account_manager_auth_un" : "未认证"
"string_account_manager_auth_unbind" : "未绑定"
"string_account_manager_auth_wx" : "微信"
"string_account_manager_auth_zfb" : "支付宝"
"string_account_safe_password" : "更改登录密码"
"string_account_safe_secret_password" : "设置秘聊口令"
"string_account_safe_secret_password_change" : "更改秘聊口令"
"string_account_safe_secret_password_tips" : "用于拨友与您秘聊。"
"string_account_secret_auth_title" : "请选择验证方式"
"string_account_secret_check" : "验证登录密码"
"string_account_secret_check_tips" : "完成登录密码验证即可找回秘聊口令。"
"string_account_secret_forget" : "更改口令"

"string_account_secret_forget_tips_format": "请先设置您的新秘聊口令，然后再完成人脸验证通过后即可。"
"string_account_secret_forget_title": "找回"
"string_account_secret_lock_detail_unlock": "解除秘聊锁定"
"string_account_secret_lock_tips": "请找回您的秘聊口令后再试"
"string_account_secret_password_check": "输入秘聊口令"
"string_account_secret_password_check_tips": "请输入您的秘聊口令，以解锁被锁定的拨友。"
"string_account_secret_retry": "重新再试"
"string_account_secret_set": "设置口令"
"string_account_secret_set_tips": "请设置您的秘聊口令，用于拨友与您秘聊。"
"string_auth_face_back_cancell": "身份校验"
"string_auth_face_back_normal": "随拨"
"string_auth_face_close_tip": "请距离屏幕远一点"
"string_auth_face_far_tip": "请距离屏幕近一点"
"string_auth_face_loading": "正在校验..."
"string_auth_face_look_tip": "[请正视镜头]"
"string_auth_face_timeout_content": "由于人脸验证超时，请重新认证。"
"string_auth_face_timeout_title": "刷脸超时"
"string_auth_face_tip": "[请对准镜头眨眨眼]"

"string_auth_face_title" : "人脸验证"
"string_common_authorization" : "去授权"
"string_common_password" : "登录密码"
"string_common_secret" : "秘聊"
"string_common_secret_clear" : "对方清除了秘聊室聊天记录。"
"string_conversation_secret_both" : "双向清除此前所有秘聊记录"
"string_conversation_secret_clear_both" : "双向清除"
"string_conversation_secret_clear_single" : "删除本方"
"string_conversation_secret_clear_title" : "秘聊记录"
"string_conversation_secret_loading_tips" : "正在校验对方的口令，通过后即可与对方进行秘聊..."
"string_conversation_secret_lock_tips" : "对方解锁后可再次尝试进入"
"string_conversation_secret_room" : "[{0}的秘聊室]"
"string_conversation_secret_tips" : "请输入对方的秘聊口令，验证后即可与对方进行秘聊。"
"string_conversation_single_secret_tips" : "此对话已进行加密处理，您随时可以清除双方秘聊记录，请尽情享受轻松私密的沟通方式。"
"string_main_setting_account_info_username" : "名字"
"string_main_setting_privacy_secret_limit_tips" : "您的更改密码次数已达到今天上限，明天再试。"
"string_main_setting_privacy_secret_lock" : "锁定的拨友"

"string_main_setting_privacy_secret_lock_content": "您的解除锁定次数已达到今天上限，可明天再试。"
"string_main_setting_privacy_secret_lock_friend_tips": "需要您解锁后，被锁定的拨友才能再次尝试进入您的秘聊室。"
"string_main_setting_privacy_secret_lock_none": "无锁定的拨友"
"string_main_setting_privacy_secret_lock_none_sub": "被锁定在这里的拨友，需要您解锁后，对方才能再次尝试进入您的秘聊室。"
"string_main_setting_privacy_secret_lock_tips": "秘聊管理已锁定，重置后可再次尝试进入。"
"string_main_setting_privacy_secret_lock_title": "解除锁定"
"string_main_setting_privacy_secret_manager": "秘聊管理"
"string_main_setting_privacy_secret_manager_change": "更改口令"
"string_main_setting_privacy_secret_manager_lock": "锁定的拨友"
"string_main_setting_privacy_secret_manager_lock_tip": "需要您解锁后，对方才能再次尝试进入您的秘聊室。"
"string_main_setting_privacy_secret_password_change": "更改秘聊室密码"
"string_main_setting_privacy_secret_tips": "请输入您的秘聊口令"
"string_third_auth_idcard": "实名"
"string_third_auth_title": "请选择登录方式"
"string_third_auth_wx": "微信"
"string_third_auth_zfb": "支付宝"
"string_xpopup_image_viewer_send_to_user": "发给拨友"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_MEDIA_IMAGES	未知	Unknown permission	Unknown permission from android reference

android.permission.READ_MEDIA_VIDEO	未知	Unknown permission	Unknown permission from android reference
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.DISABLE_KEYGUARD	正常		如果键盘不安全,允许应用程序禁用它。
android.permission.USE_FULL_SCREEN_INTENT	正常		针对想要使用通知全屏意图的 Build.VERSION_CODES.Q 的应用程序是必需的
android.permission.FOREGROUND_SERVICE_PHONE_CALL	未知	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE_MICROPHONE	未知	Unknown permission	Unknown permission from android reference
android.permission.MANAGE_OWN_CALLS	正常		允许调用应用程序通过自我管理的 ConnectionService API 管理自己的调用
android.permission.POST_NOTIFICATIONS	未知	Unknown permission	Unknown permission from android reference

android.permission.QUERY_ALL_PACKAGES	正常		允许查询设备上的任何普通应用程序,无论清单声明如何
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.BLUETOOTH_CONNECT	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH_SCAN	未知	Unknown permission	Unknown permission from android reference
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.hardware.camera.autofocus	未知	Unknown permission	Unknown permission from android reference
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
com.xinbo.suibo.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.heytap.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。

android.permission.REQUEST_IGNORE_BATTERY_OPTIMIZATIONS	正常		应用程序必须持有的权限才能使用 Settings.ACTION_REQUEST_IGNORE_BATTERY_OPTIMIZATIONS。
com.xinbo.suibo.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
com.xinbo.suibo.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
com.hihonor.push.permission.READ_PUSH_NOTIFICATION_INFO	未知	Unknown permission	Unknown permission from android reference
android.permission.WRITE_SETTINGS	危险	修改全局系统 设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference
freemme.permission.msa	未知	Unknown permission	Unknown permission from android reference

应用内通信