



MoGua

None 1.0.APK 分析报告



APP名称:	None
包名:	
域名线索:	48条
URL线索:	20条
邮箱线索:	0条
分析日期:	2024年10月30日
分析平台:	摸瓜APK反编译平台

文件信息

文件名: 文件管理_7.0.1.0.apk

文件大小: 20.71MB

MD5值: 8cf16ffa3ffe5d6d84a5cb38a2f690cb

SHA1值: 8712dd8dd792274387415628adaa98ba2ca07abb

SHA256值: aebdddb8394d1510c53c0741dd341907e2d78d86e1ae390dad10c1723d6ac97e

APP 信息

App名称: None

包名:

主活动Activity: []

安卓版本名称: 1.0

安卓版本: []

域名线索

域名	服务器信息
test.data.mistat.xiaomi.srv	没有服务器地理信息.
pdc.micloud.xiaomi.net	IP: 123.125.103.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
musicapi.micloud.xiaomi.net	IP: 123.125.103.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
statusapi.micloud.xiaomi.net	IP: 123.125.103.221 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397102
api.micloud.preview.n.xiaomi.net	IP: 10.38.164.53 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
pdccapi.micloud.preview.n.xiaomi.net	IP: 10.38.164.53 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
ns.adobe.com	没有服务器地理信息.
api.device.xiaomi.net	IP: 111.202.0.81 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
data.mistat.xiaomi.com	IP: 218.60.79.2 所属国家: China 地区: Liaoning 城市: Dalian 纬度: 41.069592 经度: 122.598511
test-idservice.data.mistat.xiaomi.com	没有服务器地理信息.
micardapi.micloud.preview.n.xiaomi.net	IP: 10.38.164.53 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
api.device.preview.n.xiaomi.net	IP: 10.38.161.65 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
null.sun.com	没有服务器地理信息.
driveapi.micloud.xiaomi.net	IP: 123.125.103.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
api.micloud.xiaomi.net	IP: 123.125.103.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501

	经度: 116.397102
driveapi.micloud.preview.n.xiaomi.net	IP: 10.38.164.53 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
micardapi.micloud.xiaomi.net	IP: 123.125.103.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
open.account.preview.n.xiaomi.net	IP: 10.38.161.65 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
greenrobot.org	IP: 85.13.163.69 所属国家: Germany 地区: Thuringen 城市: Friedersdorf 纬度: 50.604919 经度: 11.035770
api.micloud.d.xiaomi.net	没有服务器地理信息。
contactapi.micloud.xiaomi.net	IP: 123.125.103.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
web.dev	IP: 216.239.32.27 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
statusapi.micloud.preview.n.xiaomi.net	IP: 10.38.164.53 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
musicbrainz.org	IP: 142.132.240.1 所属国家: Germany 地区: Sachsen 城市: Falkenstein 纬度: 50.477852 经度: 12.371563
findapi.micloud.xiaomi.net	IP: 114.247.154.17 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397102
galleryapi.micloud.preview.n.xiaomi.net	IP: 10.38.164.53 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
phonecallapi.micloud.xiaomi.net	IP: 123.125.103.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
api.account.xiaomi.com	IP: 111.202.0.82 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
open.account.xiaomi.com	IP: 111.202.1.116 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
wifiapi.micloud.xiaomi.net	IP: 123.125.103.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
wifisharingapi.micloud.xiaomi.net	IP: 123.125.103.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
micloud.preview.n.xiaomi.net	IP: 10.38.164.53 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
c.id.mi.com	IP: 111.202.0.159 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
api.account.preview.n.xiaomi.net	IP: 10.38.161.65 所属国家: - 地区: - 城市: - 纬度: 0.000000

	经度: 0.000000
www.slf4j.org	IP: 159.100.250.151 所属国家: Switzerland 地区: Zurich 城市: Zurich 纬度: 47.366825 经度: 8.549790
noteapi.micloud.xiaomi.net	IP: 123.125.103.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
v.id.mi.com	IP: 123.125.102.172 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
visitor.preview.n.xiaomi.net	IP: 10.38.161.65 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
relocationapi.micloud.preview.n.xiaomi.net	IP: 10.38.164.53 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
account.xiaomi.com	IP: 111.202.1.104 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.id3.org	IP: 206.189.160.222 所属国家: United States of America 地区: California 城市: Santa Clara 纬度: 37.354111 经度: -121.955490
galleryapi.micloud.xiaomi.net	IP: 123.125.103.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
smsapi.micloud.xiaomi.net	IP: 123.125.103.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

account.preview.n.xiaomi.net	IP: 10.38.161.65 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
data.sec.miui.com	IP: 111.206.174.147 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
fileapi.micloud.xiaomi.net	IP: 123.125.103.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
fileapi.micloud.preview.n.xiaomi.net	IP: 10.38.164.53 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
relocationapi.micloud.xiaomi.net	IP: 123.125.103.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

URL线索

URL信息	Url所在文件
http://driveapi.micloud.xiaomi.net/v2/user	com/micloud/midrive/server/protocol/U
http://api.micloud.d.xiaomi.net/mock/289/v2/user	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.preview.n.xiaomi.net/v2/user	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/files/commit/%s/thumbnaill	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/files/create	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/folders/create	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/folders/createPrivacyFolder	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/files/download	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/files/commit	com/micloud/midrive/server/protocol/U

http://driveapi.micloud.xiaomi.net/v2/user/folders/children	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/records/dir/get	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/files/get?%s/encryptInfo	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/folders/detail	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/search/timeline	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/files/thumbnail	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/files/play/online	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/ai/recommend/detail	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/ai/recommend/list	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/ai/status/get	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/ai/recommend/thumbnail	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/ai/recommend/thumbnails	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/records/full/get	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/records/taskquery	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/files/thumbnails	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/litoken/get	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v1/user/trash/size	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v1/user	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/operates/clean	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/operates/create	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/operates/deleteByIds	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/operates/latest	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/operates/list	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/operates/timeline	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/ai/recommend/delete	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/ai/status/update	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/records/rename	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/records/filemanager	com/micloud/midrive/server/protocol/U

http://driveapi.micloud.xiaomi.net/v2/user/files/create/%s/thumbnail	com/micloud/midrive/server/protocol/U
http://api.micloud.xiaomi.net/mic/user/privacy/status/set	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/search	com/micloud/midrive/server/protocol/U
http://driveapi.micloud.xiaomi.net/v2/user/records/sync	com/micloud/midrive/server/protocol/U
https://data.sec.miui.com	com/miui/privacypolicy/NetUtils.java
https://data.sec.miui.com/privacy/agree/v1	com/miui/privacypolicy/PrivacyAgreeMa
https://data.sec.miui.com/privacy/revoke/v1	com/miui/privacypolicy/PrivacyRevokeM
https://data.sec.miui.com/privacy/latestVersion	com/miui/privacypolicy/PrivacyQueryMa
https://data.sec.miui.com/privacy/get/v1	com/miui/privacypolicy/PrivacyUpdateM
https://v.id.mi.com/visitor/login	com/xiaomi/accountsdk/guestaccount/C
https://v.id.mi.com/visitor/register	com/xiaomi/accountsdk/guestaccount/C
http://visitor.preview.n.xiaomi.net/visitor/login	com/xiaomi/accountsdk/guestaccount/C
http://visitor.preview.n.xiaomi.net/visitor/register	com/xiaomi/accountsdk/guestaccount/C
http://account.preview.n.xiaomi.net	com/xiaomi/accountsdk/account/URLs.je
https://account.xiaomi.com	com/xiaomi/accountsdk/account/URLs.je
https://c.id.mi.com	com/xiaomi/accountsdk/account/URLs.je
http://account.preview.n.xiaomi.net/pass	com/xiaomi/accountsdk/account/URLs.je
https://account.xiaomi.com/pass	com/xiaomi/accountsdk/account/URLs.je
http://c.id.mi.com/pass	com/xiaomi/accountsdk/account/URLs.je
http://api.account.preview.n.xiaomi.net/pass	com/xiaomi/accountsdk/account/URLs.je
http://api.account.xiaomi.com/pass	com/xiaomi/accountsdk/account/URLs.je
https://api.account.xiaomi.com/pass	com/xiaomi/accountsdk/account/URLs.je
http://api.account.preview.n.xiaomi.net/pass/v2	com/xiaomi/accountsdk/account/URLs.je
https://api.account.xiaomi.com/pass/v2	com/xiaomi/accountsdk/account/URLs.je
http://api.account.preview.n.xiaomi.net/pass/v2/safe	com/xiaomi/accountsdk/account/URLs.je
http://api.account.xiaomi.com/pass/v2/safe	com/xiaomi/accountsdk/account/URLs.je
http://api.account.preview.n.xiaomi.net/pass/v3	com/xiaomi/accountsdk/account/URLs.je
https://api.account.xiaomi.com/pass/v3	com/xiaomi/accountsdk/account/URLs.je

http://account.preview.n.xiaomi.net/oauth2/	com/xiaomi/accountsdk/account/URLs.ji
https://account.xiaomi.com/oauth2/	com/xiaomi/accountsdk/account/URLs.ji
http://api.device.preview.n.xiaomi.net	com/xiaomi/accountsdk/account/URLs.ji
http://api.device.xiaomi.net	com/xiaomi/accountsdk/account/URLs.ji
http://open.account.preview.n.xiaomi.net/third/	com/xiaomi/accountsdk/account/URLs.ji
https://open.account.xiaomi.com/third/	com/xiaomi/accountsdk/account/URLs.ji
http://pdcapi.micloud.preview.n.xiaomi.net	com/xiaomi/micloudsdk/utis/MiCloudCc
http://pdc.micloud.xiaomi.net	com/xiaomi/micloudsdk/utis/MiCloudCc
http://statusapi.micloud.preview.n.xiaomi.net	com/xiaomi/micloudsdk/utis/MiCloudCc
http://statusapi.micloud.xiaomi.net	com/xiaomi/micloudsdk/utis/MiCloudCc
http://galleryapi.micloud.preview.n.xiaomi.net	com/xiaomi/micloudsdk/utis/MiCloudCc
http://galleryapi.micloud.xiaomi.net	com/xiaomi/micloudsdk/utis/MiCloudCc
http://fileapi.micloud.preview.n.xiaomi.net	com/xiaomi/micloudsdk/utis/MiCloudCc
http://fileapi.micloud.xiaomi.net	com/xiaomi/micloudsdk/utis/MiCloudCc
http://relocationapi.micloud.preview.n.xiaomi.net	com/xiaomi/micloudsdk/utis/MiCloudCc
https://relocationapi.micloud.xiaomi.net	com/xiaomi/micloudsdk/utis/MiCloudCc
https://data.mistat.xiaomi.com/idservice/deviceid_get	com/xiaomi/stat/b/d.java
http://test.data.mistat.xiaomi.srv/get_all_config	com/xiaomi/stat/d/k.java
http://test-idservice.data.mistat.xiaomi.com/deviceid_get	com/xiaomi/stat/d/k.java
http://test.data.mistat.xiaomi.srv/mistats/v3	com/xiaomi/stat/d/k.java
http://null.sun.com/	javax/crypto/SunJCE_b.java
http://api.micloud.preview.n.xiaomi.net	miui/cloud/CloudRequestUtils.java
http://fileapi.micloud.xiaomi.net	miui/cloud/CloudRequestUtils.java
http://micloud.preview.n.xiaomi.net	miui/cloud/CloudRequestUtils.java
http://contactapi.micloud.xiaomi.net	miui/cloud/CloudRequestUtils.java
http://micardapi.micloud.preview.n.xiaomi.net	miui/cloud/CloudRequestUtils.java
http://micardapi.micloud.xiaomi.net	miui/cloud/CloudRequestUtils.java
http://smsapi.micloud.xiaomi.net	miui/cloud/CloudRequestUtils.java

https://galleryapi.micloud.xiaomi.net	miui/cloud/CloudRequestUtils.java
http://findapi.micloud.xiaomi.net	miui/cloud/CloudRequestUtils.java
http://wifiapi.micloud.xiaomi.net	miui/cloud/CloudRequestUtils.java
http://noteapi.micloud.xiaomi.net	miui/cloud/CloudRequestUtils.java
http://musicapi.micloud.xiaomi.net	miui/cloud/CloudRequestUtils.java
http://phonecallapi.micloud.xiaomi.net	miui/cloud/CloudRequestUtils.java
https://wifisharingapi.micloud.xiaomi.net	miui/cloud/CloudRequestUtils.java
http://api.device.preview.n.xiaomi.net	miui/cloud/CloudRequestUtils.java
http://api.device.xiaomi.net	miui/cloud/CloudRequestUtils.java
http://statusapi.micloud.preview.n.xiaomi.net	miui/cloud/CloudRequestUtils.java
http://statusapi.micloud.xiaomi.net	miui/cloud/CloudRequestUtils.java
http://account.preview.n.xiaomi.net/pass/serviceLogin?callback=http%3A%2F%2Fmicloudweb.preview.n.xiaomi.com%2Fsts%3Fsign%3DLmX3DWB%252FO%252FtjMckaek2Ot0%252BkzQ%253D%26followup%3Dhttp%253A%252F%252Fmicloudweb.preview.n.xiaomi.com%252Fvip&sid=i.mi.com	miui/cloud/CloudSyncUtils.java
https://account.xiaomi.com/pass/serviceLogin?callback=https%3A%2F%2Fdaily.i.mi.com%2Fsts%3Fsign%3DGTlyREMra%252Bf1eVmjJubCFg%252FK3eA%253D%26followup%3Dhttps%253A%252F%252Fdaily.i.mi.com%252Fvip&sid=i.mi.com&_locale=zh_CN	miui/cloud/CloudSyncUtils.java
https://account.xiaomi.com/pass/serviceLogin?callback=https%3A%2F%2Fi.mi.com%2Fsts%3Fsign%3Dn9zfyPtPHxLmf0eYJmWASvEjEo%253D%26followup%3Dhttps%253A%252F%252Fi.mi.com%252Fvip&sid=i.mi.com	miui/cloud/CloudSyncUtils.java
https://web.dev/appcache-removal/	miuix/internal/hybrid/webkit/WebSetting
https://greenrobot.org/greendao/documentation/database-encryption/	org/greenrobot/greendao/database/Dat
http://www.id3.org/dummy/ufid.html	org/jaudiotagger/tag/id3/framebody/Fra
http://musicbrainz.org	org/jaudiotagger/tag/id3/framebody/Fra
http://www.slf4j.org/codes.html	org/slf4j/MDC.java
http://www.slf4j.org/codes.html	org/slf4j/LoggerFactory.java
http://ns.adobe.com/xap/1.0/u0000	v0/a.java

✉ 邮箱线索

☰ 手机线索

✿ 签名证书

APK已签名
v1 签名: True
v2 签名: True

v3 签名: True
找到 1 个唯一证书
主题: C=CN, ST=Beijing, L=Beijing, O=Xiaomi, OU=MIUI, CN=MIUI, E=miui@xiaomi.com
签名算法: rsassa_pkcs1v15
有效期至: 2011-12-06 03:26:26+00:00
有效期至: 2039-04-23 03:26:26+00:00
发行人: C=CN, ST=Beijing, L=Beijing, O=Xiaomi, OU=MIUI, CN=MIUI, E=miui@xiaomi.com
序列号: 0xe552a8ecb9011b7c
哈希算法: sha1
md5值: 701478a1e3b4b7e3978ea69469410f13
sha1值: 7b6dc7079c34739ce81159719fb5eb61d2a03225
sha256值: c9009d01ebf9f5d0302bc71b2fe9aa9a47a432bba17308a3111b75d7b2149025
sha512值: 83bcc6127662a62784e99c81038073d3493153c87417d413c0f2cbf9d15709e0234149589883deb08426c210fd52b4eb848d771cea8209e79c0a93f0b23cf4
公钥算法: rsa
密钥长度: 2048
指纹: a5cbeed2fbc7fe481cc5137b011d3b095eb9f94145eb43571524d1a7d80466b4

硬编码敏感信息

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL 链接
登陆摸瓜网站后查看		

此APP的危险动作

应用内通信