



MoGua

福彩阁 1.0.APK 分析报告



APP名称:

福彩阁

包名:

域名线索:

105条

URL线索:

89条

邮箱线索:

2条

分析日期:

2025年7月16日

分析平台:

[摸瓜APK反编译平台](#)

文件信息

文件名: 424_3fgUsbx.apk

文件大小: 75.59MB
MD5值: 8f6c160e91eb668eef27ce51f8e02d58
SHA1值: 786671db9f66896a4412a3582e0494d396ca4c0d
SHA256值: 2b02a389733823ce6e349704d718c38f1fd16ecc6ff63170b8351b6e97373ae8

i APP 信息

App名称: 福彩阁
包名:
主活动Activity: []
安卓版本名称: 1.0
安卓版本: []

🔍 域名线索

域名	服务器信息
cfg.imtt.qq.com	IP: 60.29.240.17 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
playready.directtaps.net	IP: 13.107.246.73 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
merchant.5upay.com	IP: 123.56.64.111 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397102
store.hispace.hicloud.com	IP: 123.249.62.130 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
m.alipay.com	IP: 203.209.245.120 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
api-push.meizu.com	IP: 221.5.93.66 所属国家: China 地区: Guangdong 城市: Foshan 纬度: 23.026770 经度: 113.131477
ce3e75d5.jpsh.cn	IP: 120.233.118.169 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545673 经度: 114.068108
login.imgcache.qq.com	IP: 220.194.122.222 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
	IP: 47.237.96.1

register.xmpush.global.xiaomi.com	所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
mdc.html5.qq.com	IP: 116.130.223.178 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
wallet.95516.com	IP: 116.196.139.42 所属国家: China 地区: Zhejiang 城市: Jinhua 纬度: 30.013470 经度: 120.288658
10.10.10.61	IP: 10.10.10.61 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
fusion.qq.com	IP: 116.130.229.204 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501

	经度: 116.397102
ru.register.xmpush.global.xiaomi.com	IP: 107.155.52.56 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752258 经度: 37.615471
mobilegw.stable.alipay.net	没有服务器地理信息.
huatuocode.huatuo.qq.com	没有服务器地理信息.
127.0.0.1	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
new.api.ad.xiaomi.com	没有服务器地理信息.
dev-merchant.5upay.com	IP: 172.24.3.120 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
www.wh.com	IP: 216.137.39.98 所属国家: United States of America 地区: California 城市: Los Angeles 纬度: 34.052570 经度: -118.243904
	IP: 124.95.224.248 所属国家: China

log.tbs.qq.com	地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
www.slf4j.org	IP: 159.100.250.151 所属国家: Switzerland 地区: Zurich 城市: Zurich 纬度: 47.366825 经度: 8.549790
www.eclipse.org	IP: 198.41.30.198 所属国家: Canada 地区: Ontario 城市: Brampton 纬度: 43.702347 经度: -79.711548
mqqad.html5.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
www.sina.com.hk	IP: 199.16.156.38 所属国家: United States of America 地区: Georgia 城市: Atlanta 纬度: 33.770844 经度: -84.377632
push.statics	没有服务器地理信息.
appsupport.qq.com	IP: 60.28.215.27 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181

	经度: 117.176102
pms.mb.qq.com	IP: 60.28.172.238 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
bjuser.jppush.cn	IP: 122.9.5.30 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
www.5.com	没有服务器地理信息.
h5.m.taobao.com	IP: 125.39.155.58 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
qa-webox-api.5upay.com	没有服务器地理信息.
mcgw.alipay.com	IP: 116.196.141.48 所属国家: China 地区: Zhejiang 城市: Jinhua 纬度: 30.013470 经度: 120.288658
h.trace.qq.com	IP: 113.56.189.162 所属国家: China 地区: Hubei 城市: Huangshi

	纬度: 30.204170 经度: 115.077606
resolver.msg.xiaomi.net	IP: 110.43.0.41 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.huawei.com	IP: 120.52.95.238 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
10.10.10.176	IP: 10.10.10.176 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
uat-webox-api.5upay.com	没有服务器地理信息.
appgallery.cloud.huawei.com	IP: 49.4.35.16 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
wappaygw.alipay.com	IP: 116.196.141.52 所属国家: China 地区: Zhejiang 城市: Jinhua 纬度: 30.013470 经度: 120.288658

grs.dbankcloud.eu	没有服务器地理信息.
open.weixin.qq.com	IP: 220.196.132.78 所属国家: China 地区: Jiangsu 城市: Zhenjiang 纬度: 32.209366 经度: 119.434372
soft.tbs.imtt.qq.com	IP: 119.167.147.86 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
ip.chinaz.com	IP: 123.129.219.142 所属国家: China 地区: Shandong 城市: Jinan 纬度: 36.668331 经度: 116.997223
mobilegw-1-64.test.alipay.net	没有服务器地理信息.
openmobile.qq.com	IP: 60.28.215.27 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
www.inkscape.org	IP: 140.211.9.79 所属国家: United States of America 地区: Oregon 城市: Eugene 纬度: 44.036083 经度: -123.052429

www.5upay.com	IP: 118.26.164.135 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
grs.dbankcloud.asia	IP: 121.36.117.149 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
long.open.weixin.qq.com	IP: 112.65.193.170 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
loggw-exsdk.alipay.com	IP: 110.76.6.92 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
182.92.20.189	IP: 182.92.20.189 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
g.cn	IP: 114.250.67.34 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397102
acs.amazonaws.com	没有服务器地理信息.
d.alipay.com	IP: 116.196.141.47 所属国家: China 地区: Zhejiang 城市: Jinhua 纬度: 30.013470 经度: 120.288658
www.qq.com	IP: 221.198.70.47 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
api.xmpush.xiaomi.com	IP: 123.125.102.209 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.4.com	没有服务器地理信息.
wspeed.qq.com	没有服务器地理信息.
api-push.in.meizu.com	IP: 206.161.233.191 所属国家: United States of America 地区: Virginia 城市: Herndon 纬度: 38.978210 经度: -77.386993
www.2.com	没有服务器地理信息.

www.jivesoftware.com	IP: 23.235.209.143 所属国家: United States of America 地区: Virginia 城市: Virginia Beach 纬度: 36.837925 经度: -76.093918
uat-merchant.5upay.com	IP: 172.16.12.112 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
wiki.eclipse.org	IP: 198.41.30.195 所属国家: Canada 地区: Ontario 城市: Brampton 纬度: 43.702347 经度: -79.711548
fr.register.xmpush.global.xiaomi.com	IP: 98.64.182.160 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.378502 经度: 4.899980
mclient.alipay.com	IP: 124.95.170.204 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
tsis.jpush.cn	IP: 110.41.23.105 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361

	经度: 113.264572
app.mi.com	IP: 221.194.175.44 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
webbox.5upay.com	IP: 47.95.113.116 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
astat.bugly.cros.wr.pvp.net	IP: 170.106.118.26 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
mobilegw.alipaydev.com	IP: 110.75.132.131 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
idmb.register.xmpush.global.xiaomi.com	IP: 20.219.205.9 所属国家: India 地区: Maharashtra 城市: Pune 纬度: 18.519663 经度: 73.854507
	IP: 60.29.240.122 所属国家: China

debugtbs.qq.com	地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
pv.sohu.com	IP: 123.125.244.28 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
schemas.microsoft.com	IP: 13.107.246.73 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
xmlpull.org	IP: 185.199.111.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
dev-webox-api.ehking.com	没有服务器地理信息.
mobilegw.aaa.alipay.net	没有服务器地理信息.
34.150.84.57	IP: 34.150.84.57 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
www.3.com	没有服务器地理信息.

netty.io	IP: 172.67.130.186 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
render.alipay.com	IP: 124.165.219.237 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
www.google.com	IP: 31.13.94.41 所属国家: Argentina 地区: Ciudad Autonoma de Buenos Aires 城市: Buenos Aires 纬度: -34.603600 经度: -58.381554
grs.dbankcloud.cn	IP: 49.4.40.185 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
tools.ietf.org	IP: 104.16.44.99 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
sodipodi.sourceforge.net	IP: 104.18.13.149 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700

	经度: -122.395203
api.ip.sb	IP: 172.67.75.172 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
169.254.169.254	IP: 169.254.169.254 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
qa-merchant.5upay.com	IP: 172.24.3.124 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
xrcf0530.s3.ap-southeast-1.amazonaws.com	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
cn.register.xmpush.xiaomi.com	IP: 221.194.179.52 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
	IP: 46.82.174.69 所属国家: Germany

play.google.com	地区: Niedersachsen 城市: Braunschweig 纬度: 52.266121 经度: 10.526730
astat.bugly.qcloud.com	IP: 119.28.121.133 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
dev-sdk.ehking.com	没有服务器地理信息.
www.geetest.com	IP: 116.196.155.61 所属国家: China 地区: Zhejiang 城市: Jinhua 纬度: 30.013470 经度: 120.288658
cgi.qplus.com	没有服务器地理信息.
debugx5.qq.com	IP: 60.29.240.122 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
www.openssl.org	IP: 34.49.79.89 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
	IP: 60.28.193.195 所属国家: China

grs.dbankcloud.com	地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
www.w3.org	IP: 104.18.22.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
mobilegw.alipay.com	IP: 203.209.243.27 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
vfx.mtime.cn	IP: 121.29.9.33 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041599 经度: 114.478081
static.geetest.com	IP: 60.28.220.193 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
xml.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203

URL线索

URL信息	Url所在文件
https://tsis.jpush.cn	cn/jiguang/ao/i.java
https://bjuser.jpush.cn/v1/appawake/status	cn/jiguang/ai/b.java
http://182.92.20.189:9099/	cn/jiguang/r/a.java
https://ce3e75d5.jpush.cn/wi/cjc4sa	cn/jiguang/aj/d.java
https://mobilegw.alipay.com/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw.aaa.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw-1-64.test.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw.stable.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
https://render.alipay.com/p/s/i?scheme=%s	com/alipay/sdk/app/OpenAuthTask.java
https://wappaygw.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
http://wappaygw.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/home/exterfaceAssign.htm	com/alipay/sdk/app/PayTask.java

http://mclient.alipay.com/home/exterfaceAssign.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/cashier/mobilepay.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/cashier/mobilepay.htm	com/alipay/sdk/app/PayTask.java
http://xml.apache.org/xslt	com/blankj/utilcode/util/LogUtils.java
http://g.cn/generate_204	com/ehking/sdk/wepay/utlis/CheckWifiLoginTask.java
http://pv.sohu.com/cityjson?ie=utf-8	com/ehking/sdk/wepay/utlis/NetUtils.java
https://wallet.95516.com/s/wl/webV3/activity/yhtzB/insB2c/html/b2cIndex.html?institutionId=E00000295038	com/ehking/sdk/wepay/constant/Constants.java
https://webox.5upay.com/	com/ehking/sdk/wepay/constant/Constants.java
https://merchant.5upay.com/webox/agreement/privacyPolicy.html	com/ehking/sdk/wepay/constant/Constants.java
https://merchant.5upay.com/webox/agreement/serviceAgreement.html	com/ehking/sdk/wepay/constant/Constants.java
https://qa-webox-api.5upay.com/	com/ehking/sdk/wepay/interfaces/WalletPay.java
https://qa-merchant.5upay.com/webox/agreement/privacyPolicy.html	com/ehking/sdk/wepay/interfaces/WalletPay.java
https://qa-merchant.5upay.com/webox/agreement/serviceAgreement.html	com/ehking/sdk/wepay/interfaces/WalletPay.java
https://webox.5upay.com/	com/ehking/sdk/wepay/interfaces/WalletPay.java
https://uat-webox-api.5upay.com/	com/ehking/sdk/wepay/interfaces/WalletPay.java
https://uat-merchant.5upay.com/webox/agreement/privacyPolicy.html	com/ehking/sdk/wepay/interfaces/WalletPay.java
https://uat-merchant.5upay.com/webox/agreement/serviceAgreement.html	com/ehking/sdk/wepay/interfaces/WalletPay.java

https://dev-webox-api.ehking.com/	com/ehking/sdk/wepay/interfaces/WalletPay.java
https://dev-merchant.5upay.com/webox/agreement/privacyPolicy.html	com/ehking/sdk/wepay/interfaces/WalletPay.java
https://dev-merchant.5upay.com/webox/agreement/serviceAgreement.html	com/ehking/sdk/wepay/interfaces/WalletPay.java
http://app.mi.com/detail/163525?ref=search	com/getmessage/lite/presenter/AboutUsPresenter.java
http://www.huawei.com	com/getmessage/lite/view/TestActivity.java
http://www.qq.com	com/getmessage/lite/view/TestActivity.java
http://www.sina.com.hk	com/getmessage/lite/view/TestActivity.java
http://www.google.com	com/getmessage/lite/view/TestActivity.java
http://vfx.mtime.cn/Video/2019/03/21/mp4/190321153853126488.mp4	com/getmessage/lite/view/TestActivity.java
http://10.10.10.176:80	com/getmessage/module_base/model/bean/HttpServerConfigEntity.java
http://www.2.com	com/getmessage/module_base/model/bean/HttpServerConfigEntity.java
http://www.3.com	com/getmessage/module_base/model/bean/HttpServerConfigEntity.java
http://www.4.com	com/getmessage/module_base/model/bean/HttpServerConfigEntity.java
http://www.5.com	com/getmessage/module_base/model/bean/HttpServerConfigEntity.java
https://d.alipay.com	com/getmessage/module_base/web/WebViewHelper.java
https://d.alipay.com	com/getmessage/module_base/web/x5WebViewHelper.java
http://www.geetest.com/first_page	com/geetest/sdk/views/GT3GeetestButton.java
https://push.statics	com/meizu/cloud/pushsdk/networking/http/URLConnectionCall.java

https://api-push.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/api/PushAPI.java
https://api-push.in.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/api/PushAPI.java
https://dev-sdk.ehking.com/callback	com/payeasenet/wepay/ui/viewModel/OrderPayModel.java
https://dev-sdk.ehking.com/onlinepay/notify_V3	com/payeasenet/wepay/ui/viewModel/OrderPayModel.java
http://pv.sohu.com/cityjson?ie=utf-8	com/payeasenet/wepay/utlis/NetUtils.java
https://merchant.5upay.com/webbox/agreement/privacyPolicy.html	com/payeasenet/wepay/constant/Constants.java
https://merchant.5upay.com/webbox/agreement/serviceAgreement.html	com/payeasenet/wepay/constant/Constants.java
https://www.5upay.com/	com/payeasenet/wepay/constant/Constants.java
https://h.trace.qq.com/kv	com/tencent/bugly/proguard/ad.java
https://astat.bugly.qcloud.com/rqd/async	com/tencent/bugly/proguard/ac.java
https://astat.bugly.cros.wr.pvp.net/:8180/rqd/async	com/tencent/bugly/proguard/ac.java
https://127.0.0.1/android.bugly.qq.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/StrategyBean.java
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuid=%s	com/tencent/mm/opensdk/diffdev/a/c.java
https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s×tamp=%s&scope=%s&signature=%s	com/tencent/mm/opensdk/diffdev/a/b.java
https://debugtbs.qq.com	com/tencent/smtt/sdk/WebView.java
https://debugx5.qq.com	com/tencent/smtt/sdk/WebView.java
http://debugtbs.qq.com?10000\	com/tencent/smtt/sdk/WebView.java

http://pms.mb.qq.com/rsp204	com.tencent/smtt/sdk/j.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=50079	com.tencent/smtt/sdk/stat/MttLoader.java
https://mdc.html5.qq.com/mh?channel_id=50079&u=	com.tencent/smtt/sdk/stat/MttLoader.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=11047	com.tencent/smtt/sdk/ui/dialog/d.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=11041	com.tencent/smtt/sdk/ui/dialog/d.java
https://log.tbs.qq.com/ajax?c=pu&v=2&k=	com.tencent/smtt/utils/m.java
https://log.tbs.qq.com/ajax?c=pu&tk=	com.tencent/smtt/utils/m.java
https://log.tbs.qq.com/ajax?c=dl&k=	com.tencent/smtt/utils/m.java
https://cfg.imtt.qq.com/tbs?v=2&mk=	com.tencent/smtt/utils/m.java
https://log.tbs.qq.com/ajax?c=ul&v=2&k=	com.tencent/smtt/utils/m.java
https://mqqqad.html5.qq.com/adjs	com.tencent/smtt/utils/m.java
https://log.tbs.qq.com/ajax?c=ucfu&k=	com.tencent/smtt/utils/m.java
https://soft.tbs.imtt.qq.com/17421/tbs_res_imtt_tbs_DebugPlugin_DebugPlugin.tbs	com.tencent/smtt/utils/d.java
http://sodipodi.sourceforge.net/DTD/sodipodi-0.dtd'	com.github/siyamed/shapeimageview/path/parser/SvgToPath.java
http://www.inkscape.org/namespaces/inkscape'	com.github/siyamed/shapeimageview/path/parser/SvgToPath.java
https://tools.ietf.org/html/rfc7540	io/netty/handler/codec/http2/HttpConversionUtil.java
https://wiki.eclipse.org/Jetty/Feature/NPN	io/netty/handler/ssl/JdkNpnApplicationProtocolNegotiator.java
http://www.eclipse.org/jetty/documentation/current/alpn-chapter.html	io/netty/handler/ssl/JdkAlpnApplicationProtocolNegotiator.java

https://netty.io/wiki/forked-tomcat-native.html	io/netty/handler/ssl/OpenSsl.java
https://www.openssl.org/docs/man1.0.2/apps/verify.html	io/netty/handler/ssl/OpenSslCertificateException.java
https://netty.io/wiki/sslcontextbuilder-and-private-key.html	io/netty/handler/ssl/PemReader.java
https://netty.io/wiki/reference-counted-objects.html	io/netty/util/ResourceLeakDetector.java
http://pv.sohu.com/cityjson	p/a/y/e/a/s/e/net/kd0.java
http://pv.sohu.com/cityjson?ie=utf-8	p/a/y/e/a/s/e/net/kd0.java
http://ip.chinaz.com/getip.aspx	p/a/y/e/a/s/e/net/kd0.java
https://xrcf0530.s3.ap-southeast-1.amazonaws.com/fcg_0630	p/a/y/e/a/s/e/net/l50.java
https://34.150.84.57:24465	p/a/y/e/a/s/e/net/l50.java
https://127.0.0.1/fhim-Proxy.txt	p/a/y/e/a/s/e/net/l50.java
http://xmlpull.org/v1/doc/features.html	p/a/y/e/a/s/e/net/in2.java
http://m.alipay.com/?action=h5quit	p/a/y/e/a/s/e/net/w2.java
https://mobilegw.alipay.com/mgw.htm	p/a/y/e/a/s/e/net/w2.java
https://mcgw.alipay.com/sdklog.do	p/a/y/e/a/s/e/net/w2.java
https://mobilegw.alipaydev.com/mgw.htm	p/a/y/e/a/s/e/net/w2.java
https://loggw-exsdk.alipay.com/loggw/logUpload.do	p/a/y/e/a/s/e/net/w2.java
https://wappaygw.alipay.com/home/exterfaceAssign.htm?	p/a/y/e/a/s/e/net/w2.java

https://mclient.alipay.com/home/exterfaceAssign.htm?	p/a/y/e/a/s/e/net/w2.java
http://www.sl4j.org/codes.html	p/a/y/e/a/s/e/net/cs3.java
http://xml.apache.org/xslt	p/a/y/e/a/s/e/net/n62.java
http://www.jivesoftware.com/xmlns/xmpp/properties\	p/a/y/e/a/s/e/net/sn2.java
https://127.0.0.1/cgi.connect.qq.com/qqconnectopen/openapi/policy_conf	p/a/y/e/a/s/e/net/cd2.java
http://new.api.ad.xiaomi.com/logNotificationAdActions	p/a/y/e/a/s/e/net/dk2.java
https://h5.m.taobao.com/mlapp/olist.html	p/a/y/e/a/s/e/net/z2.java
http://www.sl4j.org/codes.html	p/a/y/e/a/s/e/net/bs3.java
http://xmlpull.org/v1/doc/features.html	p/a/y/e/a/s/e/net/yn2.java
https://github.com/danikula/AndroidVideoCache/issues/88.	p/a/y/e/a/s/e/net/tm.java
https://github.com/danikula/AndroidVideoCache/issues/43.	p/a/y/e/a/s/e/net/tm.java
https://github.com/danikula/AndroidVideoCache/issues.	p/a/y/e/a/s/e/net/tm.java
http://%s:%d/%s	p/a/y/e/a/s/e/net/vm.java
https://github.com/danikula/AndroidVideoCache/issues/134.	p/a/y/e/a/s/e/net/vm.java
http://%1\$s/gslb/?ver=4.0	p/a/y/e/a/s/e/net/mk2.java
https://api.xmpush.xiaomi.com/upload/xmsf_log?file=	p/a/y/e/a/s/e/net/gh2.java
https://api.xmpush.xiaomi.com/upload/app_log?file=	p/a/y/e/a/s/e/net/gh2.java

https://wspeed.qq.com/w.cgi	p/a/y/e/a/s/e/net/ic2.java
https://appsupport.qq.com/cgi-bin/appstage/mstats_batch_report	p/a/y/e/a/s/e/net/ic2.java
http://cgi.qplus.com/report/report	p/a/y/e/a/s/e/net/hd2.java
https://huatuocode.huatuo.qq.com	p/a/y/e/a/s/e/net/fc2.java
https://login.imgcache.qq.com/open/mobile/request/sdk_request.html?	p/a/y/e/a/s/e/net/yb2.java
https://login.imgcache.qq.com/open/mobile/invite/sdk_invite.html?	p/a/y/e/a/s/e/net/yb2.java
https://login.imgcache.qq.com/open/mobile/sendstory/sdk_sendstory_v1.3.html?	p/a/y/e/a/s/e/net/yb2.java
https://login.imgcache.qq.com	p/a/y/e/a/s/e/net/yb2.java
https://static.geetest.com/static/appweb/app3-index.html	p/a/y/e/a/s/e/net/j30.java
https://api.xmpush.xiaomi.com/upload/crash_log?file=	p/a/y/e/a/s/e/net/ih2.java
https://openmobile.qq.com/oauth2.0/m_jump_by_version?	p/a/y/e/a/s/e/net/kb2.java
https://login.imgcache.qq.com/ptlogin/static/qzsjump.html?	p/a/y/e/a/s/e/net/kb2.java
https://openmobile.qq.com/oauth2.0/me	p/a/y/e/a/s/e/net/za2.java
http://xmlpull.org/v1/doc/features.html	p/a/y/e/a/s/e/net/zn2.java
http://xmlpull.org/v1/doc/features.html	p/a/y/e/a/s/e/net/ym2.java
https://login.imgcache.qq.com/ptlogin/static/qzsjump.html?	p/a/y/e/a/s/e/net/eb2.java
http://resolver.msg.xiaomi.net/psc/?t=a	p/a/y/e/a/s/e/net/er2.java
http://acs.amazonaws.com/groups/s3/LogDelivery	p/a/y/e/a/s/e/net/zw1.java

http://acs.amazonaws.com/groups/global/AllUsers	p/a/y/e/a/s/e/net/zw1.java
http://acs.amazonaws.com/groups/global/AuthenticatedUsers	p/a/y/e/a/s/e/net/zw1.java
http://169.254.169.254	p/a/y/e/a/s/e/net/fy1.java
https://cn.register.xmpush.xiaomi.com	p/a/y/e/a/s/e/net/gs2.java
https://register.xmpush.global.xiaomi.com	p/a/y/e/a/s/e/net/gs2.java
https://fr.register.xmpush.global.xiaomi.com	p/a/y/e/a/s/e/net/gs2.java
https://ru.register.xmpush.global.xiaomi.com	p/a/y/e/a/s/e/net/gs2.java
https://idmb.register.xmpush.global.xiaomi.com	p/a/y/e/a/s/e/net/gs2.java
http://%s:%d/%s	p/a/y/e/a/s/e/net/rm.java
https://openmobile.qq.com/cgi-bin/qunopensdk/check_group	p/a/y/e/a/s/e/net/ac2.java
https://openmobile.qq.com/cgi-bin/qunopensdk/unbind	p/a/y/e/a/s/e/net/ac2.java
http://10.10.10.61:8889	p/a/y/e/a/s/e/net/y21.java
http://fusion.qq.com/cgi-bin/qzapps/unified_jump? appid=%1\$s&from=%2\$s&isOpenAppID=1	p/a/y/e/a/s/e/net/ob2.java
http://fusion.qq.com/cgi-bin/qzapps/unified_jump? appid=%1\$s&from=%2\$s&isOpenAppID=1	p/a/y/e/a/s/e/net/qb2.java
https://appsupport.qq.com/cgi-bin/qzapps/mapp_addapp.cgi	p/a/y/e/a/s/e/net/cb2.java
https://openmobile.qq.com/oauth2.0/m_authorize?	p/a/y/e/a/s/e/net/cb2.java
https://openmobile.qq.com/user/user_login_statis	p/a/y/e/a/s/e/net/cb2.java

https://openmobile.qq.com/v3/user/get_info	p/a/y/e/a/s/e/net/cb2.java
http://pv.sohu.com/cityjson	p/a/y/e/a/s/e/net/m11.java
http://pv.sohu.com/cityjson?ie=utf-8	p/a/y/e/a/s/e/net/m11.java
http://ip.chinaz.com/getip.aspx	p/a/y/e/a/s/e/net/m11.java
https://api.ip.sb/geoip	p/a/y/e/a/s/e/net/m11.java
http://playready.directtaps.net/pr/svc/rightsmanager.asmx	tv/danmaku/ijk/media/exo/demo/SmoothStreamingTestMediaDrmCallback.java
http://schemas.microsoft.com/DRM/2007/03/protocols/AcquireLicense	tv/danmaku/ijk/media/exo/demo/SmoothStreamingTestMediaDrmCallback.java
https://www.wh.com/.well-known/assetlinks.json	摸瓜V1引擎
https://play.google.com/store	摸瓜V1引擎
https://appgallery.cloud.huawei.com/app/	摸瓜V1引擎
https://play.google.com/store/apps/details?id=	摸瓜V1引擎
https://appgallery.cloud.huawei.com	摸瓜V1引擎
https://github.com/vinc3m1	摸瓜V1引擎
https://github.com/vinc3m1/RoundedImageView	摸瓜V1引擎
https://github.com/vinc3m1/RoundedImageView.git	摸瓜V1引擎
https://store.hispace.hicloud.com/hwmarket/api/	摸瓜V1引擎
https://grs.dbankcloud.com	摸瓜V2引擎

https://grs.dbankcloud.cn	摸瓜V2引擎
https://grs.dbankcloud.eu	摸瓜V2引擎
https://grs.dbankcloud.asia	摸瓜V2引擎

邮箱线索

邮箱地址	所在文件
permission@gmail.com	p/a/y/e/a/s/e/net/zu2.java
danikula@gmail.com	p/a/y/e/a/s/e/net/tm.java

手机线索

手机号	所在文件
13000000000	com/ehking/sdk/wepay/constant/Constants.java
18222222222	com/tencent/smtt/sdk/j.java
17179869184	tv/danmaku/ijk/media/player/IjkMediaMeta.java

签名证书

无法读取代码签名证书.

硬编码敏感信息

可能的敏感信息
"Enter_your_login_password" : "输入登录密码"
"Please_enter_your_login_password" : "请输入登录密码"
"WeChat_authorization_failed" : "微信授权失败"
"agree_to_authorize" : "同意授权"
"authorization_succeeded" : "授权成功"
"easy_password" : "密码过于简单"
"encryption_to_retrieve_password" : "密保找回密码"
"enter_password" : "输入小程序码"
"fail_pwd_input" : "密码为6到16位数字和字母的组合"
"fail_pwd_input_identical" : "两次输入密码不一致"
"fail_pwd_login_input" : "密码格式不正确"
"fill_in_user_name" : "填写用户名"
"forget_password" : "忘记密码"
"frgot_password" : "忘记密码"
"group_no_private_instructions" : "开启后，群成员点击群内其他成员头像没有反应"

"library_roundedimageview_author" : "Vince Mi"
"library_roundedimageview_authorWebsite" : "https://github.com/vinc3m1"
"login_input_password" : "请输入密码,6~20位字母或数字"
"login_input_user" : "请输入用户名"
"login_user" : "用户名"
"mark_auth" : "提醒:后续只能绑定该持卡人的银行卡"
"no_private_chat" : "禁止私聊"
"please_enter_your_payment_password" : "请输入支付密码"
"please_input_pwd_ward" : "请输入支付密码，以验证身份"
"please_select_secret_protection_problem" : "请选择密保问题： "
"public_private_group" : "是否为公开群组"
"pwd" : "小程序"
"register_user" : "用户名"
"retrieve_password" : "找回密码"
"secret" : "保密"
"secret_protection_question" : "密保问题"
"select_secret_protection_problem" : "选择密保问题"

"set_pay_password" : "设置支付密码"
"use_pwd" : "使用密码"
"username_is_not_bound_to_secret_security" : "用户名未绑定密保，无法找回密码"
"Enter_your_login_password" : "密码登录输入"
"Please_enter_your_login_password" : "密码登录输入请"
"WeChat_authorization_failed" : "败失权授信微"
"agree_to_authorize" : "权授意同"
"authorization_succeeded" : "功成权授"
"easy_password" : "单简于过码密"
"encryption_to_retrieve_password" : "密码回找保密"
"enter_password" : "码序程小入输"
"fail_pwd_input" : "合组的母字和字数位61到6为码密"
"fail_pwd_input_identical" : "致一不码密入输次两"
"fail_pwd_login_input" : "确正不式格码密"
"fill_in_user_name" : "名户用写填"
"forget_password" : "密码记忘"
"frgot_password" : "密码记忘"
"group_no_private_instructions" : "应反有没像头员成他其内群击点员成群，后启开"

"library_roundedimageview_author" : "iM ecniV"
"library_roundedimageview_authorWebsite" : "1m3cniv/moc.buhtig//:sptth"
"login_input_password" : "字数或母字位02~6,码密入输请"
"login_input_user" : "名户用入输请"
"login_user" : "名户用"
"mark_auth" : "卡行银的人卡持该定绑能只续后:醒提"
"no_private_chat" : "聊私止禁"
"please_enter_your_payment_password" : "码密付支入输请"
"please_input_pwd_ward" : "份身证验以, 码密付支入输请"
"please_select_secret_protection_problem" : "： 题问保密择选请"
"public_private_group" : "组群开公为否是"
"pwd" : "序程小"
"register_user" : "名户用"
"retrieve_password" : "码密回找"
"secret" : "密保"
"secret_protection_question" : "题问保密"
"select_secret_protection_problem" : "题问保密择选"

"set_pay_password" : "码密付支置设"
"use_pwd" : "码密用使"
"username_is_not_bound_to_secret_security" : "码密回找法无，保密定绑未名户用"
"Enter_your_login_password" : "[输入登录密码 one two three]"
"Please_enter_your_login_password" : "[请输入登录密码 one two three]"
"WeChat_authorization_failed" : "[微信授权失败 one two three]"
"agree_to_authorize" : "[同意授权 one two]"
"authorization_succeeded" : "[授权成功 one two]"
"easy_password" : "[密码过于简单 one two three]"
"encryption_to_retrieve_password" : "[密保找回密码 one two three]"
"enter_password" : "[输入小程序码 one two three]"
"fail_pwd_input" : "[密码为6到16位数字和字母的组合 one two three four five]"
"fail_pwd_input_identical" : "[两次输入密码不一致 one two three four]"
"fail_pwd_login_input" : "[密码格式不正确 one two three]"
"fill_in_user_name" : "[填写用户名 one two three]"
"forget_password" : "[忘记密码 one two]"
"frgot_password" : "[忘记密码 one two]"
"group_no_private_instructions" : "[开启后，群成员点击群内其他成员头像没有反应 one two three four five six seven]"

"library_roundedimageview_author" : "[vîñçé Mî one two]"
"library_roundedimageview_authorWebsite" : "[ĥţţþš://ġîţĥû6.çöř/Vîñç3ř1 one two three four]"
"login_input_password" : "[请输入密码,6~20位字母或数字 one two three four five]"
"login_input_user" : "[请输入用户名 one two three]"
"login_user" : "[用户名 one two]"
"mark_auth" : "[提醒:后续只能绑定该持卡人的银行卡 one two three four five six]"
"no_private_chat" : "[禁止私聊 one two]"
"please_enter_your_payment_password" : "[请输入支付密码 one two three]"
"please_input_pwd_ward" : "[请输入支付密码，以验证身份 one two three four five]"
"please_select_secret_protection_problem" : "[请选择密保问题： one two three]"
"public_private_group" : "[是否为公开群组 one two three]"
"pwd" : "[小程序 one two]"
"register_user" : "[用户名 one two]"
"retrieve_password" : "[找回密码 one two]"
"secret" : "[保密 one two]"
"secret_protection_question" : "[密保问题 one two]"
"select_secret_protection_problem" : "[选择密保问题 one two three]"

"set_pay_password" : "[设置支付密码 one two three]"
"use_pwd" : "[使用密码 one two]"
"username_is_not_bound_to_secret_security" : "[用户名未绑定密保，无法找回密码 one two three four five]"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

应用内通信