



MoGua

铁塔换电 4.3.11.APK 分析报告



中国铁塔

APP名称:

铁塔换电

包名:	com.chinatown.tthd
域名线索:	125条
URL线索:	107条
邮箱线索:	1条
分析日期:	2025年9月23日
分析平台:	摸瓜APK反编译平台

文件名: _V-40311_C-4.3.11_2021-11-11 10: 14_.apk
文件大小: 55.16MB
MD5值: 99b22f234e0c4a2533346cfefa1e541a
SHA1值: 011c47f49013ed5851888016ca29a71dcb39b887
SHA256值: 001c37cc75ed6433fe4f4767472e70d6a0bbcf2918a449e1d38619a60d60b8cf

i APP 信息

App名称: 铁塔换电
包名: com.chinatower.tthd
主活动Activity: com.chinatower.fghd.customer.MainActivity
安卓版本名称: 4.3.11
安卓版本: 40311

🔍 域名线索

域名	服务器信息
dldir1.qq.com	IP: 61.49.23.135 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
open.weixin.qq.com	IP: 109.244.144.48 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
	IP: 123.57.186.112 所属国家: China 地区: Zhejiang

im5.7x24cc.com	城市: Hangzhou 纬度: 30.293650 经度: 120.161423
wappaygw.alipay.com	IP: 124.239.239.236 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
wapmap.baidu.com	IP: 111.206.209.212 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
m.alipay.com	IP: 203.209.245.120 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
www.smpte-ra.org	IP: 52.20.185.129 所属国家: United States of America 地区: Virginia 城市: Ashburn 纬度: 39.043720 经度: -77.487488
daohang.map.baidu.com	IP: 111.206.209.190 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

long.open.weixin.qq.com	IP: 109.244.217.35 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
debugx5.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
log.tbs.qq.com	IP: 109.244.244.32 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
vectormap0.bdimg.com	IP: 39.91.128.35 所属国家: China 地区: Shandong 城市: Jinan 纬度: 36.668331 经度: 116.997223
xmlpull.org	IP: 185.199.110.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065632 经度: -79.891708
appcashier.test.95516.com	IP: 42.81.147.159 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220

	经度: 117.176666
api.map.baidu.com	IP: 111.206.209.166 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
itsdata.map.baidu.com	IP: 111.206.209.180 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
test.opensso.tencent-cloud.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
metrics1.data.hicloud.com	IP: 114.115.188.66 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
metrics2.data.hicloud.com	IP: 80.158.2.190 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321331 经度: 10.134890
	IP: 120.92.96.13 所属国家: China

resolver.msg.xiaomi.net	地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
resolver.msg.global.xiaomi.net	IP: 8.219.211.108 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
117.78.10.90	IP: 117.78.10.90 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
cloud.tim.qq.com	IP: 120.53.77.94 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
mobilegw.aaa.alipay.net	没有服务器地理信息.
mapoffdownload.bdstatic.com	IP: 218.68.136.36 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142220 经度: 117.176666
newvector.map.baidu.com	IP: 111.206.209.171 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397232
test.tim.qq.com	IP: 106.55.123.101 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
grs.dbankcloud.eu	没有服务器地理信息.
mobile.unionpay.com	没有服务器地理信息.
idmb.register.xmpush.global.xiaomi.com	IP: 52.66.182.128 所属国家: India 地区: Maharashtra 城市: Mumbai 纬度: 19.014410 经度: 72.847939
bbs.lbsyun.baidu.com	没有服务器地理信息.
mobilegw.stable.alipay.net	没有服务器地理信息.
schemas.android.com	没有服务器地理信息.
offmap2.baidu.com	IP: 101.72.203.35 所属国家: China 地区: Hebei 城市: Tangshan 纬度: 39.633331 经度: 118.183327
h5.m.taobao.com	IP: 111.225.210.166 所属国家: China 地区: Hebei 城市: Langfang

	纬度: 39.509720 经度: 116.694717
restapi.amap.com	IP: 203.119.175.194 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
configapi-api.glqa.jpushoa.com	IP: 172.17.5.42 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
play.google.com	IP: 59.24.3.174 所属国家: Korea (Republic of) 地区: Seoul-teukbyeolsi 城市: Seoul 纬度: 37.568260 经度: 126.977829
app.navi.baidu.com	IP: 111.206.209.213 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
tcdns.myqcloud.com	IP: 119.45.78.99 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
docs.jpish.io	没有服务器地理信息.

ru.register.xmpush.global.xiaomi.com	IP: 107.155.52.56 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559
mobilegw.alipaydev.com	IP: 110.75.132.131 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
pms.mb.qq.com	IP: 175.27.12.246 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
grs.dbankcloud.asia	没有服务器地理信息.
ce3e75d5.jp.push.cn	IP: 183.232.58.252 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
mlvbdc.live.qcloud.com	IP: 183.47.103.246 所属国家: China 地区: Guangdong 城市: Huizhou 纬度: 23.083330 经度: 114.400002
	IP: 39.106.255.228 所属国家: China

a1.7x24cc.com	地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
v.map.baidu.com	IP: 111.206.209.185 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
itsmap3.baidu.com	IP: 153.37.235.49 所属国家: China 地区: Jiangsu 城市: Suzhou 纬度: 31.311390 经度: 120.618057
mobilegw-1-64.test.alipay.net	没有服务器地理信息.
astat.bugly.cros.wr.pvp.net	IP: 170.106.135.32 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
49.4.79.188	IP: 49.4.79.188 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
a5.7x24cc.com	IP: 39.105.60.156 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650

	经度: 120.161423
reactjs.org	IP: 76.76.21.21 所属国家: United States of America 地区: California 城市: Walnut 纬度: 34.015400 经度: -117.858223
appgallery.cloud.huawei.com	IP: 121.36.118.136 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
register.xmpush.global.xiaomi.com	IP: 47.88.199.5 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
issues.apache.org	IP: 168.119.33.54 所属国家: Germany 地区: Bayern 城市: Gunzenhausen 纬度: 48.323330 经度: 11.601220
180.153.49.103	IP: 180.153.49.103 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.222219 经度: 121.458061
	IP: 111.206.209.175 所属国家: China 地区: Beijing

loc.map.baidu.com	城市: Beijing 纬度: 39.907501 经度: 116.397232
yun.tim.qq.com	IP: 109.244.172.104 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
cn.register.xmpush.xiaomi.com	IP: 220.181.106.176 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
grs.dbankcloud.com	IP: 49.4.41.160 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
www.w3.org	IP: 104.18.22.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752220 经度: 37.615559

fr.register.xmpush.global.xiaomi.com	IP: 52.58.96.106 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.115520 经度: 8.684170
fx-beta.chinatowercom.cn	没有服务器地理信息.
cloud-test.tim.qq.com	IP: 175.27.38.77 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
map.baidu.com	IP: 111.206.208.32 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
www.openssl.org	IP: 104.71.138.221 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689507 经度: 139.691696
www.jivesoftware.com	IP: 141.193.213.10 所属国家: United States of America 地区: Texas 城市: Austin 纬度: 30.271158 经度: -97.741699
	IP: 101.201.239.37 所属国家: China 地区: Zhejiang

ceshi02.7x24cc.com	城市: Hangzhou 纬度: 30.293650 经度: 120.161423
android.bugly.qq.com	IP: 109.244.244.35 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
ns.adobe.com	没有服务器地理信息.
tcdnsipv6.myqcloud.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
d.alipay.com	IP: 203.209.245.120 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
newclient.map.baidu.com	IP: 111.206.209.170 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
120.52.40.38	IP: 120.52.40.38 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720

	经度: 116.694717
official.opensso.tencent-cloud.com	IP: 118.126.71.18 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
client.map.baidu.com	IP: 111.206.209.120 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
mqqad.html5.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
jsperf.com	IP: 104.16.184.24 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
store.hispace.hicloud.com	IP: 121.36.119.209 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
	IP: 123.56.86.104 所属国家: China

im.7x24cc.com	地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
debugtbs.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
soft.tbs.imtt.qq.com	IP: 119.167.147.86 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
www.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
indoorsearch.map.baidu.com	IP: 111.206.209.201 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
redux.js.org	IP: 18.139.194.139 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067

brain.baidu.com	IP: 110.242.69.34 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
obs-test1-zs.obs.cn-north-4.myhuaweicloud.com	IP: 49.4.112.90 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
ceshi01.7x24cc.com	IP: 123.56.20.159 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
mobilegw.alipay.com	IP: 203.209.245.77 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
10.138.32.176	IP: 10.138.32.176 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
github.com	IP: 20.205.243.166 所属国家: United States of America 地区: Washington 城市: Redmond

	纬度: 47.682899 经度: -122.120903
face.baidu.com	IP: 112.34.111.253 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
speedtest.trtc.tencent-cloud.com	IP: 162.14.6.106 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
avc.qcloud.com	IP: 157.148.32.34 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
mclient.alipay.com	IP: 124.239.239.236 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
xml.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
	IP: 175.27.12.246

cfg.imtt.qq.com	所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
mcgw.alipay.com	IP: 124.239.239.237 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
fb.me	IP: 31.13.77.35 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
livepullipv6.myqcloud.com	IP: 119.147.190.45 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
applet-hd.chinatowercom.cn	IP: 123.60.14.81 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
render.alipay.com	IP: 36.102.211.248 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423

loggw-exsdk.alipay.com	IP: 110.76.6.71 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
metrics-dra.dt.hicloud.com	IP: 94.74.84.62 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067
android.googlesource.com	IP: 74.125.23.82 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
mdc.html5.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
a6.7x24cc.com	IP: 39.106.255.228 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
informal.opensso.tencent-cloud.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: -

	纬度: 0.000000 经度: 0.000000
grs.dbankcloud.cn	IP: 49.4.41.160 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
livepull.myqcloud.com	IP: 183.47.114.223 所属国家: China 地区: Guangdong 城市: Huizhou 纬度: 23.083330 经度: 114.400002
sv.map.baidu.com	IP: 111.206.209.186 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
s.file.myqcloud.com	IP: 150.138.42.166 所属国家: China 地区: Shandong 城市: Jinan 纬度: 36.668331 经度: 116.997223
ai.baidu.com	IP: 110.242.69.34 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
	IP: 110.242.70.118

ofloc.map.baidu.com	所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
momentjs.com	IP: 104.17.93.38 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
ant.design	IP: 104.21.81.48 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
daup.map.baidu.com	IP: 110.242.69.98 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
fx.chinatown.com.cn	IP: 124.70.64.141 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.116671 经度: 113.250000
appcashier256.95516.com	IP: 222.79.76.149 所属国家: China 地区: Fujian 城市: Xiamen 纬度: 24.479790 经度: 118.081871

j.map.baidu.com	IP: 111.206.209.187 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
astat.bugly.qcloud.com	IP: 150.109.27.253 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289670 经度: 103.850067

URL线索

URL信息	Url所在文件
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Observable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Single.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Completable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Maybe.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Flowable.java
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	io/reactivex/exceptions/UndeliverableException.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	io/reactivex/exceptions/OnErrorNotImplementedException.java
http://configapi-api.glqa.jpushoa.com/v1/status	cn/jiguang/bc/f.java

https://ce3e75d5.jpush.cn/wi/op8jdu	cn/jiguang/s/c.java
https://ce3e75d5.jpush.cn	cn/jiguang/b/b.java
https://ce3e75d5.jpush.cn/wi/cjc4sa	cn/jiguang/ay/c.java
https://ce3e75d5.jpush.cn/wi/d8n3hj	cn/jiguang/ay/c.java
http://bbs.lbsyun.baidu.com/forum.php?mod=viewthread&tid=106461\n=====\\n	com/baidu/mapsdkplatform/comapi/util/PermissionCheck.java
https://api.map.baidu.com/lbs_sdkcc/report	com/baidu/mapsdkplatform/comapi/b/a/c.java
https://ai.baidu.com/activation/key/activate	com/baidu/vis/unified/license/BDLicenseActivator.java
https://ai.baidu.com/activation/key/activate	com/baidu/idl/main/facesdk/FaceAuth.java
http://brain.baidu.com/record/api	com/baidu/idl/main/facesdk/statistic/PostDeviceInfo.java
https://brain.baidu.com/record/api	com/baidu/idl/face/platform/stat/Ast.java
http://10.138.32.176:8518/api/v3/person/verify_sec?appid=7758258	com/baidu/idl/face/platform/ui/utis/SecRequest.java
http://face.baidu.com/openapi/v2/stat/sdkdata	com/baidu/idl/face/platform/network/LogRequest.java
http://face.baidu.com/gate/api/userverifydemo	com/baidu/idl/face/platform/network/NoMotionRequest.java
http://map.baidu.com/zt/client/index/?fr=sdk_[]	com/baidu/mapapi/utis/OpenClientUtil.java
http://api.map.baidu.com/direction?	com/baidu/mapapi/utis/route/BaiduMapRoutePlan.java
http://api.map.baidu.com/place/detail?	com/baidu/mapapi/utis/poi/BaiduMapPoiSearch.java
http://api.map.baidu.com/place/search?	com/baidu/mapapi/utis/poi/BaiduMapPoiSearch.java

http://app.navi.baidu.com/mobile/	com/baidu/mapapi/navi/BaiduMapNavigation.java
http://daohang.map.baidu.com/mobile/	com/baidu/mapapi/navi/BaiduMapNavigation.java
https://api.map.baidu.com/sdkproxy/lbs_androidsdk/cloudrgc/v1	com/baidu/mapapi/cloud/CloudRgcInfo.java
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/cloudrgc/v1	com/baidu/mapapi/cloud/CloudRgcInfo.java
https://api.map.baidu.com/geosearch/v2/bound	com/baidu/mapapi/cloud/BoundSearchInfo.java
http://api.map.baidu.com/geosearch/v2/bound	com/baidu/mapapi/cloud/BoundSearchInfo.java
https://api.map.baidu.com/geosearch/v2/local	com/baidu/mapapi/cloud/LocalSearchInfo.java
http://api.map.baidu.com/geosearch/v2/local	com/baidu/mapapi/cloud/LocalSearchInfo.java
https://api.map.baidu.com/geosearch/v2/detail/	com/baidu/mapapi/cloud/DetailSearchInfo.java
http://api.map.baidu.com/geosearch/v2/detail/	com/baidu/mapapi/cloud/DetailSearchInfo.java
https://api.map.baidu.com/geosearch/v2/nearby	com/baidu/mapapi/cloud/NearbySearchInfo.java
http://api.map.baidu.com/geosearch/v2/nearby	com/baidu/mapapi/cloud/NearbySearchInfo.java
http://api.map.baidu.com/sdkproxy/v2/lbs_androidsdk/place/v2/search	com/baidu/platform/domain/a.java
http://api.map.baidu.com/sdkproxy/v2/lbs_androidsdk/place/v2/detail	com/baidu/platform/domain/a.java
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/indoor/v1/	com/baidu/platform/domain/a.java
http://api.map.baidu.com/sdkproxy/v2/lbs_androidsdk/place/v2/suggestion	com/baidu/platform/domain/a.java
http://api.map.baidu.com/sdkproxy/v2/lbs_androidsdk/geocoder/v2	com/baidu/platform/domain/a.java
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/pathplan/v2/transit	com/baidu/platform/domain/a.java

http://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui2/v1/	com/baidu/platform/domain/a.java
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/pathplan/v2/riding	com/baidu/platform/domain/a.java
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/apimap/v1/	com/baidu/platform/domain/a.java
http://j.map.baidu.com/	com/baidu/platform/domain/a.java
http://client.map.baidu.com/imap/share/ps	com/baidu/platform/domain/a.java
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/apimap/v1/s	com/baidu/platform/domain/a.java
https://api.map.baidu.com/sdkproxy/v2/lbs_androidsdk/place/v2/search	com/baidu/platform/domain/b.java
https://api.map.baidu.com/sdkproxy/v2/lbs_androidsdk/place/v2/detail	com/baidu/platform/domain/b.java
https://api.map.baidu.com/sdkproxy/lbs_androidsdk/indoor/v1/	com/baidu/platform/domain/b.java
https://api.map.baidu.com/sdkproxy/v2/lbs_androidsdk/place/v2/suggestion	com/baidu/platform/domain/b.java
https://api.map.baidu.com/sdkproxy/v2/lbs_androidsdk/geocoder/v2	com/baidu/platform/domain/b.java
https://api.map.baidu.com/sdkproxy/lbs_androidsdk/pathplan/v2/transit	com/baidu/platform/domain/b.java
https://api.map.baidu.com/sdkproxy/lbs_androidsdk/phpui2/v1/	com/baidu/platform/domain/b.java
https://api.map.baidu.com/sdkproxy/lbs_androidsdk/pathplan/v2/riding	com/baidu/platform/domain/b.java
https://api.map.baidu.com/sdkproxy/lbs_androidsdk/apimap/v1/	com/baidu/platform/domain/b.java
https://j.map.baidu.com/	com/baidu/platform/domain/b.java
https://client.map.baidu.com/imap/share/ps	com/baidu/platform/domain/b.java

https://api.map.baidu.com/sdkproxy/lbs_androidsdk/apimap/v1/s	com/baidu/platform/domain/b.java
http://map.baidu.com/?newmap=1&s=	com/baidu/platform/core/e/e.java
http://wapmap.baidu.com/s?tn=Detail&pid=	com/baidu/platform/core/e/c.java
http://loc.map.baidu.com/sdk.php	com/baidu/location/h/l.java
http://loc.map.baidu.com/user_err.php	com/baidu/location/h/l.java
http://loc.map.baidu.com/oqur.php	com/baidu/location/h/l.java
https://loc.map.baidu.com/tcu.php	com/baidu/location/h/l.java
http://loc.map.baidu.com/rtbu.php	com/baidu/location/h/l.java
http://loc.map.baidu.com/iofd.php	com/baidu/location/h/l.java
http://loc.map.baidu.com/wloc	com/baidu/location/h/l.java
https://loc.map.baidu.com/sdk_ep.php	com/baidu/location/h/l.java
https://loc.map.baidu.com/sdk.php	com/baidu/location/h/l.java
https://daup.map.baidu.com/cltr/rcvr	com/baidu/location/h/l.java
https://loc.map.baidu.com/cfgs/loc/commcfgs	com/baidu/location/c/e.java
https://loc.map.baidu.com/gpsz	com/baidu/location/c/a.java
http://ofloc.map.baidu.com/offline_loc	com/baidu/location/e/h.java
https://ofloc.map.baidu.com/offline_loc	com/baidu/location/e/g.java
https://ofloc.map.baidu.com/offline_loc	com/baidu/location/e/k.java

http://%s/%s	com/baidu/location/e/c.java
https://ofloc.map.baidu.com/offline_loc	com/baidu/location/e/c.java
https://itsdata.map.baidu.com/long-conn-gps/sdk.php	com/baidu/location/b/i.java
https://loc.map.baidu.com/cc.php	com/baidu/location/b/g.java
https://loc.map.baidu.com/cfgs/loc/commcfgs	com/baidu/location/b/a.java
https://ofloc.map.baidu.com/locnu	com/baidu/location/b/aa.java
https://api.map.baidu.com/sdkcs/verify	com/baidu/lbsapi/auth/LBSAuthManager.java
http://schemas.android.com/apk/res/android	com/baidu/liantian/g/d.java
http://www.smppte-ra.org/schemas/2052-1/2010/smppte-tt	com/googlecode/mp4parser/authoring/tracks/ttml/TtmlHelpers.java
http://www.w3.org/ns/ttml	com/googlecode/mp4parser/authoring/tracks/ttml/TtmlHelpers.java
http://www.w3.org/1999/XSL/Transform\	com/googlecode/mp4parser/authoring/tracks/ttml/TtmlHelpers.java
http://xml.apache.org/xslt	com/googlecode/mp4parser/authoring/tracks/ttml/TtmlHelpers.java
https://github.com/Polidea/RxAndroidBle/tree/master/mockrxandroidble'	com/polidea/rxandroidble2/RxBleClientImpl.java
https://android.googlesource.com/platform/external/bluetooth/bluedroid/+/android-5.1.0_r1/stack/include/gatt_api.h	com/polidea/rxandroidble2/exceptions/BleGattException.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gj.java
http://www.jivesoftware.com/xmlns/xmpp/properties\	com/xiaomi/push/gc.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/ff.java

https://%1\$s/gslb/?ver=4.0	com/xiaomi/push/cs.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gk.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fr.java
https://cn.register.xmpush.xiaomi.com	com/xiaomi/push/service/m.java
https://register.xmpush.global.xiaomi.com	com/xiaomi/push/service/m.java
https://fr.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/m.java
https://ru.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/m.java
https://idmb.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/m.java
https://resolver.msg.global.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bj.java
https://resolver.msg.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bj.java
https://a6.7x24cc.com/commonInte	com/hollycrm/trtcsdk/net/HttpUtils.java
http://a5.7x24cc.com/commonInte	com/hollycrm/hollycrmsdk/utils/CommonUtils.java
https://ceshi02.7x24cc.com/clientPhone?account=	com/hollycrm/hollycrmsdk/utils/CommonUtils.java
https://a6.7x24cc.com/clientPhone?account=	com/hollycrm/hollycrmsdk/utils/CommonUtils.java
http://a5.7x24cc.com/commonInte	com/hollycrm/hollycrmsdk/net/HollyUrl.java
http://a1.7x24cc.com/commonInte	com/hollycrm/hollycrmsdk/net/HollyUrl.java
http://ceshi01.7x24cc.com/open_platform/uploadVoiceFile	com/hollycrm/hollycrmsdk/net/HollyUrl.java
http://im.7x24cc.com/open_platform/uploadVoiceFile	com/hollycrm/hollycrmsdk/net/HollyUrl.java

https://a1.7x24cc.com	com/hollycrm/hollycrmsdk/net/HollyUrl.java
https://a6.7x24cc.com	com/hollycrm/hollycrmsdk/net/HollyUrl.java
https://ceshi02.7x24cc.com	com/hollycrm/hollycrmsdk/net/HollyUrl.java
https://mobilegw.alipay.com/mgw.htm	com/alipay/sdk/cons/a.java
https://mobilegw.alipaydev.com/mgw.htm	com/alipay/sdk/cons/a.java
https://mcgw.alipay.com/sdklog.do	com/alipay/sdk/cons/a.java
https://loggw-exsdk.alipay.com/loggw/logUpload.do	com/alipay/sdk/cons/a.java
http://m.alipay.com/?action=h5quit	com/alipay/sdk/cons/a.java
https://wappaygw.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/cons/a.java
https://mclient.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/cons/a.java
https://h5.m.taobao.com/mlapp/olist.html	com/alipay/sdk/data/a.java
https://render.alipay.com/p/s/i?scheme=%s	com/alipay/sdk/app/OpenAuthTask.java
https://wappaygw.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
http://wappaygw.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/home/exterfaceAssign.htm	com/alipay/sdk/app/PayTask.java

http://mclient.alipay.com/home/exterfaceAssign.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/cashier/mobilepay.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/cashier/mobilepay.htm	com/alipay/sdk/app/PayTask.java
https://mobilegw.alipay.com/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw.aaa.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw-1-64.test.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
http://mobilegw.stable.alipay.net/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
https://restapi.amap.com	com/chinatown/fghd/customer/location/NaviPopWindow.java
https://d.alipay.com	com/chinatown/fghd/customer/web/WebViewActivity.java
https://applet-hd.chinatowncom.cn/applet-exc/assist/queryEmergencyStatus	com/chinatown/fghd/customer/Constant/Constant.java
http://180.153.49.103:28080/onese/	com/chinatown/fghd/customer/Constant/Constant.java
http://im5.7x24cc.com/phone_webChat.html?accountId=N000000022137&chatId=c7961533-d60f-422e-a550-71d4e216e3e6&phone=	com/chinatown/fghd/customer/Constant/Constant.java
https://android.bugly.qq.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/StrategyBean.java
https://astat.bugly.qcloud.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/a.java
https://astat.bugly.cros.wr.pvp.net/:8180/rqd/async	com/tencent/bugly/crashreport/common/strategy/a.java
https://log.tbs.qq.com/ajax?c=pu&v=2&k=	com/tencent/smtt/utls/m.java
https://log.tbs.qq.com/ajax?c=pu&tk=	com/tencent/smtt/utls/m.java

https://log.tbs.qq.com/ajax?c=dl&k=	com/tencent/smtt/utls/m.java
https://cfg.imtt.qq.com/tbs?v=2&mk=	com/tencent/smtt/utls/m.java
https://log.tbs.qq.com/ajax?c=ul&v=2&k=	com/tencent/smtt/utls/m.java
https://mqqqad.html5.qq.com/adjs	com/tencent/smtt/utls/m.java
https://log.tbs.qq.com/ajax?c=ucfu&k=	com/tencent/smtt/utls/m.java
https://soft.tbs.imtt.qq.com/17421/tbs_res_imtt_tbs_DebugPlugin_DebugPlugin.tbs	com/tencent/smtt/utls/d.java
http://pms.mb.qq.com/rsp204	com/tencent/smtt/sdk/j.java
https://debugtbs.qq.com	com/tencent/smtt/sdk/WebView.java
https://debugx5.qq.com	com/tencent/smtt/sdk/WebView.java
http://debugtbs.qq.com?10000\	com/tencent/smtt/sdk/WebView.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=50079	com/tencent/smtt/sdk/stat/MttLoader.java
https://mdc.html5.qq.com/mh?channel_id=50079&u=	com/tencent/smtt/sdk/stat/MttLoader.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=11041	com/tencent/smtt/sdk/ui/dialog/d.java
https://mdc.html5.qq.com/d/directdown.jsp?channel_id=11047	com/tencent/smtt/sdk/ui/dialog/d.java
http://%s/timeshift/%s/%s/timeshift.m3u8?delay=%d	com/tencent/liteav/j.java
http://%s/%s/%s/timeshift.m3u8?starttime=%s&appid=%s&txKbps=0	com/tencent/liteav/j.java
http://%s/timeshift/%s/%s/timeshift.m3u8?delay=0	com/tencent/liteav/j.java
http://%s/%s/%s/timeshift.m3u8?delay=0&appid=%s&txKbps=0	com/tencent/liteav/j.java

http://dldir1.qq.com/hudongzhibo/liteavsvrcfg/serverconfig_en.zip	com/tencent/liteav/basic/d/c.java
https://livepull.myqcloud.com/getpulladdr	com/tencent/liteav/network/g.java
https://livepullipv6.myqcloud.com/getpulladdr	com/tencent/liteav/network/g.java
https://tcdns.myqcloud.com/queryip	com/tencent/liteav/network/c.java
https://tcdnsipv6.myqcloud.com/queryip	com/tencent/liteav/network/c.java
https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s×tamp=%s&scope=%s&signature=%s	com/tencent/mm/opensdk/diffdev/a/b.java
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuid=%s	com/tencent/mm/opensdk/diffdev/a/c.java
https://mobile.unionpay.com/getclient?platform=android&type=securepayplugin\	com/unionpay/UPPayAssistEx.java
https://play.google.com/store	Mogua Engine V1
https://appgallery.cloud.huawei.com/app/	Mogua Engine V1
https://play.google.com/store/apps/details?id=	Mogua Engine V1
https://appgallery.cloud.huawei.com	Mogua Engine V1
https://store.hispace.hicloud.com/hwmarket/api/	Mogua Engine V1
https://grs.dbankcloud.com	Mogua Engine V2
https://grs.dbankcloud.cn	Mogua Engine V2
https://grs.dbankcloud.eu	Mogua Engine V2
https://grs.dbankcloud.asia	Mogua Engine V2

https://metrics1.data.hicloud.com:6447	Mogua Engine V2
https://metrics-dra.dt.hicloud.com:6447	Mogua Engine V2
https://metrics2.data.hicloud.com:6447	Mogua Engine V2
https://metrics5.data.hicloud.com:6447	Mogua Engine V2
http://www.apache.org/licenses/LICENSE-2.0	Mogua Engine V2
http://www.w3.org/html/wg/drafts/html/master/browsers.html	Mogua Engine V2
http://jsperf.com/b64tests	Mogua Engine V2
http://server/myapp/index.html	Mogua Engine V2
https://issues.apache.org/jira/browse/CB-11522	Mogua Engine V2
http://117.78.10.90:8091';	Mogua Engine V2
http://fx.chinatowercom.cn:8091';	Mogua Engine V2
http://fx-beta.chinatowercom.cn:8091';	Mogua Engine V2
http://49.4.79.188:18091';	Mogua Engine V2
https://fb.me/react-polyfills	Mogua Engine V2
http://fb.me/use-check-prop-types	Mogua Engine V2
http://www.w3.org/2000/svg	Mogua Engine V2
http://www.w3.org/1999/xlink	Mogua Engine V2

https://redux.js.org/api-reference/store	Mogua Engine V2
http://a	Mogua Engine V2
http://a/c%20d?a=1&c=3	Mogua Engine V2
https://a@b	Mogua Engine V2
http://\u0442\u0435\u0441\u0442	Mogua Engine V2
http://x	Mogua Engine V2
http://api.map.baidu.com/geoconv/v1/?coords=	Mogua Engine V2
http://im5.7x24cc.com/phone_webChat.html?accountId=N000000022137&chatId=8bd6ba4a-1b03-4813-bae4-e269b7192c57&phone=	Mogua Engine V2
https://github.com/crypto-browserify/crypto-browserify	Mogua Engine V2
https://github.com/indutny/elliptic/issues	Mogua Engine V2
https://github.com/indutny/elliptic	Mogua Engine V2
http://api.map.baidu.com/geoconv/v1/?from=1&to=5&ak=C88UR4sSYNZD2IBbrchiVlnu1nxEXA5e	Mogua Engine V2
https://ant.design/components/form/	Mogua Engine V2
https://ant.design/components/input/	Mogua Engine V2
https://ant.design/components/icon	Mogua Engine V2
http://120.52.40.38:1032/file/video/f1f09ffc6efd4f10acb88dba58fd3fae.mp4	Mogua Engine V2
https://reactjs.org/docs/error-decoder.html?invariant=	Mogua Engine V2

http://momentjs.com/guides/	Mogua Engine V2
https://obs-test1-zs.obs.cn-north-4.myhuaweicloud.com/haha/00/CigBz17GOtCAMniKAAA5Pejp_0k057.jpg	Mogua Engine V2
http://www.w3.org/XML/1998/namespace	Mogua Engine V2
http://www.w3.org/1999/xhtml	Mogua Engine V2
http://www.w3.org/1998/Math/MathML	Mogua Engine V2
http://www.apache.org/licenses/LICENSE-2.0	Mogua Engine V2
http://www.apache.org/licenses/LICENSE-2.0	Mogua Engine V2
http://www.apache.org/licenses/LICENSE-2.0	Mogua Engine V2
http://server/myapp/index.html	Mogua Engine V2
http://www.apache.org/licenses/LICENSE-2.0	Mogua Engine V2
http://www.apache.org/licenses/LICENSE-2.0	Mogua Engine V2
http://www.apache.org/licenses/LICENSE-2.0	Mogua Engine V2
http://www.apache.org/licenses/LICENSE-2.0	Mogua Engine V2
http://www.apache.org/licenses/LICENSE-2.0	Mogua Engine V2
http://docs.jpush.io/client/android_api/	Mogua Engine V2
http://www.apache.org/licenses/LICENSE-2.0	Mogua Engine V2
http://www.apache.org/licenses/LICENSE-2.0	Mogua Engine V2
http://www.apache.org/licenses/LICENSE-2.0	Mogua Engine V2

http://client.map.baidu.com/imap/sdk/tj?qt=vmap	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
http://api.map.baidu.com/sdkproxy/lbs_androidsdk/statistics/v1/	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
https://newclient.map.baidu.com/client/	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
https://client.map.baidu.com/	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
https://v.map.baidu.com/low/	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
https://v.map.baidu.com/indoorinside/	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
https://v.map.baidu.com/high/	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
https://newclient.map.baidu.com/pic/newvector/	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
https://newvector.map.baidu.com/	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
https://vectormap0.bdimg.com/vecdata/	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
https://newclient.map.baidu.com/its/	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
https://itsmap3.baidu.com/	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
https://newclient.map.baidu.com/pic/starpic/	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
http://api.map.baidu.com/sdkws/heatmap?	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
https://sv.map.baidu.com	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
https://sv.map.baidu.com/	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
https://client.map.baidu.com/offline-search/?	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
https://offmap2.baidu.com/offline-search/?	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so

https://mapoffdownload.bdstatic.com/	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
https://newvector.map.baidu.com/grid_vc/	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
https://newvector.map.baidu.com/travel_vc/	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
https://newvector.map.baidu.com/inst_grid/	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
https://indoorsearch.map.baidu.com/is/	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
http://client.map.baidu.com/?qt=rg&mmpoxyver=1&url=	lib/armeabi/libBaiduMapSDK_map_v6_4_0.so
http://www.openssl.org/support/faq.html	lib/armeabi/libuptsmaddonmi.so
http://ns.adobe.com/xap/1.0/	lib/armeabi/libimagepipeline.so
http://www.openssl.org/support/faq.html	lib/armeabi/libtxffmpeg.so
https://appcashier.test.95516.com/gateway/mobile/json	lib/armeabi/libentryexpro.so
https://appcashier256.95516.com/gateway/mobile/json	lib/armeabi/libentryexpro.so
https://appcashier.test.95516.com/app/mobile/json	lib/armeabi/libentryexpro.so
https://appcashier256.95516.com/app/mobile/json	lib/armeabi/libentryexpro.so
https://appcashier.test.95516.com/app/mobile/hft	lib/armeabi/libentryexpro.so
https://appcashier256.95516.com/app/mobile/hft	lib/armeabi/libentryexpro.so
https://appcashier.test.95516.com/app/mobile/conf	lib/armeabi/libentryexpro.so
https://appcashier256.95516.com/app/mobile/conf	lib/armeabi/libentryexpro.so

http://mlvbdc.live.qcloud.com/	lib/armeabi/libliteavsdk.so
https://test.opensso.tencent-cloud.com/v4/openim/jsonvideoinfo? sdkappid=%d&identifier=%s&usersig=%s&random=99999999&contenttype=json	lib/armeabi/libliteavsdk.so
https://informal.opensso.tencent-cloud.com/v4/openim/jsonvideoinfo? sdkappid=%d&identifier=%s&usersig=%s&random=99999999&contenttype=json	lib/armeabi/libliteavsdk.so
https://official.opensso.tencent-cloud.com/v4/openim/jsonvideoinfo? sdkappid=%d&identifier=%s&usersig=%s&random=99999999&contenttype=json	lib/armeabi/libliteavsdk.so
http://objjaaaafhiehjff/ohae.oiaa	lib/armeabi/libliteavsdk.so
https://avc.qcloud.com/log/appsign.php	lib/armeabi/libliteavsdk.so
https://avc.qcloud.com/log/report.php	lib/armeabi/libliteavsdk.so
https://yun.tim.qq.com	lib/armeabi/libliteavsdk.so
https://test.tim.qq.com	lib/armeabi/libliteavsdk.so
https://cloud.tim.qq.com/v3/liveinterface/	lib/armeabi/libliteavsdk.so
https://cloud-test.tim.qq.com/v3/liveinterface/	lib/armeabi/libliteavsdk.so
https://speedtest.trtc.tencent-cloud.com	lib/armeabi/libliteavsdk.so

 邮箱线索

邮箱地址	所在文件
mywallet-gray@3x.a4e7871b mywallet-orange@3x.11b4781c	

git@github.com fedor@indutny.com mywallet-red@3x.4f7e7ed6	Mogua Engine V2
---	-----------------

手机线索

手机号	所在文件
18345352118	com/baidu/mapsdkplatform/comapi/util/b.java
13000000000	com/baidu/idl/face/platform/ui/utls/SecRequest.java
15060355040	com/unionpay/UPPayAssistEx.java
14782472537	Mogua Engine V1
19919152923	Mogua Engine V2

签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: False
找到 1 个唯一证书
主题: C=CHN, ST=北京, L=北京, O=铁塔能源有限公司, OU=铁塔能源有限公司, CN=张环宇
签名算法: rsassa_pkcs1v15
有效期自: 2020-05-25 10:05:01+00:00
有效期至: 2045-05-19 10:05:01+00:00
发行人: C=CHN, ST=北京, L=北京, O=铁塔能源有限公司, OU=铁塔能源有限公司, CN=张环宇
序列号: 0xd0dcf86
哈希算法: sha256
md5值: 8fb360938e59f36ca5da2d2f78ea0f29

sha1值: ab86ae5b1b466c41da2528d8f27b18a96bac0ca1
sha256值: 477e5319b5e3a3b9924bec016d4d6b9f4468c823b28bfcc220b24c72283ed8c8
sha512值: 9c91ff891bcbccaee270a8776010d03af0b77c43a4d7143918aceaf2792372fbf1bd5a7c7d190b0b0c32dcd609aa0b406ac04394ecac6414e72574dce67a90bd
公钥算法: rsa
密钥长度: 2048
指纹: 5bd463d7ea89f655b9d702bb91e7c4a4c19e74c0830477b87bbe655100e6d302

硬编码敏感信息

可能的敏感信息
"alart_un_auth": "您尚未实名认证,是否实名认证?"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
com.chinatower.tthd.permission.JPUSH_MESSAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.RECEIVE_USER_PRESENT	未知	Unknown permission	Unknown permission from android reference
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器

android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.ACCESS_FINE_LOCATION	危险	精细定位（GPS）	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_BACKGROUND_LOCATION	危险	后台访问位置	允许应用程序在后台访问位置
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	正常	访问额外的位置提供程序命令	访问额外的位置提供程序命令，恶意应用程序可能会使用它来干扰 GPS 或其他位置源的操作
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.CALL_PHONE	危险	直接拨打电话号码	允许应用程序在没有您干预的情况下拨打电话号码。恶意应用程序可能会导致您的电话账单出现意外呼叫。请注意,这不允许应用程序拨打紧急电话号码
android.permission.READ_LOGS	危险	读取敏感日志数据	允许应用程序从系统读小号各种日志文件。这使它能够发现有关您使用手机做什么的一般信息,可能包括个人或私人信息
	危	允许应用程	

android.permission.REQUEST_INSTALL_PACKAGES	险	序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.heytap.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.sonyericsson.home.permission.BROADCAST_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.sec.android.provider.badge.permission.READ	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.sec.android.provider.badge.permission.WRITE	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
com.huawei.android.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
com.huawei.android.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知	在华为手机的应用程序启动图标上显示通知计数或徽章

		计数	
android.permission.NFC	正常	控制近场通信	允许应用程序与近场通信 (NFC) 标签,卡和读卡器进行通信
org.simalliance.openmobileapi.SMARTCARD	未知	Unknown permission	Unknown permission from android reference
com.chinatower.tthd.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
com.chinatower.tthd.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
com.chinatower.tthd.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.QUERY_ALL_PACKAGES	正常		允许查询设备上的任何普通应用程序,无论清单声明如何
com.huawei.appmarket.service.commondata.permission.GET_COMMON_DATA	未知	Unknown permission	Unknown permission from android reference

应用内通信

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。