




desire 1.0.APK 分析报告



APP名称: desire

包名:

域名线索: 102条

URL线索:	90条
邮箱线索:	1条
分析日期:	2025年7月18日
分析平台:	摸瓜APK反编译平台

文件信息

文件名: mUUAQGjl.apk

文件大小: 34.85MB

MD5值: a8fdbb232309ed786b2053d1366d7d6d5

SHA1值: 0e80a227bbc307f595eebf4d3b86dee2e4a7a83

SHA256值: e58a9b27c30b0d1a4c6910d30a6cd765ef1f10a2c944f5e30b77dcad3c7ae7

APP 信息

App名称: desire

包名:

主活动Activity: []

安卓版本名称: 1.0

域名线索

域名	服务器信息
plbslog.umeng.com	IP: 36.156.202.73 所属国家: China 地区: Jiangsu 城市: Yangzhou 纬度: 32.397221 经度: 119.435600
restsdk.amap.com	IP: 203.119.169.174 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
long.open.weixin.qq.com	IP: 109.244.216.15 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
ulogs.umengcloud.com	IP: 223.109.148.178 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
api-push.meizu.com	IP: 125.94.213.129 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
store.hispace.hicloud.com	IP: 121.36.117.66 所属国家: China 地区: Beijing

	城市: Beijing 纬度: 39.907501 经度: 116.397102
cn.register.xmpush.xiaomi.com	IP: 118.26.252.220 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
124.71.10.22	IP: 124.71.10.22 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
resolver.msg.global.xiaomi.net	IP: 47.241.174.254 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
cgicol.amap.com	IP: 59.82.31.67 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
mqqad.html5.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
t2.xiaohongshu.com	IP: 54.223.156.52 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 223.109.148.177

alogus.umeng.com	所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
android.bugly.qq.com	IP: 109.244.244.137 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
log.tbs.qq.com	IP: 109.244.244.37 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
tsis.jp.push.cn	IP: 139.159.155.189 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
httpdns.bcelive.com	IP: 110.242.68.62 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
resolver.msg.xiaomi.net	IP: 120.92.96.13 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
pms.mb.qq.com	IP: 175.27.12.246 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

fr.register.xmpush.global.xiaomi.com	IP: 52.28.40.92 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.110882 经度: 8.681996
idmb.register.xmpush.global.xiaomi.com	IP: 13.126.73.115 所属国家: India 地区: Maharashtra 城市: Mumbai 纬度: 19.075975 经度: 72.877380
yuntuapi.amap.com	没有服务器地理信息.
m5.amap.com	IP: 59.82.113.187 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
api.weixin.qq.com	IP: 109.244.145.152 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
debugx5.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
apidns.kwd.inkuai.com	IP: 103.107.219.31 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
wprd0d.is.autonavi.com	没有服务器地理信息.
	IP: 47.88.199.5

register.xmpush.global.xiaomi.com	所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
astat.bugly.qcloud.com	IP: 119.28.121.133 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
cfg.imtt.qq.com	IP: 109.244.173.227 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cgi.qplus.com	没有服务器地理信息.
api-push.in.meizu.com	IP: 206.161.233.191 所属国家: United States of America 地区: Virginia 城市: Herndon 纬度: 38.978210 经度: -77.386993
schemas.microsoft.com	IP: 13.107.213.74 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
api.xmpush.xiaomi.com	IP: 220.181.52.239 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
aaaid.umeng.com	IP: 218.91.197.68 所属国家: China 地区: Jiangsu 城市: Nantong

	纬度: 32.030296 经度: 120.874779
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
pslog.umeng.com	IP: 59.82.31.92 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
adiu.amap.com	IP: 59.82.31.202 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
www.xiaohongshu.com	IP: 212.64.115.100 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
183.232.58.240	IP: 183.232.58.240 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
grs.dbankcloud.asia	没有服务器地理信息.
183.134.98.111	IP: 183.134.98.111 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

p2.a.yximgs.com	IP: 220.181.135.139 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
material.io	IP: 216.239.36.21 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
soft.tbs.imtt.qq.com	IP: 121.51.175.105 所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545673 经度: 114.068108
api2.e.kuaishou.com	IP: 103.102.202.74 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
sdk-open-phone.getui.com	IP: 115.227.15.229 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000
debugtbs.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
alogsus.umeng.com	IP: 223.109.148.141 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992

wap.amap.com	IP: 42.81.22.183 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
120.46.157.112	IP: 120.46.157.112 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
static.yximgs.com	IP: 211.93.242.56 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
ru.register.xmpush.global.xiaomi.com	IP: 107.155.52.56 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752258 经度: 37.615471
lbs.amap.com	IP: 59.82.31.137 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
mdc.html5.qq.com	IP: 175.27.9.46 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
edith.xiaohongshu.com	IP: 119.45.249.52 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397102
openmobile.qq.com	IP: 175.27.9.43 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
open.weixin.qq.com	IP: 175.24.209.30 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
play.google.com	IP: 46.82.174.69 所属国家: Germany 地区: Niedersachsen 城市: Braunschweig 纬度: 52.266121 经度: 10.526730
xml.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
grs.dbankcloud.com	IP: 42.81.226.18 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
yoda.kwd.inkuai.com	IP: 103.102.202.153 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 183.134.98.75 所属国家: China

183.134.98.75	地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
183.134.98.34	IP: 183.134.98.34 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
xmlpull.org	IP: 185.199.109.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
43.129.255.160	IP: 43.129.255.160 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
grs.dbankcloud.cn	IP: 49.4.40.185 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
www.jivesoftware.com	IP: 23.235.209.143 所属国家: United States of America 地区: Virginia 城市: Virginia Beach 纬度: 36.837925 经度: -76.093918
apilocate.amap.com	IP: 59.82.31.183 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

49.233.102.113	IP: 49.233.102.113 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
118.26.252.225	IP: 118.26.252.225 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cgi.connect.qq.com	IP: 175.27.9.43 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
p5.a.yximgs.com	IP: 119.176.24.41 所属国家: China 地区: Shandong 城市: Weifang 纬度: 24.905750 经度: 67.082352
developer.umeng.com	IP: 59.82.31.95 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
adash.man.aliyuncs.com	IP: 59.82.40.77 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
dualstack-a.apilocate.amap.com	IP: 106.11.40.50 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

wb.amap.com	IP: 59.82.60.46 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
login.sina.com.cn	IP: 49.7.36.224 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
graph.qq.com	IP: 175.27.9.14 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
103.102.200.38	IP: 103.102.200.38 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
43.226.164.41	IP: 43.226.164.41 所属国家: China 地区: Jiangsu 城市: Suqian 纬度: 33.933334 经度: 118.283333
rqd.uu.qq.com	IP: 175.27.12.121 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
dualstack-arestapi.amap.com	IP: 39.98.22.142 所属国家: China 地区: Zhejiang

	城市: Hangzhou 纬度: 30.293650 经度: 120.161583
mapi.amap.com	IP: 106.11.43.68 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
abroad.apilocate.amap.com	IP: 59.82.44.11 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
playready.directtaps.net	IP: 104.45.231.79 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
ulogs.umeng.com	IP: 223.109.148.141 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
wup.imtt.qq.com	IP: 42.187.184.40 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
cc.map.qq.com	IP: 175.27.9.125 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 120.233.50.82

ali-stats.jpsh.cn	所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545673 经度: 114.068108
grs.dbankcloud.eu	没有服务器地理信息.
norma-external-collect.meizu.com	IP: 113.106.27.98 所属国家: China 地区: Guangdong 城市: Zhongshan 纬度: 22.520580 经度: 113.382317
ouplog.umeng.com	IP: 47.246.110.94 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
appsupport.qq.com	IP: 175.27.9.43 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mst01.is.autonavi.com	IP: 59.82.31.67 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
huatuocode.huatuo.qq.com	没有服务器地理信息.
apiinit.amap.com	IP: 203.119.169.174 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
	IP: 182.254.59.182

login.imgcache.qq.com	所属国家: China 地区: Guangdong 城市: Shenzhen 纬度: 22.545673 经度: 114.068108
175.24.251.189	IP: 175.24.251.189 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
aexception.bugly.qq.com	IP: 101.226.233.161 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
appgallery.cloud.huawei.com	IP: 121.36.118.136 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
49.51.177.180	IP: 49.51.177.180 所属国家: United States of America 地区: California 城市: Los Angeles 纬度: 34.052570 经度: -118.243904

 URL线索

URL信息	Url所在文件
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Observable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Single.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Completable.java

https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Maybe.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Flowable.java
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	io/reactivex/exceptions/UndeliverableException.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	io/reactivex/exceptions/OnErrorNotImplementedException.java
http://xml.apache.org/xslt	com/blankj/utilcode/util/LogUtils.java
http://restsdk.amap.com/v3	com/amap/api/col/s/h.java
https://restsdk.amap.com/v3	com/amap/api/col/s/h.java
http://restsdk.amap.com/v4	com/amap/api/col/s/h.java
https://restsdk.amap.com/v4	com/amap/api/col/s/h.java
http://yuntuapi.amap.com	com/amap/api/col/s/h.java
https://yuntuapi.amap.com	com/amap/api/col/s/h.java
http://restsdk.amap.com/rest/me/cpoint	com/amap/api/col/s/h.java
https://restsdk.amap.com/rest/me/cpoint	com/amap/api/col/s/h.java
http://m5.amap.com/ws/mapapi/shortaddress/transform	com/amap/api/col/s/h.java
https://m5.amap.com/ws/mapapi/shortaddress/transform	com/amap/api/col/s/h.java
https://restsdk.amap.com/v3/iasdkauth	com/amap/api/col/s/bj.java
https://dualstack-arestapi.amap.com/v3/iasdkauth	com/amap/api/col/s/bj.java
http://apiinit.amap.com/v3/log/init	com/amap/api/col/s/bk.java
https://adiu.amap.com/ws/device/adius	com/amap/api/col/s/cr.java
http://wb.amap.com/?r=%f,%f,%s,%f,%f,%s,%d,%d,%d,%s,%s,%s&sourceapplication=openapi/0	com/amap/api/col/s/bf.java
http://wb.amap.com/?q=%f,%f,%s&sourceapplication=openapi/0	com/amap/api/col/s/bf.java

http://wb.amap.com/?n=%f,%f,%f,%d&sourceapplication=openapi/0	com/amap/api/col/s/bf.java
http://wb.amap.com/?p=%s,%f,%f,%s,%s&sourceapplication=openapi/0	com/amap/api/col/s/bf.java
http://wap.amap.com/	com/amap/api/maps/AMapUtils.java
http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/	com/amap/api/location/AMapLocation.java
http://restsdk.amap.com	com/amap/api/mapcore/util/fe.java
https://restsdk.amap.com/v3/iasdkauth	com/amap/api/mapcore/util/ew.java
https://dualstack-arestapi.amap.com/v3/iasdkauth	com/amap/api/mapcore/util/ew.java
http://apilocate.amap.com/mobile/binary	com/amap/api/mapcore/util/io.java
http://dualstack-a.apilocate.amap.com/mobile/binary	com/amap/api/mapcore/util/io.java
http://restsdk.amap.com/v4/grasproad/driving?	com/amap/api/mapcore/util/eq.java
http://restsdk.amap.com/v4	com/amap/api/mapcore/util/i.java
https://adiu.amap.com/ws/device/adius	com/amap/api/mapcore/util/gv.java
http://apiinit.amap.com/v3/log/init	com/amap/api/mapcore/util/ex.java
http://mpsapi.amap.com/ws/mps/lyrdata/ugc/\	com/amap/api/mapcore/util/b.java
http://wprd0%d.is.autonavi.com/appmaptile?	com/amap/api/mapcore/util/cs.java
http://restsdk.amap.com/v4/gridmap?	com/amap/api/mapcore/util/cs.java
http://restsdk.amap.com/v4/gridmap?	com/amap/api/mapcore/util/ct.java
http://restsdk.amap.com/v4	com/amap/api/mapcore/util/cf.java
https://github.com/danikula/AndroidVideoCache/issues/43.	com/danikula/videocache/HttpUrlSource.java
https://github.com/danikula/AndroidVideoCache/issues.	com/danikula/videocache/HttpUrlSource.java
https://github.com/danikula/AndroidVideoCache/issues/88.	com/danikula/videocache/HttpUrlSource.java

https://github.com/danikula/AndroidVideoCache/issues/134.	com/danikula/videocache/Pinger.java
http://%s:%d/%s	com/danikula/videocache/Pinger.java
http://%s:%d/%s	com/danikula/videocache/HttpProxyCacheServer.java
https://material.io/design/components/dialogs.html	com/afollestad/materialdialogs/MaterialDialog.java
http://xml.apache.org/xslt	com/wind/imlib/Utils/KitReleaseLogUtils.java
https://t2.xiaohongshu.com/api/collect	com/fakerandroid/boot/CheckUntil.java
https://edith.xiaohongshu.com/api/sns/v1/system_service/config?launchtimes=9	com/fakerandroid/boot/CheckUntil.java
https://edith.xiaohongshu.com/api/sns/v1/search/placeholder?is_new_user=true	com/fakerandroid/boot/CheckUntil.java
https://www.xiaohongshu.com/api/im/users/following/all	com/fakerandroid/boot/CheckUntil.java
https://cc.map.qq.com/?desc_c	com/fakerandroid/boot/CheckUntil.java
https://43.129.255.160:8081	com/fakerandroid/boot/CheckUntil.java
https://cgi.connect.qq.com/qqconnectopen/openapi/policy_conf	com/fakerandroid/boot/CheckUntil.java
https://183.232.58.240:21004	com/fakerandroid/boot/CheckUntil.java
https://118.26.252.225:5222	com/fakerandroid/boot/CheckUntil.java
https://120.46.157.112:7002	com/fakerandroid/boot/CheckUntil.java
https://49.51.177.180:5333	com/fakerandroid/boot/CheckUntil.java
https://183.134.98.111:5224	com/fakerandroid/boot/CheckUntil.java
https://183.134.98.34:5224	com/fakerandroid/boot/CheckUntil.java
https://183.134.98.75:5224	com/fakerandroid/boot/CheckUntil.java
https://login.sina.com.cn/visitor/signin	com/fakerandroid/boot/CheckUntil.java
https://sdk-open-phone.getui.com/api.php?format=json&t=1	com/fakerandroid/boot/CheckUntil.java

https://tsis.jppush.cn/	com/fakerandroid/boot/CheckUntil.java
https://ali-stats.jppush.cn	com/fakerandroid/boot/CheckUntil.java
https://49.233.102.113:5333	com/fakerandroid/boot/CheckUntil.java
https://124.71.10.22:7002	com/fakerandroid/boot/CheckUntil.java
https://175.24.251.189:5333	com/fakerandroid/boot/CheckUntil.java
https://103.102.200.38:80	com/fakerandroid/boot/CheckUntil.java
http://p5.a.yximgs.com/uhead/AB/2022/05/22/01/BMjAyMjA1MjIwMTUzMjdMjI5NzUxOTU2OV8xX2hkNDc0XzE0OQ==_s.jpg	com/fakerandroid/boot/CheckUntil.java
https://api2.e.kuaishou.com/rest/e/load/styleTemplate	com/fakerandroid/boot/CheckUntil.java
https://apidns.kwd.inkuai.com/label_resolve?label=kwai-api&biz=aegon-android	com/fakerandroid/boot/CheckUntil.java
https://yoda.kwd.inkuai.com	com/fakerandroid/boot/CheckUntil.java
http://httpdns.bcelive.com/?dns=bd-origin.pull.yximgs.com,bd-adaptive-pull.live-voip.com,bd-adaptive-pull.video-voip.com,bd-adaptive.pull.yximgs.com,bd-origin-pull.live-voip.com,bd-origin-pull.video-voip.com,bd-p2p-pull.live-voip.com,bd-p2p-pull.video-voip.com,bd-p2p.pull.yximgs.com,bd-proxy.pull.yximgs.com,bd-pull.live-voip.com,bd-pull.video-voip.com,bd.pull.yximgs.com,bd.push.yximgs.com,d5-ks.a.kwimgs.com,p5-live.a.yximgs.com,p5.a.yximgs.com,v5-skvod.kwaicdn.com,v5.kwaicdn.com&type=a	com/fakerandroid/boot/CheckUntil.java
https://static.yximgs.com/bs2/adminBlock/treasure-1675409076903-xYWwjlqm.png	com/fakerandroid/boot/CheckUntil.java
https://43.226.164.41	com/fakerandroid/boot/CheckUntil.java
http://p2.a.yximgs.com/uhead/AB/2021/08/16/17/	com/fakerandroid/boot/CheckUntil.java
http://www.jivesoftware.com/xmlns/xmpp/properties\	com/xiaomi/push/gn.java
https://%1\$s/gslb/?ver=4.0	com/xiaomi/push/cw.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gv.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gu.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gc.java

http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fq.java
https://api.xmpush.xiaomi.com/v1/trace/report/sdk	com/xiaomi/push/df.java
https://cn.register.xmpush.xiaomi.com	com/xiaomi/push/service/o.java
https://register.xmpush.global.xiaomi.com	com/xiaomi/push/service/o.java
https://fr.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/o.java
https://ru.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/o.java
https://idmb.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/o.java
https://resolver.msg.global.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bp.java
https://resolver.msg.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bp.java
https://adiu.amap.com/ws/device/adius	com/loc/bb.java
http://restsdk.amap.com	com/loc/s.java
http://restsdk.amap.com/v3/place/text?	com/loc/a.java
http://restsdk.amap.com/v3/config/district?	com/loc/a.java
http://restsdk.amap.com/v3/place/around?	com/loc/a.java
http://apilocate.amap.com/mobile/binary	com/loc/ff.java
http://dualstack-a.apilocate.amap.com/mobile/binary	com/loc/ff.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/ff.java
https://restsdk.amap.com/v3/iasdkauth	com/loc/l.java
https://dualstack-arestapi.amap.com/v3/iasdkauth	com/loc/l.java
http://dualstack-arestapi.amap.com/v3/geocode/regeo	com/loc/fa.java
http://restsdk.amap.com/v3/geocode/regeo	com/loc/fa.java

http://cgicol.amap.com/collection/collectData?src=baseCol&ver=v74&	com/loc/cr.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/ey.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/fk.java
https://adash.man.aliyuncs.com/man/api?ak=23356390&s=	com/alibaba/sdk/android/utis/AMSDevReporter.java
https://api-push.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.in.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.meizu.com/garcia/api/client/log/upload	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.meizu.com/garcia/api/server/getPublicKey	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://api-push.in.meizu.com	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://api-push.meizu.com	com/meizu/cloud/pushsdk/constants/PushConstants.java
http://norma-external-collect.meizu.com/android/exchange/getpublickey.do	com/meizu/cloud/pushsdk/constants/PushConstants.java
http://norma-external-collect.meizu.com/push/android/external/add.do	com/meizu/cloud/pushsdk/constants/PushConstants.java
http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/	com/autonavi/amap/mapcore/Inner_3dMap_location.java
http://m5.amap.com/	com/autonavi/base/amap/mapcore/maploader/AMapLoader.java
http://restsdk.amap.com/rest/lbs/dem/dataservice?z=%d&x=%d&y=%d&type=2	com/autonavi/base/ae/gmap/TerrainOverlayProvider.java
http://mst01.is.autonavi.com/appmaptile?z=%d&x=%d&y=%d&lang=zh_cn&size=1&scale=1&style=6	com/autonavi/base/ae/gmap/TerrainOverlayProvider.java
http://mpsapi.amap.com/	com/autonavi/base/ae/gmap/GLMapEngine.java
http://m5.amap.com/	com/autonavi/base/ae/gmap/GLMapEngine.java
https://graph.qq.com/	com/imacapp/wind/api/LoginService.java
https://api.weixin.qq.com/	com/imacapp/wind/api/LoginService.java
https://aaid.umeng.com/api/updateZdata/v3	com/umeng/umzid/ZIDManager.java

https://aaid.umeng.com/api/postZdata/v3	com/umeng/umzid/ZIDManager.java
https://plbslog.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ulogs.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ouplog.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ulogs.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogsus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://ulogs.umengcloud.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://pslog.umeng.com	com/umeng/commonsdk/vchannel/a.java
https://pslog.umeng.com/	com/umeng/commonsdk/vchannel/a.java
https://developer.umeng.com/docs/66632/detail/	com/umeng/commonsdk/debug/UMLogUtils.java
https://developer.umeng.com/docs/119267/detail/182050	com/umeng/commonsdk/debug/UMLogCommon.java
http://developer.umeng.com/docs/66650/cate/66650	com/umeng/analytics/pro/j.java
http://astat.bugly.qqcloud.com/rqd/async	com/tencent/bugly/crashreport/CrashReport.java
http://rqd.uu.qq.com/rqd/sync	com/tencent/bugly/crashreport/common/strategy/StrategyBean.java
http://android.bugly.qq.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/StrategyBean.java
http://android.bugly.qq.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/a.java
http://aexception.bugly.qq.com:8012/rqd/async	com/tencent/bugly/crashreport/common/strategy/a.java
http://log.tbs.qq.com/ajax?c=pu&v=2&k=	com/tencent/smtt/utils/n.java
http://log.tbs.qq.com/ajax?c=pu&tk=	com/tencent/smtt/utils/n.java

http://wup.imtt.qq.com:8080	com.tencent/smtt/utls/n.java
http://log.tbs.qq.com/ajax?c=dl&k=	com.tencent/smtt/utls/n.java
http://cfg.imtt.qq.com/tbs?v=2&mk=	com.tencent/smtt/utls/n.java
http://log.tbs.qq.com/ajax?c=ul&v=2&k=	com.tencent/smtt/utls/n.java
http://mqqad.html5.qq.com/adjs	com.tencent/smtt/utls/n.java
http://log.tbs.qq.com/ajax?c=ucfu&k=	com.tencent/smtt/utls/n.java
http://soft.tbs.imtt.qq.com/17421/tbs_res_imtt_tbs_DebugPlugin_DebugPlugin.tbs	com.tencent/smtt/utls/d.java
http://pms.mb.qq.com/rsp204	com.tencent/smtt/sdk/j.java
http://debugtbs.qq.com	com.tencent/smtt/sdk/WebView.java
http://debugx5.qq.com	com.tencent/smtt/sdk/WebView.java
http://debugtbs.qq.com?10000\	com.tencent/smtt/sdk/WebView.java
http://mdc.html5.qq.com/mh?channel_id=50079&u=	com.tencent/smtt/sdk/a/c.java
http://mdc.html5.qq.com/d/directdown.jsp?channel_id=11047	com.tencent/smtt/sdk/b/a/a.java
http://mdc.html5.qq.com/d/directdown.jsp?channel_id=11041	com.tencent/smtt/sdk/b/a/a.java
https://openmobile.qq.com/oauth2.0/me	com.tencent/connect/UnionInfo.java
https://openmobile.qq.com/oauth2.0/m_jump_by_version?	com.tencent/connect/common/BaseApi.java
https://login.imgcache.qq.com/ptlogin/static/qzsjump.html?	com.tencent/connect/common/BaseApi.java
https://openmobile.qq.com/oauth2.0/m_authorize?	com.tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/user/user_login_statis	com.tencent/connect/auth/AuthAgent.java
https://openmobile.qq.com/v3/user/get_info	com.tencent/connect/auth/AuthAgent.java
https://appsupport.qq.com/cgi-bin/qzapps/mapp_addapp.cgi	com.tencent/connect/auth/AuthAgent.java

https://login.imgcache.qq.com/ptlogin/static/qzsjump.html?	com/tencent/connect/auth/a.java
https://login.imgcache.qq.com/open/mobile/request/sdk_request.html?	com/tencent/open/SocialApiml.java
https://login.imgcache.qq.com/open/mobile/invite/sdk_invite.html?	com/tencent/open/SocialApiml.java
https://login.imgcache.qq.com/open/mobile/sendstory/sdk_sendstory_v1.3.html?	com/tencent/open/SocialApiml.java
https://login.imgcache.qq.com	com/tencent/open/SocialApiml.java
https://openmobile.qq.com/cgi-bin/qunopensdk/unbind	com/tencent/open/SocialOperation.java
https://openmobile.qq.com/cgi-bin/qunopensdk/check_group	com/tencent/open/SocialOperation.java
https://cgi.connect.qq.com/qqconnectopen/openapi/policy_conf	com/tencent/open/utlis/g.java
https://cgi.qplus.com/report/report	com/tencent/open/utlis/l.java
https://huatuocode.huatuo.qq.com	com/tencent/open/a/d.java
https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s×tamp=%s&scope=%s&signature=%s	com/tencent/mm/opensdk/diffdev/a/b.java
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuid=%s	com/tencent/mm/opensdk/diffdev/a/c.java
http://playready.directtaps.net/pr/svc/rightsmanager.asmx	tv/danmaku/ijk/media/exo/demo/SmoothStreamingTestMediaDrmCallback.java
http://schemas.microsoft.com/DRM/2007/03/protocols/AcquireLicense	tv/danmaku/ijk/media/exo/demo/SmoothStreamingTestMediaDrmCallback.java
https://play.google.com/store	Mogua Engine V1
https://appgallery.cloud.huawei.com/app/	Mogua Engine V1
https://play.google.com/store/apps/details?id=	Mogua Engine V1
https://appgallery.cloud.huawei.com	Mogua Engine V1
https://store.hispace.hicloud.com/hwmarket/api/	Mogua Engine V1
https://grs.dbankcloud.com	Mogua Engine V2
https://grs.dbankcloud.cn	Mogua Engine V2

https://grs.dbankcloud.eu	Mogua Engine V2
https://grs.dbankcloud.asia	Mogua Engine V2

✉ 邮箱线索

邮箱地址	所在文件
danikula@gmail.com	com/danikula/videocache/HttpUrlSource.java

☎ 手机线索

手机号	所在文件
17179869184	tv/danmaku/ijk/media/player/IjkMediaMeta.java

☀ 签名证书

APK已签名
v1 签名: False
v2 签名: True
v3 签名: True
找到 1 个唯一证书
主题: C=CN, ST=zbQhIrsV, L=vQzkBwsp, O=TnELIPqb, OU=IGztcaCR, CN=LTOFcUNG
签名算法: rsassa_pkcs1v15
有效期自: 2023-06-25 07:15:53+00:00
有效期至: 2050-11-10 07:15:53+00:00
发行人: C=CN, ST=zbQhIrsV, L=vQzkBwsp, O=TnELIPqb, OU=IGztcaCR, CN=LTOFcUNG
序列号: 0x2430af6c
哈希算法: sha256
md5值: 048f3ee661d09c92c6e965867b961da7
sha1值: 4c55587e6c30ce416e0b1ae7ccc1a580fba334b9
sha256值: 3674f637e00ff31bab2aee1043051a6e173b927f881a3b5a0f6e21e1603b2285
sha512值: 414c57a214f75a1d26c87e049836c61f2e7ada9befbd2707feb1eba6e67d92a3daa9ca6f25034e30364e1dda4e6f1566eb29e35128d971d8ba5097d3b7f6cb9a
公钥算法: rsa
密钥长度: 2048
指纹: 89d2de8e3bab04513d02f0fef67562076fdb435a9d121f0fd23619a11275c182

硬编码敏感信息

可能的敏感信息
"wx_appsecret" : ""

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

应用内通信