



MoGua

极简桌面 3.1.29.20220903.APK 分析报告



APP名称:

极简桌面

包名:	com.jeejen.family
域名线索:	67条
URL线索:	113条
邮箱线索:	0条
分析日期:	2025年6月18日
分析平台:	摸瓜APK反编译平台

文件名: com.jeejen.family_3.1.29.20220903.apk
文件大小: 25.86MB
MD5值: ac7606a74610e488a93091e82dfd3494
SHA1值: a08cefe69b5c4d9f37d4cf39458ec4af80289ef0
SHA256值: b53e43853f78d3c5676fd1cd9c97e5277350cc018549b1c1f4d15a17dcb27121

i APP 信息

App名称: 极简桌面
包名: com.jeejen.family
主活动Activity: com.jeejen.home.launcher.Launcher
安卓版本名称: 3.1.29.20220903
安卓版本: 31029

🔍 域名线索

域名	服务器信息
family.jeejen.com	IP: 47.94.233.242 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
voicecloud.cn	没有服务器地理信息.
unicode.org	IP: 64.182.27.164 所属国家: United States of America 地区: Texas 城市: Dallas 纬度: 32.814899 经度: -96.879204

shop.jeejen.com	IP: 47.94.233.242 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
weather.jeejen.com	IP: 47.94.233.242 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
dev.voicecloud.cn	IP: 114.118.65.97 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
maps.google.com	IP: 142.250.217.78 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
health.jeejen.com	IP: 47.94.233.242 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
api.map.baidu.com	IP: 111.206.208.72 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501

	经度: 116.397102
gallery.demo.jeejen.com	IP: 146.56.248.213 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
itsdata.map.baidu.com	IP: 111.206.209.180 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
apilocate.amap.com	IP: 59.82.31.183 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
sdk.open.talk.igexin.com	IP: 124.160.124.156 所属国家: China 地区: Zhejiang 城市: Wenzhou 纬度: 27.999420 经度: 120.666817
social.msdn.microsoft.com	IP: 13.107.246.74 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
	IP: 61.48.83.229 所属国家: China

plugin.jeejen.com.w.kunlunca.com	地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.xunfei.cn	IP: 123.125.46.38 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
s.sz.gt.igexin.com	IP: 124.160.155.61 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000
cgicol.amap.com	IP: 110.253.188.148 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
www.google.com	IP: 199.16.158.182 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.773968 经度: -122.410446
openapi.openspeech.cn	IP: 125.254.169.47 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

sdkconfig.ad.intl.xiaomi.com	IP: 47.236.194.71 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
www.iana.org	IP: 192.0.33.8 所属国家: United States of America 地区: California 城市: El Segundo 纬度: 33.919201 经度: -118.416580
sdk.open.talk.gepush.com	IP: 124.160.146.190 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000
astore.demo.jeejen.com	IP: 146.56.248.213 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
4f1ce6750872d196da07ad1f1ad42079.iflysec.com	IP: 103.8.33.178 所属国家: China 地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830
restapi.amap.com	IP: 106.11.43.113 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397102
sdk.open.lbs.igexin.com	IP: 121.52.255.89 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
api.ad.xiaomi.com	IP: 221.194.175.244 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
sd.cname3.getui.com	IP: 124.160.146.190 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000
www.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
daup.map.baidu.com	IP: 110.242.74.236 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
wke.openspeech.cn	没有服务器地理信息.

astore.jeejen.com	IP: 47.94.233.242 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
help.m.jeejen.com	IP: 47.94.233.242 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
logconf.iflytek.com	IP: 103.8.33.178 所属国家: China 地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830
www.jeejen.com	IP: 39.107.117.235 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
pingma.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
sdk.open.phone.igexin.com	IP: 124.160.155.42 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199

	经度: 120.750000
plugin.demo.jeejen.com	IP: 146.56.248.213 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
gallery.jeejen.com	IP: 47.94.233.242 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
sdkconfig.ad.xiaomi.com	IP: 111.206.174.238 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
push.jeejen.com	IP: 47.94.233.242 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
d.gt.igexin.com	没有服务器地理信息.
jsperf.com	IP: 104.16.227.18 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203

plugin.jeejen.com	IP: 61.48.83.229 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
ali-008.jeejen.com	IP: 47.94.233.242 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
co.jeejen.com	IP: 0.0.0.0 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
sdk.open.amp.igexin.com	IP: 124.160.124.197 所属国家: China 地区: Zhejiang 城市: Wenzhou 纬度: 27.999420 经度: 120.666817
www.w3.org	IP: 104.18.22.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
health.jeejen.coms	没有服务器地理信息.
	IP: 103.8.33.178 所属国家: China

log.iflytek.com	地区: Anhui 城市: Hefei 纬度: 31.863815 经度: 117.280830
sdk.open.inc2.igexin.com	没有服务器地理信息.
mta.oa.com	IP: 141.144.196.217 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.378502 经度: 4.899980
conf.jeejen.com	IP: 39.106.24.111 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
shop.demo.jeejen.com	IP: 146.56.248.213 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
dev.w3.org	IP: 104.18.22.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
sdk.open.talk.getui.net	IP: 124.160.124.156 所属国家: China 地区: Zhejiang 城市: Wenzhou

	纬度: 27.999420 经度: 120.666817
bugs.sun.com	IP: 23.218.26.231 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
android.health.jeejen.com	IP: 47.94.233.242 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
c.sz.gt.igexin.com	没有服务器地理信息.
mta.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
loc.map.baidu.com	IP: 111.206.209.174 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.anttna.com	IP: 58.221.60.89 所属国家: China 地区: Jiangsu 城市: Nantong 纬度: 32.030296 经度: 120.874779

test.ad.xiaomi.com	IP: 111.206.174.192 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
ofloc.map.baidu.com	IP: 110.242.70.118 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
iss.openspeech.cn	IP: 42.62.43.145 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.sl4j.org	IP: 195.15.222.169 所属国家: Switzerland 地区: Geneve 城市: Carouge 纬度: 46.180931 经度: 6.138709

URL线索

URL信息	Url所在文件
https://api.map.baidu.com/sdkcs/verify	com/baidu/lbsapi/auth/LBSAuthManager.java
https://loc.map.baidu.com/cc.php	com/baidu/location/b/g.java

https://ofloc.map.baidu.com/locnu	com/baidu/location/b/v.java
https://itsdata.map.baidu.com/long-conn-gps/sdk.php	com/baidu/location/b/i.java
https://loc.map.baidu.com/cfgs/loc/commcfgs	com/baidu/location/b/a.java
http://loc.map.baidu.com/sdk.php	com/baidu/location/e/j.java
http://loc.map.baidu.com/user_err.php	com/baidu/location/e/j.java
http://loc.map.baidu.com/oqur.php	com/baidu/location/e/j.java
https://loc.map.baidu.com/tcu.php	com/baidu/location/e/j.java
http://loc.map.baidu.com/rtbu.php	com/baidu/location/e/j.java
http://loc.map.baidu.com/iofd.php	com/baidu/location/e/j.java
http://loc.map.baidu.com/wloc	com/baidu/location/e/j.java
https://loc.map.baidu.com/sdk_ep.php	com/baidu/location/e/j.java
https://loc.map.baidu.com/sdk.php	com/baidu/location/e/j.java
https://daup.map.baidu.com/cltr/rcvr	com/baidu/location/e/j.java
http://apilocate.amap.com/mobile/binary	com/aps/t.java
http://apilocate.amap.com/mobile/binary	com/aps/l.java
http://cgicol.amap.com/collection/writedata?ver=v1.0_ali&	com/aps/l.java
http://restapi.amap.com/v3/weather/weatherInfo?	com/amap/api/location/b.java

http://restapi.amap.com/log/init	com/amap/api/location/core/a.java
http://dev.voicecloud.cn/msc/help.html\	com/iflytek/cloud/resource/b.java
http://dev.voicecloud.cn/msc/help.html	com/iflytek/cloud/resource/b.java
http://dev.voicecloud.cn/msc/help.html\	com/iflytek/cloud/resource/c.java
http://dev.voicecloud.cn/msc/help.html	com/iflytek/cloud/resource/c.java
http://dev.voicecloud.cn/msc/help.html\	com/iflytek/cloud/resource/a.java
http://dev.voicecloud.cn/msc/help.html	com/iflytek/cloud/resource/a.java
http://www.xunfei.cn/?appid=	com/iflytek/cloud/ui/a.java
http://wke.openspeech.cn/wakeup/	com/iflytek/cloud/a/d/d.java
http://openapi.openspeech.cn/webapi/wfr.do	com/iflytek/cloud/c/a/b.java
http://iss.openspeech.cn/v?	com/iflytek/speech/UtilityConfig.java
https://logconf.iflytek.com/hotupdate	com/iflytek/idata/extension/a.java
https://log.iflytek.com/log	com/iflytek/idata/extension/c.java
http://sdk.open.inc2.igexin.com/api.php	com/igexin/getuiext/data/Consts.java
http://sdk.open.phone.igexin.com/api.php	com/igexin/getuiext/data/Consts.java
http://sdk.open.phone.igexin.com/api.php?format=json&t=1	com/igexin/getuiext/service/i.java
http://c.sz.gt.igexin.com/api.php	com/igexin/push/config/SDKUrlConfig.java
http://s.sz.gt.igexin.com/api.php	com/igexin/push/config/SDKUrlConfig.java

http://d.gt.igexin.com/api.htm	com/igexin/push/config/SDKUrlConfig.java
http://sdk.open.amp.igexin.com/api.htm	com/igexin/push/config/SDKUrlConfig.java
http://sdk.open.lbs.igexin.com/api.htm	com/igexin/push/config/SDKUrlConfig.java
http://bi.	com/igexin/push/config/o.java
http://config.	com/igexin/push/config/o.java
http://stat.	com/igexin/push/config/o.java
http://log.	com/igexin/push/config/o.java
http://amp.	com/igexin/push/config/o.java
http://lbs.	com/igexin/push/config/o.java
http://inc.	com/igexin/push/config/o.java
http://conf.jeejen.com/family/app/	com/jeejen/common/updater/FcocUpdateEngine.java
https://www.jeejen.com/user-agreement.html	com/jeejen/home/launcher/Launcher.java
https://www.jeejen.com/privacy-notice.html	com/jeejen/home/launcher/Launcher.java
https://www.jeejen.com/privacy-notice.html	com/jeejen/home/launcher/SettingsActivity.java
https://www.jeejen.com/user-agreement.html	com/jeejen/home/launcher/SettingsActivity.java
http://co.jeejen.com/crash	com/jeejen/gallery/biz/Consts.java
http://co.jeejen.com/log	com/jeejen/gallery/biz/Consts.java

http://plugin.jeejen.com/repo/gpl.r.%s.json	com/jeejen/lam/model/LamConst.java
http://plugin.jeejen.com/repo/gpl.d.%s.json	com/jeejen/lam/model/LamConst.java
http://plugin.demo.jeejen.com:8181/repo/gpl.r.%s.json	com/jeejen/lam/model/LamConst.java
http://plugin.demo.jeejen.com:8181/repo/gpl.d.%s.json	com/jeejen/lam/model/LamConst.java
http://push.jeejen.com	com/jeejen/push/util/HttpUtil.java
http://gallery.jeejen.com	com/jeejen/pushcenter/PushCenterApplication.java
http://gallery.demo.jeejen.com:8181	com/jeejen/pushcenter/PushCenterApplication.java
http://weather.jeejen.com/ip_loc/ip_loc	com/jeejen/weather/model/WeatherNet.java
http://weather.jeejen.com/realtimeByJSON	com/jeejen/weather/model/WeatherNet.java
http://weather.jeejen.com/realtime/%s	com/jeejen/weather/model/WeatherNet.java
http://weather.jeejen.com/forecast/%s	com/jeejen/weather/model/WeatherNet.java
http://test.ad.xiaomi.com/	com/miui/zeus/mimo/sdk/server/d.java
http://api.ad.xiaomi.com/	com/miui/zeus/mimo/sdk/server/d.java
http://test.ad.xiaomi.com/union/fetchAds	com/miui/zeus/mimo/sdk/server/d.java
http://api.ad.xiaomi.com/union/fetchAds	com/miui/zeus/mimo/sdk/server/d.java
http://www.google.com/loc/json	com/miui/voicerecognizer/common/location/GoogleGetLocation.java
http://www.anttna.com/cell2gps/cell2gps3.php?type=%d&mcc=%d&mnc=%d&lac=%d&cellid=%d	com/miui/voicerecognizer/common/location/AnttnaGetLocation.java
http://www.anttna.com/cell2gps/cell2gps3.php?	com/miui/voicerecognizer/common/location/AnttnaGetLocation.java

type=%d&mcc=%d&mnc=%d&sid=%d&nid=%d&bid=%d	
http://maps.google.com/maps/api/geocode/	com/miui/voicerecognizer/common/location/GeocodeLocation.java
http://maps.google.com/maps/api/geocode/json?sensor=true&language=zh&latlng=%f,%f	com/miui/voicerecognizer/common/location/GeocodeLocation.java
http://voicecloud.cn/opv1/food.aspx	com/miui/voicerecognizer/common/net/NetConfig.java
http://www.google.com	com/ning/http/client/providers/grizzly/GrizzlyAsyncHttpProvider.java
http://bugs.sun.com/view_bug.do?bug_id=5103988.	com/ning/http/multipart/MultipartBody.java
http://mta.qq.com/	com/tencent/wxop/stat/e.java
http://mta.oa.com/	com/tencent/wxop/stat/e.java
http://pingma.qq.com:80/mstat/report	com/tencent/wxop/stat/c.java
https://sdkconfig.ad.xiaomi.com/api/checkupdate/lastusefulversion2?	com/xiaomi/analytics/a/d.java
https://sdkconfig.ad.intl.xiaomi.com/api/checkupdate/lastusefulversion2?	com/xiaomi/analytics/a/d.java
http://www.slf4j.org/codes.html	org.slf4j/MDC.java
http://www.slf4j.org/codes.html	org.slf4j/LoggerFactory.java
http://co.jeejen.com/update1	摸瓜V1引擎
http://co.jeejen.com/crash	摸瓜V1引擎
http://health.jeejen.com%s	摸瓜V1引擎
http://co.jeejen.com/log	摸瓜V1引擎
http://help.m.jeejen.com/gen/cn/cache.txt	摸瓜V1引擎

http://help.m.jeejen.com/gen/cn/help.html	摸瓜V1引擎
http://health.jeejen.com/download/getPeriodicalson/%s	摸瓜V1引擎
http://family.jeejen.com/promo/get_current_flag	摸瓜V1引擎
http://shop.jeejen.com/store/download/after	摸瓜V1引擎
http://shop.jeejen.com/store/download/before	摸瓜V1引擎
http://shop.jeejen.com/store/app	摸瓜V1引擎
http://astore.jeejen.com/app_info.html	摸瓜V1引擎
http://shop.jeejen.com/store/install	摸瓜V1引擎
http://shop.jeejen.com/store/upgrade	摸瓜V1引擎
http://astore.jeejen.com/cache_policy.txt	摸瓜V1引擎
http://astore.jeejen.com/index.html	摸瓜V1引擎
http://android.health.jeejen.com/article.html	摸瓜V1引擎
http://android.health.jeejen.com	摸瓜V1引擎
http://android.health.jeejen.com/cache_policy.txt	摸瓜V1引擎
http://android.health.jeejen.com/fav.html	摸瓜V1引擎
http://android.health.jeejen.com/index.html	摸瓜V1引擎
http://android.health.jeejen.com/list.html	摸瓜V1引擎

http://android.health.jeejen.com/test.html	摸瓜V1引擎
http://health.jeejen.com/downLoad/articleimg/	摸瓜V2引擎
http://family.jeejen.com/care';	摸瓜V2引擎
http://astore.jeejen.com/img	摸瓜V2引擎
http://shop.jeejen.com/store/banner	摸瓜V2引擎
http://shop.jeejen.com/store/hotapps	摸瓜V2引擎
http://shop.jeejen.com/store/autosearch	摸瓜V2引擎
http://shop.jeejen.com/store/search	摸瓜V2引擎
http://shop.jeejen.com/store/cat	摸瓜V2引擎
http://astore.demo.jeejen.com:8181/img	摸瓜V2引擎
http://shop.demo.jeejen.com:8181/store/banner	摸瓜V2引擎
http://shop.demo.jeejen.com:8181/store/hotapps	摸瓜V2引擎
http://shop.demo.jeejen.com:8181/store/autosearch	摸瓜V2引擎
http://shop.demo.jeejen.com:8181/store/search	摸瓜V2引擎
http://shop.demo.jeejen.com:8181/store/cat	摸瓜V2引擎
http://astore.jeejen.com/app_info.html	摸瓜V2引擎
http://astore.jeejen.com/img/icon_loading.png	摸瓜V2引擎
http://astore.jeejen.com/img/icon_error.png	摸瓜V2引擎

[illegible]

http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
http://social.msdn.microsoft.com/Forums/windowsapps/en-US/a327cf3c-f033-4a54-8b7f-03c56ba3203f/windows-foundation-uri-security-problem	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎

[illegible]

http://www.apache.org/licenses/LICENSE-2.0	摸瓜V2引擎
logconf.iflytek.com	摸瓜V3引擎
family.jeejen.com	摸瓜V3引擎
sdk.open.talk.gepush.com	摸瓜V3引擎
sdk.open.talk.getui.net	摸瓜V3引擎
4f1ce6750872d196da07ad1f1ad42079.iflysec.com	摸瓜V3引擎
sd.cname3.getui.com	摸瓜V3引擎
plugin.jeejen.com	摸瓜V3引擎
ali-008.jeejen.com	摸瓜V3引擎
sdk.open.talk.igexin.com	摸瓜V3引擎
plugin.jeejen.com.w.kunlunca.com	摸瓜V3引擎

 邮箱线索

 手机线索

手机号	所在文件
13065869616	com/xiaomi/analytics/a/a/e.java
18438544409	摸瓜V2引擎

🌟 签名证书

APK已签名
v1 签名: True
v2 签名: True
v3 签名: False
找到 1 个唯一证书
主题: C=cn, ST=beijing, L=beijing, O=tiao.net, OU=tiao.net, CN=jeejen tiao
签名算法: rsassa_pkcs1v15
有效期自: 2012-07-13 12:08:03+00:00
有效期至: 2122-01-18 12:08:03+00:00
发行人: C=cn, ST=beijing, L=beijing, O=tiao.net, OU=tiao.net, CN=jeejen tiao
序列号: 0x50000fa3
哈希算法: sha1
md5值: e93d7ab91649b86177ca1cc52603be41
sha1值: 81b245be2a142f92ac311a97f98caa26f6078335
sha256值: 771e08494fd33157d46be7cec338fdc528146902649fdad34f85d93ab6c642e1
sha512值: 9ac08128bd195d66a361ad1369aaa2059ffc18138b3f4957a25de0c4076deeeb784ac742398eb87e6793dcb324af0bcb3e0b712798e11ba96fc8de86ff065f6
公钥算法: rsa
密钥长度: 1024
指纹: 9dd50400fc8002745644c5ff27414c04861b90027b9f8a4fac135f7f00bc0cd8

🔑 硬编码敏感信息

🌀 加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登录摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.READ_CONTACTS	危险	读取联系人数据	允许应用程序读取您手机上存储的所有联系人（地址）数据。恶意应用程序可以借此将您的数据发送给其他人
android.permission.READ_PRIVILEGED_PHONE_STATE	未知	Unknown permission	Unknown permission from android reference
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.WRITE_CONTACTS	危险	写入联系人数据	允许应用程序修改您手机上存储的联系人（地址）数据。恶意应用程序可以使用它来删除或修改您的联系人数据
android.permission.CALL_PHONE	危险	直接拨打电话号码	允许应用程序在没有您干预的情况下拨打电话号码。恶意应用程序可能会导致您的电话账单出现意外呼叫。请注意,这不允许应用程序拨打紧急电话号码
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
		阅读短信或彩	允许应用程序读取存储在您的手机或 SIM 卡上的 SMS 消息。恶意应用程序可能会读

android.permission.READ_SMS	危险	信	取您的机密信息
android.permission.WRITE_SMS	危险	编辑短信或彩信	允许应用程序写入存储在您的手机或 SIM 卡上的 SMS 消息。恶意应用程序可能会删除您的消息
android.permission.SEND_SMS	危险	发送短信	允许应用程序发送 SMS 消息。恶意应用程序可能会在未经您确认的情况下发送消息,从而使您付出代价
android.permission.RECEIVE_SMS	危险	接收短信	允许应用程序接收和处理 SMS 消息。恶意应用程序可能会监视您的消息或将其删除而不向您显示
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.Manifest.permission.MODIFY_PHONE_STATE	系统需要	修改电话状态	允许应用程序控制设备的电话功能。具有此权限的应用程序可以切换网络,打开和关闭电话收音机等,而无需通知您
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.READ_CALL_LOG	危险		允许应用程序读取用户的通话日志
android.permission.WRITE_CALL_LOG	危险		允许应用程序写入 (但不读取) 用户号召日志数据。
android.permission.GET_ACCOUNTS	危险	列出帐户	允许访问账户服务中的账户列表
android.permission.PROCESS_OUTGOING_CALLS	危险	拦截拨出电话	允许应用程序处理拨出电话并更改要拨打的号码。恶意应用程序可能会监控,重定向或阻止拨出电话
android.permission.RESTART_PACKAGES	正常	杀死后台进程	允许应用程序杀死其他应用程序的后台进程,即使内存不低
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
android.permission.RECEIVE_WAP_PUSH	危险	接收WAP	允许应用程序接收和处理 WAP 消息。恶意应用程序可能会监视您的消息或将其删除而不向您显示

android.permission.RECEIVE_MMS	危险	接收短信	允许应用程序接收和处理彩信。恶意应用程序可能会监视您的消息或将其删除而不向您显示
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度
android.permission.EXPAND_STATUS_BAR	正常	展开/折叠状态栏	允许应用程序展开或折叠状态栏
android.permission.DISABLE_KEYGUARD	正常		如果键盘不安全,允许应用程序禁用它。
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置（如果可用）。恶意应用程序可以使用它来确定您的大致位置
android.permission.DOWNLOAD_WITHOUT_NOTIFICATION	未知	Unknown permission	Unknown permission from android reference

com.jeejen.client.collector.Collect	未知	Unknown permission	Unknown permission from android reference
com.jeejen.permission.MIUI_CONTAINER	未知	Unknown permission	Unknown permission from android reference
com.jeejen.freecall.permission.FREECALL	未知	Unknown permission	Unknown permission from android reference
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒
android.permission.ACCESS_FINE_LOCATION	危险	精细定位 (GPS)	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
getui.permission.GetuiService.com.jeejen.family	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.SET_WALLPAPER	正常	设置壁纸	允许应用程序设置系统壁纸
android.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference

应用内通信

活动(ACTIVITY)	通信(INTENT)
--------------	------------

com.jeejen.mms.ui.MmsNewSmsActivity	Schemes: sms://, smsto://, mms://, mmsto://, Mime Types: vnd.android.cursor.dir/mms, vnd.android-dir/mms-sms, text/*,
com.jeejen.phone.ui.DialActivity	Schemes: voicemail://, tel://, Mime Types: vnd.android.cursor.item/phone, vnd.android.cursor.item/person,
com.jeejen.gallery.ui.VideoPortalActivity	Schemes: http://, https://, content://, file://, Mime Types: video/mpeg4, video/mp4, video/3gp, video/3gpp, video/3gpp2, application/sdp, video/*, vnd.android.cursor.dir/video,
com.jeejen.gallery.ui.AlbumActivity	Schemes: http://, https://, content://, file://, Mime Types: vnd.android.cursor.dir/image, image/*, image/bmp, image/jpeg, image/gif, image/png, image/x-ms-bmp, image/vnd.wap.wbmp,
com.jeejen.gallery.ui.VideoActivity	Schemes: rtsp://, http://, https://, content://, file://, Mime Types: video/mpeg4, video/mpeg, video/mp4, video/3gp, video/3gpp, video/3gpp2, video/webm, video/avi, video/x-msvideo, application/sdp, audio/x-mpegurl, audio/mpegurl, application/vnd.apple.mpegurl, application/x-mpegurl,

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。