



MoGua

## 秀色约会私密间 0.2.79.APK 分析报告



APP名称:

秀色约会私密间

包名:	com.QF80c3nY0v7X.org
域名线索:	32条
URL线索:	56条
邮箱线索:	1条
分析日期:	2025年7月4日
分析平台:	<a href="#">摸瓜APK反编译平台</a>

文件名: 26232714fkqx.apk

文件大小: 36.54MB

MD5值: af18bab3beaa14185f09a15b9cdc4cac

SHA1值: f6412c58ca2823b12e538ef9735b82713e9bbc1d

SHA256值: c82b2fcc6394b345fb41d991f9c3270599d7529a9c5a20bc134f2eef1272784

## i APP 信息

App名称: 秀色约会私密间

包名: com.QF8Oc3nYOv7X.org

主活动Activity: com.uzmap.pkg.LauncherUI

安卓版本名称: 0.2.79

安卓版本: 279

## 🔍 域名线索

域名	服务器信息
tsapi.amap.com	IP: 106.11.43.116 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
abroad.apilocate.amap.com	IP: 59.82.34.246 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
	IP: 106.11.43.113 所属国家: China 地区: Zhejiang

restsdk.amap.com	城市: Hangzhou 纬度: 30.293650 经度: 120.161423
www.ccil.org	IP: 142.251.43.19 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
apilocate.amap.com	IP: 59.82.60.15 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
www.winimage.com	IP: 198.50.170.91 所属国家: Canada 地区: Quebec 城市: Beauharnois 纬度: 45.316780 经度: -73.865898
s.apicloud.com	没有服务器地理信息.
nls-wave.aliyuncs.com	IP: 106.15.18.6 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
lbs.amap.com	IP: 59.82.60.56 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650

	经度: 120.161423
a.app3c.cn	IP: 47.93.90.46 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
dualstack.apilocate.amap.com	IP: 106.11.40.50 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
dualstack-a.apilocate.amap.com	IP: 106.11.40.50 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
adiu.amap.com	IP: 59.82.60.56 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
r.app3c.cn	IP: 47.93.90.46 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
	IP: 106.11.35.98 所属国家: China 地区: Zhejiang

m5.amap.com	城市: Hangzhou 纬度: 30.293650 经度: 120.161423
yuntuapi.amap.com	没有服务器地理信息.
wb.amap.com	IP: 59.82.60.45 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
lame.sf.net	IP: 204.68.111.100 所属国家: United States of America 地区: California 城市: San Diego 纬度: 32.799797 经度: -117.137047
wprd0d.is.autonavi.com	没有服务器地理信息.
dualstack-arestapi.amap.com	IP: 39.98.22.142 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
maps.testing.amap.com	IP: 140.205.69.9 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
	IP: 203.119.175.194 所属国家: China

apiinit.amap.com	地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
schemas.android.com	没有服务器地理信息.
as.apicloud.com	没有服务器地理信息.
wap.amap.com	IP: 150.138.203.248 所属国家: China 地区: Shandong 城市: Jinan 纬度: 36.668331 经度: 116.997223
cgicol.amap.com	IP: 59.82.31.99 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232
nls-log-gather.aliyuncs.com	IP: 203.119.207.129 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
schemas.alibaba-inc.com	没有服务器地理信息.
d.app3c.cn	IP: 47.93.90.46 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423

mst01.is.autonavi.com	IP: 106.11.15.2 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
p.app3c.cn	IP: 47.93.154.30 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161423
mpsapi.amap.com	IP: 203.119.169.143 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397232

## URL线索

URL信息	Url所在文件
<a href="http://www.ccil.org/~cowan/tagsoup/properties/schema">http://www.ccil.org/~cowan/tagsoup/properties/schema</a>	com/deepe/c/h/l.java
<a href="http://mpsapi.amap.com/">http://mpsapi.amap.com/</a>	com/autonavi/base/ae/gmap/GLMapEngine.java
<a href="http://m5.amap.com/">http://m5.amap.com/</a>	com/autonavi/base/ae/gmap/GLMapEngine.java
<a href="http://restsdk.amap.com/rest/lbs/dem/dataservice?z=%d&amp;x=%d&amp;y=%d&amp;type=2">http://restsdk.amap.com/rest/lbs/dem/dataservice?z=%d&amp;x=%d&amp;y=%d&amp;type=2</a>	com/autonavi/base/ae/gmap/TerrainOverlayProvider.java
<a href="http://mst01.is.autonavi.com/appmaptile?z=%d&amp;x=%d&amp;y=%d&amp;lang=zh_cn&amp;size=1&amp;scale=1&amp;style=6">http://mst01.is.autonavi.com/appmaptile?z=%d&amp;x=%d&amp;y=%d&amp;lang=zh_cn&amp;size=1&amp;scale=1&amp;style=6</a>	com/autonavi/base/ae/gmap/TerrainOverlayProvider.java

<a href="http://m5.amap.com/">http://m5.amap.com/</a>	com/autonavi/base/amap/mapcore/maploader/AMapLoader.java
<a href="http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/查看错误码说明">http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/查看错误码说明</a>	com/autonavi/amap/mapcore/Inner_3dMap_location.java
<a href="http://dualstack-arestapi.amap.com/v3/geocode/regeo">http://dualstack-arestapi.amap.com/v3/geocode/regeo</a>	com/autonavi/aps/amapapi/trans/c.java
<a href="http://restsdk.amap.com/v3/geocode/regeo">http://restsdk.amap.com/v3/geocode/regeo</a>	com/autonavi/aps/amapapi/trans/c.java
<a href="http://abroad.apilocate.amap.com/mobile/binary">http://abroad.apilocate.amap.com/mobile/binary</a>	com/autonavi/aps/amapapi/trans/a.java
<a href="http://apilocate.amap.com/mobile/binary">http://apilocate.amap.com/mobile/binary</a>	com/autonavi/aps/amapapi/utls/b.java
<a href="http://dualstack-a.apilocate.amap.com/mobile/binary">http://dualstack-a.apilocate.amap.com/mobile/binary</a>	com/autonavi/aps/amapapi/utls/b.java
<a href="http://abroad.apilocate.amap.com/mobile/binary">http://abroad.apilocate.amap.com/mobile/binary</a>	com/autonavi/aps/amapapi/utls/b.java
<a href="http://abroad.apilocate.amap.com/mobile/binary">http://abroad.apilocate.amap.com/mobile/binary</a>	com/autonavi/aps/amapapi/utls/g.java
<a href="http://schemas.android.com/apk/res/android">http://schemas.android.com/apk/res/android</a>	com/apicloud/third/gif/GifTextureView.java
<a href="http://schemas.android.com/apk/res/android">http://schemas.android.com/apk/res/android</a>	com/apicloud/third/gif/GifTextView.java
<a href="http://schemas.android.com/apk/res/android">http://schemas.android.com/apk/res/android</a>	com/apicloud/third/gif/GifViewUtils.java
<a href="http://apiinit.amap.com/v3/log/init">http://apiinit.amap.com/v3/log/init</a>	com/amap/api/col/p0003nsl/ld.java
<a href="https://restsdk.amap.com/sdk/compliance/params">https://restsdk.amap.com/sdk/compliance/params</a>	com/amap/api/col/p0003nsl/mm.java
<a href="http://restsdk.amap.com/sdk/compliance/params">http://restsdk.amap.com/sdk/compliance/params</a>	com/amap/api/col/p0003nsl/mm.java
<a href="https://adiu.amap.com/ws/device/adius">https://adiu.amap.com/ws/device/adius</a>	com/amap/api/col/p0003nsl/ni.java
<a href="http://restsdk.amap.com/v4/graspoad/driving?">http://restsdk.amap.com/v4/graspoad/driving?</a>	com/amap/api/col/p0003nsl/kw.java

https://restsdk.amap.com/v3/iasdkauth	com/amap/api/col/p0003nsl/lc.java
https://dualstack-arestapi.amap.com/v3/iasdkauth	com/amap/api/col/p0003nsl/lc.java
http://mpsapi.amap.com/ws/mps/lyrdata/ugc/	com/amap/api/col/p0003nsl/k.java
http://restsdk.amap.com/v4	com/amap/api/col/p0003nsl/co.java
http://wprd0%d.is.autonavi.com/appmaptile?	com/amap/api/col/p0003nsl/db.java
http://restsdk.amap.com/v4/gridmap?	com/amap/api/col/p0003nsl/db.java
http://restsdk.amap.com/v3/batch?key=	com/amap/api/col/p0003nsl/fn.java
http://wb.amap.com/?r=%f,%f,%s,%f,%f,%s,%d,%d,%d,%s,%s,%s&sourceapplication=openapi/0	com/amap/api/col/p0003nsl/kq.java
http://wb.amap.com/?q=%f,%f,%s&sourceapplication=openapi/0	com/amap/api/col/p0003nsl/kq.java
http://wb.amap.com/?n=%f,%f,%f,%f,%d&sourceapplication=openapi/0	com/amap/api/col/p0003nsl/kq.java
http://wb.amap.com/?p=%s,%f,%f,%s,%s&sourceapplication=openapi/0	com/amap/api/col/p0003nsl/kq.java
http://apilocate.amap.com/mobile/binary	com/amap/api/col/p0003nsl/rc.java
http://dualstack.apilocate.amap.com/mobile/binary	com/amap/api/col/p0003nsl/rc.java
http://restsdk.amap.com/v4	com/amap/api/col/p0003nsl/r.java
http://restsdk.amap.com	com/amap/api/col/p0003nsl/lm.java
http://restsdk.amap.com/v4/gridmap?	com/amap/api/col/p0003nsl/dc.java
http://restsdk.amap.com/v3	com/amap/api/col/p0003nsl/is.java
https://restsdk.amap.com/v3	com/amap/api/col/p0003nsl/is.java

<a href="http://restsdk.amap.com/v4">http://restsdk.amap.com/v4</a>	com/amap/api/col/p0003nsl/is.java
<a href="https://restsdk.amap.com/v4">https://restsdk.amap.com/v4</a>	com/amap/api/col/p0003nsl/is.java
<a href="http://yuntuapi.amap.com">http://yuntuapi.amap.com</a>	com/amap/api/col/p0003nsl/is.java
<a href="https://yuntuapi.amap.com">https://yuntuapi.amap.com</a>	com/amap/api/col/p0003nsl/is.java
<a href="http://restsdk.amap.com/rest/me/cpoint">http://restsdk.amap.com/rest/me/cpoint</a>	com/amap/api/col/p0003nsl/is.java
<a href="https://restsdk.amap.com/rest/me/cpoint">https://restsdk.amap.com/rest/me/cpoint</a>	com/amap/api/col/p0003nsl/is.java
<a href="http://m5.amap.com/ws/mapapi/shortaddress/transform">http://m5.amap.com/ws/mapapi/shortaddress/transform</a>	com/amap/api/col/p0003nsl/is.java
<a href="https://m5.amap.com/ws/mapapi/shortaddress/transform">https://m5.amap.com/ws/mapapi/shortaddress/transform</a>	com/amap/api/col/p0003nsl/is.java
<a href="http://restsdk.amap.com/v3/assistant/inputtips?">http://restsdk.amap.com/v3/assistant/inputtips?</a>	com/amap/api/col/p0003nsl/fm.java
<a href="http://cgicol.amap.com/collection/collectData?src=baseCol&amp;ver=v74&amp;">http://cgicol.amap.com/collection/collectData?src=baseCol&amp;ver=v74&amp;</a>	com/amap/api/col/p0003nsl/pd.java
<a href="http://restsdk.amap.com/v3/place/text?">http://restsdk.amap.com/v3/place/text?</a>	com/amap/api/col/p0003nsl/a.java
<a href="http://restsdk.amap.com/v3/place/around?">http://restsdk.amap.com/v3/place/around?</a>	com/amap/api/col/p0003nsl/a.java
<a href="http://restsdk.amap.com/v3/config/district?">http://restsdk.amap.com/v3/config/district?</a>	com/amap/api/col/p0003nsl/a.java
<a href="http://restsdk.amap.com">http://restsdk.amap.com</a>	com/amap/api/col/p0003nsl/hd.java
<a href="http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/查看错误码说明">http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/查看错误码说明</a>	com/amap/api/location/AMapLocation.java
<a href="http://restsdk.amap.com/v4/stats/alitts">http://restsdk.amap.com/v4/stats/alitts</a>	com/amap/api/navi/core/network/h.java
<a href="http://wap.amap.com/">http://wap.amap.com/</a>	com/amap/api/maps/AMapUtils.java

https://a.app3c.cn	compile/Properties.java
https://d.app3c.cn	compile/Properties.java
https://s.apicloud.com	compile/Properties.java
https://p.app3c.cn	compile/Properties.java
https://r.app3c.cn	compile/Properties.java
https://as.apicloud.com	compile/Properties.java
http://m5.amap.com/ws/shield/elevated/downloadData	lib/arm64-v8a/libAMapSDK_NAVI_v8_1_0.so
http://m5.amap.com/ws/shield/rdr/log/upload	lib/arm64-v8a/libAMapSDK_NAVI_v8_1_0.so
http://m5.amap.com/ws/shield/mainsideroad/downloadData	lib/arm64-v8a/libAMapSDK_NAVI_v8_1_0.so
http://maps.testing.amap.com/ws/shield/motor-route/etatrafficupdate	lib/arm64-v8a/libAMapSDK_NAVI_v8_1_0.so
http://maps.testing.amap.com/ws/shield/motor-route/cross	lib/arm64-v8a/libAMapSDK_NAVI_v8_1_0.so
http://maps.testing.amap.com/ws/shield/navigation/motor_traffic_report	lib/arm64-v8a/libAMapSDK_NAVI_v8_1_0.so
http://maps.testing.amap.com/ws/shield/navigation/motor_off_route_report	lib/arm64-v8a/libAMapSDK_NAVI_v8_1_0.so
http://maps.testing.amap.com/ws/shield/open_di/jiache_deepinfo/	lib/arm64-v8a/libAMapSDK_NAVI_v8_1_0.so
http://m5.amap.com	lib/arm64-v8a/libAMapSDK_NAVI_v8_1_0.so
http://restsdk.amap.com/rest/lbs	lib/arm64-v8a/libAMapSDK_NAVI_v8_1_0.so
http://restsdk.amap.com/v4	lib/arm64-v8a/libAMapSDK_NAVI_v8_1_0.so
http://tsapi.amap.com/v1	lib/arm64-v8a/libAMapSDK_NAVI_v8_1_0.so

http://restsdk.amap.com/v3	lib/arm64-v8a/libAMapSDK_NAVI_v8_1_0.so
http://restsdk.amap.com/opennavi	lib/arm64-v8a/libAMapSDK_NAVI_v8_1_0.so
http://mpsapi.amap.com/ws/mps/vmap	lib/arm64-v8a/libAMapSDK_NAVI_v8_1_0.so
http://mpsapi.amap.com/ws/mps/rtt	lib/arm64-v8a/libAMapSDK_NAVI_v8_1_0.so
http://mpsapi.amap.com/ws/mps/smap	lib/arm64-v8a/libAMapSDK_NAVI_v8_1_0.so
http://m5.amap.com/ws/transfer/auth/map/indoor_maps	lib/arm64-v8a/libAMapSDK_NAVI_v8_1_0.so
http://mpsapi.amap.com/ws/mps/lyrdata/ugc/	lib/arm64-v8a/libAMapSDK_NAVI_v8_1_0.so
http://mpsapi.amap.com/	lib/arm64-v8a/libAMapSDK_NAVI_v8_1_0.so
https://nls-wave.aliyuncs.com/api/gather	lib/arm64-v8a/libneonui_shared.so
https://nls-log-gather.aliyuncs.com/api/gather	lib/arm64-v8a/libneonui_shared.so
http://www.winimage.com/zLibDll	lib/arm64-v8a/libneonui_shared.so
http://schemas.alibaba-inc.com/tts	lib/arm64-v8a/libneonui_shared.so
http://lame.sf.net	lib/arm64-v8a/libneonui_shared.so
http://m5.amap.com/ws/shield/elevated/downloadData	lib/armeabi/libAMapSDK_NAVI_v8_1_0.so
http://m5.amap.com/ws/shield/rdr/log/upload	lib/armeabi/libAMapSDK_NAVI_v8_1_0.so
http://m5.amap.com/ws/shield/mainsideroad/downloadData	lib/armeabi/libAMapSDK_NAVI_v8_1_0.so
http://maps.testing.amap.com/ws/shield/motor-route/etatrafficupdate	lib/armeabi/libAMapSDK_NAVI_v8_1_0.so

http://maps.testing.amap.com/ws/shield/motor-route/cross	lib/armeabi/libAMapSDK_NAVI_v8_1_0.so
http://maps.testing.amap.com/ws/shield/navigation/motor_traffic_report	lib/armeabi/libAMapSDK_NAVI_v8_1_0.so
http://maps.testing.amap.com/ws/shield/navigation/motor_off_route_report	lib/armeabi/libAMapSDK_NAVI_v8_1_0.so
http://maps.testing.amap.com/ws/shield/open_di/jiache_deepinfo/	lib/armeabi/libAMapSDK_NAVI_v8_1_0.so
http://m5.amap.com	lib/armeabi/libAMapSDK_NAVI_v8_1_0.so
http://restsdk.amap.com/rest/lbs	lib/armeabi/libAMapSDK_NAVI_v8_1_0.so
http://restsdk.amap.com/v4	lib/armeabi/libAMapSDK_NAVI_v8_1_0.so
http://tsapi.amap.com/v1	lib/armeabi/libAMapSDK_NAVI_v8_1_0.so
http://restsdk.amap.com/v3	lib/armeabi/libAMapSDK_NAVI_v8_1_0.so
http://restsdk.amap.com/opennavi	lib/armeabi/libAMapSDK_NAVI_v8_1_0.so
http://mpsapi.amap.com/ws/mps/vmap	lib/armeabi/libAMapSDK_NAVI_v8_1_0.so
http://mpsapi.amap.com/ws/mps/rtt	lib/armeabi/libAMapSDK_NAVI_v8_1_0.so
http://mpsapi.amap.com/ws/mps/smap	lib/armeabi/libAMapSDK_NAVI_v8_1_0.so
http://m5.amap.com/ws/transfer/auth/map/indoor_maps	lib/armeabi/libAMapSDK_NAVI_v8_1_0.so
http://mpsapi.amap.com/ws/mps/lyrdata/ugc/	lib/armeabi/libAMapSDK_NAVI_v8_1_0.so
http://mpsapi.amap.com/	lib/armeabi/libAMapSDK_NAVI_v8_1_0.so
https://nls-wave.aliyuncs.com/api/gather	lib/armeabi/libneonui_shared.so
https://nls-log-gather.aliyuncs.com/api/gather	lib/armeabi/libneonui_shared.so

http://schemas.alibaba-inc.com/tts	lib/armeabi/libneonui_shared.so
http://lame.sf.net	lib/armeabi/libneonui_shared.so
http://www.winimage.com/zLibDll	lib/armeabi/libneonui_shared.so

## ✉ 邮箱线索

邮箱地址	所在文件
developer@apicloud.com	com/uzmap/pkg/uzcore/b/d.java

## 📱 手机线索

## ✿ 签名证书

APK is signed  
 v1 signature: True  
 v2 signature: True  
 v3 signature: False  
 Found 1 unique certificates  
 Subject: C=(zh), ST=(Beijing), L=(Beijing), O=(abc808@w.com), OU=(QF8Oc3nYOv7X), CN=(QF8Oc3nYOv7X)  
 Signature Algorithm: rsassa\_pkcs1v15  
 Valid From: 2022-06-26 15:15:41+00:00  
 Valid To: 2122-06-02 15:15:41+00:00  
 Issuer: C=(zh), ST=(Beijing), L=(Beijing), O=(abc808@w.com), OU=(QF8Oc3nYOv7X), CN=(QF8Oc3nYOv7X)  
 Serial Number: 0x17dbabcd  
 Hash Algorithm: sha256  
 md5: 3546437296a85e09877aa74a9758f850  
 sha1: 444a67c2e6daf39f2dfc6541cbc42e3c3ec67374  
 sha256: 8154998036931a111f39e7bcf6df74661a12ed690c6ecec775f2d993838f1b2a

sha512: aa17653d62e9bcffea8c4c260340fbd2a6d2757d86e5df8dda7f250b86ca5a508a9a5068bbe2d5cb8751a154fb1df046d147b9d23355e569331be08b7d52193f  
PublicKey Algorithm: rsa  
Bit Size: 1024  
Fingerprint: 778904a5e9b55faaefff8becd7dff3d0e2107889f9702d2d8fd35b2e9239e161

## 硬编码敏感信息

## 加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

## 第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

## 此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字

com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置(如果可用)。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_FINE_LOCATION	危险	精细定位(GPS)	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关Wi-Fi状态的信息
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.SEND_SMS	危险	发送短信	允许应用程序发送SMS消息。恶意应用程序可能会在未经您确认的情况下发送消息,从而使您付出代价
android.permission.READ_CONTACTS	危险	读取联系人数据	允许应用程序读取您手机上存储的所有联系人(地址)数据。恶意应用程序可以借此将您的数据发送给其他人
android.permission.WRITE_CONTACTS	危险	写入联系人数据	允许应用程序修改您手机上存储的联系人(地址)数据。恶意应用程序可以使用它来删除或修改您的联系人数据
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用Service.startForeground。
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统

android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.READ_SMS	危险	阅读短信或彩信	允许应用程序读取存储在您的手机或 SIM 卡上的 SMS 消息。恶意应用程序可能会读取您的机密信息

## 应用内通信

---

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。