



MoGua

抖音来客 8.1.5.APK 分析报告



APP名称:

抖音来客

包名:

com.bytedance.ls.merchant

域名线索:	132条
URL线索:	140条
邮箱线索:	4条
分析日期:	2024年10月18日
分析平台:	摸瓜APK反编译平台

文件信息

文件名: 1_3c1660333535241e6a7e4ada4cabe2c4.apk

文件大小: 60.12MB

MD5值: b28c3c287c637f4e722dee32df955a94

SHA1值: a27ab2f220d72e7143fb188b70385b4300a62513

SHA256值: 86804b1623a1a4aadfef0dbd82d2886b0741c7bb97c060232b3b312bc0046e5

i APP 信息

App名称: 抖音来客

包名: com.bytedance.ls.merchant

主活动Activity: com.bytedance.ls.merchant.SplashActivity

安卓版本名称: 8.1.5

安卓版本: 80105

🔍 域名线索

域名	服务器信息
lh3-dz.googleusercontent.com	IP: 142.250.217.97 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
mpsapi.amap.com	IP: 59.82.112.213 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
long.open.weixin.qq.com	IP: 112.65.193.170 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
e.189.cn	IP: 42.123.76.65 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

verify.snssdk.com	IP: 42.236.86.167 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
store2.hispace.hicloud.com	IP: 3.166.228.73 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.627499 经度: -122.346199
lbs.amap.com	IP: 110.253.189.211 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
cgicol.amap.com	IP: 110.253.189.212 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
lf26-cdn-tos.draftstatic.com	IP: 218.12.76.223 所属国家: China 地区: Hebei 城市: Tangshan 纬度: 39.633331 经度: 118.183327
zhanzhang.toutiao.com	IP: 60.222.11.205 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508

lf-cdn-tos.bytescm.com	IP: 60.9.1.111 所属国家: China 地区: Hebei 城市: Hengshui 纬度: 37.732220 经度: 115.701157
store-drru.hispace.hicloud.com	IP: 159.138.201.153 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
mon.toutiao.com	IP: 60.222.11.205 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
mclient.alipay.com	IP: 125.39.135.56 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
tosv.byted.org	没有服务器地理信息.
log.snssdk.com	IP: 125.39.135.111 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
mobilegw.alipaydev.com	IP: 110.75.132.131 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

lf3-cdn-tos.draftstatic.com	IP: 124.95.151.235 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877
zlink.toutiao.com	IP: 60.222.11.202 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
adiu.amap.com	IP: 110.253.188.147 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
xml.org	IP: 104.239.240.11 所属国家: United States of America 地区: Texas 城市: Windcrest 纬度: 29.499678 经度: -98.399246
settings.ttwebview.com	IP: 202.108.29.205 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mobilegwpre.alipay.com	IP: 110.75.138.35 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583

grs.dbankcloud.eu	没有服务器地理信息.
abtest-ch.snssdk.com	IP: 123.125.216.198 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
c.tenor.com	IP: 128.242.240.61 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
monsetting.toutiao.com	IP: 60.222.11.202 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
api-e189.21cn.com	IP: 222.93.106.185 所属国家: China 地区: Jiangsu 城市: Suzhou 纬度: 31.311365 经度: 120.617691
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
open.weixin.qq.com	IP: 220.196.154.28 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349 经度: 120.288788

jsb.snssdk.com	IP: 61.182.131.160 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
restsdk.amap.com	IP: 106.11.43.113 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
grs.dbankcloud.asia	IP: 121.36.117.149 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mon-vb.byteoversea.com	IP: 23.205.214.40 所属国家: Australia 地区: New South Wales 城市: Sydney 纬度: -33.867779 经度: 151.207047
cn.register.xmpush.xiaomi.com	IP: 123.125.102.39 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
grs.dbankcloud.com	IP: 60.28.193.195 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102

life-boe.bytedance.net	IP: 10.225.4.243 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
h5.m.taobao.com	IP: 111.32.211.115 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
link.wtturl.cn	IP: 42.236.86.171 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
play.google.com	IP: 59.24.3.174 所属国家: Korea (Republic of) 地区: Gyeonggi-do 城市: Seongnam 纬度: 37.420624 经度: 127.126717
xmlpull.org	IP: 185.199.109.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
127.0.0.1	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000

vcs.snssdk.com	IP: 202.108.29.205 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
test-aweme.snssdk.com	IP: 10.8.7.222 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
open.e.189.cn	IP: 42.123.76.75 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mon.isnssdk.com	IP: 147.160.190.227 所属国家: United States of America 地区: Pennsylvania 城市: Jerome 纬度: 40.207924 经度: -78.989845
boe.i.snssdk.com	IP: 10.225.4.244 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
rc-boe.snssdk.com	IP: 10.225.4.244 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
	IP: 60.222.11.203

scc.bytedance.com	所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
dualstack-a.apilocate.amap.com	IP: 106.11.40.50 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
vcs-boe.bytedance.net	IP: 10.225.4.244 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
metrics2.data.hicloud.com	IP: 80.158.38.48 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
www.w3.org	IP: 104.18.22.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
ichannel.snssdk.com	IP: 123.125.216.195 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 60.222.11.199 所属国家: China

rc.snssdk.com	地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
reading.snssdk.com	IP: 125.39.135.106 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
resolver.msg.xiaomi.net	IP: 111.206.174.194 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mobile.web.bytedance.net	IP: 10.8.7.220 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
ib.snssdk.com	IP: 123.125.216.194 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mobilegw.alipay.com	IP: 203.209.243.98 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
	IP: 116.128.209.136 所属国家: China 地区: Beijing

opencloud.wostore.cn	城市: Beijing 纬度: 39.907501 经度: 116.397102
security.snssdk.com	IP: 123.125.216.198 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.gstatic.com	IP: 203.208.43.66 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
apilocate.amap.com	IP: 59.82.31.183 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
toblog.ctobsnssdk.com	IP: 127.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
i.snssdk.com	IP: 123.125.216.198 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
is.snssdk.com	IP: 125.39.135.107 所属国家: China 地区: Tianjin 城市: Tianjin

	纬度: 39.142181 经度: 117.176102
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
m5.amap.com	IP: 106.11.35.98 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
wprd0d.is.autonavi.com	没有服务器地理信息.
applog.snssdk.com	IP: 60.222.11.204 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
log.bytedance.net	IP: 10.8.7.220 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
hotsoon.snssdk.com	IP: 123.125.216.228 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
	IP: 10.8.7.220 所属国家: -

captcha.web.bytedance.net	地区:- 城市:- 纬度:0.000000 经度:0.000000
render.alipay.com	IP: 221.207.101.98 所属国家: China 地区: Heilongjiang 城市: Jiamusi 纬度: 46.833328 经度: 130.350006
metrics1.data.hicloud.com	IP: 111.202.16.252 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
apiinit.amap.com	IP: 106.11.43.113 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
lf3-static.bytednsdoc.com	IP: 116.196.157.103 所属国家: China 地区: Zhejiang 城市: Jinhua 纬度: 30.013470 经度: 120.288658
data-drcn.push.dbankcloud.com	IP: 49.4.40.58 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
	IP: 116.136.165.113 所属国家: China 地区: Nei Mongol

wap.amap.com	城市: Hohhot 纬度: 40.810650 经度: 111.650665
success.ctobsnssdk.com	IP: 202.108.29.205 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
appgallery.cloud.huawei.com	IP: 121.36.118.136 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
data.bytedance.net	IP: 10.8.7.220 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
dualstack.apilocate.amap.com	IP: 106.11.40.50 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
developer.huawei.com	IP: 60.221.17.244 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
	IP: 202.108.29.205 所属国家: China 地区: Beijing

imapi2.snssdk.com	城市: Beijing 纬度: 39.907501 经度: 116.397102
data-drru.push.dbankcloud.com	IP: 159.138.202.31 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
boe-verify.snssdk.com	IP: 10.225.4.244 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
www.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
media.tenor.com	IP: 162.125.2.6 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
lf-dy-sourcecdn-tos.bytegecko.com	IP: 60.9.1.112 所属国家: China 地区: Hebei 城市: Hengshui 纬度: 37.732220 经度: 115.701157
api.amemv.com	IP: 123.125.216.196 所属国家: China 地区: Beijing

	城市: Beijing 纬度: 39.907501 经度: 116.397102
polaris.zijieapi.com	IP: 125.39.135.101 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
api.feelgood.cn	IP: 60.222.11.203 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
unblock.web.bytedance.net	IP: 10.8.7.220 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
app-alpha.bytedance.net	IP: 10.8.7.220 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
connectivitycheck.gstatic.com	IP: 203.208.50.66 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
mcgw.alipay.com	IP: 123.125.216.192 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397102
loggw-exsdk.alipay.com	IP: 110.76.6.78 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
dualstack-arestapi.amap.com	IP: 39.98.22.142 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
store3.hispace.hicloud.com	IP: 23.45.116.76 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
aweme.snssdk.com	IP: 61.182.131.163 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
appcloud.bytedance.net	IP: 10.8.9.203 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
wappaygw.alipay.com	IP: 123.125.216.191 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501

	经度: 116.397102
data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
gcc.gnu.org	IP: 8.43.85.97 所属国家: United States of America 地区: North Carolina 城市: Raleigh 纬度: 35.773994 经度: -78.632759
rtapplog.snssdk.com	IP: 61.182.131.173 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
abroad.apilocate.amap.com	IP: 59.82.44.11 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
mon.snssdk.com	IP: 123.125.216.197 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
unpkg.byted-static.com	IP: 221.194.147.223 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717

store1.hispac.hicloud.com	IP: 123.249.62.130 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
zlink.ugsdk.cn	IP: 202.108.29.205 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
lf-sourcecdn-tos.bytegecko.com	IP: 221.194.147.217 所属国家: China 地区: Hebei 城市: Langfang 纬度: 39.509720 经度: 116.694717
lh3.googleusercontent.com	IP: 142.250.217.97 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
store-at-dre.hispac.dbankcloud.com	没有服务器地理信息.
tobapplog.ctobsnssdk.com	IP: 60.222.11.199 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
timon.zijieapi.com	IP: 120.220.58.196 所属国家: China 地区: Shandong 城市: Zibo 纬度: 36.790775

	经度: 118.063354
dypay.douyin.com	IP: 42.236.86.167 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
mon.zijieapi.com	IP: 60.222.11.204 所属国家: China 地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
data-dra.push.dbankcloud.com	IP: 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
imapi.snssdk.com.boe-gateway.byted.org	没有服务器地理信息.
grs.dbankcloud.cn	IP: 49.4.35.251 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
wap.cmpassport.com	IP: 120.232.169.168 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
qa.web.bytedance.net	IP: 10.8.7.220 所属国家: - 地区: - 城市: -

	纬度:0.000000 经度:0.000000
store.hispace.hicloud.com	IP: 49.4.47.241 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
metrics-dra.dt.hicloud.com	IP: 94.74.88.100 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
android.googleusercontent.com	IP: 173.194.203.82 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
rtlog.snssdk.com	IP: 61.182.131.163 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
databyterangers.com.cn	没有服务器地理信息.
tp-pay.snssdk.com	IP: 61.182.131.163 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
	IP: 60.222.11.201 所属国家: China 地区: Shanxi

dpprofile.snssdk.com	城市: Taiyuan 纬度: 37.869438 经度: 112.561508
life.douyin.com	IP: 202.108.29.205 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

URL线索

URL信息	Url所在文件
https://open.e.189.cn/openapi/special/getTimeStamp.do	cn/com/chinatelecom/account/api/e/g.java
https://api-e189.21cn.com/gw/client/accountMsg.do	cn/com/chinatelecom/account/api/e/g.java
https://mobilegw.alipaydev.com/mgw.htm	com/alipay/sdk/m/u/m.java
https://mobilegw.alipay.com/mgw.htm	com/alipay/sdk/m/v/a.java
https://h5.m.taobao.com/mlapp/olist.html	com/alipay/sdk/m/y/a.java
https://mcgw.alipay.com/sdklog.do	com/alipay/sdk/m/af/c.java
https://loggw-exsdk.alipay.com/loggw/logUpload.do	com/alipay/sdk/m/af/d.java
https://render.alipay.com/p/s/i?scheme=%s	com/alipay/sdk/app/OpenAuthTask.java
https://wappaygw.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
http://wappaygw.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java

http://mclient.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/home/exterfaceAssign.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/home/exterfaceAssign.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/cashier/mobilepay.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/cashier/mobilepay.htm	com/alipay/sdk/app/PayTask.java
https://wappaygw.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/app/PayTask.java
https://mobilegwpre.alipay.com/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
https://mobilegw.alipay.com/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
https://adiu.amap.com/ws/device/adius	com/amap/api/mapcore/util/hm.java
http://apilocate.amap.com/mobile/binary	com/amap/api/mapcore/util/ji.java
http://dualstack.apilocate.amap.com/mobile/binary	com/amap/api/mapcore/util/ji.java
http://apiinit.amap.com/v3/log/init	com/amap/api/mapcore/util/fi.java
http://restsdk.amap.com	com/amap/api/mapcore/util/fr.java
https://restsdk.amap.com/v3/iasdkauth	com/amap/api/mapcore/util/fh.java
http://restsdk.amap.com/v3/iasdkauth	com/amap/api/mapcore/util/fh.java
http://restsdk.amap.com/v4	com/amap/api/mapcore/util/hh.java
http://restsdk.amap.com/v4	com/amap/api/mapcore/util/ck.java
http://wprd0%d.is.autonavi.com/appmaptile?	com/amap/api/mapcore/util/cw.java

http://restsdk.amap.com/v4/gridmap?	com/amap/api/mapcore/util/cw.java
http://mpsapi.amap.com/ws/mps/lyrdata/ugc/\	com/amap/api/mapcore/util/ad.java
http://wap.amap.com/	com/amap/api/maps/AMapUtils.java
http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/	com/amap/api/location/AMapLocation.java
http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/	com/autonavi/amap/mapcore/Inner_3dMap_location.java
http://mpsapi.amap.com/	com/autonavi/base/ae/gmap/GLMapEngine.java
http://m5.amap.com/	com/autonavi/base/ae/gmap/GLMapEngine.java
http://m5.amap.com/	com/autonavi/base/amap/mapcore/maploader/AMapLoader.java
https://mon-va.byteoversea.com	com/bytedance/android/monitorV2/hybridSetting/entity/HybridSettingInitConfig.java
https://mon.zijieapi.com/monitor/collect/c/logcollect	com/bytedance/apm/alog/a/a.java
https://mon.zijieapi.com/monitor/appmonitor/v4/settings	com/bytedance/apm/constant/a.java
https://monsetting.toutiao.com/monitor/appmonitor/v4/settings	com/bytedance/apm/constant/a.java
https://mon.zijieapi.com/monitor/collect/batch/	com/bytedance/apm/constant/a.java
https://mon.toutiao.com/monitor/collect/batch/	com/bytedance/apm/constant/a.java
https://mon.zijieapi.com/monitor/collect/c/trace_collect	com/bytedance/apm/constant/a.java
https://mon.zijieapi.com/monitor/collect/c/exception	com/bytedance/apm/constant/a.java
https://log.snssdk.com/service/2/app_log/	com/bytedance/applog/util/k.java
https://applog.snssdk.com/service/2/app_log/	com/bytedance/applog/util/k.java
https://rtlog.snssdk.com/service/2/app_log/	com/bytedance/applog/util/k.java

https://rtapplog.snssdk.com/service/2/app_log/	com/bytedance/applog/util/k.java
https://log.snssdk.com/service/2/log_settings/	com/bytedance/applog/util/k.java
https://toblog.ctobsnssdk.com/service/2/app_log/	com/bytedance/applog/util/k.java
https://tobapplog.ctobsnssdk.com/service/2/app_log/	com/bytedance/applog/util/k.java
https://toblog.ctobsnssdk.com/service/2/log_settings/	com/bytedance/applog/util/k.java
https://toblog.ctobsnssdk.com/service/2/abtest_config/	com/bytedance/applog/util/k.java
https://success.ctobsnssdk.com/service/2/app_log/	com/bytedance/applog/util/k.java
https://databyterangers.com.cn	com/bytedance/applog/server/a.java
https://mon.zijieapi.com/monitor/collect/c/exception	com/bytedance/article/common/monitor/stack/b.java
https://log.snssdk.com	com/bytedance/bdinstall/s.java
https://boe.i.snssdk.com	com/bytedance/bdinstall/s.java
https://mon.snssdk.com/monitor/appmonitor/v2/settings	com/bytedance/bdlocation/monitor/LocationMonitorUtil.java
https://mon.isnssdk.com/monitor/collect/	com/bytedance/bdlocation/monitor/LocationMonitorUtil.java
https://mon.snssdk.com/monitor/collect/	com/bytedance/bdlocation/monitor/LocationMonitorUtil.java
https://mon.isnssdk.com/monitor/appmonitor/v2/settings	com/bytedance/bdlocation/monitor/LocationMonitorUtil.java
https://vcs.snssdk.com/\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://vcs-boe.bytedance.net/\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://unpkg.byted-static.com/byted/secdk-unpunish/1.7.3/output/index.html\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://unlock.web.bytedance.net/\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java

https://rc.snssdk.com\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://rc-boe.snssdk.com/\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://unpkg.byted-static.com/byted/secsdk-qa/1.2.6/build/index.html\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
http://qa.web.bytedance.net\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://unpkg.byted-static.com/byted/secsdk-mobile-original/1.9.9/build/index.html\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://mobile.web.bytedance.net/\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://verify.snssdk.com/\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://boe-verify.snssdk.com/\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://lf-cdn-tos.bytescm.com/obj/static/secsdk-captcha/cn2/2.21.2/index.html\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://captcha.web.bytedance.net/\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://unpkg.byted-static.com/byted/secsdk-smart-captcha/0.0.8/output/app/smarter/index.html\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://unpkg.byted-static.com/byted/secsdk-smart-captcha/0.0.8/output/app/smarterest/index.html\	com/bytedance/bdturing/setting/DefaultSettings\$raw\$2.java
https://mon.snssdk.com/monitor/collect/c/rapheal_file_collect	com/bytedance/crash/runtime/ConfigManager.java
https://mon.snssdk.com/monitor/collect/c/core_dump_collect	com/bytedance/crash/runtime/ConfigManager.java
https://mon.snssdk.com/monitor/collect/c/core_dump_upload_check	com/bytedance/crash/runtime/ConfigManager.java
https://mon.snssdk.com/monitor/collect/c/crash	com/bytedance/crash/runtime/ConfigManager.java
https://mon.snssdk.com/monitor/collect/c/exception/dump_collection	com/bytedance/crash/runtime/ConfigManager.java
https://mon.snssdk.com/monitor/collect/c/exception	com/bytedance/crash/runtime/ConfigManager.java
https://mon.snssdk.com/monitor/collect/	com/bytedance/crash/runtime/ConfigManager.java

https://mon.snssdk.com/monitor/collect/c/native_bin_crash	com/bytedance/crash/runtime/ConfigManager.java
https://mon.snssdk.com/monitor/collect/c/logcollect	com/bytedance/crash/runtime/ConfigManager.java
https://mon.snssdk.com/monitor/appmonitor/v3/settings	com/bytedance/crash/runtime/ConfigManager.java
https://security.snssdk.com/api/plugin/config/v3/	com/bytedance/frankie/Frankie.java
https://mon.snssdk.com/monitor/appmonitor/v2/settings	com/bytedance/frankie/secondary/e.java
https://mon.snssdk.com/monitor/collect/	com/bytedance/frankie/secondary/e.java
https://mon.snssdk.com/monitor/appmonitor/v2/settings	com/bytedance/ies/bullet/lynx/init/l.java
https://mon.snssdk.com/monitor/collect	com/bytedance/ies/bullet/lynx/init/l.java
https://i.snssdk.com/magic/eco/runtime/release	com/bytedance/ies/bullet/service/base/a/b.java
https://i.snssdk.com/magic/eco/runtime/beta	com/bytedance/ies/bullet/service/base/a/b.java
https://aweme.snssdk.com/magic/eco/runtime/release	com/bytedance/ies/bullet/service/base/a/b.java
https://aweme.snssdk.com/magic/eco/runtime/beta	com/bytedance/ies/bullet/service/base/a/b.java
https://hotsoon.snssdk.com/magic/eco/runtime/release	com/bytedance/ies/bullet/service/base/a/b.java
https://hotsoon.snssdk.com/magic/eco/runtime/beta	com/bytedance/ies/bullet/service/base/a/b.java
https://reading.snssdk.com/magic/eco/runtime/release	com/bytedance/ies/bullet/service/base/a/b.java
https://reading.snssdk.com/magic/eco/runtime/beta	com/bytedance/ies/bullet/service/base/a/b.java
https://lf-sourcecdn-tos.bytegecko.com/obj/byte-gurd-source	com/bytedance/ies/bullet/service/base/a/b.java
https://lf-dy-sourcecdn-tos.bytegecko.com/obj/byte-gurd-source	com/bytedance/ies/bullet/service/base/a/b.java
https://test-aweme.snssdk.com/falcon/jsb_tester_web/dmt	com/bytedance/ies/bullet/service/base/a/b.java

https://is.snssdk.com/service/settings/v3/	com/bytedance/ies/bullet/settings/b.java
https://jsb.snssdk.com/src/server/v2/package	com/bytedance/ies/web/jsbridge2/IBridgePermissionConfigurator.java
https://link.wtturl.cn	com/bytedance/ls/merchant/crossplatform_impl/bullet/initialize/h.java
https://tosv.byted.org/obj/gecko-internal	com/bytedance/ls/merchant/model/b/a/a.java
http://ib.snssdk.com	com/bytedance/ls/merchant/multimedia_impl/video/b/b.java
https://mon.snssdk.com	com/bytedance/ls/merchant/crossplatform_api/utils/gecko/b.java
https://life.douyin.com	com/bytedance/ls/merchant/netrequest/c.java
https://dypay.douyin.com/addone/alert/api/error_info/insert_one	com/bytedance/ls/merchant/netrequest/a/a.java
https://dypay.douyin.com/addone/alert/api/log_info/batch	com/bytedance/ls/merchant/netrequest/a/a.java
https://dypay.douyin.com/addone/alert/api/error_info/batch	com/bytedance/ls/merchant/netrequest/a/a.java
https://life.douyin.com	com/bytedance/ls/merchant/uploader/b.java
https://life.douyin.com/life/resource/v1/image/upload	com/bytedance/ls/merchant/uploader/b.java
https://life.douyin.com/life/resource/v1/qualification/upload	com/bytedance/ls/merchant/uploader/b.java
https://lf3-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/life-service/5e97eafb-8774-4e6a-a6ff-23573eb890d0.html	com/bytedance/ls/merchant/account_api/constant/d.java
https://lf3-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/life-service/d570f892-1332-487a-879b-8b6d6454106f.html	com/bytedance/ls/merchant/account_api/constant/d.java
https://lf26-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/life-service/3772de55-1ab4-4639-a4ec-043c252afdbf.html	com/bytedance/ls/merchant/account_api/constant/d.java
https://wap.cmpassport.com/resources/html/contract.html	com/bytedance/ls/merchant/account_api/constant/d.java

https://e.189.cn/sdk/agreement/detail.do?hidetop=true	com/bytedance/ls/merchant/account_api/constant/d.java
https://opencloud.wostore.cn/authz/resource/html/disclaimer.html?fromsdk=true	com/bytedance/ls/merchant/account_api/constant/d.java
https://life.douyin.com/magic/eco/runtime/release/62207f0b78c3400350ecd52c?appType=lifefservicemerchant	com/bytedance/ls/merchant/account_api/constant/d.java
https://lf3-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/life-service/1a5c90b2-8401-466a-87a9-e2fbf0194fea.html	com/bytedance/ls/merchant/account_api/constant/d.java
https://lf3-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/life-service/0940d1d7-b9da-4dae-96cd-66711c19328c.html	com/bytedance/ls/merchant/account_api/a/g.java
https://lf3-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/life-service/cf45906e-0cda-4212-9809-4bf0eaa02777.html	com/bytedance/ls/merchant/account_api/a/g.java
https://lf3-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/life-service/d570f892-1332-487a-879b-8b6d6454106f.html	com/bytedance/ls/merchant/account_api/a/h.java
https://lf3-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/life-service/5e97eafb-8774-4e6a-a6ff-23573eb890d0.html	com/bytedance/ls/merchant/account_api/a/h.java
https://is.snssdk.com/service/settings/v3/	com/bytedance/ls/merchant/app_base/base/setting/b.java
https://is.snssdk.com/service/settings/v3/	com/bytedance/ls/merchant/app_base/base/setting/c.java
https://mon.snssdk.com	com/bytedance/ls/merchant/app_base/inittask/InitHybridMonitorTask.java
https://abtest-ch.snssdk.com/common	com/bytedance/ls/merchant/app_base/inittask/InitAbTestTask.java
https://is.snssdk.com/	com/bytedance/ls/merchant/app_base/inittask/InitZlinkTask.java
https://log.bytedance.net	com/bytedance/ls/merchant/app_base/inittask/InitBdtrackerTask.java
https://boe.i.snssdk.com	com/bytedance/ls/merchant/app_base/inittask/InitBdtrackerTask.java
https://life.douyin.com/h5/message/detail	com/bytedance/ls/merchant/message_api/b/a.java
https://mon.snssdk.com/monitor/appmonitor/v2/settings	com/bytedance/ls/merchant/speech_impl/b.java

https://mon.snssdk.com/monitor/collect/	com/bytedance/ls/merchant/speech_impl/b.java
https://lf3-static.bytednsdoc.com/obj/eden-cn/3332eh7vhonupsnuvr/feelgood/cross.png	com/bytedance/ls/merchant/message_impl/message/a.java
https://lf3-static.bytednsdoc.com/obj/eden-cn/ljpcylz-lmps/ljhwZthlaukjlkulzlp/app/message/no_message.png	com/bytedance/ls/merchant/message_impl/message/MessageEmptyViewHolder.java
https://api.feelgood.cn	com/bytedance/ls/merchant/message_impl/b/c.java
http://life-boe.bytedance.net	com/bytedance/ls/merchant/im_impl/internal/pigeon/env/a.java
https://life.douyin.com	com/bytedance/ls/merchant/im_impl/internal/pigeon/env/a.java
http://imapi.snssdk.com.boe-gateway.byted.org/	com/bytedance/ls/merchant/im_impl/internal/pigeon/env/a.java
https://imapi2.snssdk.com/	com/bytedance/ls/merchant/im_impl/internal/pigeon/env/a.java
https://lf3-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/life-service/5e97eafb-8774-4e6a-a6ff-23573eb890d0.html	com/bytedance/ls/merchant/privacy/PrivacyAgreementActivity.java
https://lf3-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/life-service/d570f892-1332-487a-879b-8b6d6454106f.html	com/bytedance/ls/merchant/privacy/PrivacyAgreementActivity.java
https://lf26-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/life-service/3772de55-1ab4-4639-a4ec-043c252afdbf.html	com/bytedance/ls/merchant/privacy/PrivacyAgreementActivity.java
http://life-boe.bytedance.net	com/bytedance/ls/sdk/im/api/common/model/a.java
https://life.douyin.com	com/bytedance/ls/sdk/im/api/common/model/a.java
http://imapi.snssdk.com.boe-gateway.byted.org/	com/bytedance/ls/sdk/im/api/common/model/a.java
https://imapi2.snssdk.com/	com/bytedance/ls/sdk/im/api/common/model/a.java
https://life.douyin.com/cs/web	com/bytedance/ls/sdk/im/adapters/b/enable/EnableIMView\$handleClick\$3.java
https://scc.bytedance.com/scc_sdk/adblock_rules/get	com/bytedance/lynx/webview/cloudservice/e.java

https://scc.bytedance.com/scc_sdk/url_scan_v2	com/bytedance/lynx/webview/cloudservice/f.java
https://scc.bytedance.com/scc_sdk/url_scan_v2	com/bytedance/lynx/webview/cloudservice/sys/worker/ScCloudServiceClient.java
https://api.amemv.com	com/bytedance/lynx/webview/internal/h.java
https://settings.ttwebview.com	com/bytedance/lynx/webview/internal/h.java
https://zhanzhang.toutiao.com/page/outer/contact	com/bytedance/lynx/webview/internal/t.java
https://scc.bytedance.com/cloud_control/download_check	com/bytedance/lynx/webview/internal/j.java
https://mon.snssdk.com/monitor/appmonitor/v2/settings	com/bytedance/lynx/map/c/b.java
https://mon.snssdk.com/monitor/collect/	com/bytedance/lynx/map/c/b.java
https://appcloud.bytedance.net/client-sdk/config]	com/bytedance/push/d.java
https://mon.snssdk.com/monitor/collect/	com/bytedance/push/j/f.java
https://mon.snssdk.com/monitor/appmonitor/v2/settings	com/bytedance/push/j/f.java
https://ib.snssdk.com/service/settings/v3/	com/bytedance/safe/mode/internal/i.java
https://jsb.snssdk.com/	com/bytedance/sdk/bridge/js/auth/h.java
https://mon.snssdk.com/monitor/appmonitor/v2/settings	com/bytedance/timon/foundation/impl/EventMonitorImp\$monitorInstance\$2.java
https://mon.snssdk.com/monitor/collect/	com/bytedance/timon/foundation/impl/EventMonitorImp\$monitorInstance\$2.java
https://timon.zijieapi.com	com/bytedance/timonbase/network/TMNetworkService\$retrofit\$2.java
https://zlink.ugsdk.cn/ug/ad/display/store_referrer	com/bytedance/ug/sdk/deeplink/k.java
https://zlink.toutiao.com/api/cb_d	com/bytedance/ug/sdk/deeplink/a.java
https://zlink.toutiao.com/api/get_deeplink_data	com/bytedance/ug/sdk/deeplink/h.java

https://zlink.ug sdk.cn/service/settings/v3/	com/bytedance/ug/sdk/deeplink/e/a.java
https://polaris.zijieapi.com	com/bytedance/ug/sdk/share/impl/network/c/a.java
https://mon.snssdk.com/monitor/appmonitor/v2/settings	com/bytedance/vmsdk/monitor/MonitorUrl.java
https://monsetting.toutiao.com/monitor/appmonitor/v2/settings	com/bytedance/vmsdk/monitor/MonitorUrl.java
https://mon.snssdk.com/monitor/collect/	com/bytedance/vmsdk/monitor/MonitorUrl.java
https://scc.bytedance.com/scc_sdk/url_scan_v3	com/bytedance/webx/extension/webview/scc/cloudservice/a/b.java
https://xxxxx?groupId=xxx&cardId=xxxx	com/bytedance/kit/nglynx/a/b.java
https://developer.huawei.com/consumer/cn/doc/development/HMS-References/status	com/huawei/GetTokenAndUploadRunnable.java
http://xml.org/sax/features/namespaces	com/huawei/secure/android/common/xml/DocumentBuilderFactorySecurity.java
http://xml.org/sax/features/validation	com/huawei/secure/android/common/xml/DocumentBuilderFactorySecurity.java
http://xml.org/sax/features/namespaces	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/namespace-prefixes	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/validation	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/external-general-entities	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/external-parameter-entities	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/string-interning	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xmlpull.org/v1/doc/features.html	com/huawei/secure/android/common/xml/XmlPullParserFactorySecurity.java
https://adiu.amap.com/ws/device/adius	com/loc/bf.java
http://cgicol.amap.com/collection/collectData?src=baseCol&ver=v74&	com/loc/cv.java

http://apilocate.amap.com/mobile/binary	com/loc/fj.java
http://dualstack-a.apilocate.amap.com/mobile/binary	com/loc/fj.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/fj.java
https://restsdk.amap.com/sdk/compliance/params	com/loc/ap.java
http://restsdk.amap.com/sdk/compliance/params	com/loc/ap.java
http://restsdk.amap.com/v3/place/text?	com/loc/a.java
http://restsdk.amap.com/v3/config/district?	com/loc/a.java
http://restsdk.amap.com/v3/place/around?	com/loc/a.java
http://restsdk.amap.com	com/loc/v.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/fo.java
https://restsdk.amap.com/v3/iasdkauth	com/loc/m.java
https://dualstack-arestapi.amap.com/v3/iasdkauth	com/loc/m.java
http://abroad.apilocate.amap.com/mobile/binary	com/loc/fc.java
http://dualstack-arestapi.amap.com/v3/geocode/regeo	com/loc/fe.java
http://restsdk.amap.com/v3/geocode/regeo	com/loc/fe.java
http://xmlpull.org/v1/doc/features.html	com/lynx/component/svg/parser/SVGParser.java
https://mon.zijieapi.com/monitor/collect/c/cloudcontrol/file	com/monitor/cloudmessage/e/c/a.java
https://data.bytedance.net/et_api/logview/android_sdk_verify/	com/ss/android/common/applog/UrlConfig.java
https://log.snssdk.com/service/2/app_log/	com/ss/android/common/applog/UrlConfig.java

https://applog.snssdk.com/service/2/app_log/	com/ss/android/common/applog/UrlConfig.java
https://rtlog.snssdk.com/service/2/app_log/	com/ss/android/common/applog/UrlConfig.java
https://rtapplog.snssdk.com/service/2/app_log/	com/ss/android/common/applog/UrlConfig.java
https://log.snssdk.com/service/2/device_register/	com/ss/android/common/applog/UrlConfig.java
https://ichannel.snssdk.com/service/2/app_alert_check/	com/ss/android/common/applog/UrlConfig.java
https://log.snssdk.com/service/2/log_settings/	com/ss/android/common/applog/UrlConfig.java
https://dpprofile.snssdk.com	com/ss/android/common/applog/UrlConfig.java
https://tp-pay.snssdk.com/cashdesk/download	com/ss/android/dypay/utis/DyPayDownloadUtil.java
http://app-alpha.bytedance.net/ping	com/ss/android/update/l.java
https://ichannel.snssdk.com/check_version/report/	com/ss/android/update/u.java
http://ib.snssdk.com	com/ss/android/videoshop/datasource/a.java
http://127.0.0.1	com/ss/ttvideoengine/TTVideoEngineHelper.java
http://127.0.0.1	com/ss/ttvideoengine/DataLoaderHelper.java
http://127.0.0.1	com/ss/ttvideoengine/TTVideoEngineImpl.java
https://127.0.0.1	com/ss/ttvideoengine/TTVideoEngineImpl.java
http://127.0.0.1	com/ss/ttvideoengine/TTVideoEngineLegacy.java
https://127.0.0.1	com/ss/ttvideoengine/TTVideoEngineLegacy.java
http://127.0.0.1	com/ss/ttvideoengine/utis/TTHelper.java
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuid=%s	com/tencent/mm/opensdk/diffdev/a/c.java

https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s&timestamp=%s&scope=%s&signature=%s	com/tencent/mm/opensdk/diffdev/a/b.java
https://opencloud.wostore.cn/client/sdk/receive	com/unicom/xiaowo/account/kernel/w.java
https://opencloud.wostore.cn/openapi/netauth/precheck/u3?	com/unicom/xiaowo/account/kernel/o.java
https://opencloud.wostore.cn/openapi/netauth/precheck/wp?	com/unicom/xiaowo/account/kernel/o.java
https://opencloud.wostore.cn/authz/resource/html/disclaimer.html?fromsdk=true	com/unicom/xiaowo/account/shield/UniAccountHelper.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gb.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gt.java
https://%1\$s/gslb/?ver=5.0	com/xiaomi/push/cu.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gu.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/fp.java
https://resolver.msg.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bw.java
https://cn.register.xmpush.xiaomi.com	com/xiaomi/push/service/u.java
http://127.0.0.1:8008/json	com/webdevtool/devtool/f.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/j.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/f.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Completable.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Single.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	io/reactivex/Observable.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	io/reactivex/exceptions/OnErrorNotImplementedException.java

https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	io/reactivex/exceptions/UndeliverableException.java
https://play.google.com/store/apps/details?id=	摸瓜V1引擎
https://appgallery.cloud.huawei.com	摸瓜V1引擎
https://store.hispace.hicloud.com/hwmarket/api/	摸瓜V1引擎
https://lf3-static.bytednsdoc.com/obj/eden-cn/ljpcylz-lmps/ljhwZthlaukjlkulzlp/app/home/bottom_navbar/home/selected@3x.png	摸瓜V2引擎
https://lf3-static.bytednsdoc.com/obj/eden-cn/ljpcylz-lmps/ljhwZthlaukjlkulzlp/app/home/bottom_navbar/home/unselected@3x.png	摸瓜V2引擎
https://lf3-static.bytednsdoc.com/obj/eden-cn/ljpcylz-lmps/ljhwZthlaukjlkulzlp/app/home/bottom_navbar/marketing/selected@3x.png	摸瓜V2引擎
https://lf3-static.bytednsdoc.com/obj/eden-cn/ljpcylz-lmps/ljhwZthlaukjlkulzlp/app/home/bottom_navbar/marketing/unselected@3x.png	摸瓜V2引擎
https://lf3-static.bytednsdoc.com/obj/eden-cn/ljpcylz-lmps/ljhwZthlaukjlkulzlp/app/home/bottom_navbar/manage/selected@3x.png	摸瓜V2引擎
https://lf3-static.bytednsdoc.com/obj/eden-cn/ljpcylz-lmps/ljhwZthlaukjlkulzlp/app/home/bottom_navbar/manage/unselected@3x.png	摸瓜V2引擎
https://lf3-static.bytednsdoc.com/obj/eden-cn/ljpcylz-lmps/ljhwZthlaukjlkulzlp/app/home/bottom_navbar/message/selected@3x.png	摸瓜V2引擎
https://lf3-static.bytednsdoc.com/obj/eden-cn/ljpcylz-lmps/ljhwZthlaukjlkulzlp/app/home/bottom_navbar/message/unselected@3x.png	摸瓜V2引擎
https://lf3-static.bytednsdoc.com/obj/eden-cn/ljpcylz-lmps/ljhwZthlaukjlkulzlp/app/home_v2/scan-QR-code.png	摸瓜V2引擎
https://lf3-static.bytednsdoc.com/obj/eden-cn/ljpcylz-lmps/ljhwZthlaukjlkulzlp/app/home_v2/code-verification.png	摸瓜V2引擎

https://lf3-static.bytednsdoc.com/obj/eden-cn/ljpcylz-lmps/ljhwZthlaukjlkulzlp/app/home_v2/write-off-details.png	摸瓜V2引擎
https://lf3-static.bytednsdoc.com/obj/eden-cn/ljpcylz-lmps/ljhwZthlaukjlkulzlp/app/home_v2/transaction_details.png	摸瓜V2引擎
https://lf3-static.bytednsdoc.com/obj/eden-cn/ljpcylz-lmps/ljhwZthlaukjlkulzlp/app/home_v2/icon_customer_service.png	摸瓜V2引擎
https://lf3-static.bytednsdoc.com/obj/eden-cn/ljpcylz-lmps/ljhwZthlaukjlkulzlp/app/home_v2/default_avatar.png	摸瓜V2引擎
https://store-at-dre.hispace.dbankcloud.com/hwmarket/api/	摸瓜V2引擎
https://data-drcn.push.dbankcloud.com	摸瓜V2引擎
https://data-dra.push.dbankcloud.com	摸瓜V2引擎
https://data-dre.push.dbankcloud.com	摸瓜V2引擎
https://data-drru.push.dbankcloud.com	摸瓜V2引擎
https://metrics1.data.hicloud.com:6447	摸瓜V2引擎
https://metrics-dra.dt.hicloud.com:6447	摸瓜V2引擎
https://metrics2.data.hicloud.com:6447	摸瓜V2引擎
https://metrics5.data.hicloud.com:6447	摸瓜V2引擎
https://store1.hispace.hicloud.com/hwmarket/api/	摸瓜V2引擎
https://store2.hispace.hicloud.com/hwmarket/api/	摸瓜V2引擎
https://store3.hispace.hicloud.com/hwmarket/api/	摸瓜V2引擎
https://store-drru.hispace.hicloud.com/hwmarket/api/	摸瓜V2引擎

https://grs.dbankcloud.com	摸瓜V2引擎
https://grs.dbankcloud.cn	摸瓜V2引擎
https://grs.dbankcloud.eu	摸瓜V2引擎
https://grs.dbankcloud.asia	摸瓜V2引擎
https://wappaygw.alipay.com/home/exterfaceAssign.htm?	摸瓜V3引擎
https://android.googlesource.com/toolchain/clang	摸瓜V3引擎
https://dypay.douyin.com/addone/alert/api/error_info/insert_one	摸瓜V3引擎
lh3-dz.googleusercontent.com	摸瓜V3引擎
growth-pa.googleapis.com	摸瓜V3引擎
https://lf3-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/life-service/d570f892-1332-487a-879b-8b6d6	摸瓜V3引擎
https://hotsoon.snssdk.com/magic/eco/runtime/release	摸瓜V3引擎
http://schemas.android.com/apk/res/android	摸瓜V3引擎
http://mclient.alipay.com/cashier/mobilepay.htm	摸瓜V3引擎
https://log.snssdk.com/service/2/app_log/	摸瓜V3引擎
https://android.googlesource.com/toolchain/llvm-project	摸瓜V3引擎
http://life-boe.bytedance.net	摸瓜V3引擎
https://android.googlesource.com/toolchain/llvm	摸瓜V3引擎
https://abtest-ch.snssdk.com/common	摸瓜V3引擎
www.googleapis.com	摸瓜V3引擎

https://lf3-static.bytednsdoc.com/obj/eden-cn/3332eh7vhonupsnuvr/feelgood/cross.png	摸瓜V3引擎
https://log.bytedance.net	摸瓜V3引擎
https://is.snssdk.com/service/settings/v3/	摸瓜V3引擎
https://aweme.snssdk.com/magic/eco/runtime/beta	摸瓜V3引擎
https://hotsoon.snssdk.com/magic/eco/runtime/beta	摸瓜V3引擎
https://loggw-exsdk.alipay.com/loggw/logUpload.do	摸瓜V3引擎
https://mcgw.alipay.com/sdklog.do	摸瓜V3引擎
https://mclient.alipay.com/cashier/mobilepay.htm	摸瓜V3引擎
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuiid=%s	摸瓜V3引擎
https://aweme.snssdk.com/magic/eco/runtime/release	摸瓜V3引擎
https://life.douyin.com/h5/message/detail	摸瓜V3引擎
c.tenor.com	摸瓜V3引擎
https://metrics5.data.hicloud.com:6447	摸瓜V3引擎
https://wappaygw.alipay.com/service/rest.htm	摸瓜V3引擎
android.googleapis.com	摸瓜V3引擎
https://lf26-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/life-service/3772de55-1ab4-4639-a4ec-043c	摸瓜V3引擎
http://schemas.android.com/apk/res-auto	摸瓜V3引擎
https://imapi2.snssdk.com/	摸瓜V3引擎
https://api.feelgood.cn	摸瓜V3引擎

http://imapi.snssdk.com.boe-gateway.byted.org/	摸瓜V3引擎
https://test-aweme.snssdk.com/falcon/jsb_tester_web/dmt	摸瓜V3引擎
https://ichannel.snssdk.com/service/2/app_alert_check/	摸瓜V3引擎
https://lf3-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/life-service/5e97eafb-8774-4e6a-a6ff-23573	摸瓜V3引擎
https://opencloud.wostore.cn/authz/resource/html/disclaimer.html?fromsdk=true	摸瓜V3引擎
https://metrics2.data.hicloud.com:6447	摸瓜V3引擎
https://rtlog.snssdk.com/service/2/app_log/	摸瓜V3引擎
http://schemas.android.com/apk/res/android11net.lucode.hackware.magicindicator.MagicIndicator	摸瓜V3引擎
https://lf3-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/life-service/1a5c90b2-8401-466a-87a9-e2fbf	摸瓜V3引擎
https://lf-dy-sourcecdn-tos.bytegecko.com/obj/byte-gurd-source	摸瓜V3引擎
https://mon.snssdk.com/monitor/appmonitor/v2/settings	摸瓜V3引擎
http://www.apache.org/licenses/LICENSE-2.0	摸瓜V3引擎
www.gstatic.com	摸瓜V3引擎
https://life.douyin.com/magic/eco/runtime/release/62207f0b78c3400350ecd52c?appType=lifeservicemercha	摸瓜V3引擎
instantmessaging-pa.googleapis.com	摸瓜V3引擎
https://lf-sourcecdn-tos.bytegecko.com/obj/byte-gurd-source	摸瓜V3引擎
https://mon.snssdk.com/monitor/collect/	摸瓜V3引擎

https://metrics1.data.hicloud.com:6447	摸瓜V3引擎
https://lf3-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/life-service/cf45906e-0cda-4212-9809-4bf0e	摸瓜V3引擎
https://is.snssdk.com/	摸瓜V3引擎
https://e.189.cn/sdk/agreement/detail.do?hidetop=true	摸瓜V3引擎
https://log.snssdk.com/service/2/device_register/	摸瓜V3引擎
http://gcc.gnu.org/bugs.html):	摸瓜V3引擎
http://mclient.alipay.com/service/rest.htm	摸瓜V3引擎
https://i.snssdk.com/magic/eco/runtime/beta	摸瓜V3引擎
https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s&timestamp=%s&scope=%s&signatur	摸瓜V3引擎
https://dypay.douyin.com/addone/alert/api/log_info/batch	摸瓜V3引擎
http://ib.snssdk.com	摸瓜V3引擎
https://mclient.alipay.com/home/exterfaceAssign.htm	摸瓜V3引擎
http://wappaygw.alipay.com/service/rest.htm	摸瓜V3引擎
https://lf3-cdn-tos.draftstatic.com/obj/ies-hotsoon-draft/life-service/0940d1d7-b9da-4dae-96cd-66711	摸瓜V3引擎
https://tosv.byted.org/obj/gecko-internal	摸瓜V3引擎
https://i.snssdk.com/magic/eco/runtime/release	摸瓜V3引擎
media.tenor.com	摸瓜V3引擎
https://mclient.alipay.com/service/rest.htm	摸瓜V3引擎

https://jsb.snssdk.com/	摸瓜V3引擎
connectivitycheck.gstatic.com	摸瓜V3引擎
http://mclient.alipay.com/home/exterfaceAssign.htm	摸瓜V3引擎
https://dpprofile.snssdk.com	摸瓜V3引擎
https://reading.snssdk.com/magic/eco/runtime/release	摸瓜V3引擎
https://metrics-dra.dt.hicloud.com:6447	摸瓜V3引擎
https://mclient.alipay.com/home/exterfaceAssign.htm?	摸瓜V3引擎
https://link.wtturl.cn	摸瓜V3引擎
https://render.alipay.com/p/s/i?scheme=%s	摸瓜V3引擎
https://dypay.douyin.com/addone/alert/api/error_info/batch	摸瓜V3引擎
https://lf3-static.bytednsdoc.com/obj/eden-cn/ljpcylz-lmps/ljhwZthlaukjlkulzlp/app/message/no_messag	摸瓜V3引擎
lh3.googleusercontent.com	摸瓜V3引擎
https://life.douyin.com	摸瓜V3引擎
https://mon.snssdk.com	摸瓜V3引擎
https://wap.cmpassport.com/resources/html/contract.html	摸瓜V3引擎
https://reading.snssdk.com/magic/eco/runtime/beta	摸瓜V3引擎
https://log.snssdk.com/service/2/log_settings/	摸瓜V3引擎
https://applog.snssdk.com/service/2/app_log/	摸瓜V3引擎
https://boe.i.snssdk.com	摸瓜V3引擎

https://rtapplog.snssdk.com/service/2/app_log/

摸瓜V3引擎

✉ 邮箱线索

邮箱地址	所在文件
this@abspopupfragment.requireact	com/bytedance/ies/bullet/service/popup/ui/AbsPopupFragment.java
this@bulletcardview.context	com/bytedance/ies/bullet/ui/common/BulletCardView.java
this@totypedmap.keys this@tostringlist.getstring	com/bytedance/ies/tools/prefetch/ad.java
selected@3x.png unselected@3x.png	摸瓜V2引擎

☰ 手机线索

手机号	所在文件
18222222222	com/amap/api/mapcore/util/fh.java
17179869184	com/bytedance/apm/perf/f.java
17179869184	com/bytedance/apm6/disk/c.java
15222222222	com/loc/m.java
17179869184	com/lynx/component/svg/parser/SVGParser.java
17179869184	com/lynx/component/svg/parser/SVG.java

17179869184	com/lynx/component/svg/parser/SVGAndroidRenderer.java
14159265359	com/ss/texturerender/effect/vr/GLPanoramaFilter.java

🌸 签名证书

APK已签名

v1 签名: True

v2 签名: True

v3 签名: True

找到 2 个唯一证书

主题: CN=lifescvicemerchant

签名算法: rsassa_pkcs1v15

有效期自: 2021-12-17 13:59:28+00:00

有效期至: 2046-12-11 13:59:28+00:00

发行人: CN=lifescvicemerchant

序列号: 0x17829163

哈希算法: sha256

md5值: eb12dd51b4919d485e7984033a7a3fe1

sha1值: cb4265ae084c55ffcc2327de79dacbc632ad3294

sha256值: 5371f6d030aa609ec6a764b5a483fe4ae2e40fe7d73d696e595eab4a3057bf55

sha512值: 219bc60c0c162d3f4dcf96b40d8f87b1f745750ea5b1f174f4bd8db143330d4301188f9d63e8acd8a391a73d6177eedb714aa49f61e31d3e76e5b0b24a3b438

主题: C=CN, ST=sichuan, L=chengdu, O=suojiansuode, OU=suojiansuode, CN=lifescvicemerchant

签名算法: rsassa_pkcs1v15

有效期自: 2023-08-07 05:36:46+00:00

有效期至: 2050-12-23 05:36:46+00:00

发行人: C=CN, ST=sichuan, L=chengdu, O=suojiansuode, OU=suojiansuode, CN=lifescvicemerchant

序列号: 0x17222100

哈希算法: sha256

md5值: fb9e20cdfc51a23720235fbd75242e84

sha1值: 27a72f924f0225b755f190589e7496395bacacae

sha256值: 60dc874aa70061265d854512cfecde8c9bbe3064cee3319cf0a5997a041cab5c

sha512值: 4f85953823802df3010acccc45e0e24dc7054357b218a251d8ac615a3e47ce0971871f8564a2540db2f4e944cc39e7cada202db92a70fa76f1ea7c1f77e6b3e8

公钥算法: rsa

密钥长度: 2048

指纹: 3927bd002b96a8f63adcec78cc444e888ae42c3e127f556e24289100917a96d0

公钥算法: rsa

密钥长度: 2048

指纹: 7e8d5d7553952b069a731efa9122f996af6d7122e47acf72c69128d2c94cb545

硬编码敏感信息

可能的敏感信息
"cj_pay_agree_to_authentication_and_authorization": "请同意授权"
"cj_pay_and_auth_action": "支付实名认证"
"cj_pay_auth_action": "实名认证"
"cj_pay_auth_info_tip_caijing": "您曾在支付开户/绑卡中验证过身份信息，授权后可以继续用于本次认证"
"cj_pay_auth_info_tip_douyin": "您曾在抖音中验证过身份信息，授权后可以继续用于支付账户或绑卡认证"
"cj_pay_authorization_agree": "同意协议并授权"
"cj_pay_authorization_agreements": "确认授权即代表阅读并同意"
"cj_pay_authorization_apply": "申请获得以下实名信息"
"cj_pay_authorization_cancel": "去注销"
"cj_pay_authorization_cancel_now": "现在注销"
"cj_pay_authorization_neglect": "暂不处理"
"cj_pay_authorization_neglect_next_time": "下次再说"
"cj_pay_authorization_reject": "不是本人信息"
"cj_pay_authorization_reject2": "非本人信息"
"cj_pay_authorization_title": "支付服务（合众易宝）"
"cj_pay_bank_card_authentication": "银行卡认证"

"cj_pay_bank_card_set_pay_pwd" : "设置抖音支付密码"
"cj_pay_bank_card_set_pwd_subtitle" : "为保障资金安全, 请设置密码用于验证身份"
"cj_pay_bank_card_verify_pay_pwd" : "验证抖音支付密码"
"cj_pay_bank_card_verify_pwd_subtitle" : "为保障资金安全, 请输入密码用于验证身份"
"cj_pay_bind_card_verify_pwd_subtitle" : "请输入支付密码以绑卡, 绑卡后可进行消费、提现"
"cj_pay_common_dialog_pwd_forget" : "忘记密码"
"cj_pay_forget_password" : "忘记密码"
"cj_pay_income_and_bank_nopwd_pay" : "钱包收入+银行卡免密支付"
"cj_pay_input_password" : "输入密码"
"cj_pay_input_pwd" : "输入支付密码"
"cj_pay_input_verify_pwd_to_identify" : "请输入支付密码, 以验证你的身份"
"cj_pay_pay_with_password" : "密码支付"
"cj_pay_pwd_credit_instalments_tip" : "不分期(免手续费)"
"cj_pay_pwd_not_same" : "两次输入不一致"
"cj_pay_pwd_pay_method" : "支付方式"
"cj_pay_pwd_payment" : "密码支付"
"cj_pay_pwd_too_easy_tip" : "密码过于简单, 请避免相同或连续的数字"
"cj_pay_set_pwd" : "设置支付密码"
"cj_pay_set_pwd_again" : "再次输入支付密码"

"cj_pay_set_pwd_failed" : "密码设置失败"
"cj_pay_set_pwd_succeed" : "密码设置成功"
"cj_pay_set_pwd_warm_tip" : "请勿使用生日或手机号, 谨防被盗"
"cj_pay_two_element_auth_title" : "添加%1\$s%2\$s"
"cj_pay_two_elements_auth" : "实名认证后可进行%1\$s一键绑卡, 账户实名后不可修改, 请使用本人信息完成认证"
"cj_pay_two_elements_auth_id_num" : "身份证号"
"cj_pay_two_elements_auth_input_id_num" : "请输入身份证号"
"cj_pay_union_pay_auth_bind_account" : "授权云闪付获取你的以下信息用于绑定对应的云闪付账户"
"cj_pay_use_password" : "使用密码"
"cj_pay_verify_original_pwd" : "验证原支付密码"
"cj_pay_verify_pwd" : "验证支付密码"
"com_auth0_client_id" : "tVrTHYa0joBCvgFvMtk5wfV6jFdSjBol"
"com_auth0_domain" : "thereisnospon.auth0.com"
"i18n_auth_loading" : "正在加载"
"kakao_app_key" : "3fda162a2c187c62202ca0c579c2dc9d"
"no_authority_quick_reply" : "暂无权限, 如要添加请联系客服主管"
"password" : "密码"
"privacy_auth_content" : "1.摄像头、相册、电话、位置、存储、应用列表权限均不会默认或强制开启收集信息, 您可以拒绝向我们提供上述权限, 但如果您拒绝, 则相关功能可能会受影响, 但不影响您使用APP的其他功能。 2.您可以查看完整版《用户协议》和《隐私政策》以便了解我们收集、使用、共享、存储信息的情况, 以及对信息的保护措施。"
"privacy_auth_summary" : "请充分阅读并理解后, 点击下面的按钮以接受我们的服务:"

"private_permission" : "Private"
"share_sdk_image_token_share_dialog_content" : "由于分享限制，我们将保存图片到你的相册，你可以给好友分享该图片"
"share_sdk_image_token_share_dialog_title" : "保存图片并分享给好友"
"share_sdk_token_loading_tips" : "加载中"
"share_sdk_token_share_dialog_bt" : "去粘贴"
"share_sdk_token_share_dialog_title" : "您的分享口令已生成"
"token_host_list_is_not_added" : "share token list is not added, please call TTTokenManager.addConfigHost(hostList) or TTTokenConfig.addHostList(hostList)"
"cj_pay_agree_to_authentication_and_authorization" : "Please agree to the authorization"
"cj_pay_and_auth_action" : "Payment Identity Verification"
"cj_pay_auth_action" : "Identity Verification"
"cj_pay_auth_info_tip_caijing" : "您曾在支付开户/绑卡中验证过身份信息，授权后可以继续用于本次认证"
"cj_pay_auth_info_tip_douyin" : "您曾在抖音中验证过身份信息，授权后可以继续用于支付账户或绑卡认证"
"cj_pay_authorization_agree" : "Agree and Continue"
"cj_pay_authorization_agreements" : "Read"
"cj_pay_authorization_apply" : "Applying for the following information"
"cj_pay_authorization_cancel" : "去注销"
"cj_pay_authorization_cancel_now" : "现在注销"
"cj_pay_authorization_neglect" : "暂不处理"
"cj_pay_authorization_neglect_next_time" : "下次再说"

"cj_pay_authorization_reject" : "Not me"
"cj_pay_authorization_reject2" : "非本人信息"
"cj_pay_authorization_title" : "Payment Service (UL Pay)"
"cj_pay_bank_card_authentication" : "Verify Bank Card of Mainland China"
"cj_pay_bank_card_set_pay_pwd" : "设置抖音支付密码"
"cj_pay_bank_card_set_pwd_subtitle" : "为保障资金安全，请设置密码用于验证身份"
"cj_pay_bank_card_verify_pay_pwd" : "验证抖音支付密码"
"cj_pay_bank_card_verify_pwd_subtitle" : "为保障资金安全，请输入密码用于验证身份"
"cj_pay_bind_card_verify_pwd_subtitle" : "Please enter payment password to bind the bank card"
"cj_pay_common_dialog_pwd_forget" : "Forgot Password"
"cj_pay_forget_password" : "Forgot Password"
"cj_pay_income_and_bank_nopwd_pay" : "钱包收入+银行卡免密支付"
"cj_pay_input_password" : "Enter password"
"cj_pay_input_pwd" : "Enter Payment Password"
"cj_pay_input_verify_pwd_to_identify" : "Enter payment password to verify your identity"
"cj_pay_pay_with_password" : "Pay with password"
"cj_pay_pwd_credit_instalments_tip" : "不分期(免手续费)"
"cj_pay_pwd_not_same" : "Two passwords do not match"
"cj_pay_pwd_pay_method" : "Payment Type"

"cj_pay_pwd_payment" : "密码支付"
"cj_pay_pwd_too_easy_tip" : "The password is too simple, please avoid the same or consecutive numbers"
"cj_pay_set_pwd" : "Set Payment Password"
"cj_pay_set_pwd_again" : "Enter Password Again"
"cj_pay_set_pwd_failed" : "密码设置失败"
"cj_pay_set_pwd_succeed" : "密码设置成功"
"cj_pay_set_pwd_warm_tip" : "Do not use birthday or mobile number"
"cj_pay_two_element_auth_title" : "添加%1\$s%2\$s"
"cj_pay_two_elements_auth" : "Quick bind card of %1\$s after identity verification, please use your personal information"
"cj_pay_two_elements_auth_id_num" : "ID No"
"cj_pay_two_elements_auth_input_id_num" : "Please enter ID No"
"cj_pay_union_pay_auth_bind_account" : "授权云闪付获取你的以下信息用于绑定对应的云闪付账户"
"cj_pay_use_password" : "Password"
"cj_pay_verify_original_pwd" : "Verify Current Payment Password"
"cj_pay_verify_pwd" : "Verify Payment Password"

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
android.permission.READ_PRIVILEGED_PHONE_STATE	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态

android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置(如果可用)。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_FINE_LOCATION	危险	精细定位(GPS)	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
com.huawei.appmarket.service.commondata.permission.GET_COMMON_DATA	未知	Unknown permission	Unknown permission from android reference
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.USE_FULL_SCREEN_INTENT	正常		针对想要使用通知全屏意图的 Build.VERSION_CODES.Q 的应用程序是必需的
com.android.launcher.permission.INSTALL_SHORTCUT	未知	Unknown permission	Unknown permission from android reference
com.android.launcher.permission.UNINSTALL_SHORTCUT	未知	Unknown permission	Unknown permission from android reference
com.sec.android.provider.badge.permission.READ	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.sec.android.provider.badge.permission.WRITE	正常	在应用程序上显示通知计数	在三星手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.READ_SETTINGS	正常	在应用程序上	在 htc 手机的应用程序启动图标上显示通知计数或徽章。

		显示通知计数	
com.htc.launcher.permission.UPDATE_SHORTCUT	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.sonyericsson.home.permission.BROADCAST_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	正常	在应用程序上显示通知计数	在索尼手机的应用程序启动图标上显示通知计数或徽章。
com.anddoes.launcher.permission.UPDATE_COUNT	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或徽章
com.majeur.launcher.permission.UPDATE_BADGE	正常	在应用程序上显示通知计数	在应用程序启动图标上显示通知计数或标记为固体。
com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
com.huawei.android.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
com.huawei.android.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
com.hihonor.android.launcher.permission.CHANGE_BADGE	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_APP_BADGE	正常	显示应用程序通知	允许应用程序显示应用程序图标徽章
com.oppo.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
com.oppo.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
com.android.launcher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference

com.android.launcher.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
me.everything.badger.permission.BADGE_COUNT_READ	未知	Unknown permission	Unknown permission from android reference
me.everything.badger.permission.BADGE_COUNT_WRITE	未知	Unknown permission	Unknown permission from android reference
android.permission.UPDATE_APP_BADGE	未知	Unknown permission	Unknown permission from android reference
com.vivo.notification.permission.BADGE_ICON	未知	Unknown permission	Unknown permission from android reference
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference
com.bytedance.ls.merchant.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
android.permission.USE_FINGERPRINT	正常	allow use of指纹	该常量在 API 级别 28 中已被弃用。应用程序应改为请求 USE_BIOMETRIC
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
com.bytedance.ls.merchant.miniapp.PROCESS_COMMUNICATION	未知	Unknown permission	Unknown permission from android reference
com.bytedance.ls.merchant.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
com.bytedance.ls.merchant.permission.PUSH_PROVIDER	未知	Unknown	Unknown permission from android reference

		permission	
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.bytedance.ls.merchant.SplashActivity	Schemes: snssdk299467://,
com.bytedance.ls.merchant.app_base.activity.business.mainpage.MainPageActivity	Schemes: snssdk299467://, http://, https://, Hosts: like.zlinkurl.cn, zlinkurl.cn,
com.alipay.sdk.app.AlipayResultActivity	Schemes: cj_pay_alipay_sign://,
com.android.ttcjpay.sdk.base.framework.CJPAYAlipaySignReturnActivity	Schemes: cjsign://, Hosts: com.bytedance.ls.merchant,

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。