



MoGua

万能钥匙 9.9.9.APK 分析报告



APP名称:

万能钥匙

包名:	com.wifi.link.wfys
域名线索:	80条
URL线索:	73条
邮箱线索:	2条
分析日期:	2024年4月19日
分析平台:	摸瓜反编译平台

文件名: 万能钥匙_9.9.9.apk

文件大小: 8.46MB

MD5值: b4589de44ccb20315ade9a38c472d5

SHA1值: 31578227833d1133fcc4454c5ca4a6f5935de669

SHA256值: 48a379dcda6feb25d59a26d4e36d141dbe3322ca07e1c77f4f953252c83d87d3

i APP 信息

App名称: 万能钥匙

包名: com.wifi.link.wfys

主活动Activity: com.linksure.browser.activity.SplashActivity

安卓版本名称: 9.9.9

安卓版本: 2021123104

🔍 域名线索

域名	服务器信息
cn.register.xmpush.xiaomi.com	IP: 118.26.252.220 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
www.wifi.com	IP: 58.215.105.245 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349 经度: 120.288788
wifi30.51y5.net	IP: 58.215.105.25 所属国家: China 地区: Jiangsu

	<p>城市: Wuxi 纬度: 31.569349 经度: 120.288788</p>
mobile.slate.com	<p>IP: 210.56.51.193 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692</p>
ccc.sys.miui.com	<p>IP: 183.84.7.4 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102</p>
dc.51y5.net	<p>IP: 183.146.20.81 所属国家: China 地区: Zhejiang 城市: Jinhua 纬度: 30.013470 经度: 120.288658</p>
news-log.lsttnews.com	<p>IP: 58.215.105.73 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349 经度: 120.288788</p>
v.lsttnews.com	<p>IP: 180.97.252.38 所属国家: China 地区: Jiangsu 城市: Suzhou 纬度: 31.311365 经度: 120.617691</p>

bbs.lsgenius.com	IP: 58.215.105.23 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349 经度: 120.288788
static.51y5.net	IP: 144.123.124.25 所属国家: China 地区: Shandong 城市: Jinan 纬度: 36.668331 经度: 116.997223
code.google.com	IP: 142.251.43.14 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
s.weibo.com	IP: 49.7.37.76 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
play.google.com	IP: 8.7.198.46 所属国家: United States of America 地区: Louisiana 城市: Monroe 纬度: 32.548328 经度: -92.045235
suggestion.baidu.com	IP: 157.255.77.80 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361

	经度: 113.264572
w-.w-.hicloud.com	没有服务器地理信息.
filecdstt.lsttnews.com	没有服务器地理信息.
m.weibo.com	IP: 180.149.139.248 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
dcmdaa.51y5.net	IP: 183.146.20.86 所属国家: China 地区: Zhejiang 城市: Jinhua 纬度: 30.013470 经度: 120.288658
xw.qq.com	IP: 109.244.173.225 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
tophub.today	IP: 143.198.140.84 所属国家: United States of America 地区: California 城市: Santa Clara 纬度: 37.354111 经度: -121.955490
dxr.mozilla.org	IP: 44.235.246.155 所属国家: United States of America 地区: Oregon 城市: Portland

	纬度: 45.523460 经度: -122.676468
a.vmall.com	IP: 49.4.39.46 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
wifi3a.51y5.net	IP: 58.215.105.25 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349 经度: 120.288788
metok.sys.miui.com	IP: 124.251.100.14 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
m.baidu.com	IP: 220.181.38.130 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
kuaiobao.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
push.statics	没有服务器地理信息.

c-w.applk.cn	IP: 115.227.15.13 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000
www.google.com	IP: 199.59.149.205 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.773968 经度: -122.410446
m.detik.com	IP: 203.190.242.206 所属国家: Indonesia 地区: Jakarta Raya 城市: Jakarta 纬度: -6.208678 经度: 106.845490
m.hao123.com	IP: 110.242.69.104 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
register.xmpush.global.xiaomi.com	IP: 47.88.199.5 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
alps.51y5.net	IP: 58.215.105.21 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349

	经度: 120.288788
config.51y5.net	IP: 58.215.105.21 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349 经度: 120.288788
dcmdac.51y5.net	IP: 183.146.20.87 所属国家: China 地区: Zhejiang 城市: Jinhua 纬度: 30.013470 经度: 120.288658
developer.mozilla.org	IP: 34.111.97.67 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
taichi.51y5.net	IP: 58.215.105.22 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349 经度: 120.288788
api-push.in.meizu.com	IP: 206.161.233.191 所属国家: United States of America 地区: Virginia 城市: Herndon 纬度: 38.978210 经度: -77.386993
	IP: 1.71.150.167 所属国家: China

check02.51y5.net	地区: Shanxi 城市: Taiyuan 纬度: 37.869438 经度: 112.561508
cn.wifi.com	IP: 116.114.96.41 所属国家: China 地区: Nei Mongol 城市: Baotou 纬度: 40.651909 经度: 109.822922
idmb.register.xmpush.global.xiaomi.com	IP: 15.207.134.208 所属国家: India 地区: Maharashtra 城市: Mumbai 纬度: 19.075975 经度: 72.877380
baike.baidu.com	IP: 111.206.208.228 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
init2.y5en.com	IP: 107.155.23.18 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
xmlpull.org	IP: 185.199.109.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724

cr.51y5.net	IP: 58.215.105.21 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349 经度: 120.288788
dcmdag.51y5.net	IP: 183.146.20.87 所属国家: China 地区: Zhejiang 城市: Jinhua 纬度: 30.013470 经度: 120.288658
pingma.qq.com	IP: 119.45.78.184 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
dcmdae.51y5.net	IP: 183.146.20.87 所属国家: China 地区: Zhejiang 城市: Jinhua 纬度: 30.013470 经度: 120.288658
mta.qq.com	IP: 0.0.0.1 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
cdstt.lsttnews.com	IP: 58.215.105.25 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349

	经度: 120.288788
cmt.lsttnews.com	IP: 58.215.105.25 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349 经度: 120.288788
appinvoke.51y5.net	IP: 58.215.105.40 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349 经度: 120.288788
api-push.meizu.com	IP: 125.94.213.129 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
wifiapi02.51y5.net	IP: 183.146.20.81 所属国家: China 地区: Zhejiang 城市: Jinhua 纬度: 30.013470 经度: 120.288658
mta.oa.com	IP: 193.123.33.15 所属国家: Netherlands 地区: Noord-Holland 城市: Amsterdam 纬度: 52.378502 经度: 4.899980
	IP: 220.181.53.243 所属国家: China 地区: Beijing

a.lianwifi.com	城市: Beijing 纬度: 39.907501 经度: 116.397102
ap.51y5.net	IP: 58.215.105.20 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349 经度: 120.288788
openap-alps.51y5.net	IP: 58.215.105.20 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349 经度: 120.288788
www.apache.org	IP: 151.101.2.132 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
resolver.msg.xiaomi.net	IP: 183.84.5.221 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
news-app.lsttnews.com	IP: 58.215.105.25 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349 经度: 120.288788

get.geakmobi.com	IP: 3.130.253.23 所属国家: United States of America 地区: Ohio 城市: Columbus 纬度: 39.961380 经度: -82.997749
c.51y5.net	IP: 58.215.105.26 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349 经度: 120.288788
fr.register.xmpush.global.xiaomi.com	IP: 52.28.40.92 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.110882 经度: 8.681996
kepler.51y5.net	IP: 58.215.105.24 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349 经度: 120.288788
schemas.android.com	没有服务器地理信息.
ru.register.xmpush.global.xiaomi.com	IP: 107.155.52.56 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752258 经度: 37.615471
	IP: 58.215.105.23 所属国家: China

tmonk.51y5.net	地区: Jiangsu 城市: Wuxi 纬度: 31.569349 经度: 120.288788
www.jivesoftware.com	IP: 23.235.209.143 所属国家: United States of America 地区: Virginia 城市: Virginia Beach 纬度: 36.837925 经度: -76.093918
metrics.data.hicloud.com	IP: 49.4.35.99 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
dl.lianwifi.com	IP: 42.81.156.163 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
api.xmpush.xiaomi.com	IP: 118.26.252.230 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

a.lsgenius.com	IP: 58.215.105.235 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349 经度: 120.288788
h5.m.taobao.com	IP: 220.181.135.167 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
app.51y5.net	IP: 58.215.105.23 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349 经度: 120.288788
npgateway.lsttnews.com	IP: 58.215.105.67 所属国家: China 地区: Jiangsu 城市: Wuxi 纬度: 31.569349 经度: 120.288788
store.hispace.hicloud.com	IP: 49.4.47.71 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
metrics1.data.hicloud.com	IP: 114.115.188.159 所属国家: China 地区: Beijing 城市: Beijing

	纬度: 39.907501 经度: 116.397102
ps-w.applk.cn	IP: 115.227.15.225 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000

URL线索

URL信息	Url所在文件
https://wifi3a.51y5.net/config/fa.sec	com/wft/caller/wfc/WfcConstant.java
https://appinvoke.51y5.net/alps/fa.sec	com/wft/caller/wfc/WfcConstant.java
http://ps-w.applk.cn/api.php	com/sdk/plus/config/BuildConstants.java
http://c-w.applk.cn/api.php	com/sdk/plus/config/BuildConstants.java
http://c-w.applk.cn/api/addr.htm	com/sdk/plus/config/BuildConstants.java
http://ps-w.applk.cn/api.php?format=json&t=1	com/sdk/plus/http/WusUrl.java
http://c-w.applk.cn/api.php?format=json&t=1	com/sdk/plus/http/WusUrl.java
https://github.com/lingochamp/FileDownloader/wiki/filedownloader.properties	com/liulishuo/filedownloader/services/a.java
https://api.xmpush.xiaomi.com/upload/xmsf_log?file=	com/xiaomi/mipush/sdk/w.java
https://api.xmpush.xiaomi.com/upload/app_log?file=	com/xiaomi/mipush/sdk/w.java

https://api.xmpush.xiaomi.com/upload/crash_log?file=	com/xiaomi/mipush/sdk/y.java
http://ccc.sys.miui.com	com/xiaomi/push/bs.java
http://www.jivesoftware.com/xmlns/xmpp/properties\	com/xiaomi/push/hh.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gm.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/hp.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/ho.java
https://metok.sys.miui.com	com/xiaomi/push/bm.java
http://%1\$s/gslb/?ver=4.0	com/xiaomi/push/dt.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gw.java
http://resolver.msg.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bb.java
https://cn.register.xmpush.xiaomi.com	com/xiaomi/push/service/l.java
https://register.xmpush.global.xiaomi.com	com/xiaomi/push/service/l.java
https://fr.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/l.java
https://ru.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/l.java
https://idmb.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/l.java
http://(.*)\$	com/linksure/browser/utils/v.java
https://www.google.com/search?ie=UTF-8&oe=UTF-8&q=%s	com/linksure/browser/utils/r.java
http://suggestion.baidu.com/su?action=opensearch&ie=utf8&wd=%s	com/linksure/browser/utils/r.java

https://www.google.com/complete/search?client=android&q=%s	com/linksure/browser/utills/r.java
https://taichi.51y5.net/alps/fcompb.pgs	com/linksure/browser/webcore/h.java
https://play.google.com/store/apps/	com/linksure/browser/webcore/g.java
https://kuaibao.qq.com/hotList	com/linksure/browser/webcore/j.java
https://m.baidu.com/sf/vsearch?pd=%s&atn=index&tn=vsearch&word=%s&key=TGFudGVybKjYb3dzZXI=	com/linksure/browser/webcore/d.java
https://xw.qq.com/	com/linksure/browser/view/home/HotNewsView.java
https://xw.qq.com/	com/linksure/browser/view/home/TopSitesView.java
https://m.hao123.com/	com/linksure/browser/view/home/TopSitesView.java
https://m.baidu.com/	com/linksure/browser/view/home/TopSitesView.java
https://m.weibo.com/	com/linksure/browser/view/home/TopSitesView.java
https://h5.m.taobao.com/	com/linksure/browser/view/home/TopSitesView.java
https://tophub.today/	com/linksure/browser/view/home/SearchCategoryView.java
https://m.baidu.com/sf/vsearch?pd=%s&atn=index&tn=vsearch&word=%s&key=TGFudGVybKjYb3dzZXI=	com/linksure/browser/view/home/SearchCategoryView.java
http://a.lsgenius.com/index.html	com/linksure/browser/view/share/ShareModel.java
https://www.wifi.com/	com/linksure/browser/activity/BrowserActivity.java
https://alps.51y5.net	com/linksure/browser/activity/user/c.java
http://a.lsgenius.com/navigation/index.html?wkhideTitle=	com/linksure/browser/activity/home/MineHomeFragment.java

http://a.lsgenius.com/setting/error.html	com/linksure/browser/activity/settings/a.java
https://app.51y5.net	com/linksure/browser/update/e.java
http://get.geakmobi.com/redirect/get_geakos/	com/linksure/browser/update/a/a.java
https://play.google.com/store/apps/details?id=	com/linksure/browser/update/a/a.java
https://bbs.lsgenius.com	com/linksure/browser/config/c.java
https://tmonk.51y5.net	com/linksure/browser/config/c.java
https://play.google.com/store/apps/details?id=%s	com/linksure/browser/constant/Constants.java
https://kuaibao.qq.com/hotList?function=liulanqi_plt&refer=liulanqi_plt_topsite&kd_plan_id=LPH1-1&ch=1016	com/linksure/browser/service/WebSpiderService.java
https://s.weibo.com/top/summary?cate=topicband	com/linksure/browser/service/AssistService.java
https://baike.baidu.com/calendar/	com/linksure/browser/service/AssistService.java
https://play.google.com/store/apps/details?id=	com/huawei/hms/support/api/push/a/a/a.java
http://a.vmall.com/	com/huawei/hms/support/api/push/a/a/a.java
https://metrics1.data.hicloud.com:6447	com/huawei/hms/api/HuaweiApiClient.java
http://a.vmall.com/app/	com/huawei/hms/update/e/k.java
https://store.hispace.hicloud.com/hwmarket/api/	com/huawei/updatesdk/service/a/e.java
https://)[\w-]+\.[\w-]+(\.hicloud\.com:)[\d]	com/huawei/hianalytics/v2/a/b/h.java
https://metrics.data.hicloud.com:6447	com/huawei/hianalytics/v2/a/b/n.java

https://api-push.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.in.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://push.statics	com/meizu/cloud/pushsdk/a/d/e.java
http://pingma.qq.com:80/mstat/report	com/tencent/wxop/stat/u.java
http://mta.qq.com/	com/tencent/wxop/stat/v.java
http://mta.oa.com/	com/tencent/wxop/stat/v.java
https://v.lsttnews.com/htdoc/config/	com/appara/feed/FeedConfig.java
https://news-app.lsttnews.com	com/appara/feed/FeedConfig.java
https://cmt.lsttnews.com	com/appara/feed/FeedConfig.java
https://news-log.lsttnews.com	com/appara/feed/FeedConfig.java
https://npgateway.lsttnews.com/api/judge	com/appara/feed/FeedConfig.java
https://filecdstt.lsttnews.com	com/appara/feed/FeedConfig.java
https://cdstt.lsttnews.com	com/appara/feed/FeedConfig.java
https://wifiapi02.51y5.net/wifiapi/rd.do	com/appara/feed/report/task/RdReportTask.java
https://news-img.	com/appara/feed/webview/SystemWebViewClient.java
http://[^<>]+>	com/appara/core/BLRegex.java
http://check02.51y5.net/cp.a?time=	com/appara/core/report/task/UploadNetworkInfoTask.java
http://xmlpull.org/v1/doc/features.html	com/appara/core/ui/preference/XmlUtils.java

http://schemas.android.com/apk/res/android	com/appara/core/ui/preference/Preference.java
http://xmlpull.org/v1/doc/features.html	com/appara/core/ui/preference/FastXmlSerializer.java
http://check02.51y5.net/cp.a?time=	com/appara/video/report/task/UploadNetworkInfo.java
http://taichi.51y5.net/alps/fcompb.pgs	com/lantern/taichi/TCConstants.java
https://cr.51y5.net/dc/sec/rna.do	com/lantern/crashlytics/CrashVariable.java
https://cr.51y5.net/dc/sec/fa.do	com/lantern/crashlytics/CrashVariable.java
https://cr.51y5.net/dc/sec/cfa.do	com/lantern/crashlytics/CrashVariable.java
http://init2.y5en.com	com/lantern/core/WkServerPBWrapper.java
http://wifi30.51y5.net	com/lantern/core/WkServerPBWrapper.java
https://alps.51y5.net/alps/fcompb.pgs	com/lantern/core/config/ConfigConstant.java
https://wifi3a.51y5.net/alps/fcompb.pgs	com/lantern/core/config/ConfigConstant.java
http://wifi3a.51y5.net/qiyun-api/upload	com/lantern/core/log/MyLog.java
http://kepler.51y5.net/alps/fcompb.pgs	com/lantern/core/constant/EventConstant.java
http://wifi3a.51y5.net/alpsmda/fcompb.pgs	com/lantern/core/constant/EventConstant.java
http://dcmdaa.51y5.net/dc/fcompb.pgs	com/lantern/core/constant/EventConstant.java
http://dcmdae.51y5.net/dc/fcompb.pgs	com/lantern/core/constant/EventConstant.java
http://dcmdag.51y5.net/dc/fcompb.pgs	com/lantern/core/constant/EventConstant.java

http://dcmdac.51y5.net/dc/fcompb.pgs	com/lantern/core/constant/EventConstant.java
http://wifi3a.51y5.net/	com/lantern/core/constant/EventConstant.java
http://ap.51y5.net	com/lantern/core/constant/WkAPIServer.java
http://config.51y5.net	com/lantern/core/constant/WkAPIServer.java
http://wifi3a.51y5.net/config/fa.sec	com/lantern/core/constant/WkAPIServer.java
http://check02.51y5.net/cp.a?time=	com/lantern/conn/sdk/manager/e.java
http://c.51y5.net/generate_204	com/lantern/conn/sdk/manager/e.java
http://openap-alps.51y5.net	com/lantern/conn/sdk/manager/p.java
http://dc.51y5.net	com/lantern/conn/sdk/manager/p.java
http://config.51y5.net	com/lantern/conn/sdk/manager/p.java
http://dl.lianwifi.com/download/android/WifiKey-181219-liantong-modify-lxdl.apk	com/lantern/conn/sdk/manager/l.java
http://dl.lianwifi.com/download/android/WifiKey-lxdl.apk	com/lantern/conn/sdk/manager/l.java
https://cn.wifi.com/app_h5/connect_sdk/share_plan/	com/lantern/conn/sdk/ui/widget/i.java
https://a.lianwifi.com/app_h5/connect_sdk/disclaimer/	com/lantern/conn/sdk/ui/fragment/c.java
http://a.lsgenius.com/index.html	Mogua Engine V1
http://static.51y5.net/apk/wifikey-official-release.apk	Mogua Engine V1
https://baike.baidu.com/calendar/	Mogua Engine V2
https://m.detik.com/	Mogua Engine V2

https://s.weibo.com/)	Mogua Engine V2
http://www.apache.org/licenses/LICENSE-2.0	Mogua Engine V2
http://code.google.com/p/arc90labs-readability	Mogua Engine V2
https://developer.mozilla.org/en-US/docs/Web/API/Node/nodeType	Mogua Engine V2
https://github.com/whatwg/html/issues/4275,	Mogua Engine V2
http://mobile.slate.com	Mogua Engine V2
https://developer.mozilla.org/en-US/docs/Web/Guide/HTML/Content_categories	Mogua Engine V2
https://dxr.mozilla.org/mozilla-central/rev/71224049c0b52ab190564d3ea0eab089a159a4cf/accessible/html/HTMLTableAccessible.cpp	Mogua Engine V2
https://github.com/jsdom/jsdom/issues/2580	Mogua Engine V2
https://kuaibao.qq.com/s/	Mogua Engine V2

邮箱线索

邮箱地址	所在文件
weblinktool@163.com	com/linksure/browser/activity/settings/DescriptionActivity.java
xxxx@xxxx.com	com/huawei/hms/support/api/push/a/d/a.java

手机线索

签名证书

APK已签名

v1 签名: True

v2 签名: False

v3 签名: False

找到 1 个唯一证书

主题: C=US, ST=California, L=Mountain View, O=Android, OU=Android, CN=Android, E=android@android.com

签名算法: rsassa_pkcs1v15

有效期自: 2008-02-29 01:33:46+00:00

有效期至: 2035-07-17 01:33:46+00:00

发行人: C=US, ST=California, L=Mountain View, O=Android, OU=Android, CN=Android, E=android@android.com

序列号: 0x936eacbe07f201df

哈希算法: sha1

md5值: e89b158e4bcf988ebd09eb83f5378e87

sha1值: 61ed377e85d386a8dfce6b864bd85b0bfaa5af81

sha256值: a40da80a59d170caa950cf15c18c454d47a39b26989d8b640ecd745ba71bf5dc

sha512值: 5216ccb62004c4534f35c780ad7c582f4ee528371e27d4151f0553325de9ccbe6b34ec4233f5f640703581053abfea303977272d17958704d89b7711292a4569

硬编码敏感信息

可能的敏感信息

"ap_need_web_auth" : "%1\$s needs web authentication"

"appara_feed_comment_user" : "用户"

"clear_password" : "Account password"

"goto_web_auth" : "去认证"

"privacy_forget_password" : "Forget password"

"privacy_setting_v2_init_password" : "Please create an entry password"

"privacy_v2_set_secret_title" : "Set security questions"
"sync_content_authority" : "com.wifi.link.wfys.sync.provider"
"tips_network_status_auth" : "This hotspot requires authentication, unable to access temporarily."
"wifi_password" : "Password"
"wksdk_tips_autoconnect_dialog_connect_get_net_pwd" : "正在检测热点"
"wksdk_tips_autoconnect_dialog_connect_get_net_pwd_success" : "核实成功"
"wksdk_tips_autoconnect_dialog_connect_with_local_pwd" : "正在尝试本地连接"
"wksdk_tips_autoconnect_failed_no_password" : "未找到相关热点信息"
"wksdk_tips_autoconnect_state_get_net_pwd" : "正在核实热点身份"
"wksdk_tips_autoconnect_state_get_net_pwd_failed" : "核实热点身份失败"
"wksdk_tips_autoconnect_state_get_net_pwd_success" : "核实热点身份成功"
"wksdk_tips_autoconnect_state_try_connect_with_local_pwd" : "正在本地连接"
"wksdk_tips_autoconnect_state_try_connect_with_local_pwd_failed" : "本地连接失败"
"wksdk_tips_autoconnect_state_try_connect_with_local_pwd_success" : "本地连接成功"
"wksdk_tips_autoconnect_state_try_connect_with_net_pwd" : "正在连接网络"
"wksdk_tips_autoconnect_state_try_connect_with_net_pwd_failed" : "网络连接失败"
"wksdk_tips_autoconnect_state_try_connect_with_net_pwd_success" : "网络连接成功"

"ap_need_web_auth" : "%1\$s需要网页认证"
"goto_web_auth" : "去认证"
"tips_network_status_auth" : "此热点需要认证，暂无法上网"
"wifi_password" : "密码"
"wksdk_tips_autoconnect_dialog_connect_get_net_pwd" : "正在检测热点"
"wksdk_tips_autoconnect_dialog_connect_get_net_pwd_success" : "核实成功"
"wksdk_tips_autoconnect_dialog_connect_with_local_pwd" : "正在尝试本地连接"
"wksdk_tips_autoconnect_failed_no_password" : "未找到相关热点信息"
"wksdk_tips_autoconnect_state_get_net_pwd" : "正在核实热点身份"
"wksdk_tips_autoconnect_state_get_net_pwd_failed" : "核实热点身份失败"
"wksdk_tips_autoconnect_state_get_net_pwd_success" : "核实热点身份成功"
"wksdk_tips_autoconnect_state_try_connect_with_local_pwd" : "正在本地连接"
"wksdk_tips_autoconnect_state_try_connect_with_local_pwd_failed" : "本地连接失败"
"wksdk_tips_autoconnect_state_try_connect_with_local_pwd_success" : "本地连接成功"
"wksdk_tips_autoconnect_state_try_connect_with_net_pwd" : "正在连接网络"
"wksdk_tips_autoconnect_state_try_connect_with_net_pwd_failed" : "网络连接失败"
"wksdk_tips_autoconnect_state_try_connect_with_net_pwd_success" : "网络连接成功"
"appara_feed_comment_user" : "Pengguna"

"clear_password" : "Kata sandi akun"
"privacy_forget_password" : "Lupa kata sandi"
"privacy_setting_v2_init_password" : "Silahkan setel kata sandi awal"
"privacy_v2_set_secret_title" : "Setel Pertanyaan keamanan pribadi"
"appara_feed_comment_user" : "用户"
"clear_password" : "网站密码"
"privacy_forget_password" : "忘记密码"
"privacy_setting_v2_init_password" : "请设置一个初始密码"
"privacy_v2_set_secret_title" : "设置密保问题"
"appara_feed_comment_user" : "用户"
"clear_password" : "網站密碼"
"privacy_forget_password" : "忘記密碼"
"privacy_setting_v2_init_password" : "請設置一個初始密碼"
"privacy_v2_set_secret_title" : "設置密保問題"

 加壳分析

 第三方SDK

名称	分类	URL链接
fastjson	开发辅助	https://reports.exodus-privacy.eu.org/trackers/457
glide图库	开发辅助	https://reports.exodus-privacy.eu.org/trackers/469
华为移动服务	数据分析, 广告管理, 位置服务	https://reports.exodus-privacy.eu.org/trackers/333
腾讯微信	身份识别, 支付平台, 开发辅助	https://reports.exodus-privacy.eu.org/trackers/447
腾讯统计	数据分析	https://reports.exodus-privacy.eu.org/trackers/116

☰ 此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置(如果可用)。恶意应用程序可以使用它来确定您的大致位置

android.permission.ACCESS_FINE_LOCATION	危险	精细定位 (GPS)	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.SYSTEM_ALERT_WINDOW	危险	显示系统级警报	允许应用程序显示系统警报窗口。恶意应用程序可以接管手机的整个屏幕
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
com.wifi.link.wfys.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
android.permission.PACKAGE_USAGE_STATS	合法	更新组件使用统计	允许修改收集的组件使用统计。不供普通应用程序使用
com.android.launcher.permission.INSTALL_SHORTCUT	未知	Unknown permission	Unknown permission from android reference
com.android.launcher.permission.UNINSTALL_SHORTCUT	未知	Unknown permission	Unknown permission from android reference
android.permission.INSTALL_SHORTCUT	正常		允许应用程序在启动器中安装快捷方式
android.permission.UNINSTALL_SHORTCUT	正常		不要在您的应用中使用此权限。不再支持此权限
com.android.launcher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference

com.android.launcher.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.android.launcher2.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.android.launcher2.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.android.launcher3.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.android.launcher3.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
org.adw.launcher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
org.adw.launcher.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.htc.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在 htc 手机的应用程序启动图标上显示通知计数或徽章。
com.htc.launcher.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.qihoo360.launcher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.qihoo360.launcher.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.lge.launcher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
		Unknown	

com.lge.launcher.permission.WRITE_SETTINGS	未知	permission	Unknown permission from android reference
net.qihoo.launcher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
net.qihoo.launcher.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
org.adwfreak.launcher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
org.adwfreak.launcher.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
org.adw.launcher_donut.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
org.adw.launcher_donut.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.huawei.launcher3.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.huawei.launcher3.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.fede.launcher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.fede.launcher.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.sec.android.app.twlauncher.settings.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.sec.android.app.twlauncher.settings.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference

com.anddoes.launcher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.anddoes.launcher.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.tencent.qqlauncher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.tencent.qqlauncher.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.huawei.launcher2.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.huawei.launcher2.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.android.mylauncher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.android.mylauncher.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.ebproductions.android.launcher.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.ebproductions.android.launcher.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
com.oppo.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。
com.oppo.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在oppo手机的应用程序启动图标上显示通知计数或徽章。

com.huawei.android.launcher.permission.READ_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
com.huawei.android.launcher.permission.WRITE_SETTINGS	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章
telecom.mdesk.permission.READ_SETTINGS	未知	Unknown permission	Unknown permission from android reference
telecom.mdesk.permission.WRITE_SETTINGS	未知	Unknown permission	Unknown permission from android reference
dianxin.permission.ACCESS_LAUNCHER_DATA	未知	Unknown permission	Unknown permission from android reference
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.AUTHENTICATE_ACCOUNTS	危险	充当帐户验证器	允许应用程序使用帐户管理器的帐户验证器功能,包括创建帐户以及获取和设置其密码
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.linksure.browser.activity.BrowserActivity	Schemes: http://, https://, about://, javascript://, file://, flyflowsharing://, flyflow://, Mime Types: multipart/related, text/html, text/xml, text/plain, application/xhtml+xml, application/vnd.wap.xhtml+xml, application/rss+xml, application/atom+xml, application/xml,

	application/x-bittorrent,
com.linksure.browser.push.SchemaActivity	Schemes: clba://, Hosts: com.wifi.link.wfys,
com.linksure.browser.thirdpartycall.ThirdPartyFileReaderActivity	Schemes: file://, content://, Mime Types: text/plain,
com.linksure.browser.thirdpartycall.ThirdPartyVideoPlayActivity	Schemes: file://, content://, http://, https://, Hosts: *, Mime Types: video/*, application/mp4, */rmvb, */avi, */mkv, application/mpeg*, application/vnd.rn-realmedia*, application/3gpp*, application/vnd.3gp*, Path Patterns: *.mp4, *.MP4, *.mkv, *.MKV, *.avi, *.AVI, *.asf, *.ASF, *.f4v, *.F4V, *.flv, *.FLV, *.mpeg, *.MPEG, *.mpg, *.MPG, *.mov, *.MOV, *.m3u8, *.M3U8, *.rm, *.RM, *.rmvb, *.RMVB, *.ts, *.TS, *.webm, *.WEBM, *.wmv, *.WMV, *.3gp, *.3GP, *.3gpp, *.3GPP, *.ogv, *.OGV,

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。