



MoGua

BeeWallet 1.0.4.APK 分析报告



APP名称:

BeeWallet

包名:	com.bw.bee_wallet
域名线索:	45条
URL线索:	26条
邮箱线索:	4条
分析日期:	2025年6月5日
分析平台:	摸瓜APK反编译平台

文件名: BeeWallet_1.0.4.apk
文件大小: 9.32MB
MD5值: b50f492c0597cad7a80d875475c1c050
SHA1值: bf55d6ad0c3414701e32a8fad42c7090228c28f2
SHA256值: 6786fdd711f6792113388ac54236868efc93a36509f79a4d5cc45921d1408363

i APP 信息

App名称: BeeWallet
包名: com.bw.bee_wallet
主活动Activity: com.bw.bee_wallet.main.SplashActivity
安卓版本名称: 1.0.4
安卓版本: 5

🔍 域名线索

域名	服务器信息
api.shasta.trongrid.io	IP: 52.27.64.27 所属国家: United States of America 地区: Oregon 城市: Portland 纬度: 45.523460 经度: -122.676468
schemas.android.com	没有服务器地理信息.
feross.org	IP: 50.116.11.184 所属国家: United States of America 地区: California 城市: Fremont 纬度: 37.548271 经度: -121.988571

api-optimistic.etherscan.io	IP: 162.125.80.6 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
registry.npm.taobao.org	IP: 221.208.153.13 所属国家: China 地区: Heilongjiang 城市: Harbin 纬度: 45.750000 经度: 126.650002
links.ethers.org	IP: 13.225.183.53 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
ethereum.api.nodesmith.io	IP: 13.58.77.186 所属国家: United States of America 地区: Ohio 城市: Columbus 纬度: 39.961380 经度: -82.997749
h.trace.qq.com	IP: 113.56.189.246 所属国家: China 地区: Hubei 城市: Huangshi 纬度: 30.204170 经度: 115.077606
bsc-testnet.publicnode.com	IP: 104.18.22.142 所属国家: United States of America 地区: California 城市: San Francisco

	纬度: 37.775700 经度: -122.395203
endpoints.omniatech.io	IP: 104.22.79.248 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
greenrobot.org	IP: 85.13.163.69 所属国家: Germany 地区: Thuringen 城市: Friedersdorf 纬度: 50.604919 经度: 11.035770
tools.ietf.org	IP: 104.16.44.99 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
api-kovan.etherscan.io	IP: 108.160.165.189 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
	IP: 157.240.17.14

api-rinkeby.etherscan.io	所属国家: Switzerland 地区: Zurich 城市: Zurich 纬度: 47.366825 经度: 8.549790
en.wikipedia.org	IP: 154.92.16.97 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
www.ethercluster.com	没有服务器地理信息.
ns.adobe.com	没有服务器地理信息.
astat.bugly.qcloud.com	IP: 119.28.121.133 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
www.an-hupho.com	IP: 67.211.71.85 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
rpc.ankr.com	IP: 172.64.148.116 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
	IP: 199.16.172.170

www.opensource.org	所属国家: United States of America 地区: Texas 城市: San Antonio 纬度: 29.425426 经度: -98.489349
bugzilla.mozilla.org	IP: 34.110.178.183 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
cloudflare-eth.com	IP: 104.18.10.112 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
astat.bugly.cros.wr.pvp.net	IP: 170.106.118.26 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.774929 经度: -122.419418
jsperf.com	IP: 104.18.216.17 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
android.bugly.qq.com	IP: 124.95.225.169 所属国家: China 地区: Liaoning 城市: Shenyang 纬度: 41.792221 经度: 123.432877

api-ropsten.etherscan.io	IP: 108.160.170.33 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
pajhome.org.uk	IP: 212.71.255.7 所属国家: United Kingdom of Great Britain and Northern Ireland 地区: England 城市: London 纬度: 51.508530 经度: -0.125740
developer.mozilla.org	IP: 34.111.97.67 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
h5.beewalletdex.com	没有服务器地理信息.
stackoverflow.com	IP: 172.64.155.249 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
bsc.publicnode.com	IP: 104.18.22.142 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
	IP: 116.89.243.8

gateway.ipfs.io	所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
bitcointalk.org	IP: 243.185.187.39 所属国家: - 地区: - 城市: - 纬度: 0.000000 经度: 0.000000
api-goerli.etherscan.io	IP: 128.242.240.180 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
en.bitcoin.it	IP: 172.67.75.156 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
registry.npmirror.com	IP: 121.29.38.203 所属国家: China 地区: Hebei 城市: Shijiazhuang 纬度: 38.041599 经度: 114.478081
git.io	IP: 69.171.229.11 所属国家: United States of America 地区: California 城市: Menlo Park 纬度: 37.436935 经度: -122.193604

tron.nodesv.com	IP: 8.218.217.0 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
bsc-dataseed3.defibit.io	IP: 75.2.38.186 所属国家: United States of America 地区: Washington 城市: Seattle 纬度: 47.604309 经度: -122.329842
docs.ethers.io	IP: 54.192.18.122 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
hyperelliptic.org	IP: 131.155.70.18 所属国家: Netherlands 地区: Noord-Brabant 城市: Eindhoven 纬度: 51.441029 经度: 5.478038
api.trongrid.io	IP: 52.221.6.213 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
	IP: 66.220.147.11 所属国家: United States of America 地区: California

api.etherscan.io	城市: Menlo Park 纬度: 37.436935 经度: -122.193604
------------------	--

 URL线索

URL信息	Url所在文件
http://schemas.android.com/apk/res/android	com/bw/bee_wallet/widget/Sliding2TabLayout.java
https://www.an-hupho.com/bwapi,https://www.an-inukjwoq.com/bwapi	com/bw/bee_wallet/widget/util/LoginUtils.java
https://h5.beewalletdex.com	com/bw/bee_wallet/widget/util/LoginUtils.java
https://www.an-hupho.com/bwapi/	com/bw/common/app/BCApplication.java
http://schemas.android.com/apk/res/android	com/flyco/tablayout/SegmentTabLayout.java
http://schemas.android.com/apk/res/android	com/flyco/tablayout/CommonTabLayout.java
http://schemas.android.com/apk/res/android	com/flyco/tablayout/SlidingTabLayout.java
https://android.bugly.qq.com/rqd/async	com/tencent/bugly/crashreport/common/strategy/StrategyBean.java
https://astat.bugly.qcloud.com/rqd/async	com/tencent/bugly/proguard/ac.java
https://astat.bugly.cros.wr.pvp.net/:8180/rqd/async	com/tencent/bugly/proguard/ac.java
https://h.trace.qq.com/kv	com/tencent/bugly/proguard/ad.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	o7/b.java

https://github.com/ReactiveX/RxJava/wiki/Plugins	o7/h.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	o7/u.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	o7/f.java
https://github.com/ReactiveX/RxJava/wiki/Plugins	o7/l.java
https://greenrobot.org/greendao/documentation/database-encryption/	org/greenrobot/greendao/database/b.java
http://ns.adobe.com/xap/1.0/\u0000	p0/a.java
https://github.com/ReactiveX/RxJava/wiki/Error-Handling	t7/d.java
https://github.com/ReactiveX/RxJava/wiki/What's-different-in-2.0	t7/f.java
https://github.com/vinc3m1	Mogua Engine V1
https://github.com/vinc3m1/RoundedImageView	Mogua Engine V1
https://github.com/vinc3m1/RoundedImageView.git	Mogua Engine V1
http://feross.org >	Mogua Engine V2
https://github.com/emn178/js-sha3	Mogua Engine V2
https://feross.org/opensource >	Mogua Engine V2
https://github.com/indutny/elliptic/issues	Mogua Engine V2
https://github.com/indutny/elliptic	Mogua Engine V2
https://rpc.ankr.com/eth	Mogua Engine V2
https://bsc-dataseed3.defibit.io	Mogua Engine V2

https://api.trongrid.io	Mogua Engine V2
https://endpoints.omniatech.io/v1/eth/goerli/public	Mogua Engine V2
https://bsc-testnet.publicnode.com/	Mogua Engine V2
https://api.shasta.trongrid.io	Mogua Engine V2
https://registry.npmmirror.com/elliptic/-/elliptic-6.5.4.tgz	Mogua Engine V2
https://github.com/indutny/elliptic/issues	Mogua Engine V2
https://github.com/indutny/elliptic	Mogua Engine V2
http://www.opensource.org/licenses/mit-license.php.	Mogua Engine V2
https://en.wikipedia.org/wiki/Base64	Mogua Engine V2
https://github.com/beatgammit/base64-js/issues/42	Mogua Engine V2
https://github.com/bitcoin/bips/blob/master/bip-0032.mediawiki	Mogua Engine V2
https://github.com/bitcoin/bips/blob/master/bip-0066.mediawiki	Mogua Engine V2
">https://feross.org>	Mogua Engine V2
https://bugzilla.mozilla.org/show_bug.cgi?id=695438).	Mogua Engine V2
https://github.com/feross/buffer/pull/97	Mogua Engine V2
https://github.com/feross/buffer/pull/148	Mogua Engine V2
https://github.com/feross/buffer/issues/154	Mogua Engine V2

http://stackoverflow.com/a/22747272/680742,	Mogua Engine V2
https://github.com/feross/buffer/issues/166	Mogua Engine V2
http://hyperelliptic.org/EFD/g1p/auto-montgom-xz.html	Mogua Engine V2
https://git.io/vad3K	Mogua Engine V2
https://tools.ietf.org/html/draft-josefsson-eddsa-ed25519-03	Mogua Engine V2
http://registry.npm.taobao.org/elliptic/download/elliptic-6.4.1.tgz	Mogua Engine V2
https://github.com/indutny/elliptic/issues	Mogua Engine V2
https://github.com/indutny/elliptic	Mogua Engine V2
https://github.com/google/closure-library/blob/8598d87242af59aac233270742c8984e2b2bdbe0/closure/goog/crypt/crypt.js	Mogua Engine V2
https://github.com/google/closure-library/blob/master/LICENSE	Mogua Engine V2
https://developer.mozilla.org/en-US/docs/Web/API/window.crypto.getRandomValues	Mogua Engine V2
http://pajhome.org.uk/crypt/md5	Mogua Engine V2
http://jsperf.com/call-apply-segu	Mogua Engine V2
https://tools.ietf.org/html/rfc6979	Mogua Engine V2
https://github.com/feross/buffer/blob/master/index.js	Mogua Engine V2
https://en.bitcoin.it/wiki/List_of_address_prefixes	Mogua Engine V2
https://bitcointalk.org/index.php?topic=409731	Mogua Engine V2

https://github.com/bitcoin/bitcoin/blob/master/src/test/sighash_tests.cpp	Mogua Engine V2
https://links.ethers.org/v5-errors-	Mogua Engine V2
https://www.ethercluster.com/mordor	Mogua Engine V2
https://www.ethercluster.com/etc	Mogua Engine V2
https://www.ethercluster.com/kotti	Mogua Engine V2
https://docs.ethers.io/api-keys/	Mogua Engine V2
https://gateway.ipfs.io/ipfs/	Mogua Engine V2
https://cloudflare-eth.com/	Mogua Engine V2
https://api.etherscan.io	Mogua Engine V2
https://api-ropsten.etherscan.io	Mogua Engine V2
https://api-rinkeby.etherscan.io	Mogua Engine V2
https://api-kovan.etherscan.io	Mogua Engine V2
https://api-goerli.etherscan.io	Mogua Engine V2
https://api-optimistic.etherscan.io	Mogua Engine V2
https://ethereum.api.nodesmith.io/v1/mainnet/jsonrpc	Mogua Engine V2
https://ethereum.api.nodesmith.io/v1/ropsten/jsonrpc	Mogua Engine V2
https://ethereum.api.nodesmith.io/v1/rinkeby/jsonrpc	Mogua Engine V2
https://ethereum.api.nodesmith.io/v1/goerli/jsonrpc	Mogua Engine V2

https://ethereum.api.nodesmith.io/v1/kovan/jsonrpc	Mogua Engine V2
https://api.shasta.trongrid.io/;	Mogua Engine V2
https://rpc.ankr.com/eth_goerli ;	Mogua Engine V2
https://bsc-testnet.publicnode.com ;	Mogua Engine V2
http://tron.nodesv.com/tronmain ;// https://api.trongrid.io ;	Mogua Engine V2
https://rpc.ankr.com/eth ;	Mogua Engine V2
https://bsc.publicnode.com ;// https://bsc-dataseed3.defibit.io ;	Mogua Engine V2
https://rpc.ankr.com/eth	Mogua Engine V2
https://bsc-dataseed3.defibit.io	Mogua Engine V2
https://api.trongrid.io	Mogua Engine V2
https://endpoints.omniatech.io/v1/eth/goerli/public	Mogua Engine V2
https://endpoints.omniatech.io/v1/bsc/testnet/public	Mogua Engine V2
https://api.shasta.trongrid.io	Mogua Engine V2
https://registry.npmmirror.com/elliptic/-/elliptic-6.5.4.tgz	Mogua Engine V2
https://github.com/indutny/elliptic/issues	Mogua Engine V2
https://github.com/indutny/elliptic	Mogua Engine V2

✉ 邮箱线索

邮箱地址	所在文件
emn178@gmail.com git@github.com fedor@indutny.com	Mogua Engine V2
fedor@indutny.com git@github.com	Mogua Engine V2
fedor@indutny.com git@github.com	Mogua Engine V2
fedor@indutny.com git@github.com	Mogua Engine V2

☎ 手机线索

手机号	所在文件
19919152923	Mogua Engine V2
19919152923	Mogua Engine V2
19919152923	Mogua Engine V2
19606097881	Mogua Engine V2
19606089811	Mogua Engine V2
19919152923	Mogua Engine V2

🌸 签名证书

APK已签名
v1 签名: False
v2 签名: True
v3 签名: False
找到 1 个唯一证书
主题: CN=beeWallet, OU=bee, O=bee, L=Dubai, ST=Dubai, C=sau
签名算法: rsassa_pkcs1v15
有效期自: 2023-12-16 02:40:09+00:00
有效期至: 2048-12-09 02:40:09+00:00
发行人: CN=beeWallet, OU=bee, O=bee, L=Dubai, ST=Dubai, C=sau
序列号: 0x1
哈希算法: sha256
md5值: ffea673955fad37dd6c9089d6d49bb4c
sha1值: 55b87e48d253f353faf0a84c516c043f72bd9626
sha256值: 57b9a9b5231feb8b52f9fbb037df9ad11584ac3bde32ac670a6408e476d152ab
sha512值: 387389d4cb22d245dfb9555ac56489d460bb2073e9fcff5e1ea17631973a2324eedc4b18467f8172c0e1ed60cdd630aa1224f71341ba20d959190fa3dff3ffe6
公钥算法: rsa
密钥长度: 2048
指纹: ca380c26918c51e4846521c3b20469aaa9c96efa4c21548a9acb7033e0c0861f

🔑 硬编码敏感信息

可能的敏感信息
"copy_private_key" : "Copy private key"
"export_private_key" : "Export private key"
"export_private_key_tips" : "Please copy carefully and keep it safe, and do not disclose your private key!"
"input_token_name" : "Input token name"

"library_roundedimageview_author" : "Vince Mi"
"library_roundedimageview_authorWebsite" : "https://github.com/vinc3m1"
"password" : "Password"
"private_key" : "Private Pey"
"select_token" : "Select Token"
"upload_credentials" : "Upload credentials"
"wallet_password" : "Wallet password"
"copy_private_key" : "複製私鑰"
"export_private_key" : "導出私鑰"
"export_private_key_tips" : "請認真抄寫安全保管，切勿洩露自己的私鑰！"
"input_token_name" : "輸入代幣名稱"
"password" : "密碼"
"private_key" : "私鑰"
"select_token" : "選擇跨鏈資產"
"upload_credentials" : "上傳憑證"
"wallet_password" : "錢包密碼"
"copy_private_key" : "複製私鑰"

"export_private_key" : "導出私鑰"
"export_private_key_tips" : "請認真抄寫安全保管，切勿洩露自己的私鑰！ "
"input_token_name" : "輸入代幣名稱"
"password" : "密碼"
"private_key" : "私鑰"
"select_token" : "選擇跨鏈資產"
"upload_credentials" : "上傳憑證"
"wallet_password" : "錢包密碼"
"copy_private_key" : "Copy private key"
"export_private_key" : "Export private key"
"export_private_key_tips" : "Please copy carefully and keep it safe, and do not disclose your private key!"
"input_token_name" : "Input token name"
"password" : "Password"
"private_key" : "Private Pey"
"select_token" : "Select Token"
"upload_credentials" : "Upload credentials"
"wallet_password" : "Wallet password"

"copy_private_key" : "Salin kunci pribadi"
"export_private_key" : "Ekspor kunci pribadi"
"export_private_key_tips" : "Harap salin dengan hati-hati dan simpan dengan aman, dan jangan ungkapkan kunci pribadi Anda!"
"input_token_name" : "Masukkan nama token"
"password" : "Password"
"private_key" : "kunci pribadi"
"select_token" : "Pilih token"
"upload_credentials" : "Unggah sertifikat"
"wallet_password" : "Sandi dompet"
"copy_private_key" : "คัดลอกคีย์ส่วนตัว"
"export_private_key" : "ส่งออกคีย์ส่วนตัว"
"export_private_key_tips" : "โปรดคัดลอกอย่างระมัดระวังและเก็บไว้อย่างปลอดภัย และอย่าเปิดเผยรหัสส่วนตัวของคุณ!"
"input_token_name" : "ป้อนชื่อโทเค็น"
"password" : "รหัสผ่าน"
"private_key" : "ที่อยู่"
"select_token" : "เลือกโทเค็น"
"upload_credentials" : "อัปโหลดใบรับรอง"
"wallet_password" : "รหัสผ่านกระเป๋าเงิน"

"copy_private_key" : "निजी कुंजी नकल करें"
"export_private_key" : "निजी कुंजी निर्यात करें"
"export_private_key_tips" : "कृपया अपनी निजी कुंजी को ध्यान से नकल करें और सुरक्षित রাখें!"
"input_token_name" : "इनपुट टोकन नाम"
"password" : "पासवर्ड"
"private_key" : "निजी कुंजी"
"select_token" : "टोकन चुनें"
"upload_credentials" : "प्रमाणपत्र अपलोड करें"
"wallet_password" : "वालेट पासवर्ड"
"copy_private_key" : "Sao chép khóa cá nhân"
"export_private_key" : "Xuất khóa cá nhân"
"export_private_key_tips" : "Vui lòng sao chép cẩn thận và giữ an toàn, đồng thời không tiết lộ khóa cá nhân của bạn!"
"input_token_name" : "Tên mã thông báo đầu vào"
"password" : "Mật khẩu"
"private_key" : "khóa riêng tư"
"select_token" : "Chọn mã thông báo"
"upload_credentials" : "tải lên chứng chỉ"

"wallet_password" : "Mật khẩu ví"
"copy_private_key" : "秘密鍵をコピー"
"export_private_key" : "秘密鍵のエクスポート"
"export_private_key_tips" : "慎重にコピーして安全に保管し、秘密鍵を開示しないでください。"
"input_token_name" : "トークン名を入力"
"password" : "ホームページ"
"private_key" : "秘密鍵"
"select_token" : "トークンの選択"
"upload_credentials" : "証明書をアップロードする"
"wallet_password" : "ウォレットのパスワード"
"copy_private_key" : "Copier la clé privée"
"export_private_key" : "Exporter la clé privée"
"export_private_key_tips" : "Veuillez le copier soigneusement et le conserver en toute sécurité, et ne divulguez pas votre clé privée!"
"input_token_name" : "Entrez le nom du jeton"
"password" : "mot de passe"
"private_key" : "Clé privée"
"select_token" : "Choisissez inter-chaînes"

"upload_credentials" : "télécharger le certificat"
"wallet_password" : "Mot de passe du portefeuille"
"copy_private_key" : "비공개 키 복사"
"export_private_key" : "비공개 키 내보내기"
"export_private_key_tips" : "신중하게 복사하여 안전하게 보관하고 개인 키를 공개하지 마세요!"
"input_token_name" : "토큰 이름 입력"
"password" : "비밀번호"
"private_key" : "비공개 키"
"select_token" : "토큰 선택"
"upload_credentials" : "인증서 업로드"
"wallet_password" : "지갑 비밀번호"
"copy_private_key" : "Copiar clave privada"
"export_private_key" : "Exportar clave privada"
"export_private_key_tips" : "Cópielo con cuidado y guárdelo de forma segura, ¡y no revele su clave privada!"
"input_token_name" : "Ingrese el nombre del token"
"password" : "contraseña"
"private_key" : "llave privada"
"select_token" : "Seleccionar activos"

"upload_credentials" : "cargar certificado"
"wallet_password" : "Contraseña billetera"
"copy_private_key" : "Salin kunci peribadi"
"export_private_key" : "Eksport kunci peribadi"
"export_private_key_tips" : "Sila salin dengan teliti dan pastikan ia selamat, dan jangan dedahkan kunci peribadi anda!"
"input_token_name" : "Masukkan nama token"
"password" : "Kata laluan"
"private_key" : "private key"
"select_token" : "Pilih token"
"upload_credentials" : "Muat naik sijil"
"wallet_password" : "kata laluan dompet"

 加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

 第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

☰ 此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.hardware.camera.autofocus	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
com.bw.bee_wallet.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	未知	Unknown permission	Unknown permission from android reference

应用内通信