



MoGua

OKPAY 2.0.0.APK 分析报告



APP名称:

OKPAY

包名:	com.oneworld.onepay
域名线索:	67条
URL线索:	50条
邮箱线索:	2条
分析日期:	2025年9月8日
分析平台:	摸瓜APK反编译平台

文件名: com.oneworld.onepay_c7fd5e1d.apk
文件大小: 16.41MB
MD5值: b60a3ccce764f3d1683a1c9fd1490525
SHA1值: e91f8277121194264b21678894031b8a7877f3ce
SHA256值: 75242162482280c28f68b9af5c58ebb59d966fac8a22f4489cd23fa98d1d54f6

i APP 信息

App名称: OKPAY
包名: com.oneworld.onepay
主活动Activity: com.leo.okp.MainActivity
安卓版本名称: 2.0.0
安卓版本: 200

🔍 域名线索

域名	服务器信息
ulogs.umengcloud.com	IP: 223.109.148.179 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
www.google-analytics.com	IP: 58.254.149.161 所属国家: China 地区: Guangdong 城市: Yunfu 纬度: 22.930559 经度: 112.037300
www.jivesoftware.com	IP: 23.235.209.143 所属国家: United States of America 地区: Virginia

	城市: Virginia Beach 纬度: 36.837925 经度: -76.093918
norma-external-collect.meizu.com	IP: 122.13.76.176 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
dashif.org	IP: 185.199.109.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
store-drru.hispac.hicloud.com	IP: 159.138.202.186 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
plbslog.umeng.com	IP: 36.156.202.78 所属国家: China 地区: Jiangsu 城市: Yangzhou 纬度: 32.397221 经度: 119.435600
oss20231101.okfy8899.com	IP: 172.66.43.44 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
	IP: 13.233.242.220

idmb.register.xmpush.global.xiaomi.com	所属国家: India 地区: Maharashtra 城市: Mumbai 纬度: 19.075975 经度: 72.877380
pagead2.google syndication.com	IP: 58.254.137.166 所属国家: China 地区: Guangdong 城市: Yunfu 纬度: 22.930559 经度: 112.037300
store3.hispace.hicloud.com	IP: 23.55.129.49 所属国家: Australia 地区: New South Wales 城市: Sydney 纬度: -33.867779 经度: 151.207047
alogsus.umeng.com	IP: 223.109.148.179 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
www.w3.org	IP: 104.18.22.19 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
xml.org	IP: 104.239.240.11 所属国家: United States of America 地区: Texas 城市: Windcrest 纬度: 29.499678

	经度: -98.399246
appgallery.cloud.huawei.com	IP: 49.4.35.16 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
flutter.dev	IP: 199.36.158.100 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
developer.apple.com	IP: 17.253.87.206 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
metrics-dra.dt.hicloud.com	IP: 94.74.88.100 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
developer.android.com	IP: 172.217.163.46 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
	IP: 223.109.148.130 所属国家: China

ulogs.umeng.com	地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
www.jsdelivr.com	IP: 104.21.23.24 所属国家: United States of America 地区: California 城市: San Francisco 纬度: 37.775700 经度: -122.395203
data-drcn.push.dbankcloud.com	IP: 49.4.40.58 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
store-at-dre.hispace.dbankcloud.com	没有服务器地理信息.
resolver.msg.global.xiaomi.net	IP: 47.241.174.254 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
store1.hispace.hicloud.com	IP: 49.4.47.241 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
metrics2.data.hicloud.com	IP: 80.158.2.190 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel

	纬度: 54.321358 经度: 10.134532
fr.register.xmpush.global.xiaomi.com	IP: 35.157.188.46 所属国家: Germany 地区: Hessen 城市: Frankfurt am Main 纬度: 50.110882 经度: 8.681996
grs.dbankcloud.eu	没有服务器地理信息.
ssl.google-analytics.com	IP: 58.254.149.233 所属国家: China 地区: Guangdong 城市: Yunfu 纬度: 22.930559 经度: 112.037300
data-dre.push.dbankcloud.com	IP: 80.158.49.244 所属国家: Germany 地区: Schleswig-Holstein 城市: Kiel 纬度: 54.321358 经度: 10.134532
developer.mozilla.org	IP: 34.111.97.67 所属国家: United States of America 地区: Missouri 城市: Kansas City 纬度: 39.099731 经度: -94.578568
cn.register.xmpush.xiaomi.com	IP: 111.202.1.240 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102

www.ibm.com	IP: 23.13.189.250 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
www.okpay777.com	IP: 35.220.164.170 所属国家: Hong Kong 地区: Hong Kong 城市: Hong Kong 纬度: 22.285521 经度: 114.157692
aomedia.org	IP: 185.199.111.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
github.com	IP: 20.205.243.166 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
ru.register.xmpush.global.xiaomi.com	IP: 107.155.52.56 所属国家: Russian Federation 地区: Moskva 城市: Moscow 纬度: 55.752258 经度: 37.615471
	IP: 199.36.158.100 所属国家: United States of America 地区: California

api.flutter.dev	城市: Mountain View 纬度: 37.405991 经度: -122.078514
schemas.microsoft.com	IP: 13.107.246.74 所属国家: United States of America 地区: Washington 城市: Redmond 纬度: 47.682899 经度: -122.120903
api-push.in.meizu.com	IP: 206.161.233.191 所属国家: United States of America 地区: Virginia 城市: Herndon 纬度: 38.978210 经度: -77.386993
adash.man.aliyuncs.com	IP: 59.82.40.77 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
alogus.umeng.com	IP: 223.109.148.141 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
register.xmpush.global.xiaomi.com	IP: 47.88.199.5 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281

storage.googleapis.com	IP: 142.251.42.251 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
pslog.umeng.com	IP: 59.82.31.210 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
resolver.msg.xiaomi.net	IP: 123.125.102.48 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
plus.google.com	IP: 157.240.16.50 所属国家: India 地区: Maharashtra 城市: Mumbai 纬度: 19.075975 经度: 72.877380
store2.hispace.hicloud.com	IP: 13.225.183.110 所属国家: Japan 地区: Tokyo 城市: Tokyo 纬度: 35.689499 经度: 139.692322
ok1112817899.oss-cn-hangzhou.aliyuncs.com	IP: 118.178.29.145 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650

	经度: 120.161583
api-push.meizu.com	IP: 221.5.93.66 所属国家: China 地区: Guangdong 城市: Foshan 纬度: 23.026770 经度: 113.131477
grs.dbankcloud.cn	IP: 121.36.116.8 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
data-drru.push.dbankcloud.com	IP: 159.138.202.31 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
xmlpull.org	IP: 185.199.109.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
grs.dbankcloud.com	IP: 113.201.107.54 所属国家: China 地区: Shaanxi 城市: Baoji 纬度: 34.353611 经度: 107.375275
	IP: 59.82.112.112 所属国家: China

developer.umeng.com	地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
okzuixin1118899.oss-cn-beijing.aliyuncs.com	IP: 59.110.190.158 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
exoplayer.dev	IP: 185.199.111.153 所属国家: United States of America 地区: Pennsylvania 城市: California 纬度: 40.065647 经度: -79.891724
metrics5.data.hicloud.com	IP: 159.138.203.215 所属国家: Russian Federation 地区: Sverdlovskaya oblast' 城市: Yekaterinburg 纬度: 56.857498 经度: 60.612499
metrics1.data.hicloud.com	IP: 218.12.91.83 所属国家: China 地区: Hebei 城市: Baoding 纬度: 38.851109 经度: 115.490280
play.google.com	IP: 59.24.3.174 所属国家: Korea (Republic of) 地区: Gyeonggi-do 城市: Seongnam 纬度: 37.420624 经度: 127.126717

data-dra.push.dbankcloud.com	IP: 119.8.163.189 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
aaid.umeng.com	IP: 112.85.139.75 所属国家: China 地区: Jiangsu 城市: Nantong 纬度: 32.030296 经度: 120.874779
store.hispace.hicloud.com	IP: 49.4.47.241 所属国家: China 地区: Guangdong 城市: Guangzhou 纬度: 23.127361 经度: 113.264572
goo.gl	IP: 142.251.42.238 所属国家: United States of America 地区: California 城市: Mountain View 纬度: 37.405991 经度: -122.078514
grs.dbankcloud.asia	IP: 119.8.176.197 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
ns.adobe.com	没有服务器地理信息.
	IP: 47.246.110.93 所属国家: Singapore

ouplog.umeng.com	地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
------------------	--

 URL线索

URL信息	Url所在文件
https://adash.man.aliyuncs.com/man/api?ak=23356390&s=	com/alibaba/sdk/android/utils/AMSDevReporter.java
http://xml.org/sax/features/namespaces	com/huawei/secure/android/common/xml/DocumentBuilderFactorySecurity.java
http://xml.org/sax/features/validation	com/huawei/secure/android/common/xml/DocumentBuilderFactorySecurity.java
http://xml.org/sax/features/namespaces	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/namespace-prefixes	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/validation	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/external-general-entities	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/external-parameter-entities	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xml.org/sax/features/string-interning	com/huawei/secure/android/common/xml/SAXParserFactorySecurity.java
http://xmllpull.org/v1/doc/features.html	com/huawei/secure/android/common/xml/XmlPullParserFactorySecurity.java
https://api-push.meizu.com/garcia/api/server/getPublicKey	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://api-push.in.meizu.com	com/meizu/cloud/pushsdk/constants/PushConstants.java

https://api-push.meizu.com	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://norma-external-collect.meizu.com/android/exchange/getpublickey.do	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://norma-external-collect.meizu.com/push/android/external/add.do	com/meizu/cloud/pushsdk/constants/PushConstants.java
https://api-push.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.in.meizu.com/garcia/api/client/	com/meizu/cloud/pushsdk/platform/a/a.java
https://api-push.meizu.com/garcia/api/client/log/upload	com/meizu/cloud/pushsdk/platform/a/a.java
http://developer.umeng.com/docs/66650/cate/66650	com/umeng/analytics/pro/j.java
https://developer.umeng.com/docs/66632/detail/	com/umeng/commonsdk/debug/UMLogUtils.java
https://developer.umeng.com/docs/119267/detail/182050	com/umeng/commonsdk/debug/UMLogCommon.java
https://plbslog.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ulogs.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ouplog.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ulogs.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogsus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://ulogs.umengcloud.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://pslog.umeng.com	com/umeng/commonsdk/vchannel/a.java
https://pslog.umeng.com/	com/umeng/commonsdk/vchannel/a.java

https://aaid.umeng.com/api/updateZdata	com/umeng/umzid/ZIDManager.java
https://aaid.umeng.com/api/postZdata	com/umeng/umzid/ZIDManager.java
https://%1\$s/gslb/?ver=4.0	com/xiaomi/push/cu.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gp.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/gd.java
http://www.jivesoftware.com/xmlns/xmpp/properties\	com/xiaomi/push/ha.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/hh.java
http://xmlpull.org/v1/doc/features.html	com/xiaomi/push/hi.java
https://resolver.msg.global.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bt.java
https://resolver.msg.xiaomi.net/psc/?t=a	com/xiaomi/push/service/bt.java
https://cn.register.xmpush.xiaomi.com	com/xiaomi/push/service/s.java
https://register.xmpush.global.xiaomi.com	com/xiaomi/push/service/s.java
https://fr.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/s.java
https://ru.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/s.java
https://idmb.register.xmpush.global.xiaomi.com	com/xiaomi/push/service/s.java
http://ns.adobe.com/xap/1.0/\u0000	i/e/a/a.java
https://developer.android.com/guide/topics/permissions/overview	io/flutter/plugin/platform/PlatformPlugin.java

https://developer.android.com/reference/javax/net/ssl/SSLSocket	io/flutter/plugins/VideoPlayer/VideoPlayerPlugin.java
https://exoplayer.dev/issues/player-accessed-on-wrong-thread	l/e/a/a/e2.java
http://dashif.org/guidelines/trickmode	l/e/a/a/c4/a1/g.java
http://dashif.org/guidelines/last-segment-number	l/e/a/a/c4/a1/n/d.java
http://dashif.org/guidelines/trickmode	l/e/a/a/c4/a1/n/d.java
http://www.w3.org/ns/ttml	l/e/a/a/d4/t/c.java
https://exoplayer.dev/issues/cleartext-not-permitted	l/e/a/a/f4/d0.java
http://schemas.microsoft.com/DRM/2007/03/protocols/AcquireLicense	l/e/a/a/w3/l0.java
<a href="https://x</LA_URL>">https://x</LA_URL>	l/e/a/a/w3/k0.java
https://x	l/e/a/a/w3/k0.java
http://ns.adobe.com/xap/1.0/	l/e/a/a/x3/i0/a.java
https://aomedia.org/emsg/ID3	l/e/a/a/z3/j/a.java
https://developer.apple.com/streaming/emsg-id3	l/e/a/a/z3/j/a.java
https://pagead2.googlesyndication.com/pagead/gen_204?id=gmob-apps	l/e/a/b/a/a/b.java
https://plus.google.com/	l/e/a/b/d/p/j0.java
http://goo.gl/naFqQk	l/e/a/b/f/d/d.java
http://goo.gl/8Rd3yj	l/e/a/b/f/d/l1.java
http://www.google-analytics.com	l/e/a/b/f/d/v0.java

https://ssl.google-analytics.com	/e/a/b/f/d/v0.java
http://goo.gl/8Rd3yj	/e/a/b/f/d/y.java
http://hostname/?	/e/a/b/i/a.java
https://play.google.com/store/apps/details?id=	Mogua Engine V1
https://appgallery.cloud.huawei.com	Mogua Engine V1
https://store.hispace.hicloud.com/hwmarket/api/	Mogua Engine V1
https://store-at-dre.hispace.dbankcloud.com/hwmarket/api/	Mogua Engine V2
https://data-drcn.push.dbankcloud.com	Mogua Engine V2
https://data-dra.push.dbankcloud.com	Mogua Engine V2
https://data-dre.push.dbankcloud.com	Mogua Engine V2
https://data-drru.push.dbankcloud.com	Mogua Engine V2
https://grs.dbankcloud.com	Mogua Engine V2
https://grs.dbankcloud.cn	Mogua Engine V2
https://grs.dbankcloud.eu	Mogua Engine V2
https://grs.dbankcloud.asia	Mogua Engine V2
https://store1.hispace.hicloud.com/hwmarket/api/	Mogua Engine V2
https://store2.hispace.hicloud.com/hwmarket/api/	Mogua Engine V2

https://store3.hispace.hicloud.com/hwmarket/api/	Mogua Engine V2
https://store-drru.hispace.hicloud.com/hwmarket/api/	Mogua Engine V2
https://metrics1.data.hicloud.com:6447	Mogua Engine V2
https://metrics-dra.dt.hicloud.com:6447	Mogua Engine V2
https://metrics2.data.hicloud.com:6447	Mogua Engine V2
https://metrics5.data.hicloud.com:6447	Mogua Engine V2
https://www.jsdelivr.com/using-sri-with-dynamic-files	Mogua Engine V2
https://github.com/apvarun/toastify-js	Mogua Engine V2
https://github.com/richttr/NoSleep.js/issues/15	Mogua Engine V2
https://developer.mozilla.org/en-US/docs/Web/API/WakeLockSentinel/released	Mogua Engine V2
http://www.w3.org/XML/1998/namespace	lib/armeabi-v7a/libflutter.so
http://www.w3.org/2000/xmlns/	lib/armeabi-v7a/libflutter.so
<a)."="" href="https://www.w3.org/Style/CSS/Test/Fonts/Ahem/">https://www.w3.org/Style/CSS/Test/Fonts/Ahem/).	lib/armeabi-v7a/libflutter.so
https://github.com/flutter/flutter/issues .	lib/armeabi-v7a/libflutter.so
https://okzuixin1118899.oss-cn-beijing.aliyuncs.com/index04.html	lib/armeabi-v7a/libapp.so
https://ok1112817899.oss-cn-hangzhou.aliyuncs.com/index04.html	lib/armeabi-v7a/libapp.so
https://api.flutter.dev/flutter/dart-ui/ChannelBuffers-class.html	lib/armeabi-v7a/libapp.so

http://www.ibm.com/data/dtd/v11/ibmxhtml1-transitional.dtd	lib/armeabi-v7a/libapp.so
http://www.w3.org/2000/svg	lib/armeabi-v7a/libapp.so
http://www.w3.org/1998/Math/MathML	lib/armeabi-v7a/libapp.so
http://www.w3.org/2000/xmlns/	lib/armeabi-v7a/libapp.so
https://api.flutter.dev/flutter/material/Scaffold/of.html	lib/armeabi-v7a/libapp.so
https://storage.googleapis.com/okpay/index04.html	lib/armeabi-v7a/libapp.so
https://www.okpay777.com	lib/armeabi-v7a/libapp.so
https://oss20231101.okfy8899.com/index04.html	lib/armeabi-v7a/libapp.so
https://flutter.dev/docs/release/breaking-changes/network-policy-ios-android.	lib/armeabi-v7a/libapp.so
https://github.com/flutter/flutter/issues/new.	lib/armeabi-v7a/libapp.so

 邮箱线索

邮箱地址	所在文件
u0013android@android.com0 u0013android@android.com	l/e/a/b/d/c0.java
_httpparser@13463476.responsepa storationinformation@751124995.fromserial _double@0150898.fromintege ._future@4048458.immediate _growablelist@0150898._literal _link@14069316.fromrawpat	

c_growablelist@0150898.withcapaci
_growablelist@0150898._literal6
_receiveportimpl@1026248.fromrawrec
-_list@0150898._ofarray
z_timer@1026248.periodic
m_growablelist@0150898._literal2
g_bigintimpl@0150898.from
_list@0150898.empty
_directory@14069316.fromrawpat
_casterror@0150898._create
l_invocationmirror@0150898._withtype
_colorfilter@16065589.mode
_colorfilter@16065589.srgbtoline
i_rawsocket@14069316._writepipe
4_uri@0150898.file
_growablelist@0150898._literal1
q_imagefilter@16065589.blur
_growablelist@0150898._literal4
bb_growablelist@0150898._ofgrowabl
x_growablelist@0150898.of
8n_routedata@1188504625.ofroute
k_colorfilter@16065589.lineartosr
_nativesocket@14069316.pipe
_cookie@13463476.fromsetcoo
authenticationscheme@13463476.fromstring
_list@0150898.of
_list@0150898.generate
n_typeerror@0150898._create
lectiontoolbarbutton@348392285.text
_list@0150898._ofgrowabl
_list@0150898._ofefficie
_growablelist@0150898._ofarray
_growablelist@0150898._literal3
u_growablelist@0150898._ofother
_timer@1026248._internal
_growablelist@0150898._literal5
_rawsocket@14069316._readpipe
_socket@14069316._readpipe

_list@0150898._ofother
eo_bytebuffer@7027147._new
lectiontoolbarbutton@470113492.text
ngstreamsubscription@4048458.zoned

lib/armeabi-v7a/libapp.so

_assertionerror@0150898._create av_nativesocket@14069316.normal j_filestream@14069316.forstdin _uri@0150898.directory qd_growablelist@0150898._literal8 v_file@14069316.fromrawpat gh_growablelist@0150898.generate _uri@0150898.notsimple 7u_growablelist@0150898._literal7 __growablelist@0150898._ofefficie _future@4048458.immediatee	
--	--

手机线索

手机号	所在文件
17512775099	l/e/b/c/a.java

✿ 签名证书

APK已签名

v1 签名: True

v2 签名: True

v3 签名: False

找到 1 个唯一证书

主题: C=cn, ST=sh, L=sh, O=sh, OU=abcd, CN=abc

签名算法: rsassa_pkcs1v15

有效期自: 2023-08-10 09:53:37+00:00

有效期至: 2050-12-26 09:53:37+00:00

发行人: C=cn, ST=sh, L=sh, O=sh, OU=abcd, CN=abc

序列号: 0x24eca69b

哈希算法: sha256

md5值: 58ccd18a2db451a6e30a5a558ba6f411

sha1值: a1642cd220a1b4cb897bc4fb61badfb04fe7c830

sha256值: 43517a6e9910c71168fc67b82f4a8f09371e490dcf79a8cd2cb8b1303747efc1

sha512值: 2a4410385863183f1d287c633a540d90b0fbadd5356ca6cc85a42a32626ac44ec3dcc895246b75afd20111b7a9cc31b18523caf24f9a3cc96448ce52ffca9ca6

公钥算法: rsa

密钥长度: 2048

指纹: 859401e99c78efb60c1194e001bb1ec1b4decd5d2195587c98a2fb8dbe2f37ce

硬编码敏感信息

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况

android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.ACCESS_FINE_LOCATION	危险	精细定位 (GPS)	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置 (如果可用)。恶意应用程序可以使用它来确定您的大致位置
android.permission.ACCESS_GPS	未知	Unknown permission	Unknown permission from android reference

android.permission.ACCESS_ASSISTED_GPS	未知	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_LOCATION	未知	Unknown permission	Unknown permission from android reference
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.USE_FULL_SCREEN_INTENT	正常		针对想要使用通知全屏意图的 Build.VERSION_CODES.Q 的应用程序是必需的
android.permission.SCHEDULE_EXACT_ALARM	正常		允许应用程序使用精确的警报调度 API 来执行对时间敏感的后台工作
com.oneworld.onepay.permission.MIPUSH_RECEIVE	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
com.oneworld.onepay.permission.PROCESS_PUSH_MSG	未知	Unknown permission	Unknown permission from android reference
com.oneworld.onepay.permission.PUSH_PROVIDER	未知	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
com.meizu.flyme.push.permission.RECEIVE	未	Unknown	Unknown permission from android reference

	知	permission	
com.oneworld.onepay.push.permission.MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.meizu.c2dm.permission.RECEIVE	未知	Unknown permission	Unknown permission from android reference
com.oneworld.onepay.permission.C2D_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.meizu.flyme.permission.PUSH	未知	Unknown permission	Unknown permission from android reference
com.coloros.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.heytao.mcs.permission.RECIEVE_MCS_MESSAGE	未知	Unknown permission	Unknown permission from android reference
com.vivo.notification.permission.BADGE_ICON	未知	Unknown permission	Unknown permission from android reference
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi 状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.CALL_PHONE	危险	直接拨打电话号码	允许应用程序在没有您干预的情况下拨打电话号码。恶意应用程序可能会导致您的电话账单出现意外呼叫。请注意,这不允许应用程序拨打紧急电话号码
android.permission.REQUEST_INSTALL_PACKAGES	危险	允许应用程序请求安装包。	恶意应用程序可以利用它来尝试诱骗用户安装其他恶意软件包。
com.huawei.appmarket.service.commondata.permission.GET_COMMON_DATA	未知	Unknown permission	Unknown permission from android reference

应用内通信

活动(ACTIVITY)	通信(INTENT)
com.leo.okp.MainActivity	Schemes: okpay://,
com.leo.okp.mfr.MfrMessageActivity	Schemes: agoo://, Hosts: com.oneworld.onepay, Paths: /thirdpush,

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。