



MoGua

光大证券 25.02.11.APK 分析报告



APP名称:

光大证券

包名:	com.g2501.app
域名线索:	56条
URL线索:	82条
邮箱线索:	0条
分析日期:	2025年4月3日
分析平台:	摸瓜APK反编译平台

文件名: 光大证券.apk

文件大小: 59.16MB

MD5值: b8c472ea53024da13d464715279f6923

SHA1值: c587361ababe599731a300ff5722f5f39e0399ca

SHA256值: c06ccfe244be8c14df1d70dad5b53d3845cded420a0e7347ff792d8fb76d562c

i APP 信息

App名称: 光大证券

包名: com.g2501.app

主活动Activity: io.dcloud.NewPandoraEntry

安卓版本名称: 25.02.11

安卓版本: 250211

🔍 域名线索

域名	服务器信息
m5.amap.com	IP: 59.82.113.187 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
apilocate.amap.com	IP: 59.82.31.183 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
	IP: 140.207.191.167 所属国家: China 地区: Shanghai

open.weixin.qq.com	城市: Shanghai 纬度: 31.224333 经度: 121.468948
loggw-exsdk.alipay.com	IP: 119.42.231.4 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
c-gtc.getui.nethttps	没有服务器地理信息.
abroad.apilocate.amap.com	IP: 59.82.44.11 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948
alogsus.umeng.com	IP: 223.109.148.176 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
m3w.cn	IP: 123.6.37.172 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
mcgw.alipay.com	IP: 123.125.216.192 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501

	经度: 116.397102
d-gt.getui.com	没有服务器地理信息.
developer.umeng.com	IP: 59.82.31.95 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
c-hzgt2.getui.com	IP: 124.160.155.55 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000
zxid-m.mobileservice.cn	IP: 101.69.207.69 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
restsdk.amap.com	IP: 203.119.169.174 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
adiu.amap.com	IP: 110.253.189.212 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349

gtc.getui.nethttps	没有服务器地理信息.
mobilegwpre.alipay.com	IP: 110.75.138.35 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
schemas.android.com	没有服务器地理信息.
mobilegw.alipaydev.com	IP: 110.75.132.131 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
aspect-upush.umeng.com	IP: 223.109.148.179 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
pslog.umeng.com	IP: 59.82.29.162 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
wprd0d.is.autonavi.com	没有服务器地理信息.
aid.mobileservice.cn	IP: 101.69.207.68 所属国家: China 地区: Zhejiang 城市: Hangzhou

	纬度: 30.293650 经度: 120.161583
b-gtc.getui.nethttps	没有服务器地理信息.
mobilegw.alipay.com	IP: 203.209.245.129 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
ulogs.umeng.com	IP: 223.109.148.176 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
mclient.alipay.com	IP: 123.6.22.250 所属国家: China 地区: Henan 城市: Zhengzhou 纬度: 34.757778 经度: 113.648613
wap.amap.com	IP: 116.142.235.229 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
ulogs.umengcloud.com	IP: 223.109.148.176 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992

wappaygw.alipay.com	IP: 123.125.216.191 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
errnewlogos.umeng.com	IP: 47.246.110.96 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
ucc.umeng.com	IP: 203.119.169.82 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
cgicol.amap.com	IP: 110.253.188.147 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
render.alipay.com	IP: 27.221.79.105 所属国家: China 地区: Shandong 城市: Qingdao 纬度: 36.098610 经度: 120.371941
	IP: 223.109.148.171 所属国家: China 地区: Jiangsu

utoken.umeng.com	城市: Nanjing 纬度: 32.061668 经度: 118.777992
alogus.umeng.com	IP: 223.109.148.179 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
ns.adobe.com	没有服务器地理信息.
dualstack-arestapi.amap.com	IP: 203.119.169.174 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
errlogos.umeng.com	IP: 47.246.110.96 所属国家: Singapore 地区: Singapore 城市: Singapore 纬度: 1.289987 经度: 103.850281
errlog.umeng.com	IP: 223.109.148.142 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
lbs.amap.com	IP: 110.253.189.212 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024

	经度: 114.879349
mpsapi.amap.com	IP: 203.119.169.143 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
wb.amap.com	IP: 110.253.189.212 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
nisportal.10010.com	IP: 124.64.196.20 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
er.dcloud.net.cn	IP: 43.142.57.168 所属国家: China 地区: Beijing 城市: Beijing 纬度: 39.907501 经度: 116.397102
yuntuapi.amap.com	没有服务器地理信息.
long.open.weixin.qq.com	IP: 112.65.193.170 所属国家: China 地区: Shanghai 城市: Shanghai 纬度: 31.224333 经度: 121.468948

h5.m.taobao.com	IP: 125.38.11.131 所属国家: China 地区: Tianjin 城市: Tianjin 纬度: 39.142181 经度: 117.176102
mst01.is.autonavi.com	IP: 110.253.189.211 所属国家: China 地区: Hebei 城市: Zhangjiakou 纬度: 40.810024 经度: 114.879349
errnewlog.umeng.com	IP: 223.109.148.129 所属国家: China 地区: Jiangsu 城市: Nanjing 纬度: 32.061668 经度: 118.777992
apiinit.amap.com	IP: 203.119.169.174 所属国家: China 地区: Zhejiang 城市: Hangzhou 纬度: 30.293650 经度: 120.161583
er.dcloud.io	没有服务器地理信息.
sdk-open-phone.getui.com	IP: 101.68.218.163 所属国家: China 地区: Zhejiang 城市: Jiaxing 纬度: 30.752199 经度: 120.750000
	IP: 106.11.43.81 所属国家: China 地区: Beijing

dualstack-a.apilocate.amap.com	城市: Beijing 纬度: 39.907501 经度: 116.397102
ask.dcloud.net.cn	IP: 115.56.90.192 所属国家: China 地区: Henan 城市: Jiaozuo 纬度: 35.239719 经度: 113.233063
plbslog.umeng.com	IP: 36.156.202.68 所属国家: China 地区: Jiangsu 城市: Yangzhou 纬度: 32.397221 经度: 119.435600

URL线索

URL信息	Url所在文件
https://mobilegw.alipay.com/mgw.htm	com/alipay/sdk/m/l/a.java
https://mobilegw.alipaydev.com/mgw.htm	com/alipay/sdk/m/l/a.java
https://mcgw.alipay.com/sdklog.do	com/alipay/sdk/m/l/a.java
https://loggw-exsdk.alipay.com/loggw/logUpload.do	com/alipay/sdk/m/l/a.java
https://wappaygw.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/m/l/a.java
https://mclient.alipay.com/home/exterfaceAssign.htm?	com/alipay/sdk/m/l/a.java

https://h5.m.taobao.com/mlapp/olist.html	com/alipay/sdk/m/m/a.java
https://render.alipay.com/p/s/i?scheme=%s	com/alipay/sdk/app/OpenAuthTask.java
https://wappaygw.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
http://wappaygw.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/service/rest.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/home/exterfaceAssign.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/home/exterfaceAssign.htm	com/alipay/sdk/app/PayTask.java
https://mclient.alipay.com/cashier/mobilepay.htm	com/alipay/sdk/app/PayTask.java
http://mclient.alipay.com/cashier/mobilepay.htm	com/alipay/sdk/app/PayTask.java
https://mobilegwpre.alipay.com/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
https://mobilegw.alipay.com/mgw.htm	com/alipay/apmobilesecuritysdk/b/a.java
https://adiu.amap.com/ws/device/adius	com/amap/api/col/p0003l/hk.java
http://cgicol.amap.com/collection/collectData?src=baseCol&ver=v74&	com/amap/api/col/p0003l/je.java
https://restsdk.amap.com/v3/iasdkauth	com/amap/api/col/p0003l/fh.java
https://dualstack-arestapi.amap.com/v3/iasdkauth	com/amap/api/col/p0003l/fh.java
https://restsdk.amap.com/sdk/compliance/params	com/amap/api/col/p0003l/gu.java
http://restsdk.amap.com/sdk/compliance/params	com/amap/api/col/p0003l/gu.java

http://restsdk.amap.com	com/amap/api/col/p0003l/fq.java
http://restsdk.amap.com/v3/place/text?	com/amap/api/col/p0003l/a.java
http://restsdk.amap.com/v3/place/around?	com/amap/api/col/p0003l/a.java
http://restsdk.amap.com/v3/config/district?	com/amap/api/col/p0003l/a.java
http://restsdk.amap.com/v4/grasroad/driving?	com/amap/api/col/p0003l/fb.java
http://restsdk.amap.com/v4/gridmap?	com/amap/api/col/p0003l/df.java
http://restsdk.amap.com/v4	com/amap/api/col/p0003l/s.java
http://wprd0%d.is.autonavi.com/appmaptile?	com/amap/api/col/p0003l/de.java
http://restsdk.amap.com/v4/gridmap?	com/amap/api/col/p0003l/de.java
http://restsdk.amap.com/v4	com/amap/api/col/p0003l/cr.java
http://restsdk.amap.com	com/amap/api/col/p0003l/v.java
http://mpsapi.amap.com/ws/mps/lyrdata/ugc\	com/amap/api/col/p0003l/l.java
https://adiu.amap.com/ws/device/adius	com/amap/api/col/s/df.java
http://apiinit.amap.com/v3/log/init	com/amap/api/col/s/bt.java
http://restsdk.amap.com/v3	com/amap/api/col/s/i.java
https://restsdk.amap.com/v3	com/amap/api/col/s/i.java
http://restsdk.amap.com/v4	com/amap/api/col/s/i.java

https://restsdk.amap.com/v4	com/amap/api/col/s/i.java
http://restsdk.amap.com/v5	com/amap/api/col/s/i.java
https://restsdk.amap.com/v5	com/amap/api/col/s/i.java
http://yuntuapi.amap.com	com/amap/api/col/s/i.java
https://yuntuapi.amap.com	com/amap/api/col/s/i.java
http://restsdk.amap.com/rest/me/cpoint	com/amap/api/col/s/i.java
https://restsdk.amap.com/rest/me/cpoint	com/amap/api/col/s/i.java
http://m5.amap.com/ws/mapapi/shortaddress/transform	com/amap/api/col/s/i.java
https://m5.amap.com/ws/mapapi/shortaddress/transform	com/amap/api/col/s/i.java
https://restsdk.amap.com/sdk/compliance/params	com/amap/api/col/s/cu.java
http://restsdk.amap.com/sdk/compliance/params	com/amap/api/col/s/cu.java
https://restsdk.amap.com/v3/iasdkauth	com/amap/api/col/s/bs.java
https://dualstack-arestapi.amap.com/v3/iasdkauth	com/amap/api/col/s/bs.java
http://wb.amap.com/?r=%f,%f,%s,%f,%f,%s,%d,%d,%d,%s,%s,%s&sourceapplication=openapi/0	com/amap/api/col/s/bo.java
http://wb.amap.com/?q=%f,%f,%s&sourceapplication=openapi/0	com/amap/api/col/s/bo.java
http://wb.amap.com/?n=%f,%f,%f,%f,%d&sourceapplication=openapi/0	com/amap/api/col/s/bo.java
http://wb.amap.com/?p=%s,%f,%f,%s,%s&sourceapplication=openapi/0	com/amap/api/col/s/bo.java
http://wap.amap.com/	com/amap/api/maps/AMapUtils.java

http://lbs.amap.com/api/android-location-sdk/guide/utilities/errorcode/	com/amap/api/location/AMapLocation.java
http://m5.amap.com/	com/autonavi/base/amap/mapcore/maploader/AMapLoader.java
http://restsdk.amap.com/rest/lbs/dem/data?z=%d&x=%d&y=%d&type=2	com/autonavi/base/ae/gmap/TerrainOverlayProvider.java
http://mst01.is.autonavi.com/appmaptile?z=%d&x=%d&y=%d&lang=zh_cn&size=1&scale=1&style=6	com/autonavi/base/ae/gmap/TerrainOverlayProvider.java
http://mpsapi.amap.com/	com/autonavi/base/ae/gmap/GLMapEngine.java
http://m5.amap.com/	com/autonavi/base/ae/gmap/GLMapEngine.java
http://apilocate.amap.com/mobile/binary	com/autonavi/aps/amapapi/utills/b.java
http://dualstack-a.apilocate.amap.com/mobile/binary	com/autonavi/aps/amapapi/utills/b.java
http://abroad.apilocate.amap.com/mobile/binary	com/autonavi/aps/amapapi/utills/b.java
http://abroad.apilocate.amap.com/mobile/binary	com/autonavi/aps/amapapi/utills/g.java
http://abroad.apilocate.amap.com/mobile/binary	com/autonavi/aps/amapapi/trans/a.java
http://dualstack-arestapi.amap.com/v3/geocode/regeo	com/autonavi/aps/amapapi/trans/c.java
http://restsdk.amap.com/v3/geocode/regeo	com/autonavi/aps/amapapi/trans/c.java
https://errnewlog.umeng.com/api/crashsdk/logcollect	com/efs/sdk/base/core/f/c.java
https://errnewlogos.umeng.com/api/crashsdk/logcollect	com/efs/sdk/base/core/controller/ControllerCenter.java
https://errnewlog.umeng.com/api/crashsdk/logcollect	com/efs/sdk/base/core/controller/ControllerCenter.java
https://c-gtc.getui.net,https://c-gtc.gepush.com	com/getui/gtc/c/b.java

https://gtc.getui.net , https://gtc.gepush.com	com/getui/gtc/c/b.java
https://b-gtc.getui.net , https://b-gtc.gepush.com	com/getui/gtc/c/b.java
https://sdk-open-phone.getui.com/	com/getui/gtc/i/d/b.java
https://sdk-open-phone.getui.com/api.php	com/igexin/push/a.java
https://c-hzgt2.getui.com/api.php	com/igexin/push/a.java
https://d-gt.getui.com/api.htm	com/igexin/push/a.java
https://bi.	com/igexin/push/config/b.java
https://config.	com/igexin/push/config/b.java
https://bi.	com/igexin/push/config/h.java
https://config.	com/igexin/push/config/h.java
https://errlog.umeng.com	com/uc/crashsdk/a/d.java
https://errlogos.umeng.com	com/uc/crashsdk/a/d.java
http://developer.umeng.com/docs/66650/cate/66650	com/umeng/analytics/pro/j.java
https://aspect-upush.umeng.com/occa/v1/event/report	com/umeng/analytics/pro/am.java
https://ucc.umeng.com/v2/inn/fetch	com/umeng/analytics/pro/an.java
https://pslog.umeng.com/ablog	com/umeng/cconfig/UMRemoteConfig.java
https://ucc.umeng.com/v1/fetch	com/umeng/cconfig/UMRemoteConfig.java
https://ucc.umeng.com/v1/fetch	com/umeng/cconfig/c/b.java

https://pslog.umeng.com/ablog	com/umeng/cconfig/c/b.java
https://developer.umeng.com/docs/66632/detail/	com/umeng/commonsdk/debug/UMLogUtils.java
https://developer.umeng.com/docs/119267/detail/182050	com/umeng/commonsdk/debug/UMLogCommon.java
https://ulogs.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://alogsus.umeng.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://ulogs.umengcloud.com	com/umeng/commonsdk/statistics/UMServerURL.java
https://pslog.umeng.com	com/umeng/commonsdk/vchannel/a.java
https://pslog.umeng.com/	com/umeng/commonsdk/vchannel/a.java
https://plbslog.umeng.com	com/umeng/commonsdk/stateless/a.java
https://ulogs.umeng.com	com/umeng/commonsdk/stateless/a.java
https://alogus.umeng.com	com/umeng/commonsdk/stateless/a.java
https://errnewlog.umeng.com	com/umeng/umcrash/UMCrashContent.java
https://errnewlogos.umeng.com	com/umeng/umcrash/UMCrashContent.java
https://errnewlogos.umeng.com/upload	com/umeng/umcrash/UMCrash.java
https://errnewlogos.umeng.com	com/umeng/umcrash/UMCrash.java
https://errnewlog.umeng.com/upload	com/umeng/umcrash/UMCrash.java

https://errnewlog.umeng.com	com/umeng/umcrash/UMCrash.java
https://utoken.umeng.com	com/umeng/umzid/ZIDManager.java
https://long.open.weixin.qq.com/connect/l/qrconnect?f=json&uuiid=%s	com/tencent/mm/opensdk/diffdev/a/c.java
https://open.weixin.qq.com/connect/sdk/qrconnect?appid=%s&noncestr=%s&timestamp=%s&scope=%s&signature=%s	com/tencent/mm/opensdk/diffdev/a/b.java
https://aid.mobileservice.cn/	com/zx/a/l8b7/j3.java
https://zxid-m.mobileservice.cn/sdk/config/v2/init	com/zx/a/l8b7/n.java
https://nisportal.10010.com:9001	com/zx/a/l8b7/f1.java
https://zxid-m.mobileservice.cn/sdk/config/init	com/zx/a/l8b7/l.java
https://zxid-m.mobileservice.cn/sdk/app/depAnalysis	com/zx/a/l8b7/d1.java
https://zxid-m.mobileservice.cn/sdk/module/getCoreModule	com/zx/a/l8b7/f0.java
https://zxid-m.mobileservice.cn/sdk/uaid/reportAuthToken	com/zx/a/l8b7/v1.java
https://zxid-m.mobileservice.cn/sdk/uaid/get	com/zx/a/l8b7/w1.java
https://zxid-m.mobileservice.cn/sdk/extend/tag	com/zx/a/l8b7/b2.java
https://zxid-m.mobileservice.cn/sdk/ext/pconfig	com/zx/a/l8b7/f.java
https://zxid-m.mobileservice.cn/sdk/channel/report	com/zx/a/l8b7/p1.java
https://ask.dcloud.net.cn/article/35627	b/a.java
https://ask.dcloud.net.cn/article/35877	b/a.java

http://ns.adobe.com/xap/1.0/\u0000	io/dcloud/common/util/ExifInterface.java
https://m3w.cn/s/	io/dcloud/common/util/ShortCutUtil.java
https://ask.dcloud.net.cn/article/282	io/dcloud/common/constant/DOMException.java
https://er.dcloud.io/sc	io/dcloud/feature/gg/dcloud/ADHandler.java
https://er.dcloud.net.cn/sc	io/dcloud/feature/gg/dcloud/ADHandler.java
https://ask.dcloud.net.cn/article/35058	io/dcloud/feature/audio/AudioRecorderMgr.java
https://ask.dcloud.net.cn/article/287	io/dcloud/share/IFShareApi.java
https://er.dcloud.io/rv	d/c.java
https://er.dcloud.net.cn/rv	d/c.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifViewUtils.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifTextureView.java
http://schemas.android.com/apk/res/android	pl/droidsonroids/gif/GifTextView.java
https://ask.dcloud.net.cn/article/283	j/b.java

邮箱线索

手机线索

手机号	所在文件
-----	------

1422222222	com/amap/api/col/s/bs.java
------------	----------------------------

签名证书

APK已签名

v1 签名: True

v2 签名: True

v3 签名: True

找到 1 个唯一证书

主题: C=CN, ST=IfUKDaorpQzjCMkH, L=IfUKDaorpQzjCMkH, O=IfUKDaorpQzjCMkH, OU=IfUKDaorpQzjCMkH, CN=IfUKDaorpQzjCMkH

签名算法: rsassa_pkcs1v15

有效期自: 2025-03-04 05:42:28+00:00

有效期至: 2079-12-06 05:42:28+00:00

发行人: C=CN, ST=IfUKDaorpQzjCMkH, L=IfUKDaorpQzjCMkH, O=IfUKDaorpQzjCMkH, OU=IfUKDaorpQzjCMkH, CN=IfUKDaorpQzjCMkH

序列号: 0xe3773d81306fc60e

哈希算法: sha256

md5值: 82136cc30b83ed2fb0afb5c6e8f3a4ee

sha1值: d69e356d32298aa8bf5960f7babddc140b8cd68e

sha256值: 9759b59f450ecd31ec785cdc2c7d57d484eca1bd7ce3133765fef400fd9bc86e

sha512值: 1913b5cdfd10b79da8efbb57a32ad5ab70539ea207bf860291a04c7dd2c38b5970a197add7f7d69665c059a99b79f5de8daae9b1b83621155ab2103a7e5b3e6a

公钥算法: rsa

密钥长度: 2048

指纹: 952c612fc4a6a4d97cf408aa3c890376c4382d244c42de5988c4a483ba4f4516

硬编码敏感信息

加壳分析

加壳类型	所属文件
登陆摸瓜网站后查看	

第三方插件

名称	分类	URL链接
登陆摸瓜网站后查看		

此APP的危险动作

向手机申请的权限	是否危险	类型	详细情况
android.permission.CAMERA	危险	拍照和录像	允许应用程序用相机拍照和录像。这允许应用程序收集相机随时看到的图像
android.permission.WRITE_EXTERNAL_STORAGE	危险	读取/修改/删除外部存储内容	允许应用程序写入外部存储
android.permission.VIBRATE	正常	可控震源	允许应用程序控制振动器
android.permission.FLASHLIGHT	正常	控制手电筒	允许应用程序控制手电筒
android.permission.USE_FINGERPRINT	正常	allow use of指纹	该常量在 API 级别 28 中已被弃用。应用程序应改为请求 USE_BIOMETRIC
android.permission.INTERNET	正常	互联网接入	允许应用程序创建网络套接字
android.permission.ACCESS_COARSE_LOCATION	危险	粗定位	访问粗略位置源,例如移动网络数据库,以确定大概的电话位置(如果可用)。恶意应用程序可以使用它来确定您的大致位置

android.permission.ACCESS_FINE_LOCATION	危险	精细定位 (GPS)	访问精细位置源,例如手机上的全球定位系统,如果可用。恶意应用程序可以使用它来确定您的位置,并可能消耗额外的电池电量
android.permission.WRITE_SETTINGS	危险	修改全局系统设置	允许应用程序修改系统设定数据。恶意应用可能会损坏你的系统的配置。
android.permission.ACCESS_NETWORK_STATE	正常	查看网络状态	允许应用程序查看所有网络的状态
android.permission.CHANGE_WIFI_STATE	正常	更改Wi-Fi状态	允许应用程序连接和断开 Wi-Fi 接入点,并对配置的 Wi-Fi 网络进行更改
android.permission.READ_PHONE_STATE	危险	读取电话状态和身份	允许应用访问设备的电话功能。具有此权限的应用程序可以确定此电话的电话号码和序列号,呼叫是否处于活动状态,呼叫所连接的号码等
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	危险	装载和卸载文件系统	允许应用程序为可移动存储安装和卸载文件系统
android.permission.READ_LOGS	危险	读取敏感日志数据	允许应用程序从系统读小号各种日志文件。这使它能够发现有关您使用手机做什么的一般信息,可能包括个人或私人信息
android.permission.ACCESS_WIFI_STATE	正常	查看Wi-Fi状态	允许应用程序查看有关 Wi-Fi 状态的信息
android.permission.ACCESS_MOCK_LOCATION	危险	用于测试的模拟位置源	创建模拟位置源进行测试。恶意应用程序可以使用它来覆盖由真实位置源 (如 GPS 或网络提供商) 返回的位置和/或状态
android.permission.MODIFY_AUDIO_SETTINGS	正常	更改您的音频设置	允许应用程序修改全局音频设置,例如音量和路由
android.permission.RECORD_AUDIO	危险	录音	允许应用程序访问音频记录路径
android.permission.CHANGE_NETWORK_STATE	正常	更改网络连接	允许应用程序更改网络连接状态。
android.permission.RECEIVE_BOOT_COMPLETED	正常	开机时自动启动	允许应用程序在系统完成启动后立即启动。这可能会使启动手机需要更长的时间,并允许应用程序通过始终运行来减慢整个手机的速度
android.permission.RECEIVE_USER_PRESENT	未知	Unknown permission	Unknown permission from android reference

com.xiaomi.permission.AUTH_SERVICE	未知	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH_ADMIN	正常	蓝牙管理	允许应用程序发现和配对蓝牙设备。
android.permission.BLUETOOTH	正常	创建蓝牙连接	允许应用程序连接到配对的蓝牙设备
android.permission.GET_TASKS	危险	检索正在运行的应用程序	允许应用程序检索有关当前和最近运行的任务的信息。可能允许恶意应用程序发现有关其他应用程序的私人信息
android.permission.READ_CONTACTS	危险	读取联系人数据	允许应用程序读取您手机上存储的所有联系人（地址）数据。恶意应用程序可以借此将您的数据发送给其他人
android.permission.WRITE_CONTACTS	危险	写入联系人数据	允许应用程序修改您手机上存储的联系人（地址）数据。恶意应用程序可以使用它来删除或修改您的联系人数据
android.permission.GET_ACCOUNTS	危险	列出帐户	允许访问账户服务中的账户列表
android.permission.SEND_SMS	危险	发送短信	允许应用程序发送 SMS 消息。恶意应用程序可能会在未经您确认的情况下发送消息,从而使您付出代价
android.permission.WRITE_SMS	危险	编辑短信或彩信	允许应用程序写入存储在您的手机或 SIM 卡上的 SMS 消息。恶意应用程序可能会删除您的消息
android.permission.READ_SMS	危险	阅读短信或彩信	允许应用程序读取存储在您的手机或 SIM 卡上的 SMS 消息。恶意应用程序可能会读取您的机密信息
android.permission.READ_MEDIA_IMAGES	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_VIDEO	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_VISUAL_USER_SELECTED	未知	Unknown permission	Unknown permission from android reference

com.huawei.android.launcher.permission.CHANGE_BADGE	正常	在应用程序上显示通知计数	在华为手机的应用程序启动图标上显示通知计数或徽章。
com.vivo.notification.permission.BADGE_ICON	未知	Unknown permission	Unknown permission from android reference
android.permission.READ_EXTERNAL_STORAGE	危险	读取外部存储器内容	允许应用程序从外部存储读取
com.asus.msa.SupplementaryDID.ACCESS	未知	Unknown permission	Unknown permission from android reference
freemme.permission.msa	未知	Unknown permission	Unknown permission from android reference
android.permission.WAKE_LOCK	正常	防止手机睡眠	允许应用程序防止手机进入睡眠状态
android.permission.FOREGROUND_SERVICE	正常		允许常规应用程序使用 Service.startForeground。
com.g2501.app.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	未知	Unknown permission	Unknown permission from android reference
com.google.android.gms.permission.AD_ID	未知	Unknown permission	Unknown permission from android reference
android.permission.SCHEDULE_EXACT_ALARM	正常		允许应用程序使用精确的警报调度 API 来执行对时间敏感的后台工作
getui.permission.GetuiService.com.g2501.app	未知	Unknown permission	Unknown permission from android reference
android.permission.QUERY_ALL_PACKAGES	正常		允许查询设备上的任何普通应用程序,无论清单声明如何
android.permission.ACCESS_BACKGROUND_LOCATION	危险	后台访问位置	允许应用程序在后台访问位置

应用内通信

活动(ACTIVITY)	通信(INTENT)
io.dcloud.PandoraEntryActivity	Schemes: ://,

报告由 [摸瓜APK反编译平台](#) 自动生成，并非包含所有检测结果，有疑问请联系管理员。